

Geophysical Research Abstracts
Vol. 18, EGU2016-13441, 2016
EGU General Assembly 2016
© Author(s) 2016. CC Attribution 3.0 License.



Evidence for a highly non-dipolar character of the European 800 AD event

Miriam Gomez-Paccard (1), María Luisa Osete (2,3), Francisco Javier Pavón-Carrasco (3,4), and Annick Chauvin (5)

(1) Institute of Earth Sciences Jaume Almera ICTJA-CSIC, Barcelona, Spain (mgomezpaccard@ictja.csic.es), (2) Departamento Física de la Tierra I, Facultad de Ciencias Físicas, Universidad Complutense, 28040 Madrid, Spain. E-mail address: mlosete@fis.ucm.es, (3) Instituto de Geociencias (IGEO), CSIC,UCM; Ciudad Universitaria, 28040 Madrid, Spain., (4) Istituto Nazionale di Geofisica e Vulcanologia, Rome, Italy. E-mail address: javier.pavon@ingv.it, (5) Géosciences-Rennes, UMR 6118, CNRS, Université de Rennes 1, Campus de Beaulieu, Bât. 15, CS 74205, 35042 Rennes, France. E-mail address: annick.chauvin@univ-rennes1.fr

Over the last years new evidences of several short-lived regional maxima of the geomagnetic field intensity at various times and locations have been defined. These features have important implications both for geomagnetic field modeling and for Earth's dynamo simulations. However, the nature, extent and underlying causes of these variations are still poorly understood. Here we present a detailed analysis of the sharp abrupt intensity change that took place in Western Europe around 800 AD, the most significant geomagnetic field intensity feature observed in Europe over the last two millennia. For this purpose we present an up-to-date regional intensity reconstruction for Western Europe and compare the results with other regional and global geomagnetic field reconstructions. The results indicate that the 800 AD event is mainly controlled by non-dipolar geomagnetic sources.