



Title	Special edition on oral infections and microbiology
Author(s)	Lam, OLT; Tsang, PWK
Citation	Dentistry: Open Journal, 2015, SE n. 2, p. Se1-Se4
Issued Date	2015
URL	http://hdl.handle.net/10722/229063
Rights	This work is licensed under a Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.

Special Edition
"Oral Infections and Microbiology"

Editorial

***Corresponding author**
Otto Lok Tao Lam, BSc, BDS, PhD
Clinical Assistant Professor
Faculty of Dentistry
Department of Oral Rehabilitation
The University of Hong Kong
Hong Kong SAR, China
Tel. (852) 2859-0311
Fax: (852) 2548-9464
E-mail: ottolam@hku.hk

Special Edition 2

Article Ref. #: 1000DOJSE2e001

Article History

Received: December 15th, 2015

Accepted: December 18th, 2015

Published: December 18th, 2015

Citation

Lam OLT, Tsang PWK. Special edition on oral infections and microbiology. *Dent Open J*. 2015; SE(2): Se1-Se4. doi: [10.17140/DOJ-SE-2-e001](https://doi.org/10.17140/DOJ-SE-2-e001)

Copyright

©2015 Lam OLT. This is an open access article distributed under the Creative Commons Attribution 4.0 International License (CC BY 4.0), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Special Edition on Oral Infections and Microbiology

Otto Lok Tao Lam^{1*} and Paul Wai Kei Tsang²

¹Department of Oral Rehabilitation, The University of Hong Kong, Hong Kong SAR, China

²Technological and Higher Education Institute of Hong Kong, Hong Kong SAR, China

The oral flora is composed of a wide array of organisms, with members belonging to all three domains of life: Bacteria, Archaea, and Eucarya.¹ Bacteria are the predominant organisms in the oral cavity, numbering over 6 billion, and comprising over 700 species, half of which are non-cultivable.^{2,3} The surfaces of the oral mucosa (floor of the mouth, hard palate, buccal and vestibular mucosa, periodontium, and tongue) are continuously exposed to this multitude of microorganisms.⁴ In most cases, a constant turnover of oral epithelium prevents the accrual of large masses of bacterial deposits and debris on these surfaces.

Changes in local environmental conditions, such as when host defenses are compromised, may favor the establishment and proliferation of opportunistic pathogens. Such opportunistic pathogens may be commensal organisms regularly found in the oral cavity of healthy individuals. For example, yeasts are opportunistic fungi which are frequently isolated from a variety of locales in the oral cavity, and carriage is often asymptomatic. Indeed, yeast colonization in the oral cavity has been reported from over a third of healthy adults.⁵ Perturbations in host immune status, as well as other factors (e.g. antibiotic therapy, xerostomia, denture wearing) may favor oral colonization by yeasts, and increase susceptibility to local oral mucosal infections such as pseudomembranous candidiasis and denture stomatitis.⁶

The tooth surface, however, is incapable of shedding and renewal, and this allows an extensive build-up of microorganisms.⁷ These deposits of microorganisms on tooth surfaces have been termed "plaque", and its etiological role in periodontal diseases and dental caries (a chronic endogenous infection) has been well established.^{8,9} Plaque is a complex and dynamic ecosystem, and not just a haphazard aggregation of bacterial deposits.^{10,11} Structurally, plaque exists as a biofilm, which is defined as "matrix-enclosed bacterial populations adherent to each other and/or to surfaces or interfaces".¹² A biofilm lifestyle may have a number of biochemical and clinical implications for the bacteria within the community. For example, bacteria within the biofilm may exhibit unique phenotypes not exhibited in the planktonic counterpart, due to shifts in gene expression and other pathobiological changes. Bacteria may also communicate with each other through quorum sensing mechanisms.¹³ Benefits that bacteria may receive from being integrated into a microbial community include a broader habitat range and a more efficient metabolism. In addition, a biofilm lifestyle may offer increased resistance to antimicrobial agents.¹⁴

While oral microbes are primary etiological agents in dental caries, periodontal diseases, as well as local mucosal infections, it is important to acknowledge the potential of the oral cavity as a portal of entry for systemic infection. The location of subgingival microbial biofilms puts them in close proximity to the dentogingival junction, and disruption (e.g. due to trauma from tooth brushing or operative dental procedures such as scaling and tooth extractions) of the integrity of this barrier permits access for microbes to the underlying periodontal vasculature, and systemic circulation.¹⁵ Indeed, the potential for seeding of oral bacteria such as *viridans* Streptococci on pre-existing heart lesions and prosthetic heart valves, and the development of bacterial endocarditis is a widely acknowledged concern,⁶ and has spurred the development and continual re-modification of guidelines for pre-operative antibiotic prophylaxis.¹⁶⁻¹⁸

End organ infections with oral bacteria may also involve the central nervous system^{19,20}

and skeletal system.²¹⁻²³ Fungal sepsis associated with preceding oral colonization has also been reported in medically compromised patient groups.²⁴⁻²⁶ Furthermore, aspiration of oral respiratory pathogens such as aerobic and facultative anaerobic Gram-negative bacilli, *Staphylococcus aureus*, and *Streptococcus pneumoniae*, has been demonstrated to be a prime etiological cause of pneumonia in frail elderly and hospitalized patients.²⁷⁻³⁰ This has, in turn, stimulated an increased interest in the development of protocols to improve oral hygiene and reduce the incidence of pneumonia in vulnerable patients.³¹⁻³³

The goal of this special edition is to provide a comprehensive collection of research articles documenting new findings in relation to oral microbiology, and its relevance for local to systemic infections. It is also hoped that this collection will be of great translational value, and be of benefit to dental practitioners and other healthcare professionals with regards to the clinical care of patients.

CONFLICTS OF INTEREST

The authors declare that they have no conflicts of interest.

REFERENCES

1. Woese CR, Kandler O, Wheelis ML. Towards a natural system of organisms: proposal for the domains archaea, bacteria, and eucarya. *Proc Natl Acad Sci USA*. 1990; 87(12): 4576-4579.
2. Aas JA, Paster BJ, Stokes LN, Olsen I, Dewhirst FE. Defining the normal bacterial flora of the oral cavity. *J Clin Microbiol*. 2005; 43(11): 5721-5732. doi: [10.1128/JCM.43.11.5721-5732.2005](https://doi.org/10.1128/JCM.43.11.5721-5732.2005)
3. Parahitiyawa NB, Scully C, Leung WK, Yam WC, Jin LJ, Samaranayake LP. Exploring the oral bacterial flora: current status and future directions. *Oral Dis*. 2010; 16(2): 136-145. doi: [10.1111/j.1601-0825.2009.01607.x](https://doi.org/10.1111/j.1601-0825.2009.01607.x)
4. Lamont RJ. Oral microbiology and immunology. Washington, DC, USA. ASM Press, 2006.
5. Odds FC. Candida and candidosis: a review and bibliography. 2nd ed. London: Bailliere Tindall, 1988.
6. Samaranayake LP. Essential microbiology for dentistry. 4th ed. Edinburgh: Churchill Livingstone, 2012.
7. Lovegrove JM. Dental plaque revisited: bacteria associated with periodontal disease. *J NZ Soc Periodontol*. 2004; 87: 7-21.
8. Filoche S, Wong L, Sissons CH. Oral biofilms: emerging concepts in microbial ecology. *J Dent Res*. 2010; 89(1): 8-18. doi: [10.1177/0022034509351812](https://doi.org/10.1177/0022034509351812)
9. ten Cate JM. The need for antibacterial approaches to improve caries control. *Adv Dent Res*. 2009; 21(1): 8-12. doi: [10.1177/0895937409335591](https://doi.org/10.1177/0895937409335591)
10. Beighton D. The complex oral microflora of high-risk individuals and groups and its role in the caries process. *Community Dent Oral Epidemiol*. 2005; 33(4): 248-255. doi: [10.1111/j.1600-0528.2005.00232.x](https://doi.org/10.1111/j.1600-0528.2005.00232.x)
11. Haffajee AD, Socransky SS, Patel MR, Song X. Microbial complexes in supragingival plaque. *Oral Microbiol Immunol*. 2008; 23(3): 196-205. doi: [10.1111/j.1399-302X.2007.00411.x](https://doi.org/10.1111/j.1399-302X.2007.00411.x)
12. Costerton JW, Lewandowski Z, DeBeer D, Caldwell D, Korber D, James G. Biofilms, the customized microniche. *J Bacteriol*. 1994; 176(8): 2137-2142.
13. Bandara, HM, Lam OL, Jin LJ, Samaranayake L. Microbial chemical signaling: a current perspective. *Crit Rev Microbiol*. 2012; 38(3): 217-249. doi: [10.3109/1040841X.2011.652065](https://doi.org/10.3109/1040841X.2011.652065)
14. Marsh PD. Dental plaque as a microbial biofilm. *Caries Res*. 2004; 38(3): 204-211. doi: [10.1159/000077756](https://doi.org/10.1159/000077756)
15. Parahitiyawa NB, Jin LJ, Leung WK, Yam WC, Samaranayake LP. Microbiology of odontogenic bacteremia: beyond endocarditis. *Clin Microbiol Rev*. 2009; 22(1): 46-64. doi: [10.1128/CMR.00028-08](https://doi.org/10.1128/CMR.00028-08)

16. Wilson W, Taubert KA, Gewitz M, et al. Prevention of infective endocarditis: guidelines from the American Heart Association: a guideline from the American Heart Association Rheumatic Fever, Endocarditis and Kawasaki Disease Committee, Council on Cardiovascular Disease in the Young, and the Council on Clinical Cardiology, Council on Cardiovascular Surgery and Anesthesia, and the Quality of Care and Outcomes Research Interdisciplinary Working Group. *J Am Dent Assoc.* 2008; 139(Suppl 6): 3S-24S.
17. Wilson W, Taubert KA, Gewitz M, et al. Prevention of infective endocarditis: guidelines from the American Heart Association: a guideline from the American Heart Association Rheumatic Fever, Endocarditis, and Kawasaki Disease Committee, Council on Cardiovascular Disease in the Young, and the Council on Clinical Cardiology, Council on Cardiovascular Surgery and Anesthesia, and the Quality of Care and Outcomes Research Interdisciplinary Working Group. *Circulation.* 2007; 116(15): 1736-1754. doi: [10.1161/CIRCULATIONAHA.106.183095](https://doi.org/10.1161/CIRCULATIONAHA.106.183095)
18. Thornhill MH, Lockhart PB, Prendergast B, Chambers JB, Shanson D. NICE and antibiotic prophylaxis to prevent endocarditis. *Br Dent J.* 2015; 218(11): 619-621. doi: [10.1038/sj.bdj.2015.392](https://doi.org/10.1038/sj.bdj.2015.392)
19. Marques da Silva R, Caugant DA, Josefsen R, Tronstad L, Olsen I. Characterization of *Streptococcus constellatus* strains recovered from a brain abscess and periodontal pockets in an immunocompromised patient. *J Periodontol.* 2004; 75(12): 1720-1723. doi: [10.1902/jop.2004.75.12.1720](https://doi.org/10.1902/jop.2004.75.12.1720)
20. Wagner KW, Schon R, Schumacher M, Schmelzeisen R, Schulze D. Case report: brain and liver abscesses caused by oral infection with *Streptococcus intermedius*. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod.* 2006; 102(4): e21-23. doi: [10.1016/j.tripleo.2006.02.010](https://doi.org/10.1016/j.tripleo.2006.02.010)
21. Dewire P, McGrath BE, Brass C. Haemophilusaphrophilus osteomyelitis after dental prophylaxis. A case report. *Clin Orthop Relat Res.* 1999; (363): 196-202.
22. Kaar TK, Bogoch ER, Devlin HR. Acute metastatic infection of a revision total hip arthroplasty with oral bacteria after noninvasive dental treatment. *J Arthroplasty.* 2000; 15(5): 675-678. doi: [10.1054/arth.2000.4331](https://doi.org/10.1054/arth.2000.4331)
23. Wilhelm N, Sire S, Le Coustumier A, Loubinoux J, Beljerd M, Bouvet A. First case of multiple discitis and sacroiliitis due to *Abiotrophiadefectiva*. *Eur J Clin Microbiol Infect Dis.* 2005; 24(1): 76-78. doi: [10.1007/s10096-004-1265-7](https://doi.org/10.1007/s10096-004-1265-7)
24. Redding SW, Marr KA, Kirkpatrick WR, Coco BJ, Patterson TF. *Candida glabrata* sepsis secondary to oral colonization in bone marrow transplantation. *Med Mycol.* 2004; 42(5): 479-481. doi: [10.1080/13693780410001731574](https://doi.org/10.1080/13693780410001731574)
25. Westbrook SD, Kirkpatrick WR, Freytes CO, et al. *Candida krusei* sepsis secondary to oral colonization in a hemopoietic stem cell transplant recipient. *Med Mycol.* 2007; 45(2): 187-190. doi: [10.1080/13693780601164306](https://doi.org/10.1080/13693780601164306)
26. Gautam H, Kaur R, Goyal R, Bhalla P, Dewan R. Oral thrush to candidemia: a morbid outcome. *J Int Assoc Physicians AIDS Care (Chic Ill).* 2010; 9(5): 325-327. doi: [10.1177/1545109710373827](https://doi.org/10.1177/1545109710373827)
27. Garrouste-Orgeas M, Chevret S, Arlet G, et al. Oropharyngeal or gastric colonization and nosocomial pneumonia in adult intensive care unit patients. A prospective study based on genomic DNA analysis. *Am J Respir Crit Care Med.* 1997; 156(5): 1647-1655. doi: [10.1164/ajrccm.156.5.96-04076](https://doi.org/10.1164/ajrccm.156.5.96-04076)
28. Terpenning MS, Taylor GW, Lopatin DE, Kerr CK, Dominguez BL, Loesche WJ. Aspiration pneumonia: dental and oral risk factors in an older veteran population. *J Am Geriatr Soc.* 2001; 49(5): 557-563. doi: [10.1046/j.1532-5415.2001.49113.x](https://doi.org/10.1046/j.1532-5415.2001.49113.x)
29. El-Solh AA, Pietrantonio C, Bhat A, et al. Colonization of dental plaques: a reservoir of respiratory pathogens for hospital-acquired pneumonia in institutionalized elders. *Chest.* 2004; 126(5): 1575-1582. doi: [10.1378/chest.126.5.1575](https://doi.org/10.1378/chest.126.5.1575)
30. Heo SM, Haase EM, Lesse AJ, Gill SR, Scannapieco FA. Genetic relationships between respiratory pathogens isolated from dental plaque and bronchoalveolar lavage fluid from patients in the intensive care unit undergoing mechanical ventilation. *Clin Infect Dis.* 2008; 47(12): 1562-1570.
31. Chan EY, Ruest A, Meade MO, Cook DJ. Oral decontamination for prevention of pneumonia in mechanically ventilated adults: systematic review and meta-analysis. *BMJ.* 2007; 334(7599): 889. doi: [10.1136/bmj.39136.528160.BE](https://doi.org/10.1136/bmj.39136.528160.BE)

32. Chlebicki MP, Safdar N. Topical chlorhexidine for prevention of ventilator-associated pneumonia: a meta-analysis. *Crit Care Med.* 2007; 35(2): 595-602. doi: [10.1097/01.CCM.0000253395.70708.AC](https://doi.org/10.1097/01.CCM.0000253395.70708.AC)
33. Roberts N, Moule P. Chlorhexidine and tooth-brushing as prevention strategies in reducing ventilator-associated pneumonia rates. *Nurs Crit Care.* 2011; 16(6): 295-302. doi: [10.1111/j.1478-5153.2011.00465.x](https://doi.org/10.1111/j.1478-5153.2011.00465.x)