. Duchting in reaching ribbaolity and Staustics at the racultics of rectinology.

ISSN 1848-0071 519.2+531.2+37.017=111 Recieved: 2014-12-16 Accepted: 2015-07-15 Original scientific paper

MODELLING IN TEACHING PROBABILITY AND STATISTICS AT THE FACULTIES OF TECHNOLOGY IN THE REPUBLIC OF CROATIA

IVAN BUDIMIR

Faculty of Graphic Arts, University of Zagreb, Zagreb, Croatia e-mail: <u>ibudimir@grf.hr</u>

At all levels of teaching mathematics it is necessary to implement as many as possible examples of idealised real problems which require the application of mathematical knowledge and development of mathematical models. The course probability and statistics, taught at the faculties of technology in Croatia, should therefore include examples which are connected with technologies studied at respective faculties. This paper describes the method of developing new models that can be implemented in teaching probability and statistics at the faculties of technology. As the result of this method, the examples of new tasks are obtained, from the area of printing and graphic design, which are suitable for use in teaching at the Faculty of Graphic Arts of the University of Zagreb. The described approach to the teaching process is in line with the latest guidelines of the International Mathematical Union as well as the European Executive Education Agency.

Key words: education, modelling, probability and statistics, technology.

Modeliranje u nastavi vjerojatnosti i statistike na tehnološkim fakultetima u Republici Hrvatskoj. Na svim razinama nastave matematike potrebno je uvoditi što veći broj primjera idealiziranih realnih problema koji zahtijevaju primjenu matematičkih znanja i izgradnju matematičkih modela. Tako je u nastavu kolegija vjerojatnosti i statistike, koji se predaje na tehnološkim fakultetima u Republici Hrvatskoj, potrebno uvesti primjere koji su povezani s tehnologijama koje se proučavaju na pojedinim fakultetima. U radu je opisana metoda izgradnje novih modela koji se mogu primjenjivati u nastavi vjerojatnosti i statistike na tehnološkim fakultetima. Kao rezultat ove metode, dobiveni su primjeri novih zadataka, povezanih s tiskarstvom i grafičkim dizajnom, koji su primjereni za korištenje u nastavi na Grafičkom fakultetu Sveučilišta u Zagrebu. Navedeni pristup nastavnom procesu u skladu je s najnovijim smjernicama Međunarodne matematičke unije kao i Izvršne europske agencije za obrazovanje.

Ključne riječi: edukacija, modeliranje, vjerojatnost i statistika, tehnologija.

INTRODUCTION

The International Mathematical Union founded the ICMI (International Commission on Mathematical Instruction [1]) at the international congress of mathematicians in Rome in 1908. The aim of this organisation is to improve the standard of teaching mathematics in all countries of the world. The basic idea about teaching mathematical content represented by the ICMI can be expressed in two mottos: "via applications" and "by real world" [2-3]. The ICMI believes that it is necessary to bridge the gap between mathematical knowledge and the world around us. Mathematical modelling of "real problems" is the process of linking mathematical knowledge with situations from the "real life". It is therefore necessary to harmonize the teaching of mathematical courses with the needs of individual or group learners of mathematical courses [4-6].

According to the document published by the European Executive Education Agency [7], all mathematical curricula of the EU countries should include, among key mathematical competences, the application of mathematics in real life [8]. It is also recommended to use the real life context in teaching in order to make mathematics closer to students' experience. The use of real life context should be one of especially prominent methods used in teaching mathematics.

The teaching process in courses probability and mathematical statistics at all level of education should include probability modelling of familiar random phenomena from all areas of real life [9] related to the examples from economy, social and cultural life [10]. It is appropriate to implement random phenomena models from famous sports or even games of chance [11] such as bingo, lottery, roulette or betting [12] into teaching lessons. This approach is especially important for the students of nonmathematical schools and faculties where probability and statistics is taught [13-15].

According to the above, there is the need to integrate real problems related to the respective areas of study into courses of probability and statistics at faculties [16-18]. There are numerous and detailed discussions about the specificities of teaching probability at different non-mathematical study programmes whereby attention should be paid to special needs of respective areas of study. For example, expectations from teaching probability to students of physics [19-20] differ from those for students of

STRATEGY AND AIMS OF MODELLING IN TEACHING PROBABILITY AND STATISTICS AT THE FACULTY OF GRAPHIC ARTS

For creating models in real context at the faculties of technology it is necessary to determine in what areas probability and statistical tools are applied within corresponding technological problems. It is biology [21]. Many papers are published related to teaching probability and statistics to engineers [22-24].

Currently, the teaching of mathematics at the faculties of technology in Croatia rarely uses the examples and tasks directly related to other non-mathematical courses. Instead, the emphasis is put on theoretical mathematical aspects of probability and mathematical statistics. In this way students gain basic knowledge and develop abstract logical thinking. They are however not able to sufficiently use the knowledge in practice what is expected from them at the labour market. It is therefore necessary that teaching probability and statistics includes the examples related to the content of other non-mathematical courses. In this was the teaching process is created which links mathematical knowledge with real problems appearing in different technologies. Students acquire the skill of recognizing, describing and solving real technological problems by probability methods. Students educated in such way will be the leaders in developing science and new technologies in the region.

The described strategy is in line with the national framework curricula for preschool education and general education in elementary and secondary schools in the Republic of Croatia [25]. The basic ideas from this document can also be applied to teaching mathematics at the faculties of technology.

thereby necessary to study expert and scientific literature from the respective area of technology.

The following text describes the method of creating examples from the real

context of graphic technology. Probability and statistics have an incredibly wide spectrum of applications within printing industry and graphic design. Only some of them are mentioned in this chapter. In printing, for example, Bayesian networks are applied when estimating the quality of graphical reproductions in dependence with the chosen print parameters [26-27]. Bayesian methodology is also used when determining limits of control cards for determining the quality of graphical reproductions [28]. Modern quality control of graphic products is based on six sigma methodology that is based on Gaussian probability distribution [29]. The control of production process within graphic industry uses control cards which use different probability distributions [30-31]. Chauchy distribution is very often used in graphic technology when describing noise and other similar phenomena used when analysing prints. example raster One is the approximation of subsurface light scattering in subsurface prints that is best modelled by Chauchy density function. The introduction of new graphic protection implies testing of statistical hypotheses among participants in a survey in order to raise the level of their efficiency [32-33]. In large printing companies it is impossible to imagine the organisation of production without statistical data analysis. Management of graphic products generally uses the results of statistical data processing as a form of help in reaching business decisions. The interpretation of results of laboratory measurements of graphic parameters with the aim of promoting printing process is not efficient without detailed statistical analyses. The regression analysis is used to determine curves describing the strength of book block [34-35].

As can be seen from the above text the labour market in graphic industry requires from graphic technology engineers the knowledge of probability and statistical tools. Therefore the teaching process should include more examples of probability and statistical modelling of real problems from graphic practice. Only in this way can students acquire the necessary experience in solving specific problems they will face in graphic industry where they will work. It is also necessary to educate students for the use of efficient statistical programme tools such as SPSS or STATISTICA 10.

The realisation of the described programme is only possible through active interdisciplinary cooperation of mathematics teachers with scientists from the area of graphic technology. When finding real examples from printing graphic and technology it is necessary to use the relevant scientific and expert literature from graphic technology and to find those examples where probability or statistical models are used. Models found in scientific or expert articles are usually too complex to be used in teaching. It is therefore necessary to idealize them and make them simpler and to present them in an appropriate way to students [36-38]. Students should also be included in finding examples and their probability and statistical modelling. Their task would be to actively participate in teaching through holding a number of interdisciplinary seminars. They would present there areas from graphic technology and appropriate probability models. It is also necessary to introduce a larger number of students' projects and stimulate students to do their own research. Students should be motivated for writing papers. In this way models can be created in all other faculties of technology.

It can be expected that the implementation of real examples in teaching probability and statistics would have numerous positive effects such as the following:

- a) Increased students' interest for the course probability and statistics;
- b) More interesting teaching process for students;

- c) Increased students' capability for probability and statistical modelling of technological problems;
- d) Increased students' understanding for the application of probability and statistics within respective technologies;
- e) Increased level of understanding for theoretical mathematical content of probability and statistics;
- f) Students would learn how to think in complex systems and how to connect contents of different courses;
- g) Increased recognition and understanding of the role of mathematics for the development of science and new technological achievements;

PROPOSION TASKS OF PROBABILITY AND STATISTICAL MODELS

Following all the above the following tasks were created at the Faculty of Graphic Arts in Zagreb for the academic years h) Students would learn how to cope with technological problems in a different, better way;

i) Students would become more competitive at the labour market.

Based on the above it can be concluded that the most prominent method of teaching probability and statistics at the faculties of technology in the Republic of Croatia should be the use of real problems. This would increase the current level of mathematical education at the faculties in question and would also bring the teaching process more in line with the teaching process in the EU countries.

2011/12, 2012/13 and 2013/14 which are in line with the teaching curriculum (see Table 1);

Table 1. Proposed tasks which include probability modelling of real problems from graphic technology

Tablica 1. Prijedlog zadataka koji uključuju vjerojatnosno modeliranje realnih problema iz grafičke tehnologije

Combinatorics

Task (The problem of distributing workers in a printing facility, [39]): In how many ways can 9 workers be distributed in a printing facility so that 4 workers do graphic preparation, 3 workers in printery and 2 in processing?

Task (EAN barcodes for product protection, [40]) EAN 13 barcode is the global system of protecting and encrypting products which consists of 12 digits and the 13th control number obtained by the algorithm of module 10 from the first twelve digits. The first three digits relate to the manufacturing country of the product to be protected. In the case of Croatia the first three digits are 385. What is the number of all possible EAN 13 barcodes that can protect Croatian products?

Combinatory probability

Task (Quality control in printing facilities, [41], [42]) Quality control of graphic products

implements testing of products of a printing facility. In this facility out of 100 products there are 7 products with fault. Supervisors test three products out of the possible 100. They reach a positive evaluation if at least two out of three tested products are correct. What is the probability that this printing facility gets a positive evaluation by quality supervisors?

Geometric probability

Task (The problem of transporting graphic products) Two trucks for transporting graphic products arrive to the warehouse of a printing facility to take over the goods. Times of truck arrival are independent and equally probable at any point of time in the time period between 8:00 and 14:00. It takes two hours to load the first truck and 3 hours to load the second truck. Both trucks cannot be loaded at the same time so that the truck that comes later must wait till the truck that arrives earlier is loaded. What is the probability that one of these two trucks will have to wait to be loaded?

Conditional probability and independence

Task (Detecting mistakes in printing process [39], [42]) Five different graphic laboratories look for mistakes created in a printing process. The detection of one mistake is independent from the detection of another mistake. Also, the detection of a certain mistake in all laboratories is independent. The number of mistakes in this process was 7. The probability that one laboratory detects a mistake is p = 0.8. Determine the probability that at least one mistake created in the printing process will not be found.

Complete probability formula and Bayes formula

Task (Tone value increase, [42]) In visual estimate of the quality control of graphic reproduction the examinees were given the task to evaluate the given prints as being of high quality or of lower quality. If the target print does not have tone value increase the probability that the print is evaluated as being of high quality is 0.9. If the print has an average tone value increase, the probability that such a print will be evaluated as being of high quality is 0.5. If tone value increase is high the probability that such a print will be evaluated as of high quality is 0.1. The printing machine prints 70 percent of prints with no tone value increase, 20 percent of prints have average tone value increase and 10 percent of prints have high tone value increase. What is the probability that examinees will evaluate a randomly chosen print as being of high quality? If the chosen print is evaluated as being of high quality, what is the probability that the tone value increase was average?

Binomial distribution

Task (Relative print contrast, [43]) The value of the relative print contrast for black colour in one edition is beyond the limits of allowed deviation in 15 percent of the cases. Three different prints from this edition were chosen. What is the probability that for at lease one of those prints the value of the relative print contrast for black colour will be beyond the limits of allowed deviation?

Poisson distribution

Task (The number of printing errors per book page) A book contains in average 2.3 printing errors per page. What is the probability that 3 randomly chosen pages will have more than 3 printing errors?

Constant random variable

Task (The time of work of a printing machine spare part, [42], [43]) The time of work of a printing machine spare part is described by random variable T which expresses time in hours. Density function of T variable is

$$f(x) = \begin{cases} cx(10-x), 0 \le x \le 10\\ 0, inače \end{cases}$$

- a) Find *c* constant and draw the diagram of density function.
- b) Find distribution function and draw its diagram.
- c) What is the probability that the spare part will work less than 3 hours?

Uniform distribution

Task (Print speed, [44], [45]) Print speed at the machine with a movable printing roll is uniformly distributed random variable X with the values ranging between 1000 and 5000 prints per hour.

- a) What is the probability that print speed of a randomly chosen edition will range between 2000 and 3000 prints per hour?
- b) Find the expectancy and variance of this random variable.

Exponential distribution

Task (Lifetime of printing machine spare parts [44], [45]) Printing machine contains 5 spare parts the lifetime of which is exponentially distributed. The expected lifetime of each part is 1000 hours. Malfunction of any spare part is independent from the malfunction of any other spare part and causes the interruption of work of the whole machine.

- a) What is the probability that the interruption of work of the printing machine will occur in 300 hours?
- b) What is the expected time till the interruption of work of the printing machine?

Normal distribution

Task (Edge crush test in corrugated cardboard, [46], [47], [48]) The edge crush test (ECT) in five-layered corrugated cardboard from one production series is a normally distributed random variable X with the expectancy $\mu = 7 \ kN/m$ and standard deviation $\sigma = \sqrt{\sigma^2} = 2 \ kN/m$.

- a) Find the probability that a randomly chosen corrugated cardboard sample has the ECT higher than 9 kN/m.
- b) What percentage of corrugated cardboard samples has the ECT between 4 kN/m and 10 kN/m?
- c) Find the limit underneath which is 5 percent of corrugated cardboard samples with the lowest ECT.

Law of large numbers

Task (Resistance to rupture according to Mullen, [49]) Measurements of resistance to rupture according to Mullen of one type of five-layered corrugated cardboard are random variables with the expectancy $\mu = 750$ and variance $\sigma^2 = 55$. In the experiment 250 measurements were made. Estimate the probability that the difference between arithmetic mean of all measurements and expectancy μ is lower than 10.

Central limit theorem

Task (Intergrafika fair, [50]) The number of visitors entering Intergrafika fair within one minute is of Poisson distribution with the parameter $\lambda = 12$.

- a) What is the probability that within one hour at least 700 visitors will enter Intergrafika fair premises?
- b) How much time should pass so that the probability that at least 700 visitors visit Intergrafika fair amounts to 99 percent?

Testing statistical hypotheses

Task (Evaluation of the Munker-White effect, [51], [52], [53]) When evaluating the Munker-White effect in certain conditions colorimetric differences ΔE^* on the obtained graphic reproductions are measured. This effect influences the visual quality of reproduction if the value of colorimetric differences ΔE^* is higher than the limit value of 3.5. Graphic laboratory is trying to determine whether the value of colorimetric differences ΔE^* of one series of graphic reproduction is higher than the limit 3.5 at which level the Munker-White effect influences the quality of reproduction. The mean value of the obtained results on the sample o 60 measurements of colorimetric differences ΔE^* amounts to 3.7 with the standard deviation of 2.1. Test the hypothesis on the influence of Munker-White effect on the quality of reproduction with the level of significance of $\alpha = 0.1$.

With the help of the described methodology similar tasks can be created for other faculties of technology as well.

CONCLUSION

What can be perceived is the necessity of introducing new mathematical models, which are connected with nonmathematical contents appearing in technology, into teaching probability and statistics. The models are created via interdisciplinary cooperation with technological scientists and experts for new technologies. In this process expert and scientific literature from a certain area is used. It is also necessary to establish cooperation with students in order to take into consideration their ideas and expectations. The result is new tasks and

REFERENCES

- [1]http://www.mathunion.org/icmi (accessed on 13 June 2013)
- Werner Blum, ICMI Study 14: Applications and modelling in mathematics education – Discussion document, *Educational Studies in Mathematics* 07-2002, Volume 51, Issue 1-2, pp 149-171.
- [3] Kadijevich, Dj. (2004). How to attain a wider implementation of mathematical modelling in everyday mathematics education? In Henn, H-W. & Blum, W. (Eds.), *ICMI Study 14: Applications and Modelling in Mathematics Education* (pp. 133-138). Dortmund, Germany: University of Dortmund., 2003.
- [4] Garii, Barbara; Okumu, Lillian, Mathematics and the World: What do Teachers Recognize as Mathematics in Real World Practice, *Montana Mathematics Enthusiast*; 2008, Vol. 5, Issue 2/3, p. 291.

examples which can be used in teaching probability and statistics. This approach would raise the level of students' education and of their capacity of critical engineering thinking and would introduce them into the methodology of scientific work. It would also raise students' competences and their competitiveness at the labour market. This is the direction the organisation of teaching probability and statistics at the faculties of technology in the Republic of Croatia should be headed in order to be in line with the countries of the European Union.

- [5] Alsina, C. (2002). Too much is not enough. Teaching maths through useful applications with local and global perspectives. *Educational Studies in Mathematics 50y*, pp. 239-250.
- [6] Romberg, T.A., & de Lange, J. (Eds.).(1998). *Mathematics in Context*. Chicago: EBEC.
- [7]<u>http://eacea.ec.europa.eu/education/eurydi</u> <u>ce/</u> (accessed on 16 June 2013)
- [8] Matematičko obrazovanje u Europi: Zajednički izazovi i nacionalne politike (Mathematical Education in Europe: Common Challenges and National Policies), European Commission, EACEA P9 Eurydice, 2011.
- http://eacea.ec.europa.eu/education/eurydice (accessed on 16 June 2013)
- [9] Howley, P. P. (2008), "Keeping it real, keeping them interested and keeping it in their minds", *Journal of Statistics Education* [online] 16 (1).

www.amstat.org/publications/jse/v16n1/h owley.html (accessed on 12 June 2013)

- [10] Felicia M. Taylor, (2011). Why Teach Probability in the Elementary Classroom?, *Louisiana Association of Teachers Mathematics Journal*, Vol. 2., No.1.
- http://www.lamath.org/journal/Vol2/taylor.p df (accessed on 14 June 2013)
- [11] Budimir, Ivan; Jedna igra na sreću ili kako osvojiti auto? (A Game of Chance or How to Win a Car?), Matka, Vol. 20., No. 80., 2012., pp. 230-232.
- [12] Budimir, Ivan; Jelaska, Igor. Statistical Analysis of Betting Phenomenon: Why is "Always" just a Single Pair Missing // Proceedings book : Exercise and Quality of Life / Madić, Dejan (ur.). Novi Sad : Novi Sad : Alfa Graf, 2013., pp. 603-607.
- [13] Cobb, G. W. (1992), "Teaching Statistics," in *Heeding the Call for Change*, ed. Lynn Steen, MAA Notes No. 22, Washington: Mathematical Association of America, pp. 3-23.
- [14] Mosteller, F. (1988), "Broadening the Scope of Statistics and Statistical Education," *The American Statistician*, 42, 93-99.
- [15] Mustafa R. Yilmaz, The Challenge of Teaching Statistics to Non-Specialists, *Journal of Statistics Education* v.4, n.1 (1996)
- http://www.amstat.org/publications/jse/v4n1/ yilmaz.html (accessed on 14 June 2013)

[16] Niss, M. (1987). Application and modelling in mathematics curricula – state and trends. *International Journal for Mathematical Education in Science and Technology*, 18, pp. 487-505.

- [17] Peck, R., Haugh, L. D., & Goodman, A.
 (Eds.). (1998). Statistical case studies: A collaboration between academe and industry. Philadelphia: American Statistical Association/Society of Industrial and Applied Mathematics.
- [18] James Nicholson, Jim Ridgway and Sean McCusker, GETTING REAL STATISTICS INTO ALL CURRICULUM SUBJECT AREAS – CAN TECHNOLOGY MAKE THIS A REALITY?, ICOTS, International Conference on Teaching Statistics, IAOS 2012 Official Statistics: getting your messages across (Kiev, Ukraine, 12-14 Sept 2012)
 - http://icots.net/roundtable/docs/Monday/IAS E2012_Nicholson_Ridgway_McCusker.p df (accessed on 14 June 2013)
 - [19] Hoadley, A. and J. Kettenring. (1990). Communication Between Statisticians and Engineers and Physical Scientists. *Technometrics*. Vol.. 32, No. 3.
 - [20] Uhden, Olaf; Karam, Ricardo;
 Pietrocola, Mauricio; Pospiech, Gesche,
 Modelling Mathematical Reasoning in
 Physics Education, SCIENCE &
 EDUCATION, Volume: 21 Issue: 4
 Pages: 485-506.
 - [21] Weisstein, A. E., (2011), Building Mathematical Models and Biological Insight in an Introductory Biology Course, *Mathematical Modelling of Natural Phenomena*, Vol. 6., No. 6., pp. 198-214.
 - [22] Hogg, R et al. (1985). StatisticsEducation for Engineers: an initial TaskForce report. *The American Statistician*.Vol. 39, pp. 168-175.
 - [23] Romeu, J. L. (1986). Teaching Engineering Statistics with Simulation.

Journal of the Institute of Statistician (RSS Series D), Vol. 35., No. 4.

- [24] Spedding, T. (1998). Teaching Statistics to Engineers: towards developing a multimedia teaching environment. *Proceedings* of ED MEDIA and ED TELECOM-98, pp. 1333-1338.
- [25]http://www.azoo.hr/images/stories/doku menti/Nacionalni_okvirni_kurikulum.pdf
- [26] Tuomas Eerola at all., Bayesian network model of overall print quality: Construction and structural optimisation, *Pattern Recognition Letters*, Volume 32, Issue 11, 1 August 2011, Pages 1558– 1566.
- [27] Arjen Hommersom, Peter J.F. Lucas, Using Bayesian Networks in an Industrial Setting: Making Printing Systems Adaptive, Proceedings of the 2010 conference on ECAI 2010: 19th European Conference on Artificial Intelligence, Pages 401-406.
- [28] Zhang, Liandi and Han, Xiaoyou.(1999). An Application of Bayesian Method to Correct Quality Control Limits. Journal of Mathematical Research and Exposition, 312-314.
- [29] Milčić, Diana; Bolanča, Stanislav; Banić, Dubravko, "Six Sigma" and Programmed Printing, *Quality 2007 /* Brdarević, Safet (ed). - Zenica : Faculty of Mechanical Engineering in Zenica , 2007. pp. 305-309.
- [30] Chen Peng, Kenny Liu, Xiaohui Gu, Disadvantages of Control Chart in Printing Quality Control over Solder Paste and Strategies for Improvement, *Modern Applied Science*, Vol. 4., No. 7., 2010.

- [31] Liu Keneng, Peng Chen and Fu Geyan.(2009). The application of SPC in Printing Quality Control over Solder Paste. Siwang Press.
- [32] Branka Morić Kolarić, Ivan Budimir, Jana Žiljak Vujić, Efficiency of Printing Technologies of Graphically Protected Materials, Acta Graphica | Vol 23, No 1-2 (2012)
- [33] Pizzanelli D., 2009, The Future of Anticounterfeiting, Brand Protection and Security packing V - Market and Technology Forecast to 2014, PIRA International Ltd, Surrey-UK
- [34] Pasanec Prepotić, Suzana; Budimir, Ivan; Lajić, Branka, The Bulky Paper Properties Influence on the Adhesive Bond Strength. // Materials Testing. 54 (2012), 4; pp. 271-279
- [35] Suzana Pasanec Preprotić, Darko Babić, Amra Tuzović, Research on adhesive joint strength dependency on loose leaf position in a text block, *Tehnički vijesnik*, Vol. 19., No. 1., 2012., pp. 43-49.
- [36] Blum, W., Niss, M. (1991). Applied Mathematical Problem Solving, Modelling, Applications, and Links to Other Subjects - State, Trends and Issues in Mathematics Instruction. *Educational Studies in Mathematics* 22 (1), 37-68.
- [37] Bonotto, C. (2007). How to replace the word problems with activities of realistic mathematical modelling. In W. Blum, P. Galbraith, M. Niss, H. W. Henn (Eds) *Modelling and Applications in Mathematics Education* (pp. 185-192). New ICMI Studies Series no. 10. New York: Springer.
- [38] Silver E. A. (Ed.), (1985). *Teaching and learning mathematical problem solving:*

Multiple research perspectives, Hillsdale, NJ: Erlbaum

- [39] Darko Babić, Uvod u grafičku tehnologiju (Introduction to Graphic Technology), Grafički centar, Zagreb, 1998
- [40] Krunoslav Žubrinić, Primjena bar kodova u poslovanju (Application of Barcodes in Doing Business), *LAUS novosti*, No. 13-15., 2004
- http://www.laus.cc/Laus/laus_novosti.php (accessed on 17 June 2013)
- [41] J. M. Juran, *Quality Control Handbook*, McGraw-Hill, New York, 1989.
- [42] Igor Zjakić, Upravljanje kvalitetom ofsetnog tiska (Managing Quality of Offset Printing), Zagreb, Sveučilišna naklada, 2007.
- [43] Dean Valdec, Snježana Ivančić, Damir Vusić, Kalibracija i karakterizacija reprodukcijskog procesa tiska na temelju ISO specifikacija (Calibration and Characterisation of Reproduction Printing Process Based on ISO Specifications), *Tehnički glasnik*, Vol. 3., No. 1-3, pp. 20-24.
- [44] Kipphan Helmut, *Handbook of Print Media*, Springer Verlag, Berlin, Heidelberg, New York, 2001.
- [45] Bolanča Stanislav, Glavne tehnike tiska (Main Printing Techniques), Acta Graphica, Zagreb 1997.

- [46] Budimir, Ivan; Lajić, Branka; Pasanec Preprotić, Suzana, Evaluation of Mechanical Strength of Five Layer Corrugated Cardboard Depending on Waveform Types. // ACTA GRAPHICA Journal. Vol.23 (2012), No. 3-4; 111-119.
- [47] N. Stričević; Suvremena ambalaža 1 (Modern Packaging 1); Školska knjiga; Zagreb; 1983.
- [48] N. Stričević; Suvremena ambalaža 2 (Modern Packaging 1); Školska knjiga; Zagreb; 1983.
- [49] M. Plazibat; Tehnologija grafičkih materijala (Technology of Graphic Materials), 2 volumes, Zagreb 1980.
- [50] http://www.zv.hr/default.aspx?id=555 (accessed on 18 June 2013)
- [51] Milković, Marin; Mrvac, Nikola; Matijević, Mile, Evaluation of the chromatic assimilation effect intensity in Munker-White samples made by standard methods of rendering. // Tehnički vjesnik 17 (2010), 2; pp. 163-172
- [52] Morovic J., Color Gamut Mapping, John Wiley & Sons, Cichester, 2008.
- [53] Norton T.T., Corliss D.A., Bailey J.E. The Psychophysical Measurement of Visual Function, Butterworth-Heinemann Press, Woburn, 2002.