

Information Sharing Performance Management

A Semantic Interoperability Assessment in the Maritime Surveillance Domain

Fernando S. Bryton Dias Marques (PhD Candidate)¹, Jesús E. Martínez Marín (PhD)² and Olga Delgado Ortega (PhD)³

¹ Department Nautical Sciences & Engineering, Universitat Politècnica de Catalunya, Pla de Palau 18, 08003, Barcelona, Spain & Portuguese Navy Research Center (CINAV), Escola Naval, Base Naval de Lisboa, Alfeite, 2810-001 Almada, Portugal.

² Department Nautical Sciences & Engineering, Universitat Politècnica de Catalunya, Pla de Palau 18, 08003, Barcelona, Spain.

³ Universidade Lusófona de Humanidades e Tecnologias, Campo Grande, 376, 1749-024 Lisboa, Portugal.

fsbmd@outlook.com, jemartinez@cen.upc.edu, olgadelgado1975@yahoo.es

Keywords: Information Sharing, Performance Management, Semantic Interoperability, Indicators, Maritime Surveillance

Abstract: Information Sharing (IS) is essential for organizations to obtain information in a cost-effective way. If the existing information is not shared among the organizations that hold it, the alternative is to develop the necessary capabilities to acquire, store, process and manage it, which will lead to duplicated costs, especially unwanted if governmental organizations are concerned. The European Commission has elected IS among public administrations as a priority, has launched several IS initiatives, such as the EUCISE2020 project within the roadmap for developing the maritime Common Information Sharing Environment (CISE), and has defined the levels of interoperability essential for IS, which entail Semantic Interoperability (SI). An open question is how can IS performance be managed? Specifically, how can IS *as-is*, and *to-be* states and targets be defined, and how can organizations progress be monitored and controlled? In this paper, we propose 11 indicators for assessing SI that contribute to answering these questions. They have been demonstrated and evaluated with the data collected through a questionnaire, based on the CISE information model proposed during the CoopP project, which was answered by five public authorities that require maritime surveillance information and are committed to share information with each other.

1 INTRODUCTION

Information Sharing (IS), through integration of information systems, is becoming widely adopted by the European public sector as a promising practice for enhancing cost-effectiveness in several domains with high societal impact such as security or health.

Recent studies (ICF International, 2014; European Network and Information Security Agency, 2009) have shown information gaps in public authorities hindering their decision making and action. They have also shown that, often, information missing in some authorities is already being collected and available at other authorities. Therefore, if such information would be shared, an increase in

effectiveness could be expected, since decisions and actions would be more informed.

Recent studies have also shown that significant benefits could be expected from IS. For example, in the maritime domain, 400 million euros per year (Finnish Border Guard, 2014) is the estimated benefit of IS among the over 300 European public authorities presently involved in maritime surveillance (MS) (ICF International, 2014).

IS implies processing information from and to external sources, in a meaningful manner, i.e. Semantic Interoperability (SI), one of the four interoperability levels comprised by the European Interoperability Framework (EIF) (European Commission, 2004), which Europe is committed to enhance as per its European Interoperability Strategy

(EIS) for European public services (European Commission, 2010a).

IS is also a priority for Europe, according to strategic documents such as the EU Maritime Security Strategy (EUMSS) (Council of the European Union, 2014) or the eHealth Action Plan 2012-2020 (European Commission, 2012).

By providing the means to assess SI, this research aims to contribute for its management and, consequently, of IS, hence fostering its development.

This paper is organized as follows: in section 2 a literature review is presented, followed by a conceptual framework, described in section 3, which will be the grounds for defining the SI indicators in section 4 and for validating them in section 5. The conclusions are then presented in section 6.

2 LITERATURE REVIEW

Assessing SI is a challenge, since it involves the heterogeneous, complex and rapid changing environments of organizations and their information systems. Presently, the ways proposed to conduct such assessments do not seem to be used in practice and the Interoperability Maturity Model (IMM) (European Commission, 2014) addresses the interoperability assessment of public services from a too high level of abstraction.

Feng et al. (2004) used a modified feature-based approach to measure semantic similarity between categories in different land use/land cover classification systems and demonstrate it with a case study with real world data.

Paul et al. (2008) discuss an approach for semantic similarity assessment of geospatial services in the context of a proposal for a methodology for interoperable access of geospatial information based on Open Geospatial Consortium (OGC) specified standards.

Guédria et al. (2008) review the main maturity models that are or could be used for interoperability measure, comparing their different aspects in order to evaluate their relevance and coverage with respect to enterprise interoperability.

Later, Guédria et al. (2009) proposed a maturity model for enterprise interoperability which is elaborated on the basis of existing ones, consistent to the Enterprise Interoperability Framework and using metrics for determining maturity levels.

Dolin et al. (2011) proposed a framework for measuring semantic interoperability using a technique called the ‘Single Logical Information Model’ framework, which relies on an operational

definition of semantic interoperability and an understanding that interoperability improves incrementally.

Yahia et al. (2012) address the evaluation of the lack of interoperability between Cooperative Information Systems (CIS) through the measurement of their semantic gaps. They have proposed a mathematical formalization of the semantic relationships between CIS conceptual models and analysed the resulting formal model for evaluating the lack of interoperability implications to the global information systems shared goals. The proposed approach was illustrated through a case study dealing with a B2M (Business to Manufacturing) interoperability requirement between an Enterprise Resource Planning (ERP) system and a Manufacturing Execution System (MES) application.

Finally, Rezaei et al. (2013) performed a comparative analysis among interoperability assessment models to evaluate the similarities and differences in their philosophy and implementation. The analysis yielded a set of recommendations for any party that is open to the idea of creating or improving an interoperability assessment model.

In this context, this research entails the development and validation of a set of indicators for assessing SI, which are expected to contribute in a very concrete way for SI management and, consequently, to the management of IS. As such, the research question being addressed is:

How can Semantic Interoperability be assessed?

3 CONCEPTUAL FRAMEWORK

We have tackled the research question based on the following SI interoperability conceptualization and methodology.

3.1 Semantic Interoperability

SI (European Commission, 2004) enables organizations to process information from external sources in a meaningful manner. It ensures that the precise meaning of the exchanged information is understood and preserved throughout exchanges between parties. It is about the meaning of the data elements and the relationships between them. It includes developing vocabulary to describe the data exchanges and ensures that data elements are understood in the same way by communicating parties. Therefore, SI is: 1) Indispensable to the IS

capability; 2) Achievable (hence can be evaluated) without exchanging information.

The main purpose of an Information Model (IM) (Pras and Schoenwaelder, 2003) is to model managed objects at a conceptual level, independent of any specific implementations. Data Models (DM) (Pras and Schoenwaelder, 2003), on the other hand, are defined at a lower level of abstraction, include many details, and are intended for implementers. Multiple DMs can be derived from a single IM. Considering that the vocabulary needed by SI to describe the data exchanges can be an IM, SI requires: 1) Participants information models (IMs); 2) A common information model (CIM) for describing the information exchanges between the participants; 3) Mappings, between the CIM and the IMs, establishing their conceptual relationships; and 4) Definitions of the transformations between the IMs and the CIM, which preserve the meaning of the information.




Figure 1: Information Sharing high-level process.

The role of SI can be observed in the IS high-level process depicted in fig. 1, where to accomplish an exchange of information between two participants, the information provider (P1) and the information consumer (P2), several activities (A1 to A4) are performed and several resources (R1 to R5) are involved, producing semantically equivalent information (I1 to I3), as follows:

A1: P1 translates the information to share (I1) from its IM (R1) into the CIM (R2), according to the mappings and transformations (R3) defined between R1 and R2, producing I2;

A2: P1 sends the information (I2) to P2;

A3: P2 receives the information (I2) from P1;

A4: P2 translates the information received (I2) from the CIM (R2) into its own IM (R4), according to the mappings and transformations (R5) defined between R2 and R4, producing I3.

Upon completion, P2 will process the received information as adequate, and the precise meaning of I1 is exactly the same of I3, for P1 and P2; otherwise, the information exchange did not succeed.

3.2 Methodology

On one hand, indicators are a suitable tool for assessing SI, since they are the qualitative and/or quantitative information on an examined phenomenon which enables the analysis of its evolution, checking if quality targets are met, driving actions and decisions (UNI 11097, 2013).

On the other hand, Design Science Research (DSR) is a suitable research paradigm for developing indicators, since in DSR a designer answers questions relevant to human problems via the creation of innovative artifacts, thereby contributing new knowledge to the body of scientific evidence, where the designed artifacts are both useful and fundamental in understanding that problem (Hevner, 2010). Moreover, these artifacts are demonstrated to improve manager's capability to "change existing situations into preferred ones" (Simon, 1996).

Consequently, we have used DSR, by following its methodology (Peffer et al., 2007), which comprises the following activities: 1) Problem identification and motivation; 2) Solution objectives definition; 3) Design and development; 4) Demonstration; 5) Evaluation and 6) Communication.

To design and develop the proposed indicators, we have used a specific methodology (Franceschini et al., 2007) for defining and testing process performance indicators, based on the IS high-level process earlier defined, which comprises the following activities: 1) Process identification; 2) Identification of the representation-targets; 3) Representation-targets analysis and testing; 4) Indicators definition and 5) Indicators testing.

DSR foresees several ways to validate the artifacts developed (Dresch et al., 2015) from which we have chosen the Observational form, which primary goal is to determine how the artifact behaves in a comprehensive manner and in a real environment (Hevner et al. 2004) since, according to Tremblay et al., research that is based on DSR cannot only focus on the development of the artifact and should demonstrate that the artifact can be effectively used to solve real problems (Tremblay et al. 2010).

Consequently, to demonstrate and evaluate the proposed indicators, we have assessed the SI of 5 public authorities that require MS information and are committed to exchange information with each other. The data, which was analysed qualitatively and quantitatively, was collected through a questionnaire, based on the CIM used for this research, which was a simplified version of the IM for the European Maritime Common Information Sharing Environment (CISE) (European Commission, 2010b) developed during the CoopP project (Finnish Border Guard, 2014), entailing 45 information entities and 216 information attributes. The questionnaire was filled in by the experts (organizational and technological) appointed, by each of the organizations involved, for enhancing their interoperability and IS.

4 INDICATORS

Indicators (Franceschini et al., 2007) are tools to understand, manage, and improve organizations activities, allowing to understand, among other, how well we are doing, if goals are being met, as well as if and where process improvements are necessary. Therefore, the proposed indicators must fulfil the following objectives: 1) Contribute to characterize the present SI situation; 2) Contribute to define the preferred SI situation; 3) Contribute to define possible lines of action and 4) Contribute to monitor and control SI progress.

4.1 Process identification

Our indicators are defined based on the IS process earlier described. Particularly, we shall use the SI dimension of IS for this effect. Other dimensions such as the legal, organizational and technical could have been used to define performance indicators for IS; however, that is presently out of the scope of this research.

4.2 Representation-targets

A representation-target (Franceschini et al., 2007) is the operation aimed to make a context, or parts of it, “tangible” in order to perform evaluations, make comparisons, formulate predictions or take decisions. According to the methodology, they must be identified for each of the process dimensions selected, which we have done for SI, as follows:

1.1 Information available Information held by the participants in the IS process (synonym of information that could be provided).

1.2 Information required Information needed by the participants in the IS process.

1.3 Information that should be provided Information available by a participant which is required by one or more participants.

1.4. Mapped information that should be provided Information that should be provided by a participant which has already mapped and defined the necessary transformations from its IMs into the CIM.

1.5 Information that could be consumed Information that is available by all participants for a participant to consume.

1.6 Information that should be consumed Information that could be consumed and is required by a participant.

1.7 Mapped information that should be consumed Information that should be consumed by a participant which has already mapped and defined the necessary transformations from the CIM into its IMs.

1.8 Information mapping performance Participants performance regarding the mappings and the definition of the transformations required to consume and provide information via a CIM.

Table 1: Accessory properties.

a - long term goals	a1 - the IS should be effective a2 - the IS should be efficient
b - impact on stakeholders	b1 - any party involved in the IS should be able to obtain all the information required

Indicators have to be consistent with IS strategic objectives, which is achieved if they fulfil the Accessory Properties (Franceschini et al., 2007). The first property is Long Term Goals, by which indicators should encourage the achievement of process long term goals, therefore representation-targets should concern process dimensions which are strictly linked to these goals (Franceschini et al., 2007). The second property, Impact on Stakeholders, implies that the impact of each indicator on process stakeholders is carefully analysed. Therefore, it is important to identify process aspects with a strong

impact on customer satisfaction (Franceschini et al., 2007).

To test the representation-targets we have refined the accessory properties as presented in table 1, and concluded that all the representation-targets defined are consistent with the IS strategic objectives.

4.3 Indicators definition

In order to define our indicators for SI, we must first define the following core concepts.

<i>Name</i>	<i>Participants (P)</i>
<i>Informal definition</i>	Set comprising the organizations which participate in the information sharing initiative
<i>Formal definition</i>	$P = \{p_1, p_2, p_3, \dots, p_n\}$
<i>Name</i>	<i>CIM information attributes (A_{CIM})</i>
<i>Informal definition</i>	Set comprising all the CIM information attributes
<i>Formal definition</i>	$A_{CIM} = \{a_1, a_2, a_3, \dots, a_n\}$
<i>Name</i>	<i>CIM information attributes available (AA)</i>
<i>Informal definition</i>	Set comprising all the CIM information attributes available by a participant (in one or more of its systems)
<i>Formal definition</i>	$\forall p \in P, AA_p \subseteq A_{CIM}$
<i>Name</i>	<i>CIM information attributes required (AR)</i>
<i>Informal definition</i>	Set comprising all the CIM information attributes required by a participant (to feed one or more of its systems)
<i>Formal definition</i>	$\forall p \in P, AR_p \subseteq A_{CIM}$
<i>Name</i>	<i>CIM information attributes mapped by a participant (AM)</i>
<i>Informal definition</i>	Set comprising all the CIM information attributes mapped by a participant into any of the information attributes comprised by its systems (either for consumption or provisioning)
<i>Formal definition</i>	$\forall p \in P, AM_p \subseteq A_{CIM} \wedge AM_p \leq AA_p \wedge AM_p \leq AR_p $
<i>Name</i>	<i>Systems with information represented by the CIM (S)</i>
<i>Informal definition</i>	Set of the participant's systems comprising information represented by the CIM (such information is most probably modelled differently)

<i>Formal definition</i>	$\forall p \in P, S_p = \{s_1, s_2, s_3, \dots, s_n\}$
<i>Name</i>	<i>System information attributes (A_s)</i>
<i>Informal definition</i>	Set comprising a participant's system information attributes which are also represented at the CIM
<i>Formal definition</i>	$\forall s \in S, A_s = \{a_1, a_2, a_3, \dots, a_n\}$
<i>Name</i>	<i>Systems' information attributes available (SAA)</i>
<i>Informal definition</i>	Set comprising all information attributes from the participant's systems which are represented in the CIM (differs from AA in the sense that here the participant's systems are considered)
<i>Formal definition</i>	$\forall p \in P, SAA_p = \bigcup_{i=1}^n A_i$ $i \in \mathbb{N}, n = S_p $
<i>Name</i>	<i>Systems' information attributes required (SAR)</i>
<i>Informal definition</i>	Set comprising all information attributes from the participant's systems which are represented in the CIM and required by the participant (differs from SAA in the sense that some information attributes available may not be required by the participant)
<i>Formal definition</i>	$\forall p \in P, SAR_p = \bigcup_{i=1}^n A_i$ $i \in \mathbb{N}, n = S_p $
<i>Name</i>	<i>Systems' information attributes mapped (SAM)</i>
<i>Informal definition</i>	Set comprising all information attributes from the participant's systems which are mapped into its CIM equivalents
<i>Formal definition</i>	$\forall p \in P, SAM_p = \bigcup_{i=1}^n A_i$ $i \in \mathbb{N}, n = S_p $
<i>Name</i>	<i>Transformation of system information attributes (f_a)</i>
<i>Informal definition</i>	Transforms participants' systems information attributes into CIM information attributes

<i>Formal definition</i>	$\forall x \in A_S, y \in A_{CIM}$ $f_a : A_S \rightarrow A_{CIM}$ $y = f_a(x)$
<i>Name</i>	Transformation of CIM information attributes (g_a)
<i>Informal definition</i>	Transforms CIM information attributes into participants' systems information attributes (retraction of f_a)
<i>Formal definition</i>	$\forall x \in A_S, y \in A_{CIM}$ $g_a : A_{CIM} \rightarrow A_S$ $g_a(f_a(x)) = x$
<i>Name</i>	Systems' information attributes that should be provided (SASP)
<i>Informal definition</i>	Set comprising all information attributes from the participant's systems which are represented in the CIM and are required by other participants
<i>Formal definition</i>	$\forall p \in P, a \in SAA_p$ $SASP_p = g_a(AR \cap (\bigcup_{i=1}^n f_a(a_i)))$ $i \in \mathbb{N}, n = SAA_p $
<i>Name</i>	Systems' mapped information attributes that should be provided (SMASP)
<i>Informal definition</i>	Set comprising all information attributes from the participant's systems which are mapped into its CIM equivalents are required by other participants
<i>Formal definition</i>	$\forall p \in P, a \in SAM_p$ $SMASP_p = g_a(AR \cap (\bigcup_{i=1}^n f_a(a_i)))$ $i \in \mathbb{N}, n = SAM_p $
<i>Name</i>	Systems' information attributes that could be consumed (SACC)
<i>Informal definition</i>	Set comprising all information attributes available from all participants' systems, except the participant under analysis.
<i>Formal definition</i>	$\forall p \in P$ $SACC_p = \bigcup_{i=1}^n SAA_n \setminus SAA_p$ $i \in \mathbb{N}, n = P $
<i>Name</i>	Systems' information attributes that should be consumed (SASC)

<i>Informal definition</i>	Set comprising all information attributes that could be consumed and are required by a participant
<i>Formal definition</i>	$\forall p \in P$ $SASC_p = SACC_p \cap SAR_p$
<i>Name</i>	Systems' mapped information attributes that should be consumed (SMASC)
<i>Informal definition</i>	Set comprising all information attributes mapped by a participant that should be consumed
<i>Formal definition</i>	$\forall p \in P$ $SMASC_p = SAM_p \cap SASC_p$

Based on these core concepts we have defined the following 9 basic (obtained from a direct observation of the system) and 2 derived indicators (obtained combining the information of one or more indicators) (Franceschini et al., 2007) which are consistent with each own representation-target.

1.1 Information available

<i>Indicator name</i>	CIM information attributes available (IAA)
<i>Informal definition</i>	Number of CIM information attributes available at a participant's systems
<i>Formal definition</i>	$\forall p \in P,$ $IAA_p = AA_p $
<i>Range</i>	\mathbb{N}_0
<i>Scale</i>	Ratio

<i>Indicator name</i>	Systems' information attributes available (ISAA)
<i>Informal definition</i>	Number of CIM information attributes from a participant's systems, which are represented at the CIM
<i>Formal definition</i>	$\forall p \in P,$ $ISAA_p = SAA_p $
<i>Range</i>	\mathbb{N}_0
<i>Scale</i>	Ratio

1.2 Information required

<i>Indicator name</i>	Information attributes required (IAR)
<i>Informal definition</i>	Number of CIM information attributes required by a participant
<i>Formal definition</i>	$\forall p \in P,$ $IAR_p = AR_p $
<i>Range</i>	\mathbb{N}_0
<i>Scale</i>	Ratio

<i>Indicator name</i>	Systems' information attributes required (I_{SAR})
<i>Informal definition</i>	Number of information attributes in the participant's systems which are represented in the CIM and required by the participant
<i>Formal definition</i>	$\forall p \in P, I_{SAR\ p} = SAR\ p $
<i>Range</i>	\mathbb{N}_0
<i>Scale</i>	Ratio

1.3 Information that should be provided

<i>Indicator name</i>	Systems' information attributes that should be provided (I_{SASP})
<i>Informal definition</i>	Number of information attributes from a participant's systems, which are represented at the CIM and are required by other participants
<i>Formal definition</i>	$\forall p \in P, I_{SASP\ p} = SASP\ p $
<i>Range</i>	\mathbb{N}_0
<i>Scale</i>	Ratio

1.4. Mapped information that should be provided

<i>Indicator name</i>	System's mapped information attributes that should be provided (I_{SMASP})
<i>Informal definition</i>	Number of information attributes from a participant's systems, which are mapped to its CIM equivalents and are required by other participants
<i>Formal definition</i>	$\forall p \in P, I_{SMASP\ p} = SMASP\ p $
<i>Range</i>	\mathbb{N}_0
<i>Scale</i>	Ratio

1.5 Information that could be consumed

<i>Indicator name</i>	Information attributes that could be consumed (I_{SACC})
<i>Informal definition</i>	Number of information attributes available from all participant's systems that could be consumed by a participant
<i>Formal definition</i>	$\forall p \in P, I_{SACC\ p} = SACC\ p $
<i>Range</i>	\mathbb{N}_0
<i>Scale</i>	Ratio

1.6 Information that should be consumed

<i>Indicator name</i>	Information attributes that should be consumed (I_{SASC})
<i>Informal definition</i>	Number of information attributes that could be consumed and are required by a participant

<i>Formal definition</i>	$\forall p \in P, I_{SASC\ p} = SASC\ p $
<i>Range</i>	\mathbb{N}_0
<i>Scale</i>	Ratio

1.7 Mapped information that should be consumed

<i>Indicator name</i>	Systems' mapped information attributes that should be consumed (I_{SMASC})
<i>Informal definition</i>	Number of information attributes mapped by a participant that should be consumed
<i>Formal definition</i>	$\forall p \in P, I_{SMASC\ p} = SMASC\ p $
<i>Range</i>	\mathbb{N}_0
<i>Scale</i>	Ratio

1.8 Information mapping performance

<i>Indicator name</i>	System's information attributes mapping balance (I_{SAMB})
<i>Informal definition</i>	Difference between information attributes mapping ratio for consumption and provisioning. The highest balance is achieved when the result is zero. Positive results mean the participant is performing better regarding information provisioning, hence fostering other participants' benefits, while negative results mean the participant is performing better regarding information consumption, hence fostering its own benefits.
<i>Formal definition</i>	$\forall p \in P$ $I_{SAMB\ p} = \frac{I_{SMASP\ p}}{I_{SASP\ p}} - \frac{I_{SMASC\ p}}{I_{SASC\ p}}$
<i>Range</i>	$[-1 ; 1]$
<i>Scale</i>	Ratio

<i>Indicator name</i>	System's information attributes mapping performance (I_{SAMP})
<i>Informal definition</i>	Ratio between the information attributes actually mapped and those that should be consumed, hence mapped.
<i>Formal definition</i>	$\forall p \in P$ $I_{SAMP\ p} = \frac{I_{SMASP\ p} + I_{SMASC\ p}}{I_{SASP\ p} + I_{SASC\ p}}$
<i>Range</i>	$[-1 ; 1]$
<i>Scale</i>	Ratio

4.4 Indicators testing

To test our indicators we followed the methodology (Franceschini et al., 2007) and started with the

properties of sets of indicators. Afterwards, we tested the properties of the single indicators and, finally, we tested the properties of the derived indicators.

A set of indicators is composed by the indicators selected to represent a generic process, which can be grouped into subsets, depending on their characteristics (Franceschini et al., 2007). The proposed indicators represent the generic process of IS from the SI perspective. Therefore, the proposed indicators are a subset of the set of indicators which represents IS.

The properties of sets of indicators which have to be tested are (Franceschini et al., 2007) Exhaustiveness, Non-redundancy, Monotony and Compensation.

Exhaustiveness implies that indicators should properly represent all the system dimensions, without omissions. The set of indicators is considered non-exhaustive in one of the following situations (Franceschini et al., 2007):

- 1) One or more indicators are wrongly defined, because they do not map distinguishable empirical manifestations into separate symbolic manifestations;
- 2) With reference to a representation-target, the model does not consider one or more process dimensions (i.e. the set is missing some indicators).

To test this property, it should be determined:

- 1) If different process states can be distinguished in terms of empirical manifestations and,
- 2) If they are mapped into distinguished symbolic manifestations by the indicators in use.

Considering these criteria, we have analysed the proposed indicators and concluded that they fulfil this property.

Non-redundancy means that indicators sets should not include redundant indicators. If a set of indicators is exhaustive, and if it continues to be exhaustive even when removing one indicator, the removed indicator is redundant (Franceschini et al., 2007).

By definition, derived indicators are redundant. The proposed set of indicators comprises 2 derived indicators (I_{SAMB} , I_{SAMP}) which we consider essential to analyse and monitor SI; therefore, although they are redundant, we will keep them out of this evaluation. Consequently, since none of the remainder indicators is redundant, the proposed indicators fulfil this property.

Monotony means that the increase/decrease of one of the aggregated indicators should be associated

to a corresponding increase/decrease of the derived indicator (Franceschini et al., 2007). This definition implies that the symbolic manifestations of the sub-indicators are represented using a scale with order relation. Since all the derived indicators meet this criteria, our indicators fulfil this property.

Compensation means that changes of different aggregated indicators may compensate each other, without making the derived indicator change (Franceschini et al., 2007). Since all the derived indicators meet this criteria, our indicators also fulfil this property.

Consistency with the representation-target is the property which means that each indicator should properly represent its representation-target (Franceschini et al., 2007). This property is fulfilled since the top-down approach followed, deriving the indicators for each representation-target identified, ensured it.

Level of detail is the property which means that each indicator should not provide more than the required information (Franceschini et al., 2007). This is not the case for any of the proposed indicators, as can be concluded from each indicator definition, therefore we conclude that the proposed indicators fulfil this property.

Non counter-productivity is the property which means that indicators should not create incentives for counter-productive acts (Franceschini et al., 2007). In our context, counter-productive acts are those that hamper IS; hence, these can be: 1) Participants developing their semantic interoperability with the sole purpose of consuming information; 2) Participants developing their SI with the sole purpose of providing information; 3) Participants not developing their SI at all. The proposed indicators do not provide incentive for any of these actions; on the contrary, they allow the identification of such situations (i.e. I_{SAMB} , I_{SAMP}). Therefore, we conclude that the proposed indicators fulfil this property.

Economic impact means that each indicator should be defined considering the expenses to collect the information needed (Franceschini et al., 2007).

Based on the experience gained during the demonstration of the proposed indicators, collecting the information required by all indicators took each public authority involved between 1 and 6 person.hours, varying according to the number of systems available at each one.

Included in this effort is also the necessary time for participants to familiarize themselves with the meaning of the CIM information entities and attributes. Therefore, in future assessments, the time required to provide the information can be even

smaller, which leads us to conclude that our single indicators fulfil this property.

Simplicity of use means that each indicator should be simple to understand and use (Franceschini et al., 2007). Again, based upon the experience gained during the demonstration of the proposed indicators, we conclude that our single indicators fulfil this property.

5 VALIDATION

The validity of DSR must be established from the evaluation of the developed artifacts, which must show that the conditions to achieve their objectives are satisfied (Pries-Heje and Baskerville, 2008). To validate the proposed indicators we demonstrated them in a real situation, and evaluated them according to their objectives, as follows.

5.1 Demonstration

To demonstrate that the proposed indicators can be used to assess SI, we have collected the required information, via a questionnaire, from 5 public authorities, selected according to the following criteria: 1) Their missions entail MS or related tasks – which implies they require such information; 2) They have MS or related systems – which implies they have such information available; 3) They require information from each other – which implies an exchange of information. Moreover, these authorities represent the seven CISE user communities (European Commission, 2010b).

Out of the 5 authorities questioned, only two reported to have more than 1 system with information that is represented by the CIM; D and E, with 2 and 5 systems, respectively. Moreover, only authorities A and E have presently information attributes mapped and with transformations defined between the CIM and their own IM's. Furthermore, none of the participants reported to have more than one system into which they intend to load the information received from the remainder participants.

Table 2: Example of the questionnaire used

Entity	Attribute	Required	Available	Mapped
Vessel	GrossTonnage	1	0	0
	IMONumber	2	2	1

The questionnaire was essentially composed of 5 columns, as exemplified in table 2, where the first two are to represent the CIM used, and the last three are to understand participants' information requirements,

availability and mappings. The results of the questionnaire are presented in table 3.

Table 3: Indicators results for the 5 authorities.

Indicator	A	B	C	D	E
I _{AA}	14	5	2	55	35
I _{SAA}	14	5	2	110	58
I _{AR}	216	134	174	81	35
I _{SAR}	216	134	174	81	35
I _{SASP}	14	5	2	110	58
I _{SMASP}	14	0	0	0	2
I _{SACC}	175	184	187	79	131
I _{SASC}	175	137	156	17	20
I _{SMASC}	14	0	0	0	7
I _{SAMB}	0,92	0	0	0	-0,32
I _{SAMP}	0,15	0	0	0	0,12

In fig. 2, we can see a comparison between the CIM information attributes which are required and available by the participants, without considering the existing IMs.

Regarding the information attributes required, we can see a clear difference between all the participants, justifiable by their different missions, and also that participants require a high number of information attributes (59% in average). In particular, participant A requires all CIM information attributes (216). This could mean either that all attributes have really been found important or that, in doubt, all have been reported as required.




Figure 2: CIM information attributes required (IAR) and available (IAA).

Regarding the availability of the information attributes, we can observe that each participant, alone, holds very few CIM information attributes (22% in average) in its information systems. Still, this does not mean that participants do not hold the necessary information to conduct their missions, because they can obtain it by other means.

While these participants require (59% in average) much more information than they have available

(22% in average), collectively, they do not hold more than 51% (ratio between the sum of all participants I_{AA} and 216, since participant A requires all CIM information attributes) of the information required, meaning that at least 49% must be obtained by involving other authorities in the process or by acquiring the necessary systems and sensors. At the same time, this also means that there is significant room for improvement, if they share among themselves the information already held.

Finally, we can also observe that, since all participants require more information than they have, their present information systems do not handle the missing information; therefore, before having access to the information that can be provided by the remainder participants, they have to enhance their information systems accordingly (without IMs there is no SI, hence IS is not possible).

In fig. 3, we can see a comparison between the CIM information attributes which are required and available by the participants, considering the existing IMs.

Regarding the information attributes required, there is no difference to I_{AR} , since no more than one system will be used by each participant to collect the information received from the remainder participants, hence only one IM per participant is considered.




Figure 3: Systems information attributes required (I_{SAR}) and available (I_{SAA}).

Regarding the information attributes available, there is a big difference between I_{SAA} and I_{AA} , in the cases of participants D and E. The reason for this is that these participants have more than one system with CIM information; therefore, for some information attributes, they have more than one source, meaning different IMs which may have to be mapped and transformed into the CIM to implement the necessary SI to provide those information attributes to other participants as required. Therefore, the real effort participants D and E must do, for this

effect, is much higher than what could be erroneously inferred from fig. 2.




Figure 4: Systems information attributes for provisioning.

In fig. 4, we can see a comparison between the CIM information attributes which are available, considering the existing IMs.

Since every information attribute available is at least required by one participant (note this is being highly influenced by participant A, which requires all CIM information attributes), there is no difference, for all participants, between I_{SAA} and I_{SASP} ; therefore, they should provide all the CIM information attributes available in all their systems.

Looking at I_{SMASP} , on the other hand, allows us to understand that there are practically no information attributes mapped and with transformations defined between the CIM and the original IMs, apart from a few pertaining to participant E and participant A, which has already mapped and defined transformations for all its information attributes available. Therefore, all participants but A will have to map and define the transformations for most or all of the CIM information attributes comprised by their information systems, before actually being able to exchange information among them.




Figure 5: Systems information attributes for consumption.

In fig. 5 we can see a comparison between the CIM information attributes which may be consumed by the participants, considering the existing IMs.

Since participant A requires all CIM information attributes, all those available at other participants could be consumed, therefore, in this case, I_{SACC} and I_{SASC} are the same.

Since participants B, C, D and E require less information attributes than those available at all participants, I_{SASC} is smaller than I_{SACC} .

In general, very few information attributes have been mapped and seen their transformations defined by the participants, mostly because their systems do not handle the information attributes required. Therefore, they will not be able to consume all the information required and available, at other participants, without first enhancing their systems and, only then, developing the necessary SI between their IMs and the CIM.

Another perspective is that participants A, B and C demand much more information attributes from other participants than participants D and E; however, this does not mean that participants D and E are less motivated for exchanging information with the others, since this depends on the benefit of each information attribute in particular which can, inclusively, be different for each participant.



Figure 6: Participants information attributes mapping balance

Depending on the context and actions taken by the participants, while some have mapped and defined transformations for information attributes which contribute more to the benefit of other participants, since they contribute more to provide the information available, others have done the contrary, and contribute more to consume the information available, hence to their own benefit.

In fig. 6, we can see how each participant is pending towards one or the other profiles. Those which are more inclined towards information

provisioning have a positive rank, and those who are more inclined towards information consumption have a negative rank. Those with a good balance between consumption and provisioning have the rank equal to zero.

Since participants B, C and D have no mappings or transformations done, either for consumption or provisioning, they have a good balance, which does not mean they have nothing to improve, as we will see.

Participant A is pending towards the information provisioning profile, since although the mappings and transformations performed contribute both to provisioning and consumption, their contribution is higher for provisioning (I_{MASP} and I_{MASC}), considering the specific targets established (I_{SASP} and I_{SASC}). Participant E, on the other hand, is pending towards the information consumption profile, for the same reasons of participant A, but in the opposite direction.

Finally, fig. 7 depicts the performance of the participants in regards to the information attributes mapped and with transformations defined, between their IMs and the CIM, both for information consumption and provisioning.

Here we can see that the overall performance of the participants is substantially low (5% in average) whereas three of them have not mapped or defined transformations at all, regardless of the interest expressed and the opportunities available (see fig. 2).




Figure 7: Participants information attributes mapping performance

On one hand, participants B and C have demonstrated high information needs and very low availability where, on the other hand, participant D has not such a big difference between the information required and available, meaning that the missing information might not be so important.

5.2 Evaluation

To complete the validation of the proposed indicators, their capability to meet their objectives has to be analysed.

5.2.1 Characterization of the SI situation

As presented earlier, we have characterized the present SI situation of all the participants involved in the demonstration, according to the different representation-targets defined based on the information model proposed for the CISE (European Commission, 2010b) by the CoopP project (Finnish Border Guard, 2014).

Our set of indicators allowed us to characterize the present situation in terms of the information available and required by the participants, in terms of the information that should be provided and consumed by the participants, and also in terms of the information for which mappings and transformations between participants systems IMs and the CIM must be developed, in order to enable the essential SI for information exchanges to take place among them, as required.

Moreover, our set of indicators allowed us to understand the performance of the participants regarding the implementation of the necessary SI, and also if they are being more effective in providing or consuming information.

5.2.2 Definition of the preferred SI situation

Since the present situation has been characterized, it should be possible to use the proposed indicators to support the definition of the desired situation, which is the second objective they have to meet.

The proposed indicators can be used to define SI targets, according to the policies defined and the resources available, for a specific timeframe. For example, we can start by defining SI implementation performance targets, and then drill down and further define information consumption and provisioning targets for every participant. These targets, and especially the progress expected, can then be used to develop insights on the benefits of increasing SI for every participant.

5.2.3 Definition of possible lines of action

The third objective the proposed indicators have to meet is to support the definition of possible lines of action, to go from the present into the desired situation.

This can be achieved by defining actions to fill the information gaps identified when characterizing the present situation; for example, participants B, C and D must develop their SI which, presently is none.

Moreover, lateral actions can be defined based on the insights the indicators have provided again during the analysis of the present situation. For example, the fact that participant A requires all the information available at all participants must be investigated, as well as the importance of the information required by participant D.

Furthermore, by developing insights on the benefits of increasing SI, different scenarios can be designed, so that the lines of action defined are the most cost-effective.

5.2.4 Progress monitoring and control

Finally, the transition between the present and the desired situation, achieved by implementing the lines of action defined, must be monitored and controlled along time, to ensure its success.

To support it, is the last objective that the proposed indicators must meet. Which they do, provided that an effective and efficient monitoring program is put in place, so that the information required by the proposed set of indicators can be obtained in a cost-effective way.

Then, the results obtained can be compared with the results of the previous monitoring actions, hence enabling to understand the progress made and any deviations from the intended path towards the desired situation.

6 CONCLUSIONS

We have developed a set of 11 performance indicators for the IS process based on its SI dimension. To do it, we have followed the DSR strategy and Franceschini's methodology to define and test process performance indicators.

We have demonstrated the indicators with the data collected through a questionnaire, based on the CISE information model proposed during the CoopP project, answered by 5 public authorities which require MS information and are committed to exchange information with each other.

The proposed indicators fulfil their objectives, namely by supporting the characterization of the present situation, the definition of the desired situation, the definition of the necessary lines of action, and the monitoring and control of the transformation required; hence, they are suitable for

managing SI and consequently contribute to managing the performance of IS in the maritime surveillance domain, as has been demonstrated.

Finally, the next steps should entail the development of a method for the definition of an action plan for enhancing IS based on SI, especially considering that the proposed indicators do not address the benefit of sharing the information identified as necessary, which can be very important for understanding the cost-effectiveness of the possible lines of action, as well as prioritizing them.

ACKNOWLEDGEMENTS

The authors thank the support of the Portuguese Directorate-General for Maritime Policy (DGPM).

REFERENCES

- Council of the European Union. (2014). *European Union Maritime Security Strategy*. Brussels. Council of the European Union.
- Dolin, R. H., Alschuler, L. (2011). *Approaching semantic interoperability in Health Level Seven*. Journal of the American Medical Informatics Association, vol. 18, issue 1. <http://dx.doi.org/10.1136/jamia.2010.007864>
- Dresch, A., Lacerda, D., Antunes, J. (2015). *Design Science Research: A method for Science and Technology Advancement*. Springer. ISBN: 978-3-319-07373-6.
- European Commission. (2004). *European Interoperability Framework for PAN-European eGovernment services v1.0*. Brussels. European Commission.
- European Commission. (2010a). *European Interoperability Strategy (EIS) for European public services*. Brussels. COM(2010) 744 final. European Commission.
- European Commission. (2010b). *Integrating MS*. Brussels, COM(2010) 584 final. European Commission.
- European Commission. (2012). *eHealth Action Plan 2012-2020 – Innovative healthcare for the 21st century*. Brussels. COM(2012) 736 final. European Commission.
- European Commission. (2014). *Interoperability Maturity Model*. Brussels. European Commission.
- European Network and Information Security Agency. (2009). *Good Practice Guide. Network Security Information Exchanges*. European Network and Information Security Agency
- Feng, C., Flewelling, D. M. (2004). *Assessment of semantic similarity between land use/land cover classification systems*. Computers, Environment and Urban Systems, vol. 28. [http://dx.doi.org/10.1016/S0198-9715\(03\)00020-6](http://dx.doi.org/10.1016/S0198-9715(03)00020-6)
- Finnish Border Guard. (2014). *COOPP project Final Report*. Helsinki. Finnish Border Guard.
- Franceschini, F., Galetto, M., Maisano, D. (2007). *Management by Measurement. Designing Key Indicators and Performance Measurement Systems*. Springer. ISBN 978-3-540-73211-2.
- Guédria, W., Naudet, Y., Chen, D. (2008). *Interoperability Maturity Models. Survey and Comparison*. Lecture Notes in Computer Science, vol. 5333. http://dx.doi.org/10.1007/978-3-540-88875-8_48
- Guédria, W., Chen, D., Naudet, Y. (2009). *A Maturity Model for Enterprise Interoperability*. Lecture Notes in Computer Science, vol. 5872. http://dx.doi.org/10.1007/978-3-642-05290-3_32
- Hevner, A. R., et al. (2004). *Design science in information systems research*. MIS Quarterly, 28(1), 75–105.
- Hevner, A. R., & Chatterjee, S. (2010). *Design research in information systems: Theory and practice*. New York: Springer.
- ICF International. (2014). *Study on the feasibility of improved cooperation between bodies carrying out European Coast Guard functions*. Brussels. ICF International.
- Paul, M., Ghosh, S. K. (2008). *A framework for semantic interoperability for distributed geospatial repositories*. Computing and Informatics, vol. 27, issue 2069.
- Peppers, K. et al. (2007). *A design science research methodology for information systems research*. Journal of Management Information Systems, 24(3), 45–77.
- Pras, A. and J. Schoenwaelder (2003). *On the Difference between Information Models and Data Models*. RFC 3444, DOI 10.17487/RFC3444, January 2003, <http://www.rfc-editor.org/info/rfc3444>
- Pries-Heje, J., & Baskerville, R. (2008). *The design theory nexus*. MIS Quarterly, 32(4), 731–755.
- Rezaei, R., Chiew, T., Lee, S. (2013). *A review of interoperability assessment models*. Journal of Zhejiang University SCIENCE C, vol. 14, issue 9. <http://dx.doi.org/10.1631/jzus.C1300013>
- Simon, H. A. (1996). *The sciences of the artificial (3rd ed.)*. USA: MIT Press.
- Tremblay, M. C., Hevner, A. R., & Berndt, D. J. (2010). *Focus groups for artifact refinement and evaluation in design research*. Communications of the Association for Information Systems, 26, 599–618.
- UNI 11097 (2003). *Indicatori e quadri di gestione della qualità*, Milano.
- Yahia, E., Aubry, A., Panetto, H. (2012). *Formal measures for semantic interoperability assessment in cooperative enterprise information systems*. Computers in Industry, vol. 6, issue 5. <http://dx.doi.org/10.1016/j.compind.2012.01.010>