



# Open Research Online

---

The Open University's repository of research publications and other research outputs

## Review on Fuzzy Clustering Algorithms

### Journal Item

How to cite:

Ali, Ameer M.; Karmakar, Gour C. and Dooley, Laurence S. (2008). Review on Fuzzy Clustering Algorithms. Journal of Advanced Computations, 2(3) pp. 169–181.

For guidance on citations see [FAQs](#).

© 2008 IETECH Publications

Version: Version of Record

Link(s) to article on publisher's website:

[http://ietech.org/inner/Advanced%20Computations/AC\\_Papers2\\_3/169-181AC0827.pdf](http://ietech.org/inner/Advanced%20Computations/AC_Papers2_3/169-181AC0827.pdf)

---

Copyright and Moral Rights for the articles on this site are retained by the individual authors and/or other copyright owners. For more information on Open Research Online's data [policy](#) on reuse of materials please consult the policies page.

---

[oro.open.ac.uk](http://oro.open.ac.uk)

---

## REVIEW ON FUZZY CLUSTERING ALGORITHMS

**M. Ameer Ali**

*Dept. of Electronics & Communication  
Engineering, East West University,  
Dhaka, Bangladesh.*

**Gour C. Karmakar**

*Gippsland School of Information  
Technology, Monash University,  
Churchill, Australia*

**Laurence S. Dooley**

*Gippsland School of Information  
Technology, Monash University,  
Churchill, Australia*

### ABSTRACT

*Image segmentation especially fuzzy based image segmentation techniques are widely used due to effective segmentation performance. For this reason, a huge number of algorithms are proposed in the literature. This paper presents a survey report of different types of classical fuzzy clustering techniques which available in the literature.*

**Keyword:** *fuzzy clustering, image segmentation, fuzzy c-means, PCM.*

---

### 1. INTRODUCTION

The application of digital images is rapidly expanding due to the ever-increasing demand of computer, Internet and multimedia technologies in all aspect of human lives, which makes digital image processing a most important research area. Digital image processing encompasses a wide and varied field of applications from medical science to document processing and generally refers to the manipulation and analysis of pictorial information. Image processing is mainly divided into six distinct classes: i) Representation and modelling, ii) Enhancement, iii) Restoration, iv) Analysis, v) Reconstruction, and vi) Compression. Image analysis embraces feature extraction, segmentation and object classification [1-5], with segmentation for instance, being applied to separate desired objects in an image so that measurements can subsequently be made upon them.

Segmentation is particularly important as it is often the pre-processing step in many image processing algorithms. In general, image segmentation refers to the practice of separating mutually exclusive homogeneous regions (objects) of interest in an image. The objects are partitioned into a number of non-intersecting regions in such a way that each region is homogeneous and the union of two adjacent regions is always non-homogeneous. Most natural objects are non-homogeneous however, and the definition of what exactly constitutes an object depends very much on


the application and the user, which contradicts the above generic image segmentation definition [3, 6-9].

Segmentation has been used in a wide range of applications, with some of the most popular being, though not limited to: automatic car assembling in robotic vision, airport identification from aerial photographs, security systems, object-based image identification and retrieval, object recognition, second generation image coding, criminal investigation, computer graphic, pattern recognition, and diverse applications in medical science such as cancerous cell detection, segmentation of brain images, skin treatment, intrathoracic airway trees, and abnormality detection of heart ventricles [6, 10-12].

Different applications require different types of digital image. The most commonly used images are *light intensity* (LI), *range* (depth) image (RI), *computerized tomography* (CT), thermal and *magnetic resonance images* (MRI). The research published to date on image segmentation is highly dependent on the image type, its dimensions and application domain and so for this reason, there is no single generalized technique that is suitable for all images [12, 13].

There are numerous image segmentation techniques in the literature, which can be broadly classified into two categories [12] namely: i)

classical and ii) *fuzzy mathematical*. The former [14- 18] comprises the five main classes [12] shown in Figure 1: i) Gray level thresholding [16, 19, 20], ii) Iterative pixel classification (e.g. relaxation, *Markov random fields* and neural network based techniques) [21-23], iii) Surface-based segmentation [24], iv) Colour segmentation [25], and v) Edge detection [14, 26]. Fuzzy mathematical techniques are widely used in multifarious computer vision applications as they are far better able to handle and segment images, particularly noisy images, by using fuzzy membership values. The various fuzzy mathematical techniques identified in Figure 1 will be examined in greater detail in Section 2. There are also other image segmentation techniques which are not classified in either category, including those based upon *Markov random models*, Bayesian principles and the Gibbs distribution, with further details being given in [23, 27-30].



**Fig. 1 General classification of image segmentation techniques.**

Segmentation is certainly one of the most challenging tasks in image processing and computer vision for many reasons, some of which are [6-8, 12]:

- Image types such as MRI, CT or *Single Photon Emission Computed Tomography* (SPECT) contain inherent constraints that make the resulting image noisy and may include or introduce some visual artefacts.
- Image data can be ambiguous and susceptible to noise and high frequency distortion as in SPECT imaging for instance, where object edges become fuzzy and ill-defined.
- The shape of the same object can differ from image to image due to having different domain and capturing techniques as well as various orientations. An object's structure may not be well defined in many natural images and can

also be very hard to accurately locate the contour of an object.

- The distributions of gray scale pixel values of the same object are not the same for all images and even in the same image, pixels belonging to the same class may have different intensities and distributions.
- Objects to be segmented are highly domain and application dependent-for example, in order to automatically estimate the myocardial wall thickness from a captured X-ray image of the human heart region, the inner and outer contours of the heart's left ventricle may be the two objects required to be segmented, while for another application, the entire heart may need to be segmented.
- The properties of an object can differ in their representation depending upon the type of image and its domain, so there needs to be a trade-off between the desired properties that are to be employed for segmentation. For example, some gray scale images have a Poisson distribution, though this would not be true for either an RI or MRI image, so the segmentation strategy requires both semantic and *a priori* information concerning the image type and with other relevant object information such as the number of objects in the image.

Thus, it can be concluded that most images contain some form of ambiguity. Pal and Pal [12] showed that gray tones (LI) images possess ambiguities because of possible multi-valued brightness levels. This ambiguity may be defined in terms of grayness and/or spatiality. The gray ambiguity represents *indefiniteness* in deciding whether a pixel is either black or white, while spatial ambiguity means *indefiniteness* in the shape and geometry of a region contained in the image. Classical techniques produce a crisp (hard) decision, though such decisions are unsuitable for ambiguous and ill-defined data. For this reason, it is crucially important to have a segmentation strategy for image processing systems that is able to handle all types of uncertainty at any processing stage. Prewitt first suggested that image segmentation yielded fuzzy regions [13, 31], which was the catalyst for the development of various fuzzy-based techniques, which have since proven to be very effective in efficiently handling such ill-defined image data, by assigning a membership value to every pixel (datum), which denotes the possibility of belongingness of that pixel to a region (cluster). This is main discriminating feature between fuzzy

and hard decision-making and is one of the main motivations for using fuzzy-based image segmentation techniques.

In a fuzzy system, every image contains a number of regions  $R_1, R_2, \dots, R_c$ , where  $c$  is the number of regions (objects) [32-35], with a number of pixels forming a region and each pixel in a region assigned a membership value which measures the probability of that pixel belonging to that particular region. Each datum  $X(x, y)$  of image  $I$  having coordinates  $(x, y)$  is assigned a membership value  $\mu$  by mapping the gray levels into the close interval ranging from 0 to 1, so the membership function  $\mu$  for  $I$  can be defined as follows:-

$$\mu(X): \Omega \rightarrow [0, 1] \quad (1)$$

where  $\Omega$  denotes a universal reference set of all values for all the data in image  $I$ .

In using a fuzzy technique, the particular characteristics of an image including brightness, contrast, edges, regions, connectivity and complexity can be represented by *linguistic variables* such as VERY COMPLEX, COMPLEX and SIMPLE [36]. Medasani *et al* [32] used both fuzzy and crisp methods to measure geometric properties such as area, perimeter, height, extrinsic and intrinsic diameter and elongatedness, together with nongeometric properties like average pixel intensity, entropy, and homogeneity for both real and synthetic images. They showed that fuzzy techniques consistently provided better results than crisp techniques for all images due to using fuzzy membership functions and also tested both approaches upon noisy data, with experimental results confirming their superiority for both geometric and non-geometric properties. It was also proven that if fuzzy techniques are applied in noisy conditions, it is not necessary to apply noise removal techniques to the image, even in textured regions where noise removal is often very difficult.

Any segmented image therefore will inherently produce fuzzy regions (objects) [13], so fuzzy-based image segmentation techniques do afford an attractive and effective approach for handling imprecise image information by employing fuzzy membership functions for each datum. This was the overriding reason for making literature on fuzzy image segmentation.

The organization of the paper: Section 2 describes the different types of fuzzy image segmentation techniques while existing fuzzy clustering algorithms are detailed in Section 3. Different types of existing classical fuzzy clustering techniques are presented in Section 4 with some concluding remarks in Section 5.

## 2. FUZZY IMAGE SEGMENTATION TECHNIQUES

Fuzzy image segmentation techniques have become very popular [6] due to the rapid development of fuzzy set theory based on mathematical models, genetic algorithms and neural networks, and are widely used in diverse applications including image processing, pattern recognition, robotic vision, engineering tools, security and computer vision systems. Fuzzy image segmentation techniques as shown in Figure 1, are broadly classified into six categories [37] :- i) Fuzzy geometric, ii) Fuzzy thresholding, iii) Fuzzy integral-based, iv) Fuzzy rule-based, v) Soft computing-based, and vi) Fuzzy clustering. A detailed description of existing fuzzy clustering techniques is now provided.

## 3. EXISTING FUZZY CLUSTERING Algorithms

Clustering is the process of separating or grouping a given set of unlabeled patterns into a number of clusters such that the patterns drawn from the same cluster are *similar* to each other in some sense, while those are assigned to different clusters are *dissimilar* [38-42]. Most of the time, objects are defined by a set of features and so those with similar features are classified into one cluster [42]. For a physical interpretation of the clustering process, the example shown in Figure 2 contains four separate clusters.




Fig. 2 Example showing four clusters

As highlighted in Section 1, there are mainly two types of clustering, namely *hard* (crisp) (HC)

and fuzzy-based [6]. In a HC algorithm [43-44], the decision boundary is fully defined and one pattern is classified into one and only one cluster, i.e. the clusters are mutually exclusive [41, 42]. However in the real world, the boundaries between clusters are not clearly defined. Some patterns may belong to more than one cluster and so in this case, fuzzybased clustering techniques [39, 40, 45, 46] provide a better and more efficient approach to classifying these patterns by assigning a membership value to each individual pattern. As mentioned in Section 1, among fuzzy-based techniques, fuzzy clustering is considered in this paper as the basis for the literature review due to their effective segmentation performance. Fuzzy clustering algorithms are broadly classified into two groups: i) Classical and ii) Shape-based [38]. There exist many classical fuzzy clustering algorithms in the literature, among the most popular and widely used being: i) *Fuzzy cmeans* (FCM) [40], ii) *Suppressed fuzzy c-means* (SFCM) [46], iii) *Possibilistic c-means* (PCM) [45], and (iv) *Gustafson-Kessel* (GK) [47], while from a shape-based fuzzy clustering viewpoint, well established and popular algorithms include: i) Circular shape-based [48], ii) Elliptical shape-based [49], and (iii) *Generic shape-based* techniques [50].

A detailed review of the above mentioned classical fuzzy clustering algorithms is now provided.

#### 4. CLASSICAL FUZZY CLUSTERING ALGORITHMS

Clustering algorithms that use general feature sets such as PL, PI or CIL are generally treated as classical fuzzy clustering techniques. These are dependent on both the features used and the type of objects in an image. A review of the three main classical fuzzy clustering techniques mentioned above is now detailed.

##### 4.1.1 Fuzzy c-Means Algorithm

The FCM algorithm [40] was developed by Bezdek in 1981 and is still the most popular classical fuzzy clustering technique, widely used directly or indirectly in image processing. It performs classification based on the iterative minimization of the following objective function and constraints [39, 40, 51-57]:

$$J_q(\mu, V, X) = \sum_{i=1}^c \sum_{j=1}^n (\mu_{ij})^q D_{ij}^2 \quad (1)$$

subject to

$$0 \leq \mu_{ij} \leq 1; \quad i \in \{1, \dots, c\} \text{ and } j \in \{1, \dots, n\} \quad (2)$$

$$\sum_{i=1}^c \mu_{ij} = 1; \quad j \in \{1, \dots, n\} \quad (3)$$

$$0 < \sum_{j=1}^n \mu_{ij} < n; \quad i \in \{1, \dots, c\} \quad (4)$$

where  $n$  and  $c$  are the number of data and clusters respectively.  $\mu$  is the fuzzy partition matrix containing membership values  $[\mu_{ij}]$ ,  $q$  is the fuzzifier where  $1 < q \leq \infty$ ,  $V$  is cluster centre vector  $[v_i]$ ,  $X$  is a data vector  $[x_j]$  and  $D_y = d(x_j, v_i)$  is the distance between datum  $x_j$  and  $v_i$ . Using a Lagrangian multiplier, the following can be derived by optimizing the objective function in (1) with respect to  $\mu$  and  $V$ .

$$\mu_{ij} = \frac{1}{\sum_{k=1}^c \left( \frac{D_{ij}}{D_{kj}} \right)^{2/(q-1)}} \quad (5)$$

$$v_i = \frac{\sum_{j=1}^n (\mu_{ij})^q x_j}{\sum_{j=1}^n (\mu_{ij})^q} \quad (6)$$

The membership values are initialized randomly and both these and the cluster centres are iteratively updated until the maximum change in  $\mu_{ij}$  becomes less than or equal to a specified threshold  $\xi$ .  $q$  is normally set to 2 as this is the best value for the fuzzifier (Step 1) while the membership  $\mu_{ij}$  is randomly initialized in Step 2. The cluster centre  $v_i$  and membership values  $\mu_{ij}$  are then iteratively updated using (6) and (5) respectively (Steps 3.1-3.2) until either the maximum number of iterations (max\_Iteration) or threshold  $\xi$  is reached (Step 3.3). The complete FCM algorithm is given in Algorithm 1, which for  $n$  data points incurs  $O(n)$  computational time complexity [13, 58].

**Algorithm 1:** *Fuzzy c-means* (FCM) algorithm.

**Pre condition:** Objects to be segmented, number of clusters  $c$ , threshold  $\xi$  and the maximum number of iterations max\_Iteration.

**Post condition:** Final segmented regions  $\mathfrak{R}$ .

1. Fix  $2 = q$ .
2. Initialize  $\mu_{ij}$ .
3. FOR  $1 = 1, 2, 3, \dots, \text{max\_Iteration}$ 
  - 3.1 Update cluster centres  $v_i$  using (6).
  - 3.2 Update membership values  $\mu_{ij}^{(i)}$  using

Equation (5)  
 3.3 IF  $\|\mu_{ij}^{(i)} - \mu_{ij}^{(i-1)}\| \leq \xi$  THEN STOP.

The number of clusters  $c$ , fuzzifier  $q$  and threshold  $\xi$  all need to be set manually. The selection of  $q$  is especially important because if  $1 = q$  then FCM produces crisp (HC) instead of fuzzy regions. Also (5) and (6) are not sufficient to achieve the local minimum of (1) [55, 59], since if any of the distance value  $D_{ij}=0$  (5) will be undefined. FCM strongly supports probability, but not the degree of *typicality* because it has the constraints in (2)- (4) which preclude the trivial solution  $\mu_{ij}=0$ . The relative membership values in (5) are calculated using these constraints which can be interpreted as the degree of sharing, but not the degree of *typicality* as required in many fuzzy set theory applications [60]. Antonio *at el* [52] tried to solve this problem by considering the Euclidean distance, the Mahalanobis distance and the covariance matrix in [47], and proposed the following two new objective functions:

$$J_{Ec}(\mu, V, X) = \sum_{i=1}^c \sum_{j=1}^n \mu_{ij} D_{ij}^2 \quad (7)$$

$$J_{Mh}(\mu, V, X) = \sum_{i=1}^c \sum_{j=1}^n \mu_{ij}^{\frac{3}{2}} D_{ij}^2 \sqrt{|G_i^{-1}|} \quad (8)$$

where the  $J_{Ec}$ ,  $(\mu, V, X)$  and  $J_{Mh}(\mu, V, X)$  functions use the Euclidean and Mahalanobis distances respectively and  $G_1^{-1}$  is the covariance matrix for all data in the  $i^{th}$  cluster. According to [52], if the *membership function density* is defined as  $\mu_{ij} \sqrt{\mu_{ij}} \sqrt{|G_i^{-1}|}$ , then the membership values are respectively updated for the Euclidean and Mahalanobis distances by:

$$\mu_{ij}(Ec) = \frac{\left( \mu_{ij} \sqrt{|G_i^{-1}|} \sum_{k=1}^n \mu_{ik} \right)^{\frac{1}{q-1}}}{\sum_{i=1}^c \left( \mu_{ij} \sqrt{|G_i^{-1}|} \sum_{k=1}^n \mu_{ik} \right)^{\frac{1}{q-1}}} \quad (9)$$

$$\mu_{ij}(Mh) = \frac{\left( \mu_{ij}^{\frac{3}{2}} \sqrt{|G_i^{-1}|} \right)^{\frac{1}{q-1}}}{\sum_{i=1}^c \left( \mu_{ij}^{\frac{3}{2}} \sqrt{|G_i^{-1}|} \right)^{\frac{1}{q-1}}} \quad (10)$$


And the cluster centres are correspondingly updated by:

$$v_i = \frac{\sum_{j=1}^n (\mu_{ij})^2 x_j}{\sum_{j=1}^n (\mu_{ij})^2} \quad (11)$$

where the fuzzy covariance matrix for the  $k^{th}$  cluster denoted by  $k$   $G$  is defined as:

$$G_k = \frac{\sum_{j=1}^n \mu_{kj}^2 (x_j - v_k)(x_j - v_k)^T}{\sum_{j=1}^n \mu_{kj}^2} \quad (12)$$

As mentioned in Section 1, the popularity of FCM is firmly based upon its flexible mathematical foundations and being an analytical solution for constraint optimized functions. This means it is possible to incorporate image feature information, such as *pixel location* (PL), *pixel intensity* (PI), and shape within its theoretical framework for segmentation purposes, and furthermore it is able to both effectively handle noisy and large datasets. FCM does arbitrarily divide objects into a given number regions (objects) whenever PL, PI, and *combination of pixel intensity and location* (CIL) are used as the selected features in the image segmentation process [61]. The experimental results of FCM separately using PL, PI, and CIL are given below in **Figure 3**.



**Fig. 3** (a) Original cow image, (b) Manually segmented reference of (a). (c)-(e) Segmented results of (a).

#### 4.1.2 Suppressed Fuzzy c-Means Algorithm

By using a fuzzifier  $q$  and membership value  $\mu_{ij}$ , the performance of FCM is better than any HC

technique [43], though the convergence speed is much lower. Moreover, if the fuzzifier is large ( $q > 2$ ), it increases the gap between the membership values which may lead to a decrease the overall segmentation performance of FCM [38]. To address these issues, the *rival checked fuzzy c-means* (RCFCM) algorithm [62] was introduced on the basis of competitive learning, by magnifying the largest membership value and suppressing the second largest membership value. The main step in the RCFCM algorithm is to modify  $\mu_{ij}$  in the FCM algorithm as follows.

Assume the largest membership value of datum  $x_j$  for the  $p^{\text{th}}$  cluster is  $\mu_{pj}$  and its second largest membership value in the  $s^{\text{th}}$  cluster is  $\mu_{sj}$ . After modification, the membership value of  $x_j$  belonging to each cluster is then:

$$\mu_{pj} = \mu_{pj} + (1 - \alpha)\mu_{sj} \quad (13)$$

$$\mu_{sj} = \alpha\mu_{sj} \quad (14)$$

where  $0 \leq \alpha \leq 1$ . The main problem with RCFCM is that it only pays attention to the largest and second largest membership values, so if the choice of  $\alpha$  is unsuitable, it can lead to the second largest membership value to be modified being actually less than some others, which causes a disturbance in the original order [46]. For this reason, the convergence of RCFCM is not assured and so to solve this, the *suppressed fuzzy c-means* (SFCM) algorithm was introduced to magnify only the largest membership value and to suppress the rest [46]. If  $\mu_{pj}$  is the largest membership value for datum  $j$ , the modified values are:


$$\mu_{pj} = 1 - \alpha \sum_{i \neq p}^c \mu_{ij} = 1 - \alpha + \alpha\mu_{pj} \quad (15)$$

$$\mu_{ij} = \alpha\mu_{ij}; \quad i \neq p \quad (16)$$

where the various parameters are as defined above. Since SFCM prizes the largest and suppresses all other membership values, it does not disturb the original order and so eliminates the drawback of RCFCM. When  $\alpha=0$ , SFCM produces the same results as HC, while for  $1 = \alpha$  it becomes the FCM algorithm, so this establishes a more natural and realistic relationship between the HC and FCM algorithms, so that for a suitable  $\alpha$  value, SFCM can compromise the advantages of faster convergence speed of HC techniques, with the better clustering performance of FCM without impacting on the time

complexity which remains the same as FCM, i.e.,  $O(n)$ .

Since SFCM reduces the sensitivity of the fuzzifier  $q$  it actually improves the segmentation performance of FCM. A sample experimental result of SFCM is shown in **Figure 4**.



**Fig. 4** (a) Original babacoot image, (b) Manually segmented reference of (a). (c)-(e) Segmented results of (a).

#### 4.1.3 Possibilistic c-Means Algorithm

FCM uses a probabilistic constraint (3) so that the sum of the membership values of a datum across all clusters is 1. The membership values generated by FCM using constraint (3) represent the degree of sharing, but not the degree of *typicality* or compatibility with an elastic constraint. *Typicality* here means the actual degree of belongingness of a datum to a cluster rather than an arbitrary division of data [45, 60, 63]. Krishnapuram *et al* addressed these issues by proposing the *possibilistic c-means* (PCM) algorithm whose membership values represent the degree of *typicality* rather than the degree of sharing and as consequence constraint (3) is eliminated [45, 64]. Every cluster is independent of the other clusters in PCM and the FCM objective function is modified as follows:

$$J_q(\mu, V, X) = \sum_{i=1}^c \sum_{j=1}^n (\mu_{ij})^q D_{ij}^2 + \sum_{i=1}^c \eta_i \sum_{j=1}^n (1 - \mu_{ij})^q \quad (17)$$

subject to:-

$$0 \leq \mu_{ij} \leq 1; i \in \{1, \dots, c\} \text{ and } j \in \{1, \dots, c\} \quad (18)$$

$$0 < \sum_{j=1}^n \mu_{ij} < n; \quad i \in \{1, \dots, c\} \quad (19)$$

$$\max \mu_{ij} > 0; \quad j \in \{1, \dots, c\} \quad (20)$$

where  $\eta_i$  is the *scale* (resolution) parameter that determines the zone of influence of a particular cluster. The PCM algorithm is applied twice, using the scale  $i \eta$  the first time by setting:

$$\eta_i = \frac{\sum_{j=1}^n (\mu_{ij})^q D_{ij}^2}{\sum_{j=1}^n (\mu_{ij})^q} \quad (21)$$

and the second time:

$$\eta_i = \frac{\sum_{x_j \in (\pi_i)_\alpha} D_{ij}^2}{|(\pi_i)_\alpha|} \quad (22)$$

where  $(\pi_i)_\alpha$  is an appropriate  $\alpha$ -cut of  $\pi_i$ . By minimizing the objective function  $J_q(\mu, V, X)$  in (17), the membership value  $\mu_{ij}$  and cluster centre  $v_i$  can be calculated using the following two equations that are iteratively updated:

$$\mu_{ij} = \frac{1}{1 + \left( \frac{D_{ij}}{\eta_i} \right)^{2/(q-1)}} \quad (23)$$

$$v_i = \frac{\sum_{j=1}^n (\mu_{ij})^q x_j}{\sum_{j=1}^n (\mu_{ij})^q} \quad (24)$$

If the fuzzifier  $q=1$ , PCM produces crisp (HC) regions. PCM provides good-segmented results for oisy data, but it is highly dependent on the initialization and the estimation of scale parameter  $i\eta$ , for which FCM can be effectively used for both purposes. The computational time required for PCM is  $O(n)$  [13, 58]. It should be noted that PCM can generate trivial solutions since the solution spaces are not constant over all clusters, moreover it only achieves a local minimum and so is unable to minimize the objective function (17) in a global sense [58, 64-66]. The performance of PCM for noisy data can be improved using the modifications proposed in [67, 68], though again only a local not global minimum can be reached. The improvement in [67] may increase the possible number of local

minima which produce a number of *bad* minimizers that are likely to trap PCM iterations into poor classification.


**Algorithm 2:** Possibilistic *c*-means algorithm (PCM)

**Precondition:** Objects to be segmented, number of clusters  $c$ .

**Post condition:** The final segmented regions  $\mathfrak{R}$ .

1. Fix  $c$ , and  $2 = q$ .
2. Initialize  $\mu_{ij}^0$ .
3. Estimate  $\eta_i$  using (21).
4. FOR  $l = 3, 2, 1, \dots$ ,
5. Update prototypes using (24)
6. Compute  $\mu_{ij}^{(l+1)}$  using (23)
7. IF  $(\|\mu_{ij}^{(l+1)} - \mu_{ij}^l\| < \xi)$  THEN STOP.  
ENDFOR
8. Estimate  $\eta_i$  applying (22).
9. FOR  $l = 1, 2, 3, \dots$ ,
10. Update cluster centre  $v_i$  using (24).
11. Update  $\mu_{ij}^{(l+1)}$  using (23).
12. IF  $(\|\mu_{ij}^{(l+1)} - \mu_{ij}^l\| < \xi)$  THEN STOP.  
ENDFOR
13. Return  $\mathfrak{R}$ .

In summary, PCM gives more emphasis to *typicality*, that means it is able to separate visually distinctive objects well, but conversely produces poorer segmentation performance when objects are not visually different. **Figure 5** highlights the experimental results of PCM separately using PL, PI, and CIL.



**Fig. 5** (a) Original scene image, (b) Manually segmented reference of (a), (c)-(e) Segmented results of (a).



#### 4.1.4 Gustafson-Kessel Algorithm

The *Gustafson-Kessel* (GK) algorithm [47] is a powerful clustering technique that has been used in various image processing, classification and system identification applications [40, 57]. It is characterised by adapting automatically the local data distance metric to the shape of the cluster using a covariance matrix and adapting the distance inducing matrix correspondingly [47, 69-71]. The GK algorithm is based on the iterative optimization of the following FCM-type objective function [39, 40]:

$$J_q(\mu, V, X) = \sum_{j=1}^n \sum_{i=1}^c (\mu_{ij})^q D_{ij}^2 \quad (25)$$

$$0 \leq \mu_{ij} \leq 1; \quad i \in \{1, \dots, c\} \text{ and } j \in \{1, \dots, n\} \quad (26)$$

$$\sum_{i=1}^c \mu_{ij} = 1; \quad j \in \{1, \dots, n\} \quad (27)$$

where  $D$  is the data distance norm calculated for clusters of different shapes in one dataset that is given by:

$$D_{ij}^2 = (x_j - v_i)^T A_i (x_j - v_i) \quad (28)$$

where  $A$  is the *norm inducing* matrix, which allows the distance to adapt to the local topological structure of the data [69, 70]. Using the Lagrangian multiplier in (25), the membership value  $\mu_{ij}$  can be calculated as follows:

$$\text{IF } (D_{ij}^2 = 0) \\ \text{THEN } \mu_{ij} = 1 \text{ maintaining } \sum_{i=1}^c \mu_{ij} = 1 \quad (29)$$

$$\text{ELSE } \mu_{ij} = \frac{1}{\sum_{k=1}^c \left( \frac{D_{ij}^2}{D_{kj}^2} \right)^{\frac{2}{q-1}}} \quad (30)$$

The cluster centre  $v_i$  is updated as:

$$v_i = \frac{\sum_{j=1}^n (\mu_{ij})^q x_j}{\sum_{j=1}^n (\mu_{ij})^q} \quad (31)$$

To adapt to the structure of the cluster shape, the distance norm inducing matrix  $A_i$  is used which increases the distance of the furthest data points while decreasing those data points close to the cluster centre.  $A_i$  is defined as:

$$S_{fi} = \frac{\sum_{j=1}^n (\mu_{ij})^q (x_j - v_i)^T (x_j - v_i)}{\sum_{j=1}^n (\mu_{ij})^q} \quad (32)$$

$$A_i = \left| \rho_i \det(S_{fi})^{1/P} (S_{fi})^{-1} \right| \quad (33)$$

where  $S_{fi}$  is the *fuzzy covariance* matrix,  $P$  is the dimension of hyper-spherical cluster, and  $\rho_i$  is the cluster volume, which is usually set to 1. In the GK algorithm, the parameters values are set to  $2 = q$  and  $1 = \rho_i$  (Step 1) followed by the initialization of membership values  $\mu_{ij}$  (Step 2). The cluster centre  $v_i$  is updated using (31) in Step 3.1, while the data distance norm is calculated (Steps 3.2 and 3.3) to iteratively update the membership value  $\mu_{ij}$  using (29) and (30) (Step 3.4) until either fulfilling the specified threshold  $\xi$  or the maximum number of iterations is exceeded (Step 3.5). The detailed steps of the GK algorithm are given in Algorithm 3.

**Algorithm 3:** *Gustafson-Kessel* (GK) algorithm


**Precondition:** Objects to be segmented, number of clusters  $c$ , threshold  $\xi$  and ion  $\max\_Iterat$ .

**Post condition:** The final segmented regions  $\mathfrak{R}$ .

1. Fix  $2 = q$  and set  $1 = i \rho$ .
2. Initialize  $\mu_{ij}$ .
3. FOR  $1 = 1, 2, 3, \dots, \max\_Iteration$ 
  - 3.1 Update cluster centre  $v_i$  using (31).
  - 3.2 Compute cluster covariance matrix using (32) and (33).
  - 3.3 Calculate data distance norm by (28).
  - 3.4 Update  $\mu_{ij}^{(l)}$  using (29) and (30).
  - 3.5 IF  $\left( \mu_{ij}^{(l)} - \mu_{ij}^{(l-1)} \right) \leq \xi$  THEN STOP.

The performance of the GK algorithm is not very good for either small datasets or when data within a cluster are (approximately) linearly correlated, because in such cases the covariance matrix becomes singular. Babuska *et al.* (2002) overcame these drawbacks by considering the ratio of the maximum and minimum eigenvalues [70] in calculating the *fuzzy covariance matrix*. In summarising, the GK algorithm adapts the local structure of the cluster shape using a *distance norm inducing matrix*  $A_i$ , with the *modified GK* algorithm [70] able to effectively handle both large and small datasets. These characteristics are exploited by using the GK algorithm as key part of the shape-based algorithm [50] for integrating generic shape

information into the clustering framework. To clarify the performance of GK, a sample experimental result is provided in **Figure 6**.



**Fig. 6: (a) Original crocodile image, (b) Manually segmented reference of (a). (c) Segmented results of (a).**

#### 4.1.5 MISR Algorithm

Based on the analysis, the fuzzy clustering algorithms including FCM, SFCM and PCM are highly dependent on the features used. For example, FCM using PI is suitable feature for one type image for segmenting objects while using PL produces better results for other. In some cases, FCM using CIL shows good segmentation performance [61, 72-76]. This raises an open question which feature set produces best segmentation results for which type of image [61]. Addressing this issue, Ameer *et al* proposed a new algorithm namely *merging initially segmented regions* (MISR) [61] which merges initially segmented similar regions produced by clustering algorithm separately using a pair of feature set from PI, PL, and CIL. The detailed description of the MISR algorithm is given in Algorithm 4 with the full details in below.

It is shown in [61], FCM using either CIL or PI is unable to properly segment the objects having *similar surface variations* (SSV) which requires to apply PL feature for segmentation process. For this reason, the foreground (objects) of an image ( $f$ ) is segmented by FCM using CIL (Step 1) to separate the objects having SSV from those having *dissimilar surface variations* (DSV) (Step 2). To complete the segmentation process, objects with SSV are segmented by SFCM using PL (Step 3) as SFCM outperforms FCM mentioned in Section 4.1.2. For the case of objects having DSV, if there is more than one such object then it requires several processes to complete the segmentation process. In this regard, the feature sets for initial segmentation

are selected based on the overlapping regions. To select the best feature set, two cases are considered, namely

$$\theta_1' > \pi/4 \text{ and } \theta_1' \leq \pi/4.$$

(i) When  $\theta_1' > \pi/4$ , CIL dominates PL in the

segmentation process and there is a high pixel misclassification risk when merging, because of the existence of two objects with vastly differing brightness values so PI will outweigh PL and the feature set combination of CIL and PI will generate a lower degree of overlap.

(ii) When  $\theta_1' > \pi/4$ , in order to decrease

misclassification, the feature sets are selected based on the minimum value of the angle between the corresponding decision boundaries as follows:

$$feature\ sets = \begin{cases} CIL, PL & \text{if } \theta_1' \text{ is minimum} \\ PL, PI & \text{if } \theta_2' \text{ is minimum} \\ CIL, PI & \text{if } \theta_3' \text{ is minimum} \end{cases} \quad (34)$$

where  $\theta_1'$  = angle between the decision boundaries

for FCM using only CIL and PL;  $\theta_2'$  = angle for

FCM using only PL and PI;  $\theta_3'$  = angle for FCM

using only CIL and PI.

To apply the merging technique, two cases need to be considered namely if: i) there are more than two objects having DSV ( $D>2$ ) and ii) two objects have DSV ( $D=2$ ).

For the former, PI and CIL are used together with the *connectivity\_Flag* being set because using the connectivity property will correctly classify those pixels that are misclassified by PI. For the case of  $D=2$ , in applying the *connectivity\_Flag* is

set to **FALSE** for  $\theta_1' > \pi/4$ , (Step 4), otherwise it

is set **TRUE**. The reason for this is that if  $\theta_1' > \pi/4$ , it can be intuitively argued that

connectivity should not be applied because while each region consists of having objects of distinct pixel intensities, either one or more pixels of a region may possess a similar intensity to another region that is actually connected to it. In such circumstances to reduce the possibility of pixel misclassification, connectivity is not applied. The

complete processing steps for the MISR algorithm are given in **Algorithm 4**.

**Algorithm 4:** Fuzzy image segmentation considering surface characteristics and feature set selection (FISFS) algorithm **Precondition:** Objects  $f$  to be segmented, number of clusters  $c$ ,  $connectivity\_Flag$ ,  $\theta_1$ ,  $\theta_2$  and  $\theta_3$ ,

**Post condition:** The final segmented regions  $\mathfrak{R}$ .


1. Segment  $f$  by FCM using CIL into regions represented by  $R^C$ .
2. Find  $R_k^M$  and  $R^D$  for  $R^C$ .
3. IF  $(K \geq 1)$  THEN FOR  $i=1, \dots, k$   
     Segment  $R_i^M$  into  $M$  regions by SFCM using PL.  
 END IF
4. IF  $(D \geq 2)$  THEN  
      $connectivity\_Flag=TRUE$   
     IF  $D = 2$  THEN  
         IF  $\theta_1 > \frac{\pi}{4}$ , THEN  
              $connectivity\_Flag=FALSE$   
             Segment  $R^D$  into  $D$  regions for  $R^I$  and  $R^C$ .  
         ELSE  
             Select feature sets considering overlapping.  
             Segment  $R^D$  into  $D$  regions.  
         END IF  
         ELSE  
             Segment  $D R$  using  $I R$  and  $C R$ .  
         END IF  
     END IF

The experimental result of the MISR algorithm is given below. In assimilating the overall segmentation performance, out of the 186 test images, MISR produced superior results for 90, with for the remainder of images, FCM, SFCM and PCM provided better results for only 35, 30 and 18 images respectively.


**5. Summary**

This paper has reviewed various classical fuzzy clustering algorithms, with FCM being chosen as the design platform for the new clustering framework as it is able to incorporate object specific information like pixel location, intensity and shape within its generic structure.

For object-based image segmentation, classical fuzzy clustering algorithms like FCM are unable to segment objects satisfactorily using only low-level features such as pixel location, intensity and their combination. Different objects can be segmented well using different features in FCM, though no single algorithm is suitable for segmenting all objects within a general framework using a particular feature. To address this, Ameer *et al* introduced a new algorithm *merging initially segmented regions* (MISR) that aims to generalise the FCM clustering framework. From the critical analysis of the experimental results for MISR, it has been shown that its segmentation performance for objects having DSV is highly dependent on the initially segmented results. Moreover, in some cases MISR produced poor segmentation performance for objects having SSV due to applying the PL feature, so to address these matters a strategy is mandated that incorporates shape information into the clustering framework for segmentation.



**Fig. 7** (a) Original horse image, (b) Manually segmented reference. (c)-(f) Various segmented results of (a).



**Fig. 8 (a) Original scene image, (b) Manually segmented reference of (a). (c)-(f) Segmented results of (a).**

#### Corresponding Author

**M. Ameer Ali**  
 Asst. Professor  
 Dept. of Electronics & Communication  
 Engineering  
 East West University  
 Dhaka, Bangladesh

#### REFERENCE

1. Baxes, G.A., *Digital Image Processing: Principles and Applications*. 1994, USA: John Wiley & Sons, Inc.
2. Duda, R.O. and Hart, P.E., *Pattern Classification and Scene Analysis*. 1973, USA: John Wiley & Sons, Inc.
3. Gonzalez, R.C. and Woods, R.E., *Digital Image Processing*. 2002, New Jersey: Prentice Hall, Inc.
4. Jahne, B., *Digital Image Processing*. 1997, New York: Springer-Verlag.
5. Jain, A.K., *Fundamentals of Digital Image Processing*. 1989, New Jersey: Prentice Hall, Inc.
6. Karmakar, G.C., Dooley, S.L., and Rahman, S.M., *Review on fuzzy image segmentation techniques*, in *Design and Management of Multimedia Information Systems: Opportunities and Challenges*. 2001, Idea Group Publishing: USA. pp. 282-313.
7. Spirkovska, L., A summary of image segmentation techniques. *NASA Technical Memorandum*, 1993: pp. 1-11.
8. Haralick, R.M. and Shapiro, L.G., Survey, image segmentation techniques. *Computer Vision, Graphics, and Image Processing*, 1985. **29**: pp. 100-132.
9. Fu, K.S. and Mui, J.K., A survey on image segmentation. *Pattern Recognition*, 1981. **13**(1): pp. 3-16.
10. Pham, D.L. and Prince, J.L., An adaptive fuzzy c-means algorithm for image segmentation in the presence of intensity inhomogeneities. *Pattern Recognition Letters*, 1999. **20**(1): pp. 57- 68.
11. Liu, J., et al., *A comparative study of texture measures for human skin treatment*. In the Proceedings of International Conference on Information, Communications, and Signal Processing. 1997. Singapore. pp. 170-174.
12. Pal, N.R. and Pal, S.K., A review on image segmentation techniques. *Pattern Recognition*, 1993. **26**(9): pp. 1277-1294.
13. Karmakar, G.C., *An Integrated Fuzzy Rule-Based Image Segmentation Framework*, in *PhD Thesis Dissertation*. 2002, Monash University: Australia.
14. Canny, J.F., A computational approach to edge detection. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 1986. **8**: pp. 679-698.
15. Kohler, R., A segmentation system based on thresholding. *Computer Graphics and Image Processing*, 1981. **15**: pp. 319-338.
16. Otsu, N., A threshold selection method from gray-level histogram. *IEEE Transactions on Systems, Man, and Cybernetics*, 1980. **9**: pp. 62- 66.
17. Rosenfeld, A. and Smith, R.C., Thresholding using relaxation. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 1981. **3**: pp. 598-606.
18. Basu, S., Image segmentation by semantic method. *Pattern Recognition*, 1987. **20**: pp. 497- 511.
19. Taxt, T., Flynn, P.J., and Jain, A.K., Segmentation of document images. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 1989. **11**(12): pp. 1322-1329.
20. Yanowitz, S.D. and Bruckstein, M.A., *A new method for image segmentation*. International Conference on Pattern Recognition. 1988. pp. 270-275.
21. Andrey, P. and Tarroux, P., Unsupervised segmentation of Markov random field modelled textured images using selectionist relaxation. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 1998. **20**: pp. 252-262.
22. Gosh, A., Pal, N.R., and Pal, S.K., Selforganization for object extraction using multilayer neural networks and fuzziness measure. *IEEE Transactions of Fuzzy Systems*, 1993. **1**(1): pp. 54-68.
23. Geman, S. and Geman, D., Stochastic relaxation, Gibbs distribution, and the Bayesian restoration of images. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 1984. **6**: pp. 721-741.

24. Besl, P.C. and Jain, R.C., Segmentation using variable surface fitting. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 1988. **10**: pp. 167-192.
25. Overheim, R.D. and Wagner, D.L., *Light and Color*. 1982, New York: Wiley.
26. Haddon, J.F., Generalized threshold selection for edge detection. *Pattern Recognition*, 1988. **21**(3): pp. 195-203.
27. Derin, H. and Elliot, H., Modelling and segmentation of noisy and textured images using Gibbs random fields. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 1987. **9**(1): pp. 39-55.
28. Derin, H., et al., Byes smoothing algorithms for segmentation of binary images modelled by Markov random fields. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 1984. **6**: pp. 707-720.
29. Hansen, F.R. and Elliot, H., Image segmentation using simple Markov random field models. *Computer Graphics and Image Processing*, 1982. **20**: pp. 101-132.
30. Jain, A.K., *Advances in mathematical models for image processing*. IEEE Proceedings. 1981. pp. 502-528.
31. Prewitt, J.M., *Object Enhancement and Extraction*. 1970, New York: Academic Press, Ltd.
32. Medasani, S., Krishnapuram, R., and Keller, J., Are fuzzy definitions of basic attributes of image objects really useful? *IEEE Transactions on Systems, Man, and Cybernetics*, 1999. **29**(4): pp. 378-386.
33. Kruse, R., Gebhardt, and Klawonn, F., *Foundations of Fuzzy Szytems*. 1995: John Wiley & Sons, Inc.
34. Bloch, I., Fuzzy sets in image processing. *ACM Symposium on Applied Computing*, 1994: pp. 175-179.
35. Yang, M.S., A survey of fuzzy clustering. *Mathematical and Computer Modelling*, 1993. **18**(11): pp. 1-16.
36. Chacon, M.I., Aguilar, L., and Delgado, A., *Definition and applications of a fuzzy image processing scheme*. Proceedings of the IEEE Digital Signal Processing Workshop. 2002. pp.102-107.
37. Tizhoosh, H.R., *Fuzzy image processing*. 1997, Springer: <http://watfast.uwaterloo.ca/tizhoosh/fip.htm>.
38. Hoppner, F., et al., *Fuzzy Cluster Analysis: methods for classification, data analysis, and image recognition*. 1999, New York: John Wiley & Sons, Ltd.
39. Bezdek, J.C., FCM: The fuzzy c-means clustering algorithm. *Computer and Geosciences*, 1984. **10**: pp. 191-203.
40. Bezdek, J.C., *Pattern Recognition with Fuzzy Objective Function Algorithm*. 1981, New York: Plenum Press.
41. Hung, M.C. and Yang, D.L., *An efficient fuzzy cmeans clustering algorithm*. IEEE International Conference on Data Mining. 2001. pp. 225-232.
42. Chintalapudi, K.K., Kam, M., and , T.c.f.c.-m.c.a., " IEEE International Conference on Systems, Man, and Cybernetics (ICSMC), Vol. 2, pp. 2034-2039, October 1998., *The credibilistic fuzzy c-means clustering algorithm*. IEEE International Conference on Systems, Man, and Cybernetics. 1998. pp. 2034-2039.
43. Ruspini, E.H., *A new approach to clustering*. IEEE Conference on Information and Control. 1969. pp. 22-32.
44. Dubes, R. and Jain, A.K., *Algorithms for clustering data*. 1998, Englewood Cliffs, NJ: Prentice-Hall.
45. Krishnapuram, R. and Keller, J.M., A possibilistic approach to clustering. *International Journal of Fuzzy Systems*, 1993. **2**(2): pp. 98-110.
46. Fan, J.L., Zhen, W.Z., and Xie, W.X., Suppressed fuzzy c-means clustering algorithm. *Pattern Recognition Letters*, 2003. **24**: pp. 1607- 1612.
47. Gustafson, D.E. and Kessel, W.C., *Fuzzy clustering with a fuzzy covariance matrix*. In Proceedings of IEEE Conference on Decision Control. 1979. pp. 761-766.
48. Man, Y. and Gath, I., Detection and separation of ring shaped clusters using fuzzy clustering *IEEE Transaction on Pattern Analysis and Machine Intelligence*, 1994. **16**(8): pp. 855-861.
49. Gath, I. and Hoory, D., Fuzzy clustering of elliptic ring-shaped clusters. *Pattern Recognition Letters*, 1995. **16**(7): pp. 727-741.
50. Ameer Ali, M., Dooley, L.S., and Karmakar, G.C., *Object based segmentation using fuzzy clustering*, in *IEEE International Conference on Acoustics, Speech, and Signal Processing*. 2006.
51. Chen, M.S. and Wang, S.W., Fuzzy clustering analysis for optimizing fuzzy membership

- functions. *International Journal on Fuzzy Sets and Systems*, 1999. **103**: pp. 239-254.
52. Antonio, F.S., Candenas, J.M., and Martin, F., Membership functions in the fuzzy c-means algorithm. *International Journal on Fuzzy Sets and Systems*, 1999. **101**: pp. 49-58.
  53. Shen, Y., Shi, H., and Zhang, J.Q., *Improvement and optimization of a fuzzy c-means clustering algorithm*. IEEE Instrumentation and Measurement Technology Conference. 2001. pp. 1430-1433.
  54. Groll, L. and Jakel, J., A new convergence proof of fuzzy c-means. *IEEE Transactions on Fuzzy Systems*, 2005. **13**(5): pp. 717-720.
  55. Wei, W. and Mendel, J.M., Optimality test for the fuzzy c-means algorithm. *Pattern Recognition*, 1994. **27**(11): pp. 1567-1573.
  56. Hathaway, R.J. and Bezdek, J.C., Local convergence of the fuzzy c-means algorithm. *Pattern Recognition*, 1986. **19**(6): pp.477-480.
  57. Dave, R.N., *Boundary detection through fuzzy clustering*. IEEE International Conference on Fuzzy Systems. 1992. pp. 127-134.
  58. Yang, M.S. and Wu, K.L., A similarity-based robust clustering method. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 2004. **26**(4): pp. 434-448.
  59. Toliás, Y.A. and Panas, S.M., Image segmentation by a fuzzy clustering algorithm using adaptive spatially constrained membership functions. *IEEE Transactions on Systems, Man, and Cybernetics*, 1998. **28**(3): pp. 359-369.
  60. Krishnapuram, R., *Generation of membership functions via possibilistic clustering*. IEEE World Congress on Computational Intelligence. 1994. USA. pp. 902-908.
  61. Ameer Ali, M., Dooley, L.S., and Karmakar, G.C., *Automatic feature set selection for merging image segmentation results using fuzzy clustering*, in *International Conference on Computer and Information Technology*. 2005. pp. 337-342.
  62. Wei, L.M. and Xie, W.X., *Rival checked fuzzy cmeans algorithm*. Acta Electronica Sinica. 2000. Chinese. pp. 63-66.
  63. Zadeh, L.A., Fuzzy sets as a basis for a theory of possibility. *Fuzzy Sets and Systems*, 1978. **1**: pp.3-28.
  64. Krishnapuram, R. and Keller, J.M., The possibilistic c-means algorithm: Insights and recommendation. *IEEE Transactions on Fuzzy Systems*, 1996. **4**(3): pp. 385-396.
  65. Zhang, J.S. and Leung, Y.W., Improved possibilistic c-means clustering algorithms. *IEEE Transactions on Fuzzy Systems*, 2004. **12**(2): pp. 209-217.
  66. Barni, M., Cappellini, V., and Mecocci, A., Comments on 'A possibilistic approach to clustering. *IEEE Transactions on Fuzzy Systems*, 1996. **4**(3): pp. 385-396.
  67. Li, K., Huang, H.K., and Li, K.L., *A modified PCM clustering algorithm*. IEEE International Conference on Machine Learning and Cybernetics. 2003. pp. 1174-1179.
  68. Schneider, A., *Weighted possibilistic c-means clustering algorithm*. IEEE International Conference on Fuzzy Systems. 2000. pp. 176- 180.
  69. Huang, J.J., Li, S.Y., and Ban, X.J., *A fast approach to building rough data model through G-K fuzzy clustering*. Proceedings of the Second International Conference on Machine Learning and Cybernetics. 2003. pp. 1559-1564.
  70. Babuska, R., Van der Veen, P.J., and Kaymak, U., *Improved covariance estimation for Gustafson-Kessel clustering*. IEEE International Conference on Fuzzy Systems. 2002. pp. 1081- 1085.
  71. Krishnapuram, R. and Kim, J., A note on the Gustafson-Kessel and adaptive fuzzy clustering algorithms. *IEEE Transactions on Fuzzy Systems*, 1999. **7**(4): pp. 453-461.
  72. Ameer Ali, M., Dooley, L.S., and Karmakar, G.C., *Fuzzy image segmentation combining ring and elliptic shaped clustering algorithms*, in *International Conference on Information Technology: Coding and Computing*. 2005. pp.118-122.
  73. Ameer Ali, M., Karmakar, G.C., and Dooley, L.S., *Fuzzy image segmentation using suppressed fuzzy c-means clustering*, in *International Conference on Computer and Information Technology*. 2004. pp. 363-368.
  74. Ameer Ali, M., Dooley, L.S., and Karmakar, G.C., *Fuzzy image segmentation considering object surface similarity*, in *International Symposium on Communication Systems, Networks, and Digital Signal Processing*. 2004. pp. 516-519.
  75. Ameer Ali, M., Karmakar, G.C., and Dooley, L.S., *Image segmentation using fuzzy clustering incorporating spatial information*, in *IASTED International Conference on Artificial Intelligence and Applications*. 2004. pp. 878-881.
  76. Ameer Ali, M., Dooley, L.S., and Karmakar, G.C., *Fuzzy image segmentation using location and intensity information*, in *IASTED International Conference on Visualization, Imaging and Image Processing*. 2003. pp.399-404.