

Original citation:

Livanou, Maria, Furtado, Vivek and Singh, Swaran P.. (2017) Mentally disordered young offenders in transition from child and adolescent to adult mental health services across England and Wales. Journal of Forensic Practice, 19 (4). pp. 301-308.

Permanent WRAP URL:

http://wrap.warwick.ac.uk/88838

Copyright and reuse:

The Warwick Research Archive Portal (WRAP) makes this work by researchers of the University of Warwick available open access under the following conditions. Copyright © and all moral rights to the version of the paper presented here belong to the individual author(s) and/or other copyright owners. To the extent reasonable and practicable the material made available in WRAP has been checked for eligibility before being made available.

Copies of full items can be used for personal research or study, educational, or not-for profit purposes without prior permission or charge. Provided that the authors, title and full bibliographic details are credited, a hyperlink and/or URL is given for the original metadata page and the content is not changed in any way.

Publisher's statement:

"This is a post-peer-review, pre-copyedit version of an article published in Journal of Forensic Practice. The definitive publisher-authenticated Livanou, Maria, Furtado, Vivek and Singh, Swaran P. (2017) Mentally disordered young offenders in transition from child and adolescent to adult mental health services across England and Wales. Journal of Forensic Practice, 19 (4). pp. 301-308. is available online at https://doi.org/10.1108/JFP-01-2017-0002

A note on versions:

The version presented here may differ from the published version or, version of record, if you wish to cite this item you are advised to consult the publisher's version. Please see the 'permanent WRAP URL' above for details on accessing the published version and note that access may require a subscription.

For more information, please contact the WRAP Team at: wrap@warwick.ac.uk

Journal of Forensic Practice



Mentally disordered young offenders in transition from child and adolescent to adult mental health services across England and Wales

Journal:	Journal of Forensic Practice
Manuscript ID	JFP-01-2017-0002.R2
Manuscript Type:	Brief literature/discussion Paper
Keywords:	young offenders, mental health problems, transition, mental health services, care pathway, forensic services

SCHOLARONE™ Manuscripts

Abstract

Purpose - This paper provides an overview of transitions across forensic child and adolescent mental health services in England and Wales. The aim of this paper is to delineate the national secure services system for young people in contact with the youth justice system.

Approach- This paper reviews findings from the existing literature of transitions across forensic child and adolescent mental health services, drawing attention to present facilitators and barriers to optimal transition. We examine the infrastructure of current services and highlight gaps between child and adult service continuity and evaluate the impact of poor transitions on young offenders' mental health and wellbeing.

Findings- Young offenders experience a broad range of difficulties, from the multiple interfaces with the legal system, untreated mental health problems, and poor transition to adult services. Barriers such as long waiting lists, lack of coordination between services and lack of transition preparation impede significantly smooth transitions.

Research implications- We need to develop, test and evaluate models of transitional care that improve mental health and wellbeing of this group.

Practical implications- Mapping young offenders' care pathway will help to understand their needs and also to impact current policy and practice. Key workers in forensic services should facilitate the transition process by developing sustainable relationships with the young person and creating a safe clinical environment.

of the problems at the transition interface in a forensic context.

Originality/value- Transition of care from forensic child and adolescent mental health services is a neglected area. This paper attempts to highlight the nature and magnitude

. Thi.
sition inten.

anders, mental health
sic services **Keywords:** young offenders, mental health problems, transition, mental health services, care pathway, forensic services

Background

Young offenders comprise a large proportion of the prison population and are at high risk of experiencing mental health disorders (Prison Reform Trust, 2012). In 2009, offenders under 21 made up 14% of the overall prison population in England and Wales (Bradley KJCB, 2009). The Bradley Commission reported that 1,323 children aged between 10 and 18 years were detained, excluding those in secure hospitals (Snodgrass and Preston, 2015). Up to 81% of young people within criminal justice agencies are known to present with mental health problems (Hagell, 2002), while a UK study identified 95% of young offenders aged 16 to 20 years as having a mental health disorder (Lader *et al.*, 2003).

Young offenders with mental health problems undergo several transitions between and within the health, social care and criminal justice systems that can negatively affect their psychological health (Campbell *et al.*, 2014). The transition from child and adolescent to adult mental health services has been described as poorly planned, poorly executed and poorly experienced (Singh *et al.*, 2010). A poor transition may adversely affect young people's health, wellbeing and successful integration into the community (Champion and Clare, (Vyas *et al.*, 2015). However, there is limited evidence with regards to transition processes within forensic psychiatric services. Even less is known about long-term outcomes of those transitioned from forensic mental health adolescent hospitals to the community (Harrington *et al.*, 2005).

A UK study of adolescent patients from a medium secure hospital showed that nearly half of them were discharged to the community (Hill et al., 2014). These findings

highlight the importance of the need for substantial investment in preparing young people's transition to community settings. Returning to the community might be especially difficult if they lack supportive networks. Moving to independent living brings additional challenges such as risks of substance misuse and lack of appropriate housing and employment (DH, 2009). It is also known that the risk of reoffending increases when community mental health services do not engage young people in follow-up treatment (Hagell, 2002). There is a need for well-planned and organised integrated community forensic teams to have a smoother community transition.

Who is the young offender in the UK?

There are several terms within legal and medical contexts to describe young people who have offended or are involved in the criminal justice system. According to UK law, young offenders are those aged between 10 and 18 years who have committed an offence. The UK Prison Service defines juvenile offenders as those between the ages of 15 and 21 (Rickford and Edgar, 2005). Detention under the Mental Health Act (MHA) 2007 may be considered if they have an emerging or established mental disorder and are at high-risk to themselves or others. Mentally Disordered Offenders (MDOs) may require a transfer from prison to secure inpatient units due to their need for urgent psychiatric care (Board NC, 2013).

Forensic child and adolescent mental health services in England and Wales

Forensic child and adolescent psychiatric services across England and Wales are not standardised although attempts have been made to have a standard specification regarding service provision (Board NC, 2013). Effective liaison with youth courts, healthcare organisations and custodial settings are needed to develop tailored services (Nacro, 2006) leading to better transition outcomes.

There are several independent and public sector organisations providing forensic mental health services for young offenders under the age of 18 in England and Wales, covering prison in-reach, outpatient and hospital based care (Hoare and Wilson, 2010). The National Secure Forensic Mental Health for Young People service (SFMHSYPs) provides in-patient services to young offenders with complex needs (Dimond and Chiweda, 2011) until they reach the age of 19 in line with CAMHS, Adult Mental Health Services (AMHS) and the criminal justice system (Board NC, 2013).

In England and Wales, there are currently six medium secure hospitals for adolescent young offenders with mental health problems, based in different geographical locations. Young offenders aged between 12 and 18 years who meet pre-established eligibility criteria are referred to medium secure adolescent units from custodial settings (Board NC, 2013). Behavioural and emotional disorders concurrent with substance use is the predominant diagnosis although (Dimond and Chiweda, 2011) some present with psychotic illnesses. A diagnosis of an emerging personality disorder is common among young female offenders (Hill *et al.*, 2014). However, emerging personality disorder symptoms have to co-occur with another diagnosis to ensure transfer to hospital. A

significant number of female offenders are likely to present with unstable mood and severe self-harm (Hill *et al.*, 2014) that might imply an emerging personality disorder. It is hypothesised that these symptoms could be a result of significant abuse and trauma during periods of development and maturation (Dimond and Chiweda, 2011).

Young people with learning difficulties can be referred to specialist mental health units that focus on their particular disability needs. Legally, young offenders with learning disabilities cannot be detained under the Mental Health Act unless they present with violent behaviour, as merely a diagnosis of mental impairment does not suffice for detention in hospital (Dimond and Chiweda, 2011).

ADHD is also commonly diagnosed among young people within the criminal justice system. The TRACK project, the largest study on transitions across mental health services in the UK, identified that 23.5% of young individuals with ADHD and Autism Spectrum Disorders were not accepted by adult services at the point of transition (Khan and Wilson, 2010). A possible explanation is that health-care providers lack the training to treat individuals with ADHD (Hall *et al.*, 2013; Swift *et al.*, 2013). Therefore, services should tailor the transition process according to the needs of special populations, such as young people with ADHD. Designing specific care pathways for ADHD groups should be a priority for adult services.

Transitions from forensic child and adolescent to adult mental health services

Transitional age boundaries

Transitional age boundaries are problematic in the UK as it is unclear at what age adult services start being accountable for young people (Singh *et al.*, 2010b). Child mental

YOUNG OFFENDERS IN TRANSITION

health services provide care for young people until they reach the age of 18. Age is the only criterion for transferring young people to adult care disregarding factors such as self-independence and readiness for transition (Singh et al., 2010a). However, the Joint Commissioning Panel for Mental Health (2012), recommended that commissioners should tailor transfers according to the needs of the most vulnerable groups including children with learning difficulties and young offenders. It follows that using age, as the only criterion for transitioning young people to adult services should be reconsidered. The only argument for adhering to age cut-off criteria is that age boundaries aid organisational and structural purposes within services (Inspection CJJ, 2012). Adult services are structured differently to child services with the latter providing more routine-based milieus (Singh et al., 2010a). The Barrow Cadbury Commission (2005) suggested using a *life course approach* integrating both adolescents and young adults. as it is unlikely that their needs significantly change once they turn 18. Although these recommendations refer to young adults in the criminal justice system, they can be extended to young people moving from forensic child to adult services considering that reaching a chronological age of 18 does not ensure entering to adulthood at a developmental level.

Davies (2003) explains that developmental transitions occur in the 16-25 age group and many of these young people are not ready for adulthood due to the complexity of their emotional needs. For example, young people diagnosed with learning disabilities and autistic spectrum disorders (Swift *et al.*, 2013) are not developmentally ready for such a transition. However, we currently lack empirical research on transitions of young people with learning disabilities in contact with forensic services.

Factors influencing the transition process

A recent systematic review on transition models, which included studies from the USA and Europe, highlighted that the most substantial difficulty in the transition process is inefficient communication between CAMHS and AMHS (Paul *et al.*, 2014)

Transitional Delays

The Managing Transitions from Secure Settings project followed-up six young people from secure settings in the UK (Hart, 2009). The findings showed that factors, such as housing and education, should be ensured for the young persons' return to their communities. Transition looked the most discouraging factor since young individuals were notified about their placement even a day before their transition (Hart, 2009). Delays in transition within the youth justice system and lack of proper planning in regards to new placements concurred with lack of coordination among services. The report illustrates that transitions within and across the justice system are rarely planned and usually occur in short notice lacking young person's proper transition management (Hart, 2009). Knowing the transition destination might be a protective factor for young people (Swift et al., 2013) to avoid feelings of distress and insecurity. The findings highlight that young people need to have an active role in shaping their transitions, as they can acknowledge their own needs more efficiently. Therefore, it is essential that they be informed timely about their transition placement (Kane, 2008; Swift et al., 2013). One of the common reasons that accounts for transition delays is lack of bed availability in secure hospitals. As a result, long waiting lists turn transition into a confusing and frustrating experience for young people. Bed shortage along with services infrastructural

YOUNG OFFENDERS IN TRANSITION

weaknesses can severely interrupt the transition process. When an initial placement has been identified and responding services cannot provide a bed at the time of referral, new referrals and discharge plans have to take place resulting in additional transition delays (Kane, 2008). Meanwhile, young people's mental health might exacerbate and new problems arise, such as risk; the young person might become more aggressive and the level of security they were referred to might not be appropriate anymore. An effective and structured post-discharge plan necessitates prior knowledge about the post-transition placement and failing to provide such information impedes young persons' commitment to future plans.

Family involvement and sustained relationships

The role of the family throughout the transition process has been discussed multiple times in the current literature (Swift *et al.*, 2013). Families should be an integral part of transitions and their involvement is significantly important. Most young persons are attached to their families and the young persons' recovery sometimes partially relies on the family's role (Kane, 2008). As Swift and colleagues (2013) highlight, parental involvement might be necessary at the early stages of transition to adult mental health services. However, the case might be different for certain cohorts of young people and young offenders, in particular. Young people involved in the youth justice system often come from families lacking secure attachment and, parents refuse to be involved. Further, many young offenders are looked after children and have spent time in foster care. As Kane (2008) reports, relationships with staff and health-care professionals in inpatient hospitals might be the only sustained relationships young people ever had.

The transition to adult services might perpetuate the pattern of inconsistent relationships in these young people's lives. Accordingly, attachment is a key element in the transition process, as previous research has addressed (Kane, 2008). Abrupt transitions where the young person loses relationships with staff and attachment to places can severely interrupt a smooth transition. Adult hospitals do not rely on attachment theory similarly to child services (Kane, 2008). Therefore, transferring to adult hospitals can potentially traumatise young people, as they have to cope with new care models. Child services should liaise with adult care and work collaboratively on managing effectively attachment, loss, and transition.

Continuity of care

The concept of continuity of care should be understood differently for young people moving to the community than those transferring to forensic adult inpatient services. Those returning to the community are diverted from the justice system and need different care than young people remaining in the forensic system. The dynamics of transition depends heavily on the new placement. Presumably, transition for young people moving in between secure hospitals is smoother. Young people placed in community settings from inpatient services need the involvement of multiple services' to ensure community integration. However, for young individuals moving to adult medium or high secure hospitals issues surrounding hope should be examined given that their detention in such services might be prolonged.

A recent study conducted by Campbell and colleagues (2014) using a small sample of young people from different tiers of the justice system in the UK confirmed the

shortcomings of transitional care. Continuity of care was cited several times predicting less trusting relationships between service providers and young offenders. Harrington and colleagues (2005) found that only 30% received support from services. The study concluded that services were unable to provide support with regards to relationships, education, and mental health. These factors should be addressed before discharge to the community to enhance autonomy (NICE, 2015) and reduce the risk of reoffending. Only one study included young females who had moved from adolescent medium secure units to adult medium or low secure units in the UK (Wheatley et al., 2013). This group involved eight patients who had experienced transition during an 18-month period. Yet, only those moved to lower secure units seemed to have positive experiences while others felt intimidated by the aggressive behaviour of older patients. Potentially, moving young people from child inpatient services to an adult ward with older patients might exacerbate their mental health symptoms. Young people present with different needs than older patients who have been in the system for a while and might not compose role models for newly admitted patients.

Findings from the same study suggested support from key workers was an emerging theme that is common in other transition studies (Campbell *et al.*, 2014; Young Minds, 2013). More research is necessary to explore the experiences of young offenders moving to adult services in distant geographical areas (e.g. far from home or from forensic child services).

Conclusions

The transition from forensic child and adolescent health services entails numerous difficulties that can severely distress young individuals. Young people in contact with

forensic mental health services experience a broad range of challenges, from multiple interfaces with the legal system, untreated mental health problems leading to poor transition outcomes. They also struggle with lack appropriate housing, non-existent family support networks and lack of employment opportunities. Psychological problems per se do not compose the only factor contributing to poor mental health (Young Minds, 2013). Therefore, multidisciplinary collaboration across services may significantly help young people to overcome the inherent transition difficulties (Swift *et al.*, 2013). Attention should focus on providing standardised care irrespective of funding sources. As identified above, there are gaps in the transition literature with regards to child and adolescent forensic psychiatric populations, such as continuity of care and discharge outcomes. To date, only one study has considered issues surrounding forensic child and adolescent mental health services while the current literature acknowledges the adverse consequences of poor transitions across adult mental health services in community populations.

More evidence-based research is needed to understand service users' and carers' experiences and expectations of the transition process. Additionally, there is paucity in long-term outcome research of young people discharged from secure hospitals. There is urgent need to map out young people's care pathways and examine guidelines and policies underpinning these transitions.

Implications

 Young offenders with learning disabilities and ADHD need specialised care pathways in community rehabilitation settings with well-trained staff.

- Continuity of care includes different models of care for young people moving to the community and for those transferring to secure hospitals.
- Family involvement might facilitate the transition process and outcomes in a positive manner.
- Young offenders should be dynamically involved in their transitions and be part of decision making.
- Long waiting lists in adult services impact dramatically the mental health of young offenders awaiting transition.
- Attachment, loss, and transition should be integral elements of transition preparation and management.

Declarations

Ethics approval and consent to participateNot applicable

YOUNG OFFENDERS IN TRANSITION

Consent for publication

Not applicable

Availability of data and materials

This paper does not include any raw data.

Competing interests

The authors declare that they have no competing interests.

Funding

This paper does not require any additional funding. The lead author is funded by NIHR CLAHRC West Midlands for the completion of her PhD and this overview is part of it.

References

Barrett, B., Byford, S., Chitsabesan, P. and Kenning, C. (2006), Mental health provision for young offenders: service use and, *British Journal of Psychiatry*, Vol. 188, pp. 541-546.

Board, Y. J. (2015), Youth Justice Statistics 2013/14.

Board, Y. J. (2010), Ministry of Justice (2012), Youth justice statistics, Vol. 11.

Bradley, K. J. C. B. 2009, The Bradley Report: Lord Bradley's review of people with mental health problems or learning disabilities in the criminal justice system, Department of Health London.

Brondie, I., Goldman, R., & Clapton, J. (2011), Mental health service transitions for young people, London, Social Care Institute for Excellence.

Byng, R., Quinn, C., Sheaff, R., Samele, C., Duggan, S., Harrison, D., Owens, C., Smithson, P., Wright, C. and Annison, J. (2012), COCOA: Care for Offenders Continuity of Access, *Final report NIHR Service Delivery and Organisation programme*.

Campbell, S., Abbott, S. and Simpson, A. (2014), Young offenders with mental health problems in transition, *The Journal of Mental Health Training, Education and Practice*, Vol. 9 No. 4, pp. 232-243.

Champion, H. and Clare, L. (2006), Moving on from Young Offender Institutions: young offenders' adjustment to release.

Davis, M., (2003), Addressing the needs of youth in transition to adulthood, *Administration and Policy in Mental Health and Mental Health Services Research*, Vol. 30 No. 6, pp.495-509.

Dent, M., Peto, L., Griffin, M. & Hindley, N.: Community forensic child and adolescent mental health services (CAMHS): a map of current national provision and a proposed service model for the future. Solutions for Public Health. 2013. file:///Users/marialivanou/Downloads/CommunityForensicChildandAdolescentMentalHealthS%20(3).pdf. Accessed 6 Jul 2015.

Dimond, C. and Chiweda, D. (2011), Developing a therapeutic model in a secure forensic adolescent unit, *Journal of Forensic Psychiatry & Psychology*, Vol. 22 No. 2, pp. 283-305.

Grisso, T. (2008), Adolescent offenders with mental disorders, *The Future of Children*, Vol. 18 No. 2, pp. 143-164.

YOUNG OFFENDERS IN TRANSITION

Grisso, T., Vincent, G. and Seagrave, D. (2005), *Mental health screening and assessment in juvenile justice*, Guilford Press.

Hagell, A. (2002), *The Mental Health of Young Offenders: Bright Futures-Working with Vulnerable Young People*, Mental Health Foundation.

Hall, C. L., Newell, K., Taylor, J., Sayal, K., Swift, K. D. and Hollis, C. (2013), 'Mind the gap'-mapping services for young people with ADHD transitioning from child to adult mental health services, *BMC psychiatry*, Vol. 13 No. 1, p. 186.

Harrington, R., Bailey, S., Chitsabesan, P., Kroll, L., Macdonald, W., Sneider, S., Kenning, C., Taylor, G., Byford, S. and Barrett, B. (2005), Mental health needs and effectiveness of provision for young offenders in custody and in the community, *Youth Justice Board for England and Wales*.

Hart, D. (2009), Managing transitions from secure settings, London, NCB.

Health, D. o. (2012), Chief Medical Officer's Annual Report 2012, Our Children Deserve Better: Prevention Pays, Department of Health London.

Hill, S. A., Brodrick, P., Doherty, A., Lolley, J., Wallington, F. and White, O. (2014), Characteristics of female patients admitted to an adolescent secure forensic psychiatric hospital, *The Journal of Forensic Psychiatry & Psychology*, Vol. 25 No. 5, pp. 503-519.

Hoare, T., & Wilson, J. (2010), Directory of services for high-risk young people, London, Centre for Mental Health.

Inspection, C. J. J. (2012), Transitions: An inspection of the transitions arrangements from youth to adult services in the criminal justice system, A Joint Inspection by HMI Probation, HMI Prisons, Care Quality Commission, Ofsted, Healthcare Inspectorate Wales and Estyn. HMI Probation.

James, N. (2013), Research on the 'Inside': The Challenges of Conducting Research with Young Offenders, *Sociological Research Online*, Vol. 18 No. 4, p. 14.

Joint Commissioning Panel for Mental Health, (2012), Guidance for commissioners of mental health services for young people making the transition from child and adolescent to adult services, *Practical Mental Health Commissioning*, Vol. 2, pp. 1-18.

Kane, S., (2008), Managing the transitions from adolescent psychiatric in-patient care: toolkit.

Khan, L. and Wilson, J. (2010), You just get on and do it: healthcare provision in Youth Offending Teams, Available at www. centreformentalhealth.org.uk/pdfs/Centre_ for_MH_Healthcare_provision_YOTs. pdf [accessed 5 January 2011].

Lader, D., Singleton, N. and Meltzer, H. (2003), Psychiatric morbidity among young offenders in England and Wales, *International Review of Psychiatry*, Vol. 15 No. 1-2, pp. 144-147.

Lamb, C. and Murphy, M. (2013), The divide between child and adult mental health services: points for debate, *The British Journal of Psychiatry*, Vol. 202 No. s54, pp. s41-s44.

Minds, Y. (2013), Same old: the experiences of young offenders with mental health needs, *London: Barrow Cadbury Trust*.

Nacro (2006), Liaison and diversion for mentally disordered offenders, London, nacro.

Nadkarni, J., Blakelock, D.J., Jha, A., Tiffin, P. and Sullivan, F., (2012), The clinical profile of young people accessing a low secure adolescent unit. *The British Journal of Forensic Practice*, Vol. 14 No. 3, pp.217-226.

National Institute for Care and Health Excellence (NICE). Transitions from children's to adults' services. NICE guidelines. 2015. https://www.nice.org.uk/guidance/gid-scwave0714/resources/transition-from-childrens-to-adults-services-draft-guideline-nice2. Accessed 05 Nov 2015.

Paul, M., Street, C., Wheeler, N. and Singh, S. P. (2014), Transition to adult services for young people with mental health needs: A systematic review, *Clinical child psychology and psychiatry*, p. 1359104514526603.

Prison Reform Trust, N. (2012), Bromley Briefings Prison Factfile, PRT, London.

Prison Reform Trust, N. (2012), Bromley Briefings Prison Factfile, PRT, London.

Prisons, H. I. o. (1997), Young prisoners: a thematic review. HM Chief Inspector of Prisons for England and Wales, London, Home Office.

Rickford, D. and Edgar, K. (2005), *Troubled inside: Responding to the mental health needs of men in prison*, Prison Reform Trust.

Ryan, M. and Tunnard, J. (2012), *Evidence about the health and well-being needs of children and young people in contact with the youth justice system*, Healthy Children, Safer Communities (HCSC) programme.

YOUNG OFFENDERS IN TRANSITION

Shepherd, B., (2013), Transition arrangements for youth offenders. *Probation Journal*, Vo. 60 No. 1, pp.85-86.

Singh, S., Paul, M., Islam, Z., Weaver, T., Kramer, T., McLaren, S., Belling, R., Ford, T., White, S. and Hovish, K. (2010a), Transition from CAMHS to adult mental health services (TRACK): a study of service organisation, policies, process and user and carer perspectives, *Report for the National Institute for Health Research Service Delivery and Organisation Programme: London.*

Singh, S. P., Paul, M., Ford, T., Kramer, T., Weaver, T., McLaren, S., Hovish, K., Islam, Z., Belling, R. and White, S. (2010b), Process, outcome and experience of transition from child to adult mental healthcare: multiperspective study, *The British Journal of Psychiatry*, Vol. 197 No. 4, pp. 305-312.

Snodgrass, C. and Preston, J., (2015), Psychological Practice in Secure Settings, in *Young People in Forensic Mental Health Settings* (pp. 64-95), Palgrave Macmillan UK.

Swift, K.D., Hall, C.L., Marimuttu, V., Redstone, L., Sayal, K. and Hollis, C. (2013), Transition to adult mental health services for young people with Attention Deficit/Hyperactivity Disorder (ADHD): a qualitative analysis of their experiences, *BMC psychiatry*, Vol. 13 No. 1, p.74.

Vizard, E. (2008), Emerging severe personality disorder in childhood, *Psychiatry*, Vol. 7 No. 3, pp.389-394.

Underwood, Lee A., and Aryssa Washington. (2016), Mental illness and juvenile offenders, *International journal of environmental research and public health*, Vol.13, No. 2, p.228.

Vyas, N., Birchwood, M. and Singh, S. P. (2015), Youth services: meeting the mental health needs of adolescents, *Irish Journal of Psychological Medicine*, Vol. 32 No. 01, pp. 13-19.

Wheatley, M., Long, C. and Dolley, O. (2013), Transitions of females from adolescent secure to adult secure services: A qualitative pilot project, *Journal of Mental Health*, Vol. 22 No. 3, pp. 207-217.

Wilson, A. B., Draine, J., Hadley, T., Metraux, S. and Evans, A. (2011), Examining the impact of mental illness and substance use on recidivism in a county, *International journal of law and psychiatry*, Vol. 34 No. 4, pp. 264-268. Withecomb, J. (2004), Adolescent forensic psychiatry, *Psychiatry*, Vol. 3 No. 11, pp. 28-31.

