

[IEEE.org](#) [IEEE Xplore Digital Library](#) [IEEE-SA](#) [IEEE Spectrum](#) [More Sites](#)

[Cart \(0\)](#) [Create Account](#) [Personal Sign In](#)

[Institutional Sign In](#)

[Advanced Search](#)

[Other Search Options](#)

[Advertisement](#)

[Browse Conferences > Managing Requirements Knowled...](#)

Enabling hazard identification from requirements and reuse-oriented HAZOP analysis

[Related Articles](#)

[DODT: Increasing requirements formalism using domain ontologies for improved emb...](#)

[Fuzzy ontology for natural language](#)

[Semantic Similarity between Concepts from Different OWL Ontologies](#)

[View All](#)

[Author\(s\)](#)

[Olawande Daramola ; Tor Stålhane ; Guttorm Sindre ; Inah Omoronyia](#)

[View All Authors](#)

Abstract:

The capability to identify potential system hazards and operability problems, and to recommend appropriate mitigation mechanisms is vital to the development of safety critical embedded systems. Hazard and Operability (HAZOP) analysis which is mostly used to achieve these objectives is a complex and largely human-centred process, and increased tool support could reduce costs and

improve quality. This work presents a framework and tool prototype that facilitates the early identification of potential system hazards from requirements and the reuse of previous experience for conducting HAZOP. The results from the preliminary evaluation of the tool suggest its potential viability for application in real industrial context.

Published in: Managing Requirements Knowledge (MARK), 2011 Fourth International Workshop on

Date of Conference: 30-30 Aug. 2011

Date Added to IEEE Xplore: 17 October 2011

ISBN Information:

INSPEC Accession Number: 12307243

DOI: 10.1109/MARK.2011.6046555

Publisher: IEEE

Conference Location: Trento, Italy

Advertisement

Contents

1. Introduction

An important aspect of the development of safety-critical embedded systems is the identification of safety concerns of a system and making adequate provisions to reduce the likelihood of occurrence of hazards. Consequently, it is important to identify hazards during the early stages of system development such as requirements engineering rather than at later stages when the cost of mitigation or error correction could be significantly higher. Hazard and Operability (HAZOP) study is one of the most widely used safety analysis techniques [1]. HAZOP is used to study hazards and operability problems by investigating the effects of deviations from prescribed design intent in order to mitigate the occurrence of adverse consequences. It involves a creative anticipation of hazards and operation problems, and recommendation of appropriate safeguard mechanisms by a team of experts.

Read document

Keywords

IEEE Keywords

Ontologies, Hazards, Libraries, Natural language processing, Humans, Valves

INSPEC: Controlled Indexing

safety-critical software, case-based reasoning, embedded systems, natural language processing, ontologies (artificial intelligence)

INSPEC: Non-Controlled Indexing

knowledge reuse-oriented safety analysis, hazard identification, requirements analysis, reuse-oriented HAZOP analysis, hazard and operability analysis, system hazard, hazard mitigation mechanism, safety critical embedded systems, KROSA tool

Author Keywords

natural language processing, HAZOP analysis, hazard identification, ontology, requirements, case-based reasoning

Authors

Olawande Daramola

Department of Computer and Information Science, Norwegian University of Science and Technology, Norway

Tor Stålhane

Department of Computer and Information Science, Norwegian University of Science and Technology, Norway

Guttorm Sindre

Department of Computer and Information Science, Norwegian University of Science and Technology, Norway

Inah Omoronyia

Irish Software Engineering Research Centre, Ireland

Related Articles

DODT: Increasing requirements formalism using domain ontologies for improved embedded systems development

Stefan Farfeleder; Thomas Moser; Andreas Krall; Tor Stalhane; Herbert Zojer; Christian Panis

Fuzzy ontology for natural language

Julia M. Taylor; Victor Raskin

Semantic Similarity between Concepts from Different OWL Ontologies

Le Duy Ngan; Tran Minh Hang; Angela Eck Soong Goh

Class Diagram Extraction from Textual Requirements Using Natural Language Processing (NLP) Techniques

Mohd Ibrahim; Rodina Ahmad

Tversky's Parameterized Similarity Ratio Model: A Basis for Semantic Relatedness

Valerie Cross

SemQ: A proposed framework for representing semantic opposition in the Holy Quran using Semantic Web technologies

Hend S. Al-Khalifa; Maha M. Al-Yahya; Alia Bahanshal; Iman Al-Odah

Document Visualization Based on Semantic Graphs

Delia Rusu; Bla#158; Fortuna; Dunja Mladenic; Marko Grobelnik; Ruben Sipo#154;

Ontology-Based Natural Language Processing for In-store Shopping Situations

Sabine Janzen; Wolfgang Maass

Information Extraction as an Ontology Population Task and Its Application to Genic Interactions

Alain-Pierre Manine; Erick Alphonse; Philippe Bessi#x0E8;res

Expression of uncertainty in linguistic data

Alain Auger; Jean Roy

[About IEEE](#) [Xplore](#) [Contact Us](#) [Help](#) [Terms of Use](#) [Nondiscrimination Policy](#) [Sitemap](#) [Privacy & Opting Out of Cookies](#)

A not-for-profit organization, IEEE is the world's largest technical professional organization dedicated to advancing technology for the benefit of humanity.

© Copyright 2017 IEEE - All rights reserved. Use of this web site signifies your agreement to the terms and conditions.