



LUND UNIVERSITY

Tracking long term reactivity of dissolved organic carbon exported from terrestrial to aquatic systems

Panneer Selvam, Balathandayuthabani; Karlsson, Jan; Berggren, Martin

2014

[Link to publication](#)

Citation for published version (APA):

Panneer Selvam, B., Karlsson, J., & Berggren, M. (2014). *Tracking long term reactivity of dissolved organic carbon exported from terrestrial to aquatic systems*. Abstract from AGU/ASLO 2014 Ocean Sciences Meeting, Honolulu, Hawaii, United States.

Total number of authors:

3

General rights

Unless other specific re-use rights are stated the following general rights apply:

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

Read more about Creative commons licenses: <https://creativecommons.org/licenses/>

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

LUND UNIVERSITY

PO Box 117
221 00 Lund
+46 46-222 00 00

Panneer Selvam B (oral), J Karlsson and M Berggren. 2014. Tracking long term reactivity of dissolved organic carbon exported from terrestrial to aquatic systems. *AGU/ASLO 2014 Ocean Sciences Meeting*, presented on February 23-28, 2014, in Honolulu, Hawaii, USA

ABSTRACT

Terrestrial export of dissolved organic carbon (DOC) is one of the major sources of organic carbon to coastal marine ecosystems. It is often assumed that much of the reactive DOC is being lost during transit from freshwaters to sea, due to bacterial and photochemical degradation, but the magnitude of this decrease is largely unknown. We assessed bio- and photo-reactivity of DOC as functions of natural water residence times within a river catchment, and as functions of artificial water residence times during long-term (365 d) laboratory degradation experiments; in both cases we found strong indications of decreasing bio-reactivity of the DOC. The photochemical reactivity, on the other hand, only decreased slightly and the percentage of DOC that was photo-reactive actually increased with increases in the residence time of the water, even in the 365 d incubation experiment. This pattern was further coupled to increases in $SUVA_{254}$ values. Our findings suggest that in river systems which have a water residence time in the order of a year, most of the bio-reactive DOC is degraded whereas photo-reactive DOC eventually reaches the sea.