

Kent Academic Repository

Full text document (pdf)

Citation for published version

Cramer, Sam and Kampouridis, Michael and Freitas, Alex A. and Alexandridis, Antonis (2017) An extensive evaluation of seven machine learning methods for rainfall prediction in weather derivatives. *Expert Systems with Applications*, 85 . pp. 169-181. ISSN 0957-4174.

DOI

<https://doi.org/10.1016/j.eswa.2017.05.029>

Link to record in KAR

<http://kar.kent.ac.uk/61742/>

Document Version

Author's Accepted Manuscript

Copyright & reuse

Content in the Kent Academic Repository is made available for research purposes. Unless otherwise stated all content is protected by copyright and in the absence of an open licence (eg Creative Commons), permissions for further reuse of content should be sought from the publisher, author or other copyright holder.

Versions of research

The version in the Kent Academic Repository may differ from the final published version.

Users are advised to check <http://kar.kent.ac.uk> for the status of the paper. **Users should always cite the published version of record.**

Enquiries

For any further enquiries regarding the licence status of this document, please contact:

researchsupport@kent.ac.uk

If you believe this document infringes copyright then please contact the KAR admin team with the take-down information provided at <http://kar.kent.ac.uk/contact.html>



An extensive evaluation of seven machine learning methods for rainfall prediction in weather derivatives

Sam Cramer^{a,*}, Michael Kampouridis^{a,1}, Alex A. Freitas^{a,1}, Antonis K. Alexandridis^{b,1}

^a*School of Computing
University of Kent, UK*

^b*Kent Business School
University of Kent, UK*

Abstract

Regression problems provide some of the most challenging research opportunities in the area of machine learning, and more broadly intelligent systems, where the predictions of some target variables are critical to a specific application. Rainfall is a prime example, as it exhibits unique characteristics of high volatility and chaotic patterns that do not exist in other time series data. This work's main impact is to show the benefit machine learning algorithms, and more broadly intelligent systems have over the current state-of-the-art techniques for rainfall prediction within rainfall derivatives. We apply and compare the predictive performance of the current state-of-the-art (Markov chain extended with rainfall prediction) and six other popular machine learning algorithms, namely: Genetic Programming, Support Vector Regression, Radial Basis Neural Networks, M5 Rules, M5 Model trees, and k-Nearest Neighbours. To assist in the extensive evaluation, we run tests using the rainfall time series across data sets for 42 cities, with very diverse climatic features. This thorough examination shows that the machine learning methods are able to outperform the current state-of-the-art. Another contribution of this work is to detect correlations between different climates and predictive accuracy. Thus, these results show the positive effect that machine learning-based intelligent systems have for predicting rainfall based on predictive accuracy and with minimal correlations existing across climates.

Keywords: weather derivatives, rainfall, machine learning

1. Introduction

Regression problems provide some of the most challenging research opportunities in the area of machine learning. Not only is the difficulty of a problem determined by how effective a given machine learning or data mining technique is, but is linked to the difficulties faced within the structure of the data set. There exists several chaotic data structures in the real world that exhibit unique behaviour, whereby few trends or patterns are apparent. One such data series that exhibits high volatility, few reoccurring patterns and highly fluctuating trends is rainfall.

*Corresponding author. Email address: sc649@kent.ac.uk. Telephone: +44 1634 20 2989

¹Email addresses: M.Kampouridis@kent.ac.uk, A.A.Freitas@kent.ac.uk, A.Alexandridis@kent.ac.uk.

Rainfall is a crucial phenomenon within a climate system, whose chaotic nature has a direct influence on water resource planning, agriculture and biological systems. Within finance, the level of rainfall over a period of time is vital for estimating the value of a financial security. Over recent years, scientists' abilities in understanding and predicting rainfall have increased, due to numerous models developed for increasing the accuracy of rainfall prediction.

Subsequently, such efforts in new techniques can lead to the correct predictions of rainfall amounts for weather derivatives. Rainfall derivatives share similar principles with weather derivatives and other regular derivatives. They are defined as contracts between two or more parties, where the value of a contract is dependent upon the underlying financial asset. Hence, in the case of weather derivatives, the underlying asset is a weather type, such as rainfall. One significant difference between common derivatives and weather derivatives is that the underlying asset that governs the price of the contract is not tradable. Therefore, many existing methods in the literature for other derivatives become unsuitable for the prediction of weather derivatives.

Rainfall derivatives is a new method for reducing the financial risk posed by adverse or uncertain weather circumstances. These contracts are aimed towards individuals whose business is directly or indirectly affected by rainfall. For example, farmers whose crops are their main source of income, requiring a certain range of rainfall over a period of time to maximise their income. Moreover, rainfall derivatives are a better alternative than insurance, because it can be difficult to prove that the rainfall has had an impact unless it is destructive, such as severe floods or drought. Therefore, rainfall derivatives offer a simple solution to resolving the problems of financial protection against unfavourable rainfall. Similar contracts exist for other weather variables, such as temperature and wind.

The pricing of rainfall derivatives consists of two problems. The first problem is the prediction of accumulated rainfall over a specified period. The second problem is developing a pricing framework². The latter has its own unique problematic features, as rainfall derivatives constitute an incomplete market³. This paper focuses on the first aspect of predicting the level of rainfall. Note it is important to have a model that can accurately predict the level of rainfall before pricing derivatives, because the contracts are priced on the predicted accumulated rainfall over a period of time. Hence, we want to reduce issues of mispricing.

Prediction in rainfall derivatives poses many obstacles, both in research and in financial practice. There is a light amount of literature researched in rainfall derivatives, because the concept is fairly new, as well as rainfall can be very difficult to accurately measure. In financial practice, investors also share the same kind of difficulties, deterring the trading of rainfall derivatives in financial markets. Therefore, our broad goal is to develop a methodology for accurate rainfall prediction, which should decrease the observed risk from investors.

We aim to tackle the problems outlined through utilising the benefits of machine learning

²Where deriving a fair price for a contract is key (i.e. how much a unit of rainfall costs)

³In incomplete markets, the derivative can not be replicated via cash and the underlying asset; this is because one can not store, hold or trade weather variables.

algorithms, or more broadly intelligent systems, allowing for a much more reliable and understandable way of solving these problems. Moreover, we can apply a range of machine learning (data mining) techniques to solve real-life problems (Liao et al., 2012; Patel et al., 2015; Cosma et al., 2017). The process of predicting rainfall and pricing falls under this concept, where a machine learning based intelligent system can either discover a set of rules or provide an equation. This information can be used in order to assist investors and those responsible for pricing, insuring that prices are as accurate as possible.

Markov-chain extended with rainfall prediction (MCRP) (Wilks, 1998) is the most commonly and successfully used rainfall prediction method in the literature⁴. MCRP is broken down into two stages. The first stage is to produce an occurrence pathway using a Markov-chain (i.e. a sequence of rainy or dry days). The second stage is to generate a random rainfall amount (from a distribution) for every rainy day in the sequence. We refer the reader to Wilks (1998) for a complete description and to Cabrera et al. (2013); Ritter et al. (2014) where MCRP was most recently applied for rainfall derivatives.

MCRP is a popular approach having the key advantages of providing a simplistic and lightweight algorithm for the problem of daily rainfall prediction. However, one of its key disadvantages is that MCRP is heavily reliant on past information being reflective of the future, by taking the past average to be the major contribution to future rainfall. MCRP relies on a stochastic process to simulate future rainfall pathways, but it produces a large number of potential pathways that are not necessarily reflective of future events. Thus, producing weak predictive models as the annual deviations and short term behaviour in rainfall are not explicitly captured. Moreover, the model needs to be tuned for each city as each exhibits unique statistical properties and a general “one-size-fits-all” model can not be applied. The disadvantage is that MCRP does not produce a general model that can be applied to all cities. Meaning that with new information (e.g. updated weather information or different data sets), more emphasis is required on calibrating a new model. Therefore, it is computationally inefficient by the continuous need to specify a new model for each day. Without updating the model, MCRP will never change the output, as there is no consideration of recent rainfall behaviour.

The above disadvantages inspired the use of machine learning methods to provide more accurate predictions, where the dynamics and behaviour in rainfall can be captured, favouring prediction over the need for simulation. A key advantage is that the structure and patterns of the data are explored, creating a sophisticated model to represent the problem. However, a potential drawback of machine learning methods is that they must be tuned, which can be very computationally expensive and hard to find an optimum model set-up if an algorithm has many parameters. Thus, leading to problems of model mis-specification, which can overcome through a rigorous tuning procedure. The use of machine learning algorithms allows for a more robust model set-up, capable of representing a range of different climates and providing new predictions on the availability of new information. Thus, machine learning methods are computationally more efficient compared to MCRP since the

⁴Our interests are in the approaches used within the rainfall derivatives literature, instead of methods used for different problem domains such as rainfall-runoff.

need for constant calibration can be relaxed.

Typical applications within machine learning revolve around short term predictions (e.g. rainfall-runoff models up to a few hours (Hung et al., 2009) or monthly amounts (Wu et al., 2015; Mislán et al., 2015)). For daily predictions, Weerasinghe et al. (2010) used a feed-forward back-propagation neural network for daily rainfall prediction in Sri Lanka, which was inspired by the chain-dependent approach from statistics. Kisi & Shiri (2011) applied Genetic Programming (GP) to daily rainfall data, but the GP performed poorly by itself, although when assisted by wavelets the predictive accuracy did improve. In the context of rainfall derivatives there exists a few applications of GP (Cramer et al., 2015, 2016a,b), which showed that GP statistically outperformed MCRP.

One issue within daily rainfall prediction using machine learning methods is the challenges that exist with trying to fit the time series of rainfall. The unique characteristic of a highly discontinuous and irregular pattern exhibited by daily rainfall makes the problem very hard for fitting the time series of rainfall. A machine learning method must cope with irregular and randomly occurring spikes, indicating rainfall on a given day, where each day has little connection to the previous day. Cramer et al. (2015) notes the issues for this particular type of time series and suggests accumulating rainfall to allow GP to cope with the issues of discontinuity and chaotic nature of daily rainfall, whilst maintaining the consistency of the end goal of pricing rainfall derivatives. More precisely, Cramer et al. (2015) suggested the use of a sliding window accumulation method in order to predict accumulated rainfall amounts on a daily basis. By accumulating daily rainfall data, the problem of rainfall prediction aligns with the goal of pricing, as the cost of a contract is based on the accumulated level of rainfall over a period of time.

This work poses an important step forward for more accurate rainfall pricing accuracy, by building on the authors' previous GP works (Cramer et al., 2015, 2016a,b) in the following four ways. Firstly, we consider the effect of comparing daily rainfall against accumulated levels of rainfall. Secondly, we shift the focus to a more general consideration of other well known machine learning methods. Thirdly, we apply a wider range of data sets from two continents. Finally, we consider the analysis of correlations between different climates (in different cities) and the results of different algorithms to determine whether certain climates are easier to predict. By establishing this analysis helps to answer whether the increase in predictive performance is due to machine learning methods, the accumulation of rainfall, or a mixture of both.

In this paper, we apply and compare the predictive performance of the current state-of-the-art (Markov chain extended with rainfall prediction) and six other popular machine learning algorithms, namely: Genetic Programming, Support Vector Regression, Radial Basis Neural Networks, M5 Rules, M5 Model trees, and k-Nearest Neighbours. To assist in the extensive evaluation, we test using two different data set-ups. The first is based on the daily prediction of rainfall and the second is based on accumulating the rainfall through a sliding window. The former is traditionally done within rainfall derivatives, whereas the latter is more intuitive to the problem domain, since rainfall contracts are priced on accumulated amounts. More information regarding the rationale in these two different data set-ups can be found in Section 3.

Hence, this paper has two main contributions: (i) extensively testing daily against accumulated rainfall with several machine learning techniques, and to (ii) evaluate whether any correlations exist between specific climatic features (which differ across cities) and algorithms' predictive performance. In order to achieve these two contributions we require implementing a range of different machine learning techniques and having data sets about cities not exclusively around Europe, but also including cities from around the United States of America.

This paper is laid out as follows: in Section 2 we present and analyse the data to get a better representation of the problem. In Section 3 we outline the sliding window accumulation of rainfall for the problem of rainfall derivatives. In Section 4 we give an overview of all machine learning techniques that are to be applied to the problem. In Section 5 we outline all of the experimental set up, including the error measurement, parameter tuning and how the experimentation will take place. In Section 6 we present the results and analyse the effect of our methodology over all algorithms. Finally, we conclude in Section 7.

2. Data

The daily rainfall data used is summarised in Table 1, which includes a total of 20 cities from around Europe and 22 from around the United States of America (USA). The data was retrieved from NOAA NCDC⁵. We use data from two continents, because very different weather systems exist across the two continents, which will be highlighted later.

The data is chosen based on two criteria. The first criterion is having different types of climates, from very dry to very wet. Secondly, the cities were chosen based on being geographically different. Therefore, the cities selected may have similar climates, but be very far apart from each other. The goal of selecting based on these two properties is to not bias our experimentation to one particular type of climate, or geographic region. Moreover, this also allows us to look for patterns and test whether certain climates are easier to predict. We will examine the data to ensure that upon the analysis of our results, we can determine whether there are any biases between certain climates and our chosen algorithms. Ideally, we would hope that all algorithms perform equally well across all climates showing that each algorithm is able to generalise.

From a closer inspection of the data, we can describe the nature of the data given in Tables 2 and 3. One of the most important aspects about these tables is the climatic difference between cities in the USA and Europe. We can observe the percentage of dry days for cities in the USA varying from 56.67% to 92.93%, compared to 40.82% to 77.03% for cities in Europe. Despite the USA appearing to have drier climates, the total amount of rainfall on an annual basis is much higher than in Europe. The observed average annual rainfall in the USA is 981.08mm, compared to 849.25mm for Europe. This is an interesting difference between the two continents, the USA has short wet spell lengths, but experiences far more extreme rainfall in a single day. Whereas, Europe has longer wet spell lengths, but experiences a more stable amount of rainfall. The annual rainfall amount for the USA is

⁵<https://www.ncdc.noaa.gov/>

Table 1: The list of all cities whose daily rainfall amounts will be used for experiments.

City	State	City	Country
Akron	Ohio	Amsterdam	Netherlands
Atlanta	Georgia	Arkona	Germany
Boston	Massachusetts	Basel	Switzerland
Cape Hatteras	North Carolina	Bilbao	Spain
Cheyenne	Wyoming	Bourges	Germany
Chicago	Illinois	Caceres	Spain
Cleveland	Ohio	Delft	Netherlands
Dallas	Texas	Gorlitz	Germany
Des Moines	Iowa	Hamburg	Germany
Detroit	Michigan	Ljubljana	Slovenia
Jacksonville	Florida	Luxembourg	Luxembourg
Kansas City	Kansas	Marseille	France
Las Vegas	Nevada	Oberstdorf	Germany
Los Angeles	California	Paris	France
Louisville	Kentucky	Perpignan	France
Nashville	Tennessee	Potsdam	Germany
New York City	New York	Regensburg	Germany
Phoenix	Arizona	Santiago	Portugal
Portland	Oregon	Strijen	Netherlands
Raleigh	North Carolina	Texel	Netherlands
St Louis	Missouri		
Tampa	Florida		

very volatile each year, with the volatility of annual rainfall amounting at 22.13%, compared to 17.86% for Europe. Therefore, each year the USA can expect a larger deviation away from the average rainfall amount. This can also be seen when considering the interquartile range of daily intensities, with the USA having a larger spread compared to Europe.

Considering the tables, we can see one big difference in the highest intensities. In 60% of the cities within Europe the highest intensity is less than 100mm, but we observe that only in 18% of cities the highest intensity is less than 100mm. Although not clear in the table, it is seldom seen that these large rainfall intensities values occur in Europe. However, these large spikes in rainfall for the USA are far more common, occurring at least once or twice a year.

Investigating the two tables does give an indication that the two geographic locations are different, and it will be interesting to note if the results of our experimentation are affected.

Looking at Figure 1, we can observe daily rainfall data from four different cities, two within the USA and two within Europe. The cities were chosen arbitrarily and we use these examples throughout the paper to demonstrate various aspects of our data. This gives a picture to the information displayed in Tables 2 and 3. One of the striking aspects is the

Table 2: A statistical description of our data for the USA.

City	Dry days (%)	Longest dry spell (days)	Longest wet spell (days)	Mean dry spell (days)	Mean wet spell (days)	Average daily rainfall (0.1mm)	Average annual rainfall (0.1mm)	Daily volatility (%)	Highest intensity (0.1mm)	Median intensity (0.1mm)	Inter-quartile range of intensity (0.1mm)
Akron	56.67	21	11	2.89	2.21	29.13	10659.68	19.85	1229	76	97
Atlanta	68.56	28	14	3.94	1.93	34.78	12498.20	19.49	1697	112	160
Boston	65.17	37	13	3.44	1.85	30.32	11158.28	15.14	1552	94	127
Cape Hatteras	66.33	26	12	3.77	1.93	40.66	14727.36	19.01	2207	107	158
Cheyenne	71.84	33	12	4.43	1.85	10.90	3969.20	19.83	617	56	66
Chicago	66.01	24	9	3.64	1.89	25.69	9368.60	18.87	1742	81	114
Cleveland	57.13	21	13	2.98	2.22	28.25	10338.44	18.65	1166	74	92
Dallas	78.59	85	9	5.05	1.88	25.35	9006.72	26.42	1331	117	170
Des Moines	69.09	42	8	3.90	1.86	25.36	9195.44	21.92	1151	89	128
Detroit	62.98	23	10	3.26	1.92	23.57	8654.08	15.22	1161	76	97
Jacksonville	69.17	34	17	4.25	1.96	36.40	13378.32	21.84	1989	102	159
Kansas City	71.58	41	8	4.23	1.77	26.60	9648.08	22.29	1115	99	142
Las Vegas	92.93	146	6	7.94	1.69	2.92	1061.40	53.38	419	64	71
Los Angeles	90.58	225	7	7.75	1.80	8.46	3131.12	50.78	1151	91	134
Louisville	66.03	39	11	3.61	1.86	33.23	12008.68	15.88	1834	102	140
Nashville	67.00	25	10	3.82	1.90	34.49	12596.36	13.99	1842	102	150
New York City	66.17	26	12	3.54	1.82	34.67	12742.40	17.15	1923	102	143
Phoenix	57.07	51	25	4.16	2.79	25.89	9377.64	23.36	683	69	76
Portland	90.54	143	9	7.18	1.74	5.18	1888.40	38.11	838	71	85
Raleigh	68.38	38	12	3.98	1.86	31.10	11245.64	16.23	1433	102	136
St Louis	69.05	23	8	3.97	1.80	28.61	10262.08	18.46	1420	99	134
Tampa	71.01	40	15	4.52	1.91	33.56	12070.28	20.92	2106	109	173

Table 3: A statistical description of our data for Europe.

City	Dry days (%)	Longest dry spell (days)	Longest wet spell (days)	Mean dry spell (days)	Mean wet spell (days)	Average daily rainfall (0.1mm)	Average annual rainfall (0.1mm)	Daily volatility (%)	Highest intensity (0.1mm)	Median intensity (0.1mm)	Inter-quartile range of intensity (0.1mm)
Amsterdam	40.82	38	35	3.03	4.39	26.68	9724.00	15.98	581	64	68
Arkona	54.61	49	24	3.20	2.66	15.12	5500.96	16.26	656	53	48
Basel	53.39	24	17	3.36	2.94	23.37	8597.68	15.22	850	65	70
Bilbao	53.03	24	28	3.32	2.96	31.06	11317.28	15.47	1081	81	96
Bourges	52.68	28	22	3.25	2.93	20.42	7472.96	15.37	790	62	60
Caceres	76.39	125	17	5.80	2.62	14.60	5403.08	28.02	1285	76	94
Delft	43.04	29	36	3.03	3.88	26.01	9418.60	15.64	763	62	65
Gorlitz	52.75	29	18	3.16	2.86	17.89	6587.36	17.77	737	55	54
Hamburg	48.33	32	22	3.08	3.28	21.40	7813.00	18.61	682	59	64
Ljubljana	58.09	33	21	3.66	2.75	37.39	13767.00	14.74	1396	103	147
Luxembourg	51.33	28	23	3.32	3.17	23.19	8556.24	14.46	643	62	67
Marseille	77.03	53	12	5.28	2.14	14.61	5347.36	27.76	1460	80	104
Oberstdorf	45.43	36	20	2.92	3.48	45.96	16874.24	13.17	1217	92	110
Paris	56.83	31	19	3.47	2.69	16.94	6229.12	18.24	1042	56	52
Perpignan	75.06	50	9	4.93	1.95	15.65	5793.56	30.65	2220	76	125
Potsdam	53.29	29	19	3.13	2.77	16.15	5908.32	17.05	841	53	51
Regensburg	51.92	25	19	3.09	2.89	17.87	6567.64	14.63	566	56	55
Santiago	51.45	41	53	3.92	3.69	47.23	17335.52	20.69	1186	102	139
Strijen	45.72	37	32	3.15	3.60	22.55	8156.48	16.96	705	59	55
Texel	45.35	27	45	3.03	3.53	22.55	8191.92	17.39	461	60	57

8




Figure 1: The daily rainfall (0.1mm) time series for the period 01/01/2015 - 30/01/2016

sheer volatility on a day by day basis, another is the randomness between the dry to wet days. Although the latter is hard to identify from this snapshot of the data, Tables 2 and 3 do give some insight into this phenomenon by looking at the various statistics given for the dry/wet spell lengths.

Observing the data does give some potential difficulties of trying to predict rainfall amounts. Firstly, there is the issue of when a certain day should be dry or wet. Secondly, how to calculate when to make the transition from wet to dry and vice versa. Thirdly, how to predict what the rainfall amount should be, given that the rainfall amount can be from 1mm up to and above the maximum observed rainfall intensity, shown in Tables 2 and 3. This is made increasingly more challenging, given that the previous day makes little impact to what the current day's rainfall intensity is.

The analysis of the data provides an insight to the difficulties associated with daily rainfall data. From the statistics describing the data, we can clearly identify that the time series is non-stationary and is very volatile, given the large fluctuations around the intensities and overall volatility of the annual amounts. To confirm our visual inspections, we test for non-stationarity using the augmented Dickey-Fuller test (Said & Dickey, 1984) to determine whether the data is stationary at the 95% confidence level. The results are very conclusive

for all data sets with all p -values less than the smallest value available in critical value tables (0.001). Therefore, we have very strong evidence to suggest that the data is highly non-stationary. Moreover, when we consider the time series plots of daily rainfall, we can clearly see a highly nonlinear relationship with abrupt spikes and periods of no activity. From a regression perspective, this particular time series would be incredibly hard to fit a model on satisfactorily. Ultimately for this type of data set, it most likely can not be explained by a single regression equation.

The key findings that will be interesting to examine from our results are whether:

- The predictive error is similar between Europe and the USA.
- Drier or wetter climates are associated with a lower predictive error
- More volatile cities are associated with higher predictive error.
- High rainfall intensities are associated with higher predictive error.

3. Sliding Window Accumulation of Rainfall

As highlighted in the previous section, we have many different data sets showcasing very different and somewhat difficult climates to predict. The unique characteristics of rainfall data that are shown in Tables 2 and 3 begin to describe just how chaotic and interesting the data series is on a daily basis. In such cases, the usual approach in time series would be to take the moving average to help smooth the data. However, this would be inappropriate for our problem domain, given we want accumulated amounts of rainfall over a period of time to price rainfall derivatives. By averaging out the values, we would be unable to achieve the final goal despite smoothing out the problem of rainfall prediction. In this case a sliding window is preferred, which is similar to the moving average whereby the daily rainfall series is summed, but the rainfall amounts are not averaged out. The sliding window for a given day is given by:

$$r_{t_s} = \sum_{t=t_s}^{t_e} r_t, \quad (1)$$

where, r_t is the accumulated amount of rainfall for a given day, with the day varying over a contract period from t_s till t_e . As mentioned earlier, the idea of the sliding window should help smooth out the characteristics of rainfall. This is consistent with pricing a contract, whereby the price of a contract is the total amount of rainfall within a specified period of time, otherwise known as the contract period. The most common contract traded is monthly and contracts are only available for the months of March through October. Given we are interested in pricing monthly contracts, we use a sliding window length that covers the majority of contracts that are traded between March and October. In this paper, the modal length of month within that period is 31 days. We do not look for an optimum period to accumulate to help with prediction, because our problem domain is set out as the accumulated rainfall amounts over the contracts that are currently traded.

4. Overview of Machine Learning Algorithms

Within this section we will introduce the current state-of-the-art of Markov chain extended with rainfall prediction and mention six other machine learning techniques used in our experiments.

4.1. Markov chain extended with rainfall prediction

The most commonly used methodology in the rainfall prediction literature is Markov chain extended with rainfall prediction (MCRP), based on the single-site version of Wilks (1998). The process has been implemented in the rainfall derivative literature by Cao et al. (2004b); Odening et al. (2007); Cabrera et al. (2013); Ritter et al. (2014). MCRP is a daily rainfall model that is split into two processes. Firstly, the occurrence pattern (wet or dry X_t) is calculated and secondly the intensity of rainfall r_t given that the day was wet is computed. The estimated amount of rainfall is given by:

$$R_t = r_t \cdot X_t \quad (2)$$

The occurrence process X_t is the order of Markov chain that best fits a city's data based on the Akaike information criterion (Akaike, 1974). The rainfall amount r_t is either a randomly drawn value from the gamma or mixed exponential distribution, whichever explains the data better (Roldan & Woolhiser, 1982; Buishand, 1978; Wilks, 1999). As the transitional probabilities and distribution parameters are estimated for each day, a truncated fourier series is estimated via Maximum Likelihood Estimation (MLE), as suggested by Roldan & Woolhiser (1982).

4.2. Other Machine Learning Approaches

In addition to MCRP, we also use a wide variety of non-linear machine learning techniques in our experiments. Firstly, we apply Genetic Programming as outlined in Cramer et al. (2015), which had some modifications to tailor it to the problem domain, including a set of terminals specific for the data, a wrapper around each individual to avoid negative solutions and a balance between different types of terminals. We also apply Support Vector Regression (SVR), Radial Basis Function, k -Nearest Neighbour and M5, both model trees (M5P) and rules (M5R). None of these techniques have been applied to the problem of rainfall derivatives before. The implementation of these algorithms are those used in Hall et al. (2009); Chang & Lin (2011) and we refer the interested reader to Broomhead & Lowe (1988); Vapnik et al. (1996); Quinlan (1992); Holmes et al. (1999) for a full description of each technique.

5. Experimental Setup

In this section we outline the data used for experimentation and parameter tuning for MCRP, GP, SVR, RBF, KNN and M5 (both M5R and M5P) outlined in Section 4. Furthermore, we will outline how we will run the experimentation and how the results will be compared. Our contribution is to determine whether the accumulated rainfall has a positive effect on the performance of our algorithms and whether the algorithms are biased towards certain types of climate.

5.1. Error measurement and GP fitness function

The fitness used for evaluating an individual (candidate solution) of the GP and the overall performance of each technique is the root-mean-squared error (RMSE), given by:

$$RMSE = \sqrt{\frac{1}{T} \sum_{t=1}^T (r_t - \bar{r}_t)^2}, \quad (3)$$

where T is the length of the training set, r_t represents the predicted rainfall amount and \bar{r}_t represents the actual rainfall amount for the t^{th} data point (time index). The RMSE will be calculated based on the accumulated rainfall amounts.

5.2. Training/Testing set up

All algorithms will have their predictive error compared on all 42 different data sets across the USA and Europe and will all use exactly the same length of data. In total we will be using 20 years of data in order to construct all of the variables in our data sets, meaning that all algorithms, except MCRP, will be trained on 10 years of data and be tested on one year of data. Whereas, MCRP will use the full 20 years of data without the need for variable creation. The 20 year period spans from 01/01/1990 to 31/12/2009, with a 10 year training set from 01/01/2000 to 31/12/2009. All techniques will be compared on the same unseen testing data set of 01/01/2010 to 31/12/2010.

5.3. Parameter Tuning

Two methods will be used for parameter tuning. Due to the difference in setup between MCRP and the other techniques we are unable to have a common tuning method. The first method will be used for tuning MCRP parameters to each city according to the literature. The second parameter tuning method will be used for the other machine learning techniques applied within this paper. As highlighted earlier, one of the disadvantages of MCRP is that MCRP is purely driven off the historical data of each city and needs to be tuned according to the specific data set. For MCRP we need to tune for each city the daily transitional probabilities for the Markov chain between wet and dry days and also the parameters for calculating the intensity for each day. For the gamma distribution, this involves tuning the shape (α) and rate (β) parameter for each day. For mixed exponential, this involves tuning the mean of the two exponential distributions (β and γ) and the mixing parameter (α). The other techniques have the advantage of requiring parameters that are tuned to a general problem domain, thus a single tuning of a model setup can be applied to any rainfall prediction problem.

We use an offline parameter tuning tool called iRace (López-Ibáñez et al., 2011) to tune our remaining algorithms. It is an iterative process and will sample many different parameter configurations and evaluate them across multiple problem instances to find an optimal algorithm configuration for the input data instances. The advantage of using such a tool is that no prior knowledge is required and even for experienced users of a certain algorithm, iRace will consider parameter value combinations that a user may never have

considered. Additionally, the process of finding the best configuration is more effective than blindly guessing or simply using the best parameter configuration for a previously solved but very different problem. Across each iteration, iRace will resample algorithm configurations that performed well by eliminating poorer configurations via the Friedman test. Therefore, allowing iRace to search a large space of the algorithm’s parameter configurations, and focus on promising areas.

Using such a tool is crucial as it reduces the chance of bias through the tuning procedure, as we can treat each technique equally, assigning each algorithm the same computational resources. Additionally, by performing the process manually, we might be more likely to settle on a suboptimal configuration. In order to generalise our configurations as best as possible we propose a set of steps required to perform parameter tuning to avoid bias within the data. Firstly, to find robust algorithm configurations and assist in the generalisation, we will tune based on a small set of cities which are not part of our data sets given in Section 2. Secondly, we do not use the same period as the testing set for our original cities to avoid any potential bias. We use ten separate cities which have climates similar to those in our main data set, such that we tune on a representative sample. The cities from Europe are: Berg, De Kooy, Falsterbo, Nancy, Valencia, and the cities from the USA are: Akron, Charlotte, Little Rock, Minneapolis and Philadelphia.

From our ten data sets (five in each continent), we create multiple different training sets to use for tuning from each city and test on a validation set, which will constitute the final year in each new subset of data. More precisely, for each city’s data set we create 9 smaller data subsets, each consisting of 10 years of rainfall data with a preserved temporal order, and a 5 year overlap between each data set. For the testing year 2015, our first training set would be the years spanning from 2005 until 2014, the second would be 2000 until 2009 and so on. Using such an overlap allows for the generation of a higher number of data subsets, making the parameter tuning procedure more robust.

Even though we are using different cities for tuning, we still use the last year in each data subset and not the testing set period. The reason is that climatic effects must remain unseen at all times. For example, a drought period developing in Europe may affect most cities, if this occurs during the testing periods then all algorithms have been biased towards this behaviour. Hence, within the 10 years of each data subset, the first 9 years are used for model building and the tenth year for validation.

The results from tuning of the bench-marking (algorithms) parameters are shown in Table 4, and the results from tuning the GP are shown in Table 5.

5.4. Experimentation

We will compare the results of each algorithm on data before and after accumulating the rainfall and discover what the effect is and how beneficial it is. The exception is that MCRP is strictly a daily prediction technique and can not be adapted to use the sliding window. However, we still report the error after accumulation has been applied on the daily predictions, to act as a benchmark.

Due to applying a wide variety of regression techniques, different data set ups will be required. Firstly, MCRP is heavily reliant on a large number of Monte Carlo simulations

Table 4: Optimal parameters using iRace for the four benchmark non-linear models: SVR, RBF, M5R and M5P for daily (top) and accumulated (bottom) rainfall

	SVR		RBF		M5R and M5P	
SVM Type	epsilon-SVR	Minimum SD	17.5624	minInstance	32	49
Cost	9.6974	NumClusters	71	Regression tree	no	yes
Gamma	6.8399	Ridge	3.2138	Unpruned	no	no
Kernel Type	RBF			Unsmoothed	yes	no
Epsilon	0.3017					
SVM Type	epsilon-SVR	Minimum SD	25.3373	minInstance	9	1
Cost	8.4114	NumClusters	2	Regression tree	yes	yes
Gamma	0.5382	Ridge	3.2443	Unpruned	yes	no
Kernel Type	RBF			Unsmoothed	no	no
Epsilon	0.4719					

(10,000 runs) before we are able to take the median result. We require 10,000 runs to allow the technique to converge. Based on how MCRP works, we will not be able to predict the rainfall amounts using the sliding window technique and have to predict daily before accumulating.

GP is a stochastic algorithm, so we run GP for 50 times before taking the median result from the set of the best individual on the training set from each run. RBF, which is also a stochastic algorithm, will also be run 50 times, but neural networks are known for getting stuck in local optima and so we take the best result on the training set across all 50 runs. SVR, KNN, M5P and M5R are all deterministic and only one run will be required.

6. Results

In this section we look at the predictive error between algorithms before and after accumulating the rainfall. In order for a fair comparison across different approaches and data sets, the errors will be normalised based on the mean of the current data set. We perform the following normalisation:

$$CV(RMSE) = \frac{RMSE}{\hat{x}} \quad (4)$$

where \hat{x} is the mean of the target variable on the testing set, with the new objective measure for comparison being the coefficient of variation of the RMSE ($CV(RMSE)$). We opt for the mean instead of the range to act as our normalisation constant, to avoid biasing the perceived $CV(RMSE)$, given that our data exhibits large volatile spikes and skews the range. In this section, we will first establish whether the accumulation has an impact on the model performance before analysing how the different algorithms performed on the problem. Within the analysis we will also consider the effect of analysing cities in the USA and Europe separately, since we have shown that the two climates are very different.

Table 5: The optimal configuration of GP using iRace for daily prediction and accumulated prediction.

GP Parameters	GP daily	GP accumulated
Max depth of tree	6	5
Population size	1100	1400
Crossover	55%	81%
Mutation	33%	38%
Primitive	34%	32%
Terminal/Node bias	31%	48%
Elitism	1%	6%
Number of generations	70	50
ERC negative low	-465.36	-366.29
ERC negative high	-47.41	-120.17
ERC positive low	191.95	131.85
ERC positive high	407.01	366.01

6.1. Comparison Against Accumulated Rainfall

Tables 7 and 8 show the CV(RMSE) for each algorithm before and after accumulating the rainfall. In all cases we can observe that the use of the sliding window accumulation decreases the predictive error. Considering the effect of predicting accumulated rather than daily amounts, we can observe that the difficulty of the problem has decreased, which is reflected by the respective smaller CV(RMSE). We observed a error reduction of around 70% on average, with the most noticeable improvements for Phoenix (92% for RBF and M5P), Ljubljana (88% for RBF and SVR) and New York city (88% for SVR). Moreover, comparing Figures 2 and 3, we can visually see the improvements in predictive performance from accumulating rainfall using a sliding window. We notice that SVR, RBF and GP are the top performing algorithms, whereas the best algorithms prior to the accumulation were M5P, GP and MCRP. We can observe that the algorithms are able to fit the accumulated data much better than the original daily values, but there is still a concern with the predictive error for all methods.

The machine learning techniques find it very challenging to predict daily rainfall, let alone even fit the data. What we observe from Figure 2 is that the techniques try to find an average level of rainfall for each day. This means that when we try to predict on a daily basis, we predict that every day rains, indicating that the model is underfitting by not considering the dry and wet day pattern. We know this behaviour to be false based on the information presented earlier in Tables 2 and 3, where we expect (depending on the data set) somewhere between 10% to 60% of days to be wet over a year. One of the reasons for this behaviour is that all algorithms (except MCRP) are mis-specified for the fitting of daily rainfall (regardless of tuning). In this particular problem domain, the highly discontinuous and irregular pattern restricts the algorithms from focussing on the classification and regression aspect simultaneously. Each algorithm appears to only focus on the regression side without considering the discontinuous nature of the data.

Table 6: The rainfall prediction coverage (given by Equation 5) for all algorithms, presented as the median coverage and the range of minimum and maximum coverage across all data sets.

Algorithm	Europe		The USA	
	Median	Range	Median	Range
GP	57%	22%-100%	41%	12%-92%
SVR	26%	17%-67%	22%	7%-46%
RBF	34%	0%-73%	21%	1%-67%
M5P	77%	40%-100%	65%	39%-99%
M5R	75%	45%-98%	56%	31%-99%
KNN	0%	0%	0%	0%

The exception to this is MCRP, which does exceptionally well at capturing the structure of rainfall on a daily basis, where we find that the rainfall pathways generated are similar to that of our prior information. However, the approach itself is predictively very weak, which we expect, as the model is fully representative of the historical data and does not take into account annual variations or extreme values.

Even though we are able to reduce the complexity of the problem by accumulating rainfall, the algorithms could not maximise the predictive accuracy with the accumulated rainfall. We can observe this by the lack of coverage for all possible rainfall amounts, shown in Table 6 and visually in Figure 3. The coverage is defined by the percentage between the range of each algorithm’s predictions and the range of rainfall in the data set, given by:

$$Coverage = \frac{r_{max} - r_{min}}{\hat{r}_{max} - \hat{r}_{min}}, \quad (5)$$

where r represents the predicted rainfall amounts and \hat{r} represents the rainfall amounts observed in the dataset. If $r_{min} < \hat{r}_{min}$, then we set $r_{min} = \hat{r}_{min}$. Similarly, if $r_{max} > \hat{r}_{max}$, then we set $r_{max} = \hat{r}_{max}$.

In some cases, we cover the full 100% of possible rainfall amounts for GP and M5P. However, in a small number of cases we only cover as low as 0% for RBF. A coverage of 0% means the algorithm predicted a single value. This highlights an important aspect of possible model mis-specification, most likely occurring from our tuning process, because we wanted to have a robust parameter setting for all data sets, instead of trying to find the best parameter setting for each data set (city) separately. The reasons for having a single parameter set are twofold: for efficiency purposes (it would be very computationally expensive to try to optimise parameters for each data set), and for improving an algorithm’s robustness across a series of different data sets. One downside is that this parameter tuning approach may affect the coverage of the algorithm and hence lead to underfitting. Within the domain of rainfall derivatives, prices of contracts are updated daily, which also requires the rainfall model to be updated daily, from the arrival of new information. To avoid the unnecessary computational cost of tuning every day, a single parameter set should be sufficient. Moreover, there may exist an ad-hoc scenario where a contract may need to be priced, which is not part of the

Table 7: The standardised results for European cities with the daily prediction’s CV(RMSE) shown on the left side and the sliding window accumulation CV(RMSE) shown on the right side. Values in bold represent the best performance in CV(RMSE) both before and after the data accumulation.

Data	Daily prediction							Accumulated prediction						
	SVR	RBF	M5R	M5P	KNN	GP	MCRP	SVR	RBF	M5R	M5P	KNN	GP	MCRP
Amsterdam	2.894	2.857	2.796	2.780	2.920	2.760	2.840	0.855	0.834	0.973	0.923	0.935	0.851	1.219
Arkona	1.899	1.908	1.869	1.880	1.912	1.763	1.761	0.423	0.399	0.551	0.575	0.510	0.490	1.111
Basel	1.531	1.531	1.836	1.535	1.533	1.370	1.377	0.264	0.303	0.379	0.367	0.271	0.287	0.604
Bilbao	6.226	5.628	5.749	5.870	6.463	6.667	6.511	2.624	2.431	2.928	2.953	3.166	2.612	2.058
Bourges	1.587	1.563	1.573	1.565	1.600	1.700	1.470	0.325	0.318	0.437	0.425	0.358	0.355	0.679
Caceres	3.186	3.067	3.053	3.087	3.160	2.363	2.054	0.708	0.712	0.823	0.977	1.050	0.827	1.373
Delft	4.190	4.117	4.110	4.063	4.202	4.773	4.850	1.471	1.389	1.614	1.445	1.489	1.367	1.773
Gorlitz	1.913	1.929	1.921	1.870	1.914	1.104	1.103	0.315	0.410	0.451	0.506	0.339	0.411	0.768
Hamburg	1.551	1.496	1.502	1.494	1.573	1.527	1.509	0.421	0.395	0.462	0.471	0.430	0.437	0.817
Ljubljana	10.660	10.652	10.516	10.548	10.700	7.053	6.123	1.187	1.259	1.736	1.795	3.082	1.300	1.609
Luxembourg	1.274	1.242	1.254	1.251	1.283	0.901	0.993	0.275	0.279	0.349	0.383	0.226	0.294	0.465
Marseille	2.104	2.015	1.982	1.989	2.046	1.667	1.586	0.347	0.350	0.536	0.449	0.746	0.411	0.641
Oberstdorf	2.740	2.718	2.722	2.663	2.767	2.361	2.320	0.462	0.469	0.554	0.547	0.671	0.557	0.609
Paris	0.923	0.899	0.917	0.913	0.928	0.840	1.002	0.200	0.204	0.233	0.243	0.200	0.221	0.473
Perpignan	16.219	14.641	15.028	15.385	16.132	12.040	7.405	2.403	2.494	3.093	2.940	9.344	2.548	3.865
Potsdam	1.362	1.303	1.368	1.353	1.369	1.352	1.493	0.231	0.254	0.333	0.324	0.394	0.278	0.705
Regensburg	1.268	1.255	1.260	1.248	1.269	1.194	1.239	0.273	0.273	0.338	0.338	0.243	0.280	0.622
Santiago	17.405	16.207	16.165	15.810	17.986	15.933	16.071	5.777	5.342	6.585	7.410	8.057	6.039	3.606
Strijen	1.026	1.010	1.028	1.006	1.031	1.413	1.378	0.432	0.430	0.437	0.470	0.453	0.419	0.509
Texel	0.987	0.986	0.990	0.966	0.996	0.965	0.931	0.280	0.282	0.294	0.302	0.350	0.294	0.440
Mean rank	12.25	10.60	11.05	10.10	13.20	9.85	9.90	1.90	2.05	4.90	5.10	4.75	3.25	6.10

Table 8: The standardised results of the USA with the daily prediction’s CV(RMSE) shown on the left side and the sliding window accumulation CV(RMSE) shown on the right side. Values in bold represent the best performance in CV(RMSE) both before and after the data accumulation.

Data	Daily prediction							Accumulated prediction						
	SVR	RBF	M5R	M5P	KNN	GP	MCRP	SVR	RBF	M5R	M5P	KNN	GP	MCRP
Atlanta	4.955	4.905	4.893	4.889	4.942	5.597	5.161	1.450	1.353	1.469	1.439	1.554	1.352	1.044
Boston	3.611	3.586	3.645	3.594	3.611	2.859	2.476	0.552	0.570	0.889	0.761	1.375	0.594	0.879
Capehatteras	7.739	7.653	7.637	7.615	7.706	8.999	8.177	2.409	2.279	2.501	2.616	2.759	2.209	1.453
Cheyenne	1.248	1.256	1.486	1.218	1.234	1.184	1.407	0.356	0.365	0.365	0.307	0.458	0.351	0.638
Chicago	4.531	4.498	4.757	4.461	4.525	4.180	3.452	0.835	0.816	1.037	1.054	1.350	0.938	1.163
Cleveland	5.756	5.756	5.748	5.758	5.758	4.967	4.459	1.207	1.232	1.286	1.344	1.219	1.224	1.413
Dallas	1.603	1.649	1.659	1.604	1.590	3.188	2.729	1.069	1.040	1.107	1.061	1.198	1.019	0.514
Des Moines	6.235	6.252	6.227	6.209	6.213	5.697	5.041	1.200	1.061	1.443	1.491	2.170	1.239	1.313
Detroit	5.530	5.538	5.534	5.549	5.529	3.375	2.993	0.847	0.807	0.953	0.971	1.001	0.860	1.371
Indianapolis	2.644	2.661	2.684	2.660	2.643	3.522	2.847	1.024	1.032	1.031	1.057	1.090	1.022	0.709
Jacksonville	2.191	2.217	2.191	2.149	2.170	1.670	1.500	0.395	0.396	0.418	0.385	0.503	0.434	0.425
Kansas	3.936	3.938	3.949	3.937	3.906	3.758	3.061	0.916	0.929	0.986	1.108	1.377	0.929	0.819
Las Vegas	0.175	0.182	0.175	0.175	0.175	0.333	0.814	0.066	0.057	0.075	0.101	0.067	0.065	0.411
Los Angeles	1.409	1.397	1.405	1.405	1.405	1.420	1.316	0.251	0.276	0.331	0.371	0.475	0.363	0.726
Louisville	3.051	3.067	3.137	3.079	3.056	4.195	3.754	1.070	1.066	1.089	1.167	1.240	1.064	0.735
Nashville	3.037	3.089	3.059	3.037	3.031	2.563	2.344	0.412	0.406	0.539	0.517	0.455	0.454	0.598
New York	3.568	3.597	3.575	3.526	3.560	2.724	2.505	0.406	0.445	0.794	0.552	0.710	0.525	0.642
Phoenix	2.217	2.344	2.205	2.205	2.205	0.959	0.980	0.206	0.164	0.279	0.225	0.171	0.191	0.792
Portland	1.729	1.701	1.742	1.675	1.750	1.989	2.075	0.717	0.673	0.756	0.776	0.976	0.725	0.569
Raleigh	2.949	2.946	2.948	2.915	2.930	2.363	2.206	0.468	0.413	0.527	0.539	0.483	0.403	0.531
St Louis	2.710	2.677	2.677	2.657	2.707	3.835	3.266	1.122	1.093	1.090	0.979	1.212	1.038	0.686
Tampa	3.025	3.004	3.007	2.998	2.986	3.089	2.693	0.901	0.847	0.973	1.031	1.072	0.928	0.470
Mean rank	11.41	11.50	11.68	10.05	10.41	11.05	10.18	2.82	2.50	5.00	4.82	5.95	2.86	4.32

traded cities. Thus, having a robust parameter set is then important for allowing for a more flexible framework.

For our problem domain we may be pricing for contracts up to 10 months in advance, thus requiring effective long run predictions of rainfall. Future work should focus on improving coverage, by training and predicting on shorter, more specific time frames or creating a set of parameters more customised to certain climates, a compromise between the “one-size-fits-all” approach used here and the much more computationally expensive individual tuning approach of tuning parameters for each individual data set. This kind of compromise would help algorithms learn from more specific data, which should reduce the exposure to irregular patterns and extreme values whilst reducing predictive error.

Despite the observed issues with the algorithms, we have clearly shown the improvement that can be made by extensively evaluating the accumulation of rainfall to increase model performance. In general, all algorithms’ predictive errors were reduced following the data accumulation, and this approach produced models more reflective of the rainfall time series. These results are a key step forward towards more accurate derivatives pricing and will help overcome issues of mispricing, by predicting rainfall amounts in the correct context of accumulated amounts.

6.2. Algorithm’s performances according to climates

The final aspect that we evaluate is whether there is any correlation between the algorithms’ predictive performance and characteristics of different climates. Therefore, we consider how the accuracy of rainfall predictions from Tables 7 and 8 compares with the descriptive statistics explaining the climate from Tables 2 and 3 based on the results from accumulating the rainfall. This will be an interesting comparison, which may help future research by identifying certain patterns that need to be incorporated into future models. We do not consider looking into the daily predictions, because none of the algorithms (except MCRP) predicted the daily values well and our main research goal is to study the accumulated rainfall amounts. We link this back to our areas of interest indicated in Section 2, and we want to investigate to what extent the following statements are true:

- The predictive error is similar between Europe and the USA.
- Drier or wetter climates are associated with a lower predictive error.
- More volatile cities are associated with higher predictive error.
- High rainfall intensities are associated with higher predictive error.

For the first point of interest, we consider how the algorithms performed in cities from Europe against cities from the USA. We use the Mann-Whitney U-test to determine whether the predictive error for both daily and accumulated data is affected by the continent. Table 9 shows the p values for the Mann-Whitney U-test at the 5% significance level for all algorithms. We can clearly see that there is no significant difference between cities from Europe and the USA, with p values ranging from 0.1861 to 0.4575. Therefore, we are confident that the predictive error of each algorithm is similar between Europe and the USA.




Figure 2: Comparison of GP's, RBF's and MCRP's predictive performance on four cities using the daily rainfall. The dashed line represents the actual daily rainfall amount (0.1mm) and the solid line represents the predicted daily rainfall amount (0.1mm).




Figure 3: Comparison of GP's, RBF's and MCRP's predictive error (RMSE) on four cities after accumulating the daily rainfall. The dashed line represents the actual rainfall amount (0.1mm) after the accumulation of rainfall and the solid line represents the predicted rainfall amount (0.1mm).

Table 9: Mann-Whitney U-test results (p value) to determine whether each algorithm performed statistically better in one continent.

Set-up	SVR	RBF	M5R	M5P	KNN	GP	MCRP
Prediction on the Accumulated data	0.2845	0.3198	0.3780	0.3849	0.1861	0.2959	0.4575

Table 10: The linear correlation coefficient (r) and p value for European cities, in order to determine whether there is sufficient evidence that a relationship exists between a data set property and an algorithm's predictive error, measured by CV(RMSE). The p value is shown in brackets below the correlation coefficient. Significant relationships ($p < 0.05$) are shown in bold.

Data set property	SVR	RBF	M5R	M5P	KNN	GP	MCRP
% of dry days	0.05 (0.8197)	0.08 (0.7421)	0.10 (0.6823)	0.08 (0.7262)	0.33 (0.1493)	0.08 (0.7454)	0.30 (0.2049)
Average dry spell	0.21 (0.3763)	0.23 (0.3350)	0.24 (0.3106)	0.23 (0.3261)	0.40 (0.0822)	0.23 (0.3315)	0.39 (0.0907)
Average wet spell	0.15 (0.5187)	0.13 (0.5900)	0.10 (0.6617)	0.12 (0.6110)	-0.17 (0.4606)	0.13 (0.5811)	-0.10 (0.6744)
Annual rainfall	0.07 (0.776)	0.10 (0.6898)	0.11 (0.6402)	0.12 (0.6137)	0.30 (0.1965)	0.10 (0.6805)	0.22 (0.3434)
Volatility	0.24 (0.3091)	0.26 (0.2652)	0.27 (0.2572)	0.25 (0.2904)	0.50 (0.0256)	0.26 (0.2745)	0.47 (0.0349)
Highest intensity	0.40 (0.0776)	0.44 (0.0536)	0.45 (0.0442)	0.42 (0.0670)	0.72 (0.0003)	0.42 (0.0641)	0.65 (0.0019)
Interquartile range	-0.57 (0.0089)	-0.59 (0.0057)	-0.61 (0.0042)	-0.58 (0.0069)	-0.74 (0.0002)	-0.58 (0.0071)	-0.70 (0.0006)

We compare the percentage of wet/dry days, the average spell length, average daily rainfall, volatility, highest intensity and interquartile range for each city against the predictive error for each algorithm, establishing whether a strong correlation exists. The results for both Europe and the USA are presented in Tables 10 and 11, showing the Pearson product-moment linear correlation coefficient for each pair of algorithm and data set property. Additionally, we include the p value, in order to determine whether there is a statistically significant relationship between the predictive error and the descriptive statistics. The values highlighted in bold indicate a statistically significant relationship at the 5% level.

Looking at both Table 10 and 11, we can see a mixed picture of relationships and it appears that there are some strong correlations between climatic aspects and predictive error. In order to assist the comparison against our points of interest, we discuss separately the relationships for European and the USA cities, because we have already determined the significant differences in climate between these two sets of cities in Section 2.

When considering if the percentage of dry days is significantly correlated with predictive error, we observe that across Europe, little relationship exists with the correlation coefficient r values ranging between 0.05 to 0.33 looking at Table 10. Therefore, there is some positive relationship, but not enough for a statistically significant result. On the other hand looking

Table 11: The linear correlation coefficient (r) and p value for the USA cities, in order to determine whether there is sufficient evidence that a relationship exists between a data set property and an algorithm’s predictive error, measured by CV(RMSE). The p value is shown in brackets below the correlation coefficient. Significant relationships ($p < 0.05$) are shown in bold.

Data set property	SVR	RBF	M5R	M5P	KNN	GP	MCRP
% of dry days	-0.3 (0.1818)	-0.31 (0.1663)	-0.35 (0.1124)	-0.31 (0.1628)	-0.26 (0.2461)	-0.30 (0.1683)	-0.48 (0.0230)
Average dry spell	-0.40 (0.0644)	-0.41 (0.0550)	-0.46 (0.0304)	-0.41 (0.0557)	-0.39 (0.0692)	-0.42 (0.0539)	-0.47 (0.0276)
Average wet spell	-0.06 (0.8009)	-0.07 (0.7645)	-0.06 (0.7759)	-0.07 (0.7616)	-0.16 (0.4729)	-0.08 (0.7362)	0.22 (0.3151)
Annual rainfall	-0.42 (0.0496)	-0.40 (0.0656)	-0.33 (0.1323)	-0.33 (0.1310)	-0.27 (0.2216)	-0.37 (0.0926)	0.14 (0.5288)
Volatility	-0.36 (0.0955)	-0.37 (0.0861)	-0.42 (0.0546)	-0.36 (0.0964)	-0.35 (0.1107)	-0.37 (0.0894)	-0.32 (0.1486)
Highest intensity	0.46 (0.0298)	0.48 (0.0247)	0.51 (0.0151)	0.48 (0.0247)	0.43 (0.0463)	0.49 (0.0199)	0.08 (0.7085)
Interquartile range	-0.40 (0.0676)	-0.41 (0.0606)	-0.43 (0.0450)	-0.42 (0.0489)	-0.45 (0.0361)	-0.44 (0.0396)	-0.03 (0.9100)

at Table 11, we observe r values between -0.26 to -0.48 within the USA, indicating that for MCRP there is some correlation at the 5% significance level. Interestingly, with all algorithms having a negative correlation, the drier the climate the smaller the CV(RMSE). This difference in the findings for Europe and the USA makes sense, given that the USA has longer dry spell lengths compared to Europe, which is far more changeable. Therefore, from a predictive perspective it is easier to predict constant behaviour over a period of time rather than more sporadic behaviour.

When we consider the volatility we observe a completely different picture. Across Europe, there is a positive correlation with r values ranging between 0.24 and 0.50. In the case of KNN and MCRP there is sufficient evidence to suggest a relationship exists at the 5% significance level, indicating the CV(RMSE) increases with higher levels of volatility. However, we observe the opposite relationship looking at the correlation values from the USA, with r values between -0.32 and -0.42. Unlike Europe, we do not see any algorithm exhibiting a significant relationship, but we see a slight improvement in CV(RMSE) the higher the volatility. One reason for this negative relationship is because the volatility is closely linked with the balance of dry and wet days, which links back to the spell lengths previously discussed. This underlying relationship means that the higher the volatility, the drier the climate is, and we have shown that drier climates are negatively correlated to the CV(RMSE) for cities in the USA.

Finally, when we consider the rainfall intensities, we notice a broadly similar pattern across Europe and the USA. Across Europe, we observe r values in the range of 0.40 to 0.72 with MCRP, KNN and M5R having a significant correlation. Similarly, within the USA we observe r values in the range of 0.08 to 0.51, with all algorithms having a significant correlation except for MCRP. These findings are expected for both geographic areas since

we noticed when analysing the data earlier that achieving the highest peaks is very difficult. The relationships noticed with the intensity and volatility are reflected by the interquartile range, which is heavily dependent on both aspects. We witness a reduction in CV(RMSE) from data exhibiting a larger interquartile range, which makes sense for rainfall data series as the cities with larger interquartile ranges have a more consistent climate. We witness this alongside the improvement in rainfall prediction coverage as previously shown in Table 6.

From examining the different climates based on our four points of interest, we notice that the patterns of results for all algorithms in general are different when we compare results for Europe and the USA. There are two benefits we can see from the analysis. The first one is the benefit the accumulation of rainfall has across both geographic areas, with no significant difference in the predictive error of all algorithms between Europe and the USA. Secondly, the binary problem of dry and wet days appears to have been satisfactorily solved, since the predictive error is not significantly affected in general regardless of the balance between dry and wet days. However, we do witness that some relationships are present between climatic indicators and predictive error for some algorithms, namely, volatility, maximum potential rainfall intensities and the interquartile range. Future research should look into capturing these shocks of the model, which fall outside of the interquartile range, including the known range of the training set. Capturing this behaviour should result in the algorithms performing equally in predictive power across all climates.

The experimental results show that the use of machine learning-based intelligent systems has greatly assisted in the prediction of rainfall for rainfall derivatives. Moreover, by producing better rainfall predictions, the pricing accuracy should increase. This has two implications to the field of rainfall derivatives. Firstly investors can become more confident within the market. Secondly as result of the first point, more users can be attracted to trade in the market, increasing the liquidity of the rainfall derivatives market.

7. Conclusion

This paper extensively evaluates a recently proposed method for predicting accumulated rainfall amounts using a sliding window (Cramer et al., 2015), within the problem of rainfall derivatives, dealing with complex data sets which exhibit extreme rainfall values and volatility. The method was proposed in order to predict the accumulated rainfall amounts (rather than predicting daily rainfall) for such applications as financial securities (e.g. rainfall derivatives), where prices of contracts are based on accumulated amounts over a given period. By accumulating rainfall allows for patterns that were previously unrecognised and helps deal with the problem of discontinuity and extreme rainfall values.

We applied a range of well established machine learning algorithms and the most commonly used techniques within rainfall derivatives, to predict rainfall before and after accumulating the rainfall amounts. The motivation for this paper is to make the process of rainfall prediction simpler and more effective, overcoming some of the difficulties that exist within the daily rainfall time series. Hence, this paper has two main contributions: (i) extensively testing the accumulation of rainfall on several machine learning techniques, and

(ii) evaluating whether the combination of the data accumulation and algorithms is affected across varying climates.

We evaluated the predictive error on 42 cities from around Europe and the USA before and after accumulating daily rainfall using a sliding window. Our results show that there is sufficient evidence that accumulating rainfall amounts leads to superior predictive power than predicting using the daily amounts. Furthermore, when applied to the accumulated data, Radial Basis Functions, Support Vector Regression and Genetic Programming were the best algorithms in general, where Radial Basis Functions statistically outperformed the most commonly used approach of Markov chain extended with rainfall prediction. As each algorithm used the same parameter set for all data sets, we can not guarantee that the optimal parameter set was used. This was to show that a robust parameter set is effective, but there were occasions where the regression models were mis-specified during training.

We did notice that there exists some relationship between climatic features and predictive error in general across all algorithms, namely the volatility of rainfall, maximum rainfall intensities and the interquartile range of rainfall. Most importantly, we do not witness any significant difference in the algorithms' predictive error across Europe and the USA. Additionally, the problem of discontinuity within the rainfall time series is satisfactorily solved by accumulating rainfall amounts.

Within the broad area of intelligent systems, we have shown that machine learning algorithms can be applied to difficult problems such as rainfall prediction. The application of seven machine learning algorithms reported in this work shows that intelligent systems are useful complementing the results reported by Liao et al. (2012); Patel et al. (2015); Cosma et al. (2017), who all show the benefit that machine learning-based intelligent systems can have on real-life scenarios.

Future work will include testing on variable lengths of training and testing data sets to assist in predicting the accumulated rainfall for a single contract, rather than a “one-size-fits-all” approach. Moreover, modifying the tuning procedure to produce a parameter setting customised to a data set's climate. We could also test the concept on other data sets that exhibit a pattern of similar time series to rainfall. Finally, another research direction is to extend the algorithms to overcome the weaknesses identified earlier in Section 6.2.

References

- Akaike, H. (1974). A new look at the statistical model identification. *IEEE Transactions on Automatic Control*, 19, 716–723.
- Broomhead, D. S., & Lowe, D. (1988). Multivariable Functional Interpolation and Adaptive Networks. *Complex Systems* 2, (pp. 321–355).
- Buishand, T. A. (1978). Some remarks on the use of daily rainfall models. *Journal of Hydrology*, 36, 295–308.
- Cabrera, B. L., Odening, M., & Ritter, M. (2013). Pricing rainfall futures at the CME. *Journal of Banking & Finance*, 37, 4286 – 4298.
- Cao, M., Li, A., & Wei, J. Z. (2004b). Precipitation modeling and contract valuation. *The Journal of Alternative Investments*, 7, 93–99.
- Chang, C.-C., & Lin, C.-J. (2011). LIBSVM: A library for support vector machines. *ACM Transactions on Intelligent Systems and Technology*, 2, 27:1–27:27.

- Cosma, G., Brown, D., Archer, M., Khan, M., & Pockley, A. G. (2017). A survey on computational intelligence approaches for predictive modeling in prostate cancer. *Expert Systems with Applications*, 70, 1 – 19.
- Cramer, S., Kampouridis, M., & Freitas, A. (2016a). A genetic decomposition algorithm for predicting rainfall within financial weather derivatives. In *GECCO '16: Proceedings of the 2016 Genetic and Evolutionary Computation Conference* (pp. 885–892). Denver, USA: ACM.
- Cramer, S., Kampouridis, M., & Freitas, A. A. (2016b). Feature engineering for improving financial derivatives-based rainfall prediction. In Y.-S. Ong (Ed.), *Proceedings of 2016 IEEE Congress on Evolutionary Computation (CEC 2016)* (pp. 3483–3490). Vancouver: IEEE Press.
- Cramer, S., Kampouridis, M., Freitas, A. A., & Alexandridis, A. (2015). Predicting rainfall in the context of rainfall derivatives using genetic programming. In *2015 IEEE Symposium Series on Computational Intelligence* (pp. 711–718).
- Hall, M., Frank, E., Holmes, G., Pfahringer, B., Reutemann, P., & Witten, I. H. (2009). The WEKA data mining software: An update. *SIGKDD Explor. Newsl.*, 11, 10–18.
- Holmes, G., Hall, M., & Frank, E. (1999). Generating rule sets from model trees. In *Proceedings of the 12th Australian Joint Conference on Artificial Intelligence: Advanced Topics in Artificial Intelligence* (pp. 1–12). Springer-Verlag.
- Hung, N. Q., Babel, M. S., Weesakul, S., & Tripathi, N. K. (2009). An artificial neural network model for rainfall forecasting in bangkok, thailand. *Hydrology and Earth System Sciences*, 13, 1413–1425.
- Kisi, O., & Shiri, J. (2011). Precipitation forecasting using wavelet-genetic programming and wavelet-neuro-fuzzy conjunction models. *Water Resources Management*, 25, 3135–3152.
- Liao, S.-H., Chu, P.-H., & Hsiao, P.-Y. (2012). Data mining techniques and applications a decade review from 2000 to 2011. *Expert Systems with Applications*, 39, 11303 – 11311.
- López-Ibáñez, M., Dubois-Lacoste, J., Stützle, T., & Birattari, M. (2011). *The Rpackageirace package, Iterated Race for Automatic algorithm Configuration*. Technical Report IRIDIA, Université Libre de Bruxelles, Belgium.
- Mislan, Haviluddin, Hardwinarto, S., Sumaryono, & Aipassa, M. (2015). Rainfall monthly prediction based on artificial neural network: A case study in tenggarong station, east Kalimantan - Indonesia. *Procedia Computer Science*, 59, 142 – 151. International Conference on Computer Science and Computational Intelligence (ICCCSI 2015).
- Odening, M., Musshoff, O., & Xu, W. (2007). Analysis of rainfall derivatives using daily precipitation models: opportunities and pitfalls. *Agricultural Finance Review*, 67, 135–156.
- Patel, J., Shah, S., Thakkar, P., & Kotecha, K. (2015). Predicting stock and stock price index movement using trend deterministic data preparation and machine learning techniques. *Expert Systems with Applications*, 42, 259 – 268.
- Quinlan, J. R. (1992). Learning with continuous classes. In *In Proceedings of the Australian Joint Conference on Artificial Intelligence* (pp. 343–348). World Scientific.
- Ritter, M., Muhoff, O., & Odening, M. (2014). Minimizing geographical basis risk of weather derivatives using a multi-site rainfall model. *Computational Economics*, 44, 67–86.
- Roldan, J., & Woolhiser, D. A. (1982). Stochastic daily precipitation models: 1. a comparison of occurrence processes. *Water Resources Research*, 18, 1451–1459.
- Said, S. E., & Dickey, D. A. (1984). Testing for unit roots in autoregressive-moving average models of unknown order. *Biometrika*, 71, 599–607.
- Vapnik, V., Golowich, S. E., & Smola, A. (1996). Support vector method for function approximation, regression estimation, and signal processing. *Advances in Neural Information Processing Systems*, 9, 281–287.
- Weerasinghe, H., Premaratne, H., & Sonnadara, D. (2010). Performance of neural networks in forecasting daily precipitation using multiple sources. *Journal of the National Science Foundation of Sri Lanka*, 38, 163–170.
- Wilks, D. (1999). Interannual variability and extreme-value characteristics of several stochastic daily precipitation models. *Agricultural and Forest Meteorology*, 93, 153 – 169.

- Wilks, D. S. (1998). Multisite generalization of a daily stochastic precipitation generation model. *Journal of Hydrology*, *210*, 178–191.
- Wu, J., Long, J., & Liu, M. (2015). Evolving RBF neural networks for rainfall prediction using hybrid particle swarm optimization and genetic algorithm. *Neurocomputing*, *148*, 136 – 142.