

Technical University of Denmark



Selective heavy metal capture from contaminated water

Ko, Dongah; Lee, Joosung; Jakobsen, Mogens Havsteen; Hwang, Yuhoon; Yavuz, Cafer T.; Andersen, Henrik Rasmus

Publication date:
2016

Document Version
Publisher's PDF, also known as Version of record

[Link back to DTU Orbit](#)

Citation (APA):
Ko, D., Lee, J., Jakobsen, M. H., Hwang, Y., Yavuz, C. T., & Andersen, H. R. (2016). Selective heavy metal capture from contaminated water. Poster session presented at 9th Europe-Korea Conference on Science and Technology (EKC2016), Berlin, Germany.

DTU Library
Technical Information Center of Denmark


General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Selective heavy metal capture from contaminated water with covalent organic polymer




doko@env.dtu.dk

Dongah Ko¹, Joosung Lee², Mogens H. Jakobsen³, Yuhoon Hwang⁴, Cafer T. Yavuz², Henrik R. Andersen¹

1. Heavy metal contamination

Among various pollutants, **heavy metal ions** have been extensively generated for many years even though their toxicity toward human beings and the environment in general are well known.



2. Limitations & Aims of this study

Limitations of current treatment systems


- Lack of adequate space for infrastructure in urban areas
- Cost inefficiency

Suggesting new sorbent


- ✓ High capacity → Facilitate compact treatment system in a city
- ✓ High selectivity → Specifically capture heavy metal in a presence of other cations
- ✓ Fast kinetics → Storm water has short retention time
- ✓ Robust structure from covalent bonding → Avoid to be swept away

3. Experimental methods


Principle: Hard Soft Acid Base theory



Phase 1: Design and synthesize stable polymer with sulfur functionality




Phase 2: Heavy metal sorption test



1. Pure metal ion test
2. Adding Ca^{2+} or Mg^{2+} in metal solution
3. Sorption tests in different pH conditions

4. Result and Discussion


Sorption kinetics



- ✓ Activated carbon sorption kinetic is suitable with pseudo-first order kinetic model (physisorption) and k_1 is 0.01 min^{-1} .
- ✓ Whereas, disulfide polymer correlates to pseudo-second order kinetic model (Chemisorption) and has k_2 of $13.5 \text{ g mg}^{-1} \text{ min}^{-1}$.


Sorption capacity

	Disulfide polymer	Activated carbon
Maximum capacity (mg/g)	21.1	11.9
K_d (ml/g)	9.49×10^5	4.28×10^4
Capacity per area (mg/m ²)	0.14	0.01



Selectivity

- ✓ Real wastewater also contains other cations such as $Ca(II)$ and this ions compete with heavy metal ions towards sorption sites of sorbent.
- ✓ $Cu(II)$, $Zn(II)$, $Pb(II)$, $Cd(II)$ sorption test showed that in the presence of $Ca(II)$, disulfide polymer shows higher selective capture ability than activated carbon. $Ni(II)$ exhibited opposite result, compared to other metals.



- ✓ Disulfide polymer has 2 times higher sorption capacity and 10 times higher surface area capacity compare to commercial activated carbon.
- ✓ Water-solid partition coefficient shows higher than 10^5 , which indicates polymer is an excellent sorbent.

4. Conclusion

Designed porous polymer

- ✓ Facilitate disulfide functionalized polymers by simple reaction & mild condition.
- ✓ Sulfide group gives strong affinity towards heavy metal ions.

Performance

- ✓ Achieved 99.9% removal of Cd ions.
- ✓ Selectively capturing heavy metal ions in the presence of other cations.

Application

- ✓ Storm water runoff treatment in urban area.
- ✓ Less turn over rate of column.

¹ Department of Environmental Engineering, Technical University of Denmark, Miljøvej 113, 2800 Kgs. Lyngby, Denmark (doko@env.dtu.dk)

² Graduate School of EEWS, Korea Advanced Institute of Science and Technology (KAIST), Daejeon 305-701, Republic of Korea

³ Department of Micro- and Nano technology, Technical University of Denmark, Ørstedss Plads, 345B, 2800 Kgs. Lyngby, Denmark

⁴ Department of Environmental Engineering, Seoul National University of Science & Technology, 232 Kongnung-ro, Nowon-gu, Seoul 139-743, Republic of Korea