Technical University of Denmark



Thiol-ene thermosets exploiting surface reactivity for layer-by-layer structures and control of penetration depth for selective surface reactivity.

Daugaard, Anders Egede; Westh, Andreas; Pereira Rosinha Grundtvig, Ines; Krühne, Ulrich; Hoffmann, Christian

Publication date: 2016

Document Version Peer reviewed version

Link back to DTU Orbit

Citation (APA):

Daugaard, A. E., Westh, A., Pereira Rosinha Grundtvig, I., Krühne, U., & Hoffmann, C. (2016). Thiol-ene thermosets exploiting surface reactivity for layer-by-layer structures and control of penetration depth for selective surface reactivity. Abstract from Polymer Networks Group meeting, Stockholm, Sweden.

DTU Library Technical Information Center of Denmark

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

• Users may download and print one copy of any publication from the public portal for the purpose of private study or research.

- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Thiol-ene thermosets exploiting surface reactivity for layer-by-layer structures and control of penetration depth for selective surface reactivity.

<u>Anders E. Daugaard</u>, Andreas Westh, Ines P. Rosinha, Ulrich Krühne and Christian Hoffmann Danish Polymer Centre, Department of Chemical and Biochemical Engineering, Technical University of Denmark, Søltofts plads bygning 227, DK2800 Kgs. Lyngby, Denmark e-mail: <u>adt@kt.dtu.dk</u>

Thiol-ene thermosets have been shown to be an efficient platform for preparation of functional polymer surfaces. Especially the effectiveness and versatility of the system has enabled a large variety of network properties to be obtained in a simple and straight-forward way. Due to its selectivity, various thiols and allyl or other vinyl reactants can be used to obtain either soft and flexible¹ or more rigid functional thermosets². The methodology permits use of etiher thermal or photochemical conditions both for matrix preparation as well as for surface functionalization. Due to excess reactive groups in the surface of thiol-ene thermosets, it is possible to prepare surface functional thermosets or to exploit the reactive groups for modular construction and subsequent chemical bonding. Here a different approach preparing monolithic layer-by-layer structures with controlled mechanical properties across freestanding samples is presented. The approach is further exploited for preparation of surface structures down to features of 25 μ m scale by use of an absorber and simple masking.

The combination of masking and absorbers were similarly used to prepare a reactor with controlled surface properties as shown in Figure 1. Here fully sealed reactors (Figure 1a) were prepared modularly by a combination of thiol-ene and thiol-epoxy curing reactions. The reactors were functionalized in different patterns on the top side of the assembled reactor, illustrating the effectiveness of absorbers in controlling the penetration depth and surface grafting. The methodology was used for surface immobilization of enzymes providing a direct link between the distribution of enzymes on the surface and the activity of the reactor.




Figure 1: Surface functionalization inside a flow reactor with an allyl-disperse red, taking place only on the top face of the reactor; a) Assembled reactor during surface functionalization; b) Reactor after surface functionalization; c) Opened reactor showing top and bottom of the reactor, where only the top has been reacted (eventhough both sides have reactive thiols).

References

- (1) Goswami, K.; Skov, A. L.; Daugaard, A. E. Chem. A Eur. J. 2014, 20, 9230–9233.
- (2) Mazurek, P.; Daugaard, A. E.; Skolimowski, M.; Hvilsted, S.; Skov, A. L. RSC Adv. 2015, 5, 15379–15386.
- (3) Goswami, K.; Daugaard, A. E.; Skov, A. L. RSC Adv. 2015, 5, 12792–12799.