Technical University of Denmark



An Analytical Approach to the Thrombogram

Markovich, Dmitriy; Røder, Gustav; Flyvbjerg, Henrik

Publication date: 2016

Document Version Peer reviewed version

Link back to DTU Orbit

Citation (APA): Markovich, D., Røder, G., & Flyvbjerg, H. (2016). An Analytical Approach to the Thrombogram. Abstract from 3rd Maastricht Thrombin Summer School, Maastricht, Netherlands.

DTU Library

Technical Information Center of Denmark

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

• Users may download and print one copy of any publication from the public portal for the purpose of private study or research.

- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

An analytical approach to the thrombogram

D. L. Markovich¹, G. Røder², and H. Flyvbjerg¹

¹ Stochastic Systems and Signals, Department of Micro- and Nanotechnology, Technical University of Denmark, Denmark ² Global Research, Novo Nordisk A/S, Denmark

Data from thrombin generation experiments are conventionally analyzed using the socalled *thrombogram*. Commercially available instruments do this automatically but are black boxes: the exact method of analysis is hidden from the user.

In research, flexible and transparent methods of data analysis are needed. Research should not be limited by the requirements of a specific experimental setup or a specific protocol. Here we present transparent and flexible analytical methods of data analysis for thrombin generation experiments.

We show that calibration signals can be described with Michaelis-Menten kinetics of the basic enzymatic reaction and that kinetic constants and the standard calibration factor used by CAT can be extracted from the fits to raw data. We also show that thrombin generation signals can be described with a phenomenological model based on the cascade of basic enzymatic reactions that includes damping by anti-enzymes. This model also accounts for the contribution of α_2 -macroglobulin-thrombin complex in the raw signal and separates it from the contribution of thrombin.

We compared our method with the commercially available CAT method, using the CAT calibration factor in both methods, and found the results to be similar. However, the different interpretation of the calibration factor suggested by our model resulted in up to 1.8 fold difference between the values obtained with the two methods for ETP, peak, and velocity index parameters.

In conclusion, we have developed an analytical open-source method of data analysis in thrombin generation experiments. It is flexible, it works with an arbitrary experimental protocol, and it operates on the raw data. Therefore, its performance can easily be assessed visually, and its results are noise-robust and reliable.

Source of funding: Department of Micro- and Nanotechnology, Technical University of Denmark

Conflict of interest: None