Technical University of Denmark



Virulence determinants within the E2 glycoprotein of Classical Swine Fever Virus

Johnston, Camille Melissa; Fahnøe, Ulrik; Lohse, Louise; Belsham, Graham; Rasmussen, Thomas Bruun

Publication date: 2016

Document Version Peer reviewed version

Link back to DTU Orbit

Citation (APA):

Johnston, C. M., Fahnøe, U., Lohse, L., Belsham, G., & Rasmussen, T. B. (2016). Virulence determinants within the E2 glycoprotein of Classical Swine Fever Virus. Abstract from Keystone Symposia on Molecular and Cellular Biology, Austin, United States.

DTU Library Technical Information Center of Denmark

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

• Users may download and print one copy of any publication from the public portal for the purpose of private study or research.

- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Positive-Strand RNA Viruses (N1) Keystone SymposiaTM on molecular and Cellular biology May $1^{st}-5^{th}$ 2016, Austin Texas

Virulence determinants within the E2 glycoprotein of Classical Swine Fever Virus

<u>Camille M. Johnston</u>¹, Ulrik Fahnøe¹, Louise Lohse¹, Graham J. Belsham¹, Thomas Bruun Rasmussen^{1*}

¹DTU National Veterinary Institute, Technical University of Denmark, Lindholm, Denmark *Corresponding author

Classical Swine Fever is a highly contagious disease of pigs caused by Classical Swine Fever Virus (CSFV), a member of the *pestivirus* genus within the family *Flaviviridae*. The E2 glycoprotein of CSFV has been shown to be an important factor for the virulence of the virus. In a recent study, we have identified a specific motif within the E2 glycoprotein that contributes to the virulence of the highly virulent CSFV strain Koslov (Fahnøe et al. 2014). This motif comprises residues S74 and L75 in the N-terminal domain of E2 (S763 and L764 in the polyprotein). Evidence points towards involvement of this motif in virulence. CSFV strains encoding L763 and P764 represent the predominant alleles across all published full-length CSFV genomes, whereas the S763/L764 combination is only seen in highly virulent CSFV strain Koslov to evaluate the virulence of a set of E2 mutants with modifications in the encoded residues 763 and 764; these mutants are termed; vKos_SP, vKos_LP and vKos_LL, respectively. Animal infection experiments were performed to compare virulence of these E2 mutants in comparison to vKos (with the SL motif). The results indicate that the E2 residues 763-64 play an important role in CSFV virulence.

References

Fahnøe U, Pedersen AG, Risager PC, Nielsen J, Belsham GJ, Höper D, Beer M, Rasmussen TB (2014): Rescue of the highly virulent classical swine fever virus strain "Koslov" from cloned cDNA and first insights into genome variations relevant for virulence. Virology 468–470:379-387.