

Technical University of Denmark



Approaches for assessing sustainable remediation

Søndergaard, Gitte Lemming; Binning, Philip John; Bjerg, Poul Løgstrup

Publication date:
2016

Document Version
Publisher's PDF, also known as Version of record

[Link back to DTU Orbit](#)

Citation (APA):
Søndergaard, G. L., Binning, P. J., & Bjerg, P. L. (2016). Approaches for assessing sustainable remediation. Abstract from 6th joint nordic meeting of remediation of contaminated sites (NORDROCS 2016), Espoo, Finland.

DTU Library
Technical Information Center of Denmark

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

APPROACHES FOR ASSESSING SUSTAINABLE REMEDIATION

Gitte Lemming Søndergaard, Philip J. Binning, Poul L. Bjerg,
DTU Environment, Technical University of Denmark, Bygningstorvet, Building 115, 2800 Kongens
Lyngby, Denmark
gile@env.dtu.dk

Abstract

Sustainable remediation seeks to reduce direct contaminant point source impacts on the environment, while minimizing the indirect cost of remediation to the environment, society and economy. This paper presents an overview of available approaches for assessing the sustainability of alternative remediation strategies for a contaminated site. Most approaches use multi-criteria assessment methods (MCA) to structure a decision support process. Different combinations of environmental, social and economic criteria are employed, and are assessed either in qualitative or quantitative forms with various tools such as life cycle assessment and cost benefit analysis. Stakeholder involvement, which is a key component of sustainable remediation, is conducted in various ways. Some approaches involve stakeholders directly in the evaluation or weighting of criteria, whereas other approaches only indirectly consider stakeholder preferences. MCA methods are very useful when comparing remediation alternatives, since they allow for a joint assessment of many types of indicators; however the available tools and methods differ substantially, for instance in their selection of indicators, approaches to stakeholder involvement and uncertainty analysis.

Introduction

It has been estimated that there are approximately 2.5 million potentially contaminated sites in Europe. Of these, approximately 340,000 sites are estimated to be contaminated to a degree that may require remediation (Van Liedekerke et al. 2014). Until recently, remediation was considered to be inherently green or sustainable since it removes a contaminant problem. However, it is now broadly recognized that while remediation is intended to address a local environmental threat, it may cause other local, regional and global impacts on the environment, society and economy. Over the last decade, the broader assessment of these criteria is occurring in a movement toward 'sustainable remediation'.

The Brundtland Report by the World Commission on Environment and Development (UN 1987) defined sustainable development as "*development that meets the needs of the present without compromising the ability of future generations to meet their own needs*". Harbottle et al. (2008) presented a framework for assessing sustainability of contaminated land remediation focusing only on the technical and environmental sustainability of the remediation technology. Subsequently a number of different definitions of sustainable remediation have been proposed. A common feature is that they employ a "triple bottom line approach" addressing the three pillars of sustainability: environment, society and economy (SURF 2009, SuRF-UK 2010, Sparrevik et al. 2011, Sparrevik et al. 2012, Søndergaard et al. 2014, Rosén et al. 2015) (Figure 1). Sustainable remediation eliminates or controls contaminant risks while minimizing negative environmental, social and economic impacts. A well balanced decision support processes must therefore address all three aspects.

While the assessment of environmental impacts of remediation systems for contaminated sites using life cycle assessment (LCA) is a well-studied field (Lemming et al. 2010a, 2010b, 2012), the assessment of sustainability is a relatively new discipline in the remediation sector. Methodologies are still in their infancy, there are few documented case studies, and quantitative assessments are especially lacking. An ISO guidance document for the assessment of sustainable remediation is expected to be published in late 2016 with the aim of describing the main concepts and creating common terminology (Nathanail 2016).

In this paper we present and compare the available tools and methods for assessing the sustainability of remedial solutions and discuss some of the key issues and future challenges. The aim of a sustainability assessment is to compare the sustainability of two or more remedial solutions for a contaminated site. A sustainability assessment does not provide an absolute measure of whether remediation of a specific site is sustainable. Instead it provides a relative measure which can be used to select the most sustainable solution from amongst a number of defined remedial scenarios.




Figure 1. The triple bottom line approach for comparing the sustainability of remediation alternatives

Approaches and indicators for assessing sustainable remediation

An overview of approaches for assessing the sustainability of remedial alternatives is provided in Table 1. The overview mainly includes approaches that consider all three dimensions of sustainability. For completeness, however, earlier methodologies such as the REC tool (Beinat et al. 1997) and the Harbottle et al. (2008) framework are included even though they lack one or more dimensions. The REC tool was intended to be a decision support system for comparing remediation methods and is not a sustainability assessment tool. The Harbottle et al. (2008) framework is a multi-criteria assessment (MCA) approach for assessing the technical and environmental sustainability of a remediation system with less consideration of social and economic impacts. The MCA approach has subsequently been used in a number of sustainability assessment tools because of its ability to address many criteria at different scales and integrate qualitative and quantitative assessments.

Multi-criteria assessment approaches range from simple qualitative matrix-based scoring systems to semi-quantitative and fully quantitative methods. All of the studies shown in Table 1 (except Sparrevik et al. 2012) use the *linear additive model* which is a type of MCA method based on multi-attribute value theory (MAVT) or multi-attribute utility theory (MAUT). In MAVT/MAUT criteria scores are transformed into normalized values (e.g. on a scale from 0 to 1) and the overall value, v , of an alternative \mathbf{x} , is calculated based on the weighted sum of the normalized criteria values as shown in Equation 1:

$$v(\mathbf{x}) = \sum_{i=1}^n w_i v_i(x_i) \quad \text{Equation 1}$$

where $v_i(x_i)$ is the normalized value of criteria i , n is the total number of criteria and the weights w_i reflect the relative importance of the criteria, with the sum of the weights being one. The method is *compensatory*, meaning that criteria with high scores can compensate for other criteria with low scores. Sparrevik et al. (2012) employs *outranking*, a different type of multi-criteria assessment method where a comparative assessment of alternatives is conducted using the PROMETHEE II algorithm which ranks the alternatives without normalization of criteria values. Two of the studies in

Table 1 (Sparrevik et al. 2012 and Rosén et al. 2015) address uncertainty of the assessment using Monte Carlo simulations.

Table 1. Comparison of approaches for assessing sustainable remediation. LCA: Life cycle assessment. ^aUsing a linear additive model is a possibility, but not a requirement. ^bOnly for the remediation cost

Reference	MCA type	No. of indicators	Assessment type			Other main criteria	Weighting	Stochastic/uncertainty
			Environmental	Social	Economic			
REC (Beinat et al. 1997)	Linear additive ^a	12	Quantitative (life cycle thinking)	-	Quantitative (costs)	Risk reduction	x ^a	(-) ^b
Harbottle et al. (2008)	Linear additive	17	Semi-quantitative; quantitative (LCA)	Semi-quantitative	-	-	x	-
Sparrevik et al. (2011)	Linear additive	9	Quantitative (LCA)	Semi-quantitative	Quantitative (costs)	-	x	-
Sparrevik et al. (2012)	Outranking	4	Quantitative (LCA)	Quantitative	Quantitative (socio-economic benefit)	-	x	x
SuRF-UK (2013a) Case study 2	Linear additive	16	Semi-quantitative; quantitative (CO ₂)	Semi-quantitative	Semi-quantitative; quantitative (costs)	Effectiveness and practical implementation	-	-
SuRF-UK (2013b) Case study 3	Linear additive	8	Qualitative	Qualitative	Semi-quantitative; quantitative (costs and selected benefits)	-	x	-
Søndergaard et al. (2014)	Linear additive	15	Quantitative (LCA); semi-quantitative (local soil impact)	Semi-quantitative	Quantitative (costs)	Effectiveness and time	x	-
Rosén et al. (2015)	Linear additive and non-compensatory	22	Semi-quantitative	Semi-quantitative	Quantitative (CBA)	-	x	x

For guidance purposes, SuRF-UK (2011) has developed a set of 15 environmental, economic and social indicator categories (see Table 2). Specific tools for assessing the impacts have not been specified by SuRF-UK. The total number of indicators employed in each of the 9 approaches in Table 1 varies between 4 and 22. Many of the approaches use LCA as a tool to assess impacts in the environmental domain, however SuRF-UK (2013a) uses only a simplified carbon footprint calculation. SuRF-UK (2013b) and Rosén et al. (2015) do not apply LCA. Environmental and economic impacts are often quantitatively assessed, but because of their nature, social impacts are most often assessed semi-quantitatively or qualitatively.

Table 2. Indicator categories defined by SuRF-UK (2011)

Environmental	Economic	Social
- Air emissions	- Direct economic costs and benefits	- Human health and safety
- Soil and ground conditions	- Indirect economic costs and benefits	- Ethical end equity
- Groundwater and surface water	- Employment and employment capital	- Neighborhoods and locality
- Ecology	- Induced economic costs and benefits	- Communities and community involvement
- Natural resources and wastes	- Project lifespan and flexibility	- Uncertainty and evidence

Discussion

A multi-criteria approach has been widely used to assess the sustainability of remediation systems because it can integrate different types of qualitative and quantitative data. Furthermore its structured approach facilitates a broader assessment of indicators and provides a more balanced and transparent decision support than traditional approaches which focus mostly on risk reduction and cost. A MCA also has the advantage of not requiring all criteria to be monetized. Rosén et al. (2015) suggests that a fully quantitative CBA be conducted for the economic domain and Sparrevik et al. (2012) used a willingness to pay study to assess the socio-economic benefit of the remediation. The other approaches only quantify direct costs and other costs and benefits are then covered by qualitative assessments. The use of extensive CBAs for the economic domain requires

considerable resources and may be hampered by the difficulty of treating externalities consistently since their evaluation is often based on different primary sources and assumptions.

In the environmental domain, some sustainability assessment methods focus only on air emissions of selected substances such as CO₂. Assessments do not always take a life cycle view of environmental impacts meaning that only emissions related directly to the remediation are considered and not upstream and downstream processes (raw material extraction and production of goods, waste treatment). Sometimes only life cycle impacts of remediation technologies are considered while local impacts such as those on soil quality are ignored. Such simplifications may bias the assessment.

One difficulty of fully quantitative MCA is that it requires expensive data collection and careful data processing. Therefore, Bardos et al (2016), SuRF-UK 2013b and others advocate a tiered approach to ensure that sustainability assessments are not unnecessarily complex, and that there is a balance between the cost of the evaluation and the benefit of the remediation project.

When selecting sustainable solutions for contaminated site remediation, the involvement of stakeholders is critical in order to ensure solutions are well accepted by the community and have a lasting impact. Stakeholder involvement is tackled in various ways in the approaches presented in Table 1. Sparrevik et al. (2011) and Søndergaard et al. (2014) employ a stakeholder panel to derive the criteria weights applied in the linear additive model (Equation 1). Harbottle et al. (2008) and Rosén et al. (2015) included “stakeholder acceptability” or “local acceptance” as a criterion in the social domain. Sparrevik et al. (2012) used three sets of predefined criteria weights representing different decision profiles (cost effectiveness, cost benefit and value plural profiles). Stakeholders were not directly involved in the case studies provided by SuRF-UK (SuRF-UK 2013a,b).

Conclusion

This study has reviewed available methods for assessing and comparing the sustainability of contaminated site remediation alternatives. Recently a variety of methods have been developed which address all three pillars of sustainability: environment, economy and society. The methods all employ multi-criteria analysis because it allows the combined assessment of criteria which may be either quantitatively or qualitatively assessed. To date very few documented assessments of sustainable remediation have been published. Further work is needed to test the assessment approaches for real case studies so they can be refined and further developed, for example to improve methods for involvement of stakeholders and to address the uncertainty of results.

References

- Bardos, R.P., Bone, B.D., Boyle, R., Evans, F., Harries, N.D., Howard, T., Smith, J.W.N., 2016. The rationale for simple approaches for sustainability assessment and management in contaminated land practice. *Science of the Total Environment*.563-564 (2016) 755-768
- Beinat E., van Drunen M.A., Janssen R., Nijboer M.H., Koolenbrander J.G.M., Okx J.P., Schütte A.R. (1997) REC: a methodology for comparing soil remedial alternatives based on the criteria of risk reduction, environmental merit and costs. CUR/Nobis report 95-10-3. Gouda, Netherlands
- Harbottle, M.J., Al-Tabbaa, A., and Evans, C.W. 2008. Sustainability of land remediation. Part 1: overall analysis. *Proceedings of the Institution of Civil Engineers - Geotechnical Engineering* 161, 75-92.
- Lemming, G. Chambon, J.C., Binning, P.J., Bjerg, P.L. (2012) Is there an environmental benefit from remediation of a contaminated site? Combined assessments of the risk reduction and life cycle impact of remediation. *Journal of Environmental Management*. Volume 112, 15 December 2012, Pages 392–403.
- Lemming, G., Hauschild, M.Z., and Bjerg, P.L. 2010a. Life cycle assessment of soil and groundwater remediation technologies: literature review. *International Journal of Life Cycle Assessment* 15, 115-127.
- Lemming, G., Hauschild, M.Z., Chambon, J., Binning, P.J., Bulle, C., Margni, M., and Bjerg, P.L. 2010b. Environmental Impacts of Remediation of a Trichloroethene-Contaminated Site: Life Cycle Assessment of Remediation Alternatives. *Environmental Science & Technology* 44, 9163-9169.

- Nathanail, P. 2016, Progress on ISO/DIS 18504: Guidance on sustainable remediation. Conference presentation. Sustainable Remediation, Montreal April 26-28, 2016.
- Sparrevik, M.; Barton, D. N.; Bates, M. B.; Linkov, I. (2012). Use of Stochastic Multi-Criteria Decision Analysis to Support Sustainable Management of Contaminated Sediments. *Environ. Sci. Technol.* 2012, 46, 1326–1334
- Sparrevik, M., Barton, D.N., Oen, A.M.P., Sehkar, N.U., and Linkov, I. (2011) Use of multi-criteria involvement processes (MIP) to enhance transparency and stakeholder participation at Bergen Harbor, Norway. *Integr. Environ. Assess. Manage.* 2011, 7 (3), 414–425.
- SuRF-UK (2013a). SuRF-UK bulletin. Upper Heyford – Remediation Options Appraisal. SuRF 2. September 2013. CL:AIRE Accessed 26-07-2016 at <http://www.claire.co.uk/projects-and-initiatives/surf-uk/22-supporting-materials/95-surf-uk-case-studies-and-bulletins>
- SuRF-UK (2013b). SuRF-UK bulletin. Helpston Contaminated Land Project. SuRF 3. September 2013. CL:AIRE. Accessed 26-07-2016 at <http://www.claire.co.uk/projects-and-initiatives/surf-uk/22-supporting-materials/95-surf-uk-case-studies-and-bulletins>
- SuRF-UK. 2011 Annex 1: The SuRF-UK Indicator Set for Sustainable Remediation Assessment. Published by Contaminated Land: Applications in Real Environments (CL:AIRE), November 2011.
- SuRF-UK. 2010. A Framework for Assessing the Sustainability of Soil and Groundwater Remediation. Sustainable Remediation Forum UK. Published by Contaminated Land: Applications in Real Environments (CL:AIRE), London, March 2010.
- SURF. 2009. Sustainable remediation white paper-Integrating sustainable principles, practices, and metrics into remediation projects. *Remediation* 19, 5-114.
- Søndergaard, G. Binning, P.J., Bjerg, P.L. 2014 Multikriterieværktøj til sammenligning af bæredygtigheden af afværgeteknikker for en forurenede grund. DTU Miljø. Notat 2. November 2014. The Central Denmark Region.
- Rosén L, Back PE, Söderqvist T, Norrman J, Brinkhoff P, Norberg T, Volchko Y, Norin M, Bergknut M, Döberl G. SCORE: A novel multi-criteria decision analysis approach to assessing the sustainability of contaminated land remediation. *Sci Total Environ.* 2015, 511:621-38
- UN. 1987. Report of the World Commission on Environment and Development: Our Common Future. General Assembly Resolution 42/187, 11 December 1987.
- Van Liedekerke M., Prokop G., Rabl-Berger S., Kibblewhite, M., Louwagie, G. 2014. Progress in the Management of Contaminated Sites in Europe, Joint Research Center. Reference Report. European Commission