

Composite magnetic-fluorescent nanoparticles for bioassays: CRP

KC, Sanjaya ; Ranzoni, Andrea; Phetsang, Wanida; Hansen, Mikkel Fougt; Cooper, Matthew A.

Publication date:
2016

Document Version
Early version, also known as pre-print

[Link back to DTU Orbit](#)

Citation (APA):

KC, S., Ranzoni, A., Phetsang, W., Hansen, M. F., & Cooper, M. A. (2016). Composite magnetic-fluorescent nanoparticles for bioassays: CRP. Abstract from Biosensors 2016, Gothenburg, Sweden.

DTU Library

Technical Information Center of Denmark

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Important notes:

Do **NOT** write outside the grey boxes. Any text or images outside the boxes **will** be deleted.

Do **NOT** alter the structure of this form. Simply enter your information into the boxes. The form will be automatically processed – if you alter its structure your submission will not be processed correctly.

Do not include keywords – you can add them when you submit the abstract online.

Title:

Composite magnetic-fluorescent nanoparticles for bioassays: CRP

Authors & affiliations:

Sanjaya KC^a, Andrea Ranzoni^a, Wanida Phetsang^a, Mikkel Fougth Hansen^b, Matthew A. Cooper^a

a) Institute for Molecular Bioscience, 306 Carmody Road, The University of Queensland, Brisbane 4072, QLD, Australia ; b) Department of Micro- and Nanotechnology, Technical University of Denmark, DTU Nanotech, Building 345 East, DK-2800 Kongens Lyngby, Denmark

Abstract: (Your abstract must use **Normal style** and must fit in this box. Your abstract should be no longer than 300 words. The box will 'expand' over 2 pages as you add text/diagrams into it.)

Preparation of Your Abstract

1. The title should be as brief as possible but long enough to indicate clearly the nature of the study. Capitalise the first letter of the first word **ONLY** (place names excluded). No full stop at the end.

2. Abstracts should state briefly and clearly the purpose, methods, results and conclusions of the work.

Introduction: Clearly state the purpose of the abstract

Methods: Describe your selection of observations or experimental subjects clearly

Results: Present your results in a logical sequence in text, tables and illustrations

Discussion: Emphasize new and important aspects of the study and conclusions that are drawn from them

Nanoparticle-based sandwich assays, have successfully been used to detect biomarkers from complex biological fluids. We aim to exploit the catalytic properties of magnetic nanoparticles for extracting the target from complex biological fluids and simultaneous fluorescent labelling by replacing conventional magnetic nanoparticles with in-house synthesized hybrid magnetic-fluorescent nanoparticles. Polystyrene particles are doped with ferromagnetic grains and capped with a hydrophilic polymer that enables immobilization of reporter probes and the fluorescent agent (quantum dots, organic dye and HRP enzyme). Composite particles were prepared and tested on a model assay to detect exemplar biomarker CRP, clinically relevant for detection of inflammation.

Three different types of hybrid constructs were prepared; HY_QD, HY_FP and HY_HRP with magnetic core and quantum dots, fluorescent probe and HRP enzyme respectively on the outer polymer mesh. Iron grains (5 nm; Sigma Aldrich) were doped into polystyrene particles (200 nm; Polysciences Inc) to generate a magnetic core nanoparticle and further used to generate a polymer multi-layer trapping within quantum dots (Em: 750 nm; LifeTech™®), thus generating a hybrid nanoparticle. The polymer brush is loosely arranged in a hydrogel on the surface of the particle entrapping the QDs and hence facilitated increasing the fluorescent intensity of the particles.

1 µl of particle was added into 100 µl of serum spiked with CRP and incubated for 1 hour at room temperature. The particles were magnetically separated from serum and washed. These nanoparticles were then added to the wells of 96 well microplates (coated with anti-CRP antibodies) and incubated further for 1 hour. The final readout was performed on plate reader after removing the unbound particles by washing. The limit of detection was 320 pg/ml for HY_QDs and HY_FP and 10 µg/ml for HY_HRP.

Important notes:

Do **NOT** write outside the grey boxes. Any text or images outside the boxes **will** be deleted.

Do **NOT** alter the structure of this form. Simply enter your information into the boxes. The form will be automatically processed – if you alter its structure your submission will not be processed correctly.

Do not include keywords – you can add them when you submit the abstract online.

