

# Aliso: A Journal of Systematic and Evolutionary Botany

---

Volume 13 | Issue 4

Article 7

---

1993

Back Matter 13 (4)

Follow this and additional works at: <http://scholarship.claremont.edu/aliso>

---

## Recommended Citation

(1993) "Back Matter 13 (4)," *Aliso: A Journal of Systematic and Evolutionary Botany*: Vol. 13: Iss. 4, Article 7.  
Available at: <http://scholarship.claremont.edu/aliso/vol13/iss4/7>

REVIEWERS OF MANUSCRIPTS

The Editor and other members of the Editorial Board are grateful to the following persons who kindly gave of their time to review manuscripts that were considered for publication in *Aliso*, Volume 13.

- |                        |                       |
|------------------------|-----------------------|
| BARNETT, LISA C.       | KUMMEROW, JOCHEN      |
| BILLINGS, WILLIAM D.   | LES, DONALD H.        |
| BLACKWELL, MEREDITH    | LEWIS, WALTER H.      |
| CRONQUIST, ARTHUR      | LISTON, AARON         |
| DALY, DOUGLAS C.       | LUCANSKY, T. W.       |
| DANIEL, THOMAS F.      | McCLURE, JERRY W.     |
| DICKISON, WILLIAM C.   | MERRILL, EDWARD K.    |
| DONOGHUE, MICHAEL J.   | MISHLER, BRENT D.     |
| DOYLE, JAMES A.        | ORNDUFF, ROBERT       |
| DOYLE, MICHAEL F.      | OLMSTEAD, RICHARD G.  |
| ECKENWALDER, JAMES E.  | PRIGGE, BARRY A.      |
| ERTTER, BARBARA        | REZNICEK, ANTON A.    |
| EWERS, FRANK W.        | ROBICHAUX, ROBERT H.  |
| FAGERBERG, WAYNE R.    | SCHMID, RUDOLF        |
| FAHN, ABRAHAM          | SIMBERLOFF, DANIEL S. |
| FAIRBROTHERS, DAVID E. | SIMPSON, MICHAEL G.   |
| FRYXELL, PAUL A.       | SOLTIS, DOUGLAS E.    |
| GIFFORD, ERNEST M.     | STERN, WILLIAM L.     |
| HAYDEN, W. JOHN        | STUESSY, TODD F.      |
| HEGENAUR, ROBERT       | TAVARES, ISABELLE I.  |
| HUFFORD, LARRY D.      | TODZIA, CAROL A.      |
| JUNAK, STEVEN A.       | TUCKER, GORDON C.     |
| KARRON, JEFFREY D.     | WHEELER, ELIZABETH A. |
| KEATING, RICHARD C.    |                       |

## INDEX TO VOLUME 13, ALISO

Includes authors and subject matter as well as all plant and animal taxa appearing in the scientific papers. New taxa and the pages where published are in boldface; synonyms and invalid names are in italics; illustrations are designated by page numbers followed by lower case i; maps are designated by page numbers followed by lower case m. An attempt has been made to correct scientific names misspelled in the text.

- Acanthaceae 88  
**Acanthosyris** 499, 500  
  *falcata* 499, 501, 503i, 508i  
  *glabrata* 499, 501, 502i, 508i  
  *spinescens* 499, 501, 504i, 508i  
Aceraceae 547  
**Achyraea mollis** 490, 496i  
Acompsomyces 355, 362, 574  
  *lasiocilli* 357  
Aconitum 555  
Acrogynomyces 362, 440  
  *elliptoideus* 442  
Acronychia 547  
Actaea 555, 556  
Actinidiaceae 546  
Adenandra 547  
Adiantaceae 300  
Adiscanthus 547  
Adonis 556  
Aesculus 547  
Agastache sect. Agastache 398  
  *rugosa* 398, 403  
Agathosma 547  
Ailanthus altissima 547  
Alliaceae: *Allium fimbriatum* complex 411  
Allium 411  
  *abramsii* 413, 416i, 417, 420m  
  *anserinum* 421  
  *atrorubens* 413  
  *canadense* 412  
  **denticulatum** 413, 414, 416i, 420m  
  **diabolense** 414, 422m, 425  
  *fimbriatum* 411, 421  
    subsp. *mohavense* 424  
    subsp. *parryi* 418  
    subsp. *purdyi* 423  
    var. *aboriginum* 421  
    var. *abramsii* 417  
    var. *denticulatum* 414  
    var. *diabolense* 425  
    var. *fimbriatum* 414, 419i, 421, 422m  
    var. *mohavense* 414, 419i, 422m, 424  
    var. *munzii* 415  
    var. *purdyi* 414, 422m, 423  
    var. *sharsmithiae* 417  
  *howellii* 413  
  *jepsonii* 413  
  *monticola* 413  
  **munzii** 413, 414, 415, 416i, 420m  
  *nevadense* 413  
  *parishii* 413  
  *parryi* 414, 418, 420m  
  *purdyi* 423  
  *sanbornii* 411, 413  
    var. *cogdonii* 413  
    var. *sanbornii* 413  
  *sharsmithiae* 414, 417, 419i, 420m  
  *shevockii* 414  
  *tuolumnense* 414  
Allozymes: variation in Saxifragaceae and Polystichum 215  
**Alnus maritima** 404  
Anardiaceae 547  
Anatomy: North American *Astragalus* 339, 344  
  see Wood anatomy  
Anemone 555  
  *nemorosa*: chromosome number 554  
Angiospermae 365  
  (*Annonopsida*): synopsis of the class 375  
Angiosperms: primitive 447  
Annonidae (Dicotyledoneae): synopsis of the subclass 375  
Annonopsida (Angiospermae): synopsis of the class 375  
Anther walls: use in dicotyledon classification 110i, 111  
Anthocoridae 355, 442  
Anthoxanthum odoratum 300  
Antipodal cells: use in dicotyledon classification 128, 129i  
Aphanandromyces 574  
Aporomyces 427, 444  
Aquilegia 554-556  
Aralia chinensis 398  
  *spinosa* 398  
Araucaria 293  
Argyreia obtusifolia 56  
Argyroxiphium caliginis 490, 492i  
  *grayanum* 490, 492i  
  *kaunense* 490  
  *sandwicense* 490, 492i  
  *virescens* 490  
Ascarina 447, 452, 460  
Ascomyces 355, 427, 559  
Aspleniaceae 300  
Asplenium 303  
Asteraceae 487  
  tribe Mutisieae 406  
Astracantha 339, 343  
Astragalus 339  
  sect. Eroidei 340  
    subsect. Submonospermi 341, 342  
  sect. Humillimi 340-342  
  sect. Jejuni 340-342  
  sect. Neonix 340-342  
  *cremophylax* 340, 341i, 342  
  *gilensis* 340, 341i, 342  
  *humillimus* 340, 341i, 342  
  *jejunus* 340, 341i, 342  
  *johannis-howellii* 340, 341i, 343  
  *kentrophyta* 342  
    var. *coloradoensis* 340  
    var. *danaus* 340  
    var. *elatus* 340, 341i  
    var. *implexus* 340  
    var. *jessiae* 340  
    var. *kentrophyta* 340  
    var. *neomexicanus* 340  
    var. *ungulatus* 340  
  *limnocharis* 340, 341i, 342  
  *mulfordae* 340, 341i, 342  
  *peckii* 340, 341i, 342  
  *troglodytes* 340, 341i, 342  
  *wittmannii* 340, 341i, 342  
Old World vs. New World 343  
petiolar anatomy 339  
Atacama and Peruvian deserts: localities and geographic features 3m  
Atacama Desert: phytogeography and ecology 1  
Autophagomyces 574  
Avicenniaceae 338  
Barosma 547  
Behnke, H.-D. Sieve-element plastids in dicotyledons 167  
Benjamin, R. K. Cupulomyces, a new genus of Laboulbeniales  
  355  
  ———. Laboulbeniales on semiaquatic Heteroptera. VI. *Tavarensis* 559  
  ———. Phalacrichomyces, a new genus of Laboulbeniales 427  
Bensonella oregonae 219, 223  
Berberidaceae 301, 551  
Berberidales 522

- Billia** 547  
**Biogeography of islands: geoedaphics** 225  
**Blechnaceae** 299, 300  
**Blechnum** 303  
**Blepharipappus scaber** 490  
**Blepharizonia plumosa** 490  
**Boenninghausenia** 547  
**Bonamia cymosa** 55  
  *maripoides* 56, 59i  
**Bonin Islands flora: endemism, dispersal modes** 95  
**Boraginaceae** 298, 301  
**Breweria menziesii** 56, 59i, 61i  
**Bromeliaceae** 299, 301  
**Bruniaceae** 473  
**Bruniales** 472, 473  
**Burseraceae** 547  
**Bystropogon canariensis** 312  
  *plumosus* 312  
**Calicarpa: adaptive radiation in Bonin Islands** 100  
**Callitrichales** 472  
**Callitricha** 473  
**Calodendrum** 547  
**Caltha** 555  
**Calycadenia multiglandulosa** 490, 493i  
**Calyptosepalum** 510  
**Camellia japonica** 515  
**Campanulaceae** 301, 302  
**Cantharomyces bordei** 427  
**Caprifoliaceae** 546  
**Carex berteroana** 305  
**Carlquist, S. Wood anatomy of Hedyosmum (Chloranthaceae)**  
  447  
  —, Wood anatomy of Lamiaceae 309  
  —, Wood, bark, and pith anatomy of Old World Ephedra  
  255  
  —, and M. A. Hanson. Wood and stem anatomy of Convolvulaceae 51  
  —, P. L. Morrell, and S. R. Manchester. Wood anatomy of Sabiaceae 521  
  see MacLachlan and Carlquist 487  
**Caryophyllaceae** 301, 302  
**Cedrus deodara** 391  
  *libani* 391  
**Celastraceae** 546  
**Centaurodendron** 298  
**Chaetotropis imberbis** 305  
**Chemistry: anthocyanins** 517  
  flavonoids 395, 397  
  xanthones 515  
**Chenopodiaceae** 301, 303  
**Chenopodium** 303  
  *santae-clarae* 303  
**Chile: Atacama Desert, geomorphology and vegetation** 12  
**Chiranthodendron pentadactylon** 239, 242i  
  × **Chiranthofremontia lensii** 239, 242i  
**Chloranthaceas** 338, 447  
**Chloranthus** 447, 461  
**Chloroplast: DNA** 395, 405  
**Chromosome numbers: Bonin (Ogasawara) Islands** 98  
  *Allium abramsii* 417  
    *denticulatum* 415  
    *diabolense* 425  
    *fimbriatum* 421  
    *munzii* 415  
    *parryi* 418  
    *sharsmithiae* 418  
  *Anemone nemorosa* 554  
  *Hydrastis* 554, 557  
    *Ranunculaceae* 554, 557  
  *Cimicifuga* 555, 556  
  *Circaeasteraceae* 553  
**Cladistics: significance of parallelism** 191  
**Classification: Angiospermae** 365  
  *Hydrastis* (Ranunculaceae) 551  
**Clausena** 547  
**Clematis fremontii** var. *reihlii* 232, 233m  
**Clifford, H. T. Germination patterns in dicotyledons** 207  
**Climate: western South America, coastal desert** 2  
**Clusiaceae** 516  
**Cneoraceae** 547  
**Coleoptera** 427  
**Comocladia** 547  
**Compositae** 298, 299, 301, 302  
**Compsomyces** 445  
**Cones: bisexual, Cupressus sempervirens** 391  
  aggregated (proliferated) 475  
**Comimitella williamsii** 219, 223  
**Contreras, V. R., R. Scogin, C. T. Philbrick, and A. Novelo R.**  
  Phytochemical study of Podostemaceae 513  
**Convergence: persistent petioles in Astragalus** 344  
**Convolvulaceae: wood and stem anatomy** 51  
**Convolvulus cneorum** 56, 63i  
  *floridus* 56, 64i  
  *scoparius* 56, 66i  
**Coprosma** 302  
**Coptis** 555, 556  
**Crassulaceae** 513, 518  
**Crawford, D. J., et al. Plant species disjunctions** 395  
  see Stuessy et al. 297  
**Crepidistastrum: adaptive radiation in Bonin Islands** 100  
**Cruciferae** 301  
**Cryptandromyces** 574  
**Cryptophagidae** 442  
**Cucujidae** 442  
**Cuminia** 298, 302  
  *eriantha* 312, 323i  
  *fernandeziana* 312, 329i  
**Cupressaceae** 293  
**Cupressus arizonica** 391  
  *macrocarpa* 391  
  *sempervirens* 391, 392i, 393i, 483  
**Cupulomyces** 356, 440, 442  
  *lasiocchili* 357, 358i, 360i, 442  
**Cycadales** 293  
**Cycadeoideales** 293  
**Cyperaceae** 301  
**Cystopteris** 516  
**Dahlgren, G. Natural system of the Dicotyledons: embryological characters** 107  
**Datisca cannabina** 398, 402  
  *glomerata* 398, 402  
**Delphinium** 555, 556  
**Dendroseris** 298, 303  
  *macrantha* 305  
**Dicksoniaceae** 298, 300  
**Dicotyledoneae (Annonidae): synopsis of the subclass** 375  
**Dicotyledons: classification, use of serological characters** 183  
  distribution and evolution of sieve-element plastids 167, 178i  
  embryology 107  
  seed germination patterns in 207  
**Dicranostyles densa** 56, 67i  
  *holostyla* 56  
**Dillon, M. O., see Rundel et al. 1**  
**Dioicomycetes** 444  
**Diphylla** 552  
**Disjunctions: perspectives from molecular data** 395  
**Dispersal modes: Bonin (Ogasawara) Islands** 95  
**Distolomycetes** 574  
**DNA: chloroplast** 395, 405  
**Dorystochas hastata** 312, 322i  
**Dryopteridaceae** 299, 300  
  *Polystichum*, genetic variation in 215  
**Dubaia** 405  
  *ciliolata* 490  
  *laxa* 490, 496i  
  *menziesii* 490, 492i  
  *paleata* 490  
  *platyphylla* 490, 495i  
  *scabra* 490  
**Ecology: Hedyosmum** 461  
  *Lamiaceae* 333  
  coastal Atacama and Peruvian deserts 1  
**Edaphic islands and biogeography** 225  
**Ehleringer, J. R., see Rundel et al. 1**  
**El Niño** 10  
**Elateridae** 442  
**Electrophoresis: enzyme** 395, 399  
**Elias, T. S., and V. V. Korzhenevsky. Taxol and related compounds in Taxus baccata** 463  
**Elliotia bracteata** 397  
  *pyroliflora* 397  
**Elmlea racemosa** 219, 223  
**Embryo sac formation: use in dicotyledon classification** 127  
**Embryo size: use in dicotyledon classification** 149, 150i  
**Embryogeny: use in dicotyledon classification** 131i, 132  
**Embryology: use in classification of dicotyledons** 107

- Embryos:** chlorophyllous, use in dicotyledon classification 147, 148*i*
- Endemism** 365
- Bonin (Ogasawara) Islands 95
  - coastal Atacama and Peruvian deserts 41
  - genetic variation 215
  - Juan Fernandez Islands 297
- Endosperm:** formation, use in dicotyledon classification 133, 136*i*
- haustoria, use in dicotyledon classification 143
  - persistence, use in dicotyledon classification 140*i*, 141
  - ruminate, use in dicotyledon classification 142*i*, 143
  - storage compounds, use in dicotyledon classification 145, 146*i*
- Engel, T.** Petiolar anatomy of North American *Astragalus* 339
- Ephedra** 255
- alata 258, 287*i*
  - altissima 258, 263*i*, 276*i*, 277*i*
  - americana 291
  - aphylla 258, 276*i*, 277*i*, 283*i*
  - campylopoda 258, 285*i*
  - ciliata 258, 268*i*
  - coryi var. *viscidula* 291
  - distachya var. *distachya* 258, 287*i*
    - var. *monostachya* 258, 265*i*, 275*i*
  - equisetina 258, 265*i*, 267*i*, 271*i*, 273*i*, 275*i*, 281*i*, 283*i*
  - foliata 258, 271*i*, 283*i*
  - fragilis 258, 263*i*, 277*i*
  - gerardiana 258, 267*i*, 271*i*, 275*i*
  - intermedia 258, 268*i*, 271*i*
  - kokanica 258, 263*i*, 268*i*, 275*i*
  - lomatolepis 258
  - major 258, 268*i*
  - monosperma 259, 265*i*
  - pachyclada 259, 281*i*
  - pedunculata 257
  - procera 259, 287*i*
  - przewalskii 259, 265*i*, 268*i*, 273*i*, 276*i*, 281*i*
  - sarcocarpa 259, 285*i*, 287*i*
  - sinica 259
  - sinica 259, 277*i*
  - strobilacea 259
  - triandra 257
  - tweediana 257
  - infrageneric categories 256
  - wood, bark, and pith anatomy 255
- Ephedraceae** 255
- Eranthis** 556
- Ericaceae** 301, 397
- Ericybe coccinea** 56
- Erigeron** 303, 304
- fernandezianus 305
- Eryngium** 303
- Euphorbiaceae** 301
- Euroschinus** 547
- Evolution:** habitat, *Hedyosmum* 460
- significance of parallelism 191
- Exogonium bracteatum** 56, 61*i*
- Fabaceae** 339, 547
- Fagara** 302
- Flacourtiaceae** 301
- Flavonoids** 395
- Hydrostachys insignis* 471–473
- Fremontodendron** 'Pacific Sunset' 239, 242*i*
- Fungi** 355, 427, 559
- Gentianaceae** 516
- Geomorphology and vegetation:** Chilean Atacama Desert 12
- coastal Peruvian Desert 26
- Georgia** 463
- Gerbera** 406
- Germination, seed:** patterns in dicotyledons 207
- Glaucidiaceae** 553
- Glaucidium** 552, 555
- Gleicheniaceae** 300
- Gnetales** 255, 292–294
- Goodeniaceae** 546
- Gossypium davidsonii** 400, 405
- klotzschianum* 400, 405
- Gramineae** 299, 301
- Great Basin** 347
- Gulmon, S. L.**, see Rundel et al. 1
- Gunnera** 303
- Gunneraceae** 301
- Gymnosperms** 255
- Haloragaceae** 301
- Hanson, M. A.**, see Carlquist and Hanson 51
- Hebridae** 559
- Hebrus** 559, 565
- isaloi 565
  - pusillus 559, 565
  - ruficeps 559, 561
- Hedyosmum arborescens** 449, 457*i*
- bonplandianum* 449, 455*i*
  - brasiliense* 449, 455*i*
  - brenesii* 449, 455*i*
  - cumbalense* 449, 454*i*
  - domingense* 449
  - goudotianum* 449, 451*i*, 455*i*
  - luteynii* 449, 454*i*, 457*i*
  - mexicanum* 449
  - nutans* 449
  - peruvianum* 449
  - racemosum* 449
  - scaberimum* 449, 457*i*
  - scabrum* 449, 459*i*
  - wood anatomy 447
- Helleborus** 554–556
- Hemianthus pungens** 312, 317*i*, 322*i*
- Hemizonia clementina** 490
- fitchii* 490, 495*i*
  - pallida* 490
- Hemizygia obermayerae** 312, 322*i*
- Hemoglobins, plant:** parallelism 200
- Henrickson, J.** × *Chiranthofremontia*, an intergeneric hybrid [Sterculiaceae] 239
- Hepatica** 555
- Herpomyces** 445
- Hesperomyces** 355, 362
- lasiochili* 357
- Heteroptera** 355, 442, 559
- Heuchera americana** 219
- grossularifolia* 219
  - micrantha* 219
  - parviflora* 219
  - pubescens* 219
  - villosa* 219
- Hippocastanaceae** 547
- Hippuris** 473
- Holocarpha heermannii** 490
- Holozonaria filipes** 490
- Hoslundia opposita** 312
- Hunnemannia fumariaeefolia** 68
- Hydrangeaceae** 546
- Hydrastidaceae** 551, 553, 556
- Hydrastis:** classification 551
- Hydrostachyaceae** 471–473, 513, 518
- Hydrostachyales** 472
- Hydrostachys insignis** 471–473
- Hymenophyllaceae** 299, 300
- Hypostase:** use in dicotyledon classification 130*i*, 132
- Hypitus arborea** 312
- emoryi* 312, 323*i*
  - mutabilis* 312
- Hyssopus officinalis** 312, 331*i*
- Iacinaceae** 522, 546
- Ilyomycetes** 440, 442
- Insect parasites** 355, 427
- Insects** 559
- Ipomoea adenoides** 56, 69*i*
- arborescens* var. *arborescens* 56
  - var. *glabrata* 56, 69*i*, 81*i*, 83*i*
  - bona-nox* 56
  - cardiosepala* 57, 72*i*, 83*i*
  - fistulosa* 57, 70*i*
  - hederifolia* 52, 78
  - intrapilosa* 57, 70*i*
  - mauritiana* 57
  - murucoides* 57
  - pauciflora* 57, 72*i*
  - prismatiphon* 57
  - tiliacea* 57, 72*i*
  - tube* 57
  - verbascoidea* 57, 70*i*
- Island evolution:** Juan Fernandez Islands 297
- Islands:** biogeography; geoedaphics 225
- endemism and dispersal modes 95
- Isomeris arborea** 68

- Jeffersonia** 554  
**Jensen, U.** Natural system of the dicotyledons: serological characters 183  
**Jodina** 499  
*rhombifolia* 499, 501, 505i, 506, 509i  
**Jokerst, J. D.** New species of *Pogogyne* (Lamiaceae) from California 347  
**Juan Fernandez Islands** 297  
 ecological zones 302  
 endemic angiosperms 300  
 families of dicots 301  
   ferns 300  
   monocots 301  
**Juania** 299  
*australis* 300  
**Julianaceae** 547  
**Juncaceae** 301  
**Keener, C. S.** Review of the classification of *Hydrastis* 551  
**Keys:** *Allium fimbriatum* and *A. sanbornii* complexes 413  
*Hydrastis* vs. *Ranunculaceae* (s.s.) 557  
*Phalacrichomycetes* (*Laboulbeniales*) 428  
*Tavaresiella* (*Laboulbeniales*) 560  
**Kingdoniaceae** 553  
**Korzhenevsky, V. V.**, see Elias and Korzhenevsky 463  
**Kruckeberg, A. R.** Geodaphnics and island biogeography for vascular plants 225  
**Kubitzki, K., et al.** Parallelism: origin and systematic significance 191  
**Labiatae** 298, 301, 302, 309, 398  
**Laboulbenia** 574  
*acupalpi* 444  
*chaetophora* 445  
*flagellata* 444  
*formicarum* 444  
*gyrinidarum* 445  
*parvula* 444  
**Laboulbeniaceae** 559  
**Laboulbeniales** 355, 427, 559  
 subtribe *Stigmatomyctinae* 427, 443, 559, 574  
 mirror-image asymmetry 444  
**Lactoridaceae** 298, 301  
**Lactoris** 298, 461  
**Lagophylla ramosissima** 490  
**Lambertia** 546  
**Lamiaceae** 347  
 intrafamilial categories 310  
 wood anatomy 309  
**Lardizabalaceae** 522  
**Lasiochilus pallidulus** 355  
**Lauraceae** 461  
*Lavandula dentata* 312  
*Layia platyglossa* 490, 495i  
**Lee, Nam Sook**, see Crawford et al. 395  
**Leguminosae** 301  
**Leibnitzia** 406  
**Leonotis leonurus** 312  
*Lepechinia calycina* 312, 327i  
*cardiophylla* 312  
*fragrans* 312, 316i, 325i, 327i, 331i  
*ganderi* 312  
*hastata* 312, 316i  
**Leptothyrsa** 547  
*Leucosceptrum canum* 312, 316i, 329i, 331i  
**Lev-Yadun, S.** Abnormal cones in *Cupressus sempervirens* 391  
 —. Aggregated cones in *Pinus halepensis* 475  
**Liliidae (Monocotyledoneae): synopsis of the subclass** 385  
**Limnichidae** 427  
**Limnichus sericeus** 427  
**Liquidambar acalyicina** 403  
*formsana* 403  
*styraciflua* 403  
**Liriiodendron chinense** 399, 403, 405  
*tulipifera* 399, 403, 405  
**Lithraea** 547  
**Loganiaceae** 546  
**Lysiostyles scandens** 57  
**MacLachlan, A. A., and S. Carlquist.** Nonglandular trichomes of Californian and Hawaiian tarweeds 487  
**Madia bolanderi** 490, 496i  
*sativa* 490  
**Madiinae** 487  
**Magnoliaceae** 522  
**Manchester, S. R.**, see Carlquist et al. 521  
**Marathrum elegans** 514  
*haenkeanum* 514  
*Maripa janusiana* 57, 73i  
*panamensis* 57  
**Marticorena, C.**, see Stuessy et al. 297  
**McNeal, D. W.** Revision of the *Allium fimbriatum* complex 411  
**Megalachne** 299  
*berteroanus* 305  
**Meliosma** 521  
 subgen. *Kingsboroughia* sect. *Kingsboroughia* 526  
 subgen. *Meliosma* sect. *Lorenzana* 526  
   sect. *Meliosma* subsect. *Pinnatae* 526  
     subsect. *Simplices* 526  
*alba* 524, 537i  
*allennii* 524  
*arnottiana* 524, 526, 535i  
*cuneifolia* 524, 526, 529i, 535i  
*dentata* 524  
*dilleniifolia* ssp. *cuneifolia* 526  
   ssp. *dilleniifolia* 524  
     ssp. *flexuosa* 524, 529i, 530i, 534i, 541i  
     ssp. *tenuis* 526  
*ellipticifolia* 524, 531i, 534i  
*fischeriana* 524, 526  
*glabrata* 524  
*glossophylla* 524, 535i, 537i  
*hachijoensis* 524, 526, 528i, 534i  
*herbertii* 524, 539i  
*kirkii* 524, 526  
*lanceolata* 524, 534i  
*lepidota* ssp. *squamulata* 526  
*macrophylla* 524, 526  
*myriantha* 524, 530i, 531i  
*nitida* 524, 526  
*occidentalis* 524, 531i  
*oldhamii* 524, 526  
*panamaensis* 531i, 539i  
*parviflora* 525, 537i  
*pinnata* ssp. *arnottiana* 526  
   var. *oldhamii* 526  
     ssp. *macrophylla* 526  
       ssp. *ridleyi* 526  
*pittieriiana* 525, 530i  
*rhoifolia* 525, 526  
*rigida* 525, 526, 528i  
*sarawakensis* 526  
*simplicifolia* 525, 528i, 530i, 541i  
   ssp. *rigida* 526  
     ssp. *yunnanensis* 526  
*squamulata* 525, 526, 530i  
*sumatrania* 525, 526, 528i  
*tenuis* 525, 526  
*veitchiorum* 525, 529i, 531i  
*wallichii* 525, 526  
**Meliosmaceae** 521, 546  
**Menispermaceae** 522, 546  
*Menispermum canadense* 403, 404  
*dauricum* 403, 404  
**Merremia cissoides** 57  
*nymphaeifolia* 57  
*peltata* 58, 76i  
**Microsporogenesis: use in dicotyledon classification** 116i, 117  
*Mida salicifolia* 510  
*Mina lobata* 58  
*Modoc Plateau* 347  
*Monardella linoides* 312, 316i  
**Monocotyledoneae (Liliidae): synopsis of the subclass** 385  
**Mooney, H. A.**, see Rundel et al. 1  
**Moraceae** 516  
**Moringaceae** 547  
**Morphology: leaf**, *Hydrastis* 555  
**Laboulbeniales** 427  
*Cupulomyces* 355–362  
*Phalacrichomycetes* 435–440  
*Tavaresiella* 571–574  
**Lamiaceae** 336  
 aggregated cones 475  
**Morrell, P. L.**, see Carlquist et al. 521  
**Mourera fluviatilis** 516  
*Myoschilos* 499  
*oblongum* 499, 501, 506, 507i, 509i  
**Myristicaceae** 461

- Myrtaceae 301, 302  
 Nelumbonaceae 546  
*Neurolepis acuminata* 55  
 prevosteoides 55  
*Nigella* 556  
*Nitidulidae* 442  
*Norverto, C. A.* Wood anatomy and relationships of Santalaceae 499  
*Novelo R., A.*, see Contreras et al. 513  
*Nymphaeaceae* 293  
 Obturator: use in dicotyledon classification 125  
*Ochagavia* 299  
*Ocimum basilicum* 312  
 Ogasawara Islands: flora, endemism, and dispersal modes 95  
*Olacaceae* 510  
*Ono, M.* Flora of Bonin (Ogasawara) Islands: endemism and dispersal modes 95  
*Operculina palmeri* 58, 76i, 77i, 81i  
 passifloroides 58, 80i  
*Ophiocaryon* 521  
 paradoxum 525, 542i  
*Ophioglossaceae* 300  
*Orchidaceae* 301  
*Origanum majorana* 312  
*Orthosiphon labiatus* 312  
*Oserya coulteriana* 514  
 Ovule morphology: use in dicotyledon classification 118i, 119, 120i, 121  
*Palma, B.*, see Rundel et al. 1  
*Palmae* 299, 301  
 Parallelism: evolutionary origin and significance 191  
*Paramignya* 547  
 Parietal tissue: use in dicotyledon classification 125, 126i  
*Passifloraceae* 88  
*Peperomia* 303  
 Perisperm: use in dicotyledon classification 144i, 145  
*Pernettya rigida* 305  
 Peru: coastal desert: geomorphology and vegetation 26  
 Peruvian Desert: phytogeography and ecology 1  
*Phalacrichomycetes* 428  
 anomalis 431, 434i, 437i, 439i, 441i  
 normalis 429, 430i, 432i  
*Phalacridius* 427  
 diligens 428, 431, 434  
*Philbrick, C. T.*, see Contreras et al. 513  
 Phloem: sieve-element plastids, distribution and evolution in dicotyledons 167  
*Phoxanthus* 521  
*Phryma leptostachya* var. *asiatica* 403, 404  
 var. *leptostachya* 403, 404  
*Phyllostegia lantanoides* 312, 317i, 327i  
 Phylogeny: Angiospermae 365  
 Hedyosmum 460  
 embryological characters in dicot classification 107  
 significance of parallelism 191  
 Phytochemistry: Hydrostachys insignis 471–473  
*Podostemaceae* 513, 518  
 Phytophotography 365  
 coastal Atacama and Peruvian deserts 1  
*Pinus* 475, 483  
 banksiana 475, 482  
 clausa 475, 482  
 contorta 475, 482  
 halepensis 475, 477m, 480i, 481i  
 populations in Israel 478–479  
 massoniana 475, 482  
 monticola 391  
 mugo 475, 482  
 pinaster 475  
 ponderosa 391  
 rigida 475, 482  
 sylvestris 475, 482  
 thunbergii 475, 482  
*Piperaceae* 301  
*Pith*, anatomy: *Ephedra* 284, 291  
*Pittosporum*: adaptive radiation in Bonin Islands 100  
*Plantaginaceae* 300, 301, 472  
*Plantago fernandezia* 300  
 Plants: aquatic 471, 513  
 Plastids, sieve-element: distribution and evolution in dicotyledons 167  
 forms and types 169, 174i  
*Platanaceae* 546  
*Platanus occidentalis* 398  
 orientalis 398  
*Platidesma* 547  
*Plectranthus barbatus* 312, 317i, 323i  
*Poa* 406  
*Poaceae* 406  
*Podophorus* 299  
*Podophyllum* 552  
*Podostemaceae* 471–473  
 phytochemical study 513  
 systematics 513  
*Podostemales* 513, 518  
*Podostemiflorae* 513, 518  
*Podostemopsida* 518  
*Podostemum ceratophyllum* 513  
*Pogogyne* 347  
 sect. *Hediomoides* 351  
*floribunda* 347, 348i, 350m  
*serpylioides* 351  
*tenuiflora* 351  
*zizyphoroides* 351  
*Poliomintha longiflora* 312, 320i  
 Pollen grains: use in dicotyledon classification 114i, 115  
 Pollen, morphology: Ranunculaceae 554  
 Polyembryony: use in dicotyledon classification 133, 134i  
*Polygalaceae* 516  
*Polygonum esotericum* 352  
*Polypodiaceae* 300  
*Polystichum acrostichoides* 221  
 dudleyi 221  
 imbricans 221  
 lemmontii 221  
 munitum 221  
 genetic variation in 215  
*Poppendieck, H.-H.*, see Kubitski et al. 191  
*Prolixandromyces* 362, 440, 442  
*Prostanthera aspalanthoides* 312, 317i  
 rotundifolia 312, 322i  
*Proteaceae* 546  
*Pyularia* 510  
*Quercus acutissima* 398  
 chenii 398  
 consimilis 398  
*myrsinifolia* 398  
*stenophylla* 398  
*Raillardella argentea* 490, 493i  
 minima 490  
 scaposa 491  
*Raillardiopsis muirii* 491, 495i  
 scabrida 491, 496i  
*Ranunculaceae* 301  
 classification of *Hydrastis* 551  
*Ranunculus* 556  
*Rhamnaceae* 301  
*Rhaphithamnus venustus* 305  
*Rhizopodomyces californicus* 444  
*Robinsonia* 298, 302, 303  
*Rodriguez R., R.*, see Stuessy et al. 297  
*Rosaceae* 301  
*Rosanae* 472, 518  
*Rosidae* 518  
*Rosmarinus officinalis* 313, 325i  
*Rubiaceae* 301, 302, 546  
 Rundel, P. W., et al. Atacama and Peruvian deserts: phytogeography and ecology 1  
 Russia, southern 463  
*Rutaceae* 301, 302, 547  
*Rutales* 521, 546  
*Sabia* 521  
 japonica 525, 543i  
 olacifolia 530i  
*Sabiaceae* 521, 546  
 ecology 544  
 generic and infrageneric distinctions 547  
 ordinal position 546  
 systematics 546  
*Salazaria mexicana* 313, 333i  
*Salvia apiana* 313  
*canariensis* 313  
 dorrii 313, 325i  
 funerea 313, 320i  
*lanceolata* 313  
*mellifera* 313, 329i

- Santalaceae 301  
     wood anatomy and relationships 499  
*Santalum fernandezianum* 305  
 Sapindaceae 547  
 Sapindales 521, 546  
*Sarcandra* 447, 461  
*Saururus cernuus* 403, 404  
     *chinenensis* 403, 404  
 Saxifragaceae 301, 397, 513, 578  
     genetic variation in 215  
 Schisandraceae 293, 522  
*Schoepfia* 510  
*Scleropyrum* 510  
 Scogin, R. Phytochemical profile of *Hydrostachys insignis* (Hydrostachyaceae) 471  
     see Contreras et al. 513  
 Scrophulariaceae 301  
 Scrophulariales 471–473  
 Scydmaenidae 440  
 Seed coat characters: use in dicotyledon classification 151  
 Seed germination: cryptocotyl 207, 208i  
     phanerocotyl in dicotyledons 207, 210  
 Seeds: arils—use in dicotyledon classification 157, 178i  
     exotegminal fibers—use in dicotyledon classification 152i, 153  
     exotegminal palisade—use in dicotyledon classification 154i, 155  
     germination patterns in dicotyledons 207  
     sclerotic mesostelal layer—use in dicotyledon classification 155, 256i  
 Selkirkia 298  
*Senecio* flaus 401  
     ssp. *breviflorus* 401  
     ssp. *flavus* 401  
     *mohavensis* 401  
 Sengbusch, P. v., see Kubitski et al. 191  
 Serology: Hydrastis 556  
     use in dicotyledon classification 183  
 Serpentine 230, 230i  
 Sieve-element plastids: distribution and evolution in dicotyledons 167  
 Silva O., M., see Stuessy et al. 297  
 Silverswords 487  
 Simaroubaceae 547  
 Solanaceae 301, 472  
*Solanum* 303  
 Soltis, P. S., and D. E. Soltis. Genetic variation: Saxifragaceae, *Polystichum* 215  
 South America, western: coastal desert climate 2  
 Spergularia confertiflora 302, 305  
 Sphaeromycetes 559, 574  
 Staphylinidae subfam. Steninae 442  
 Stein anatomy: Convolvulaceae 51  
 Stemmatomyces 440, 442  
*Steninae* 442  
*Stenus* 442  
 Sterculiaceae: ×*Chiranthofremontia*, an intergeneric hybrid 239  
 Stictocardia benaviensis 58  
 Stigma types: use in dicotyledon classification 159, 160i  
*Stigmatomyces* 355, 362, 574  
     *lasiochili* 355, 357  
*Stigmatomyctiniae* 427, 443, 559, 574  
 Stilbaceae 338  
 Stuessy, T. F., et al. Endemism in the vascular flora of the Juan Fernandez Islands 297  
     see Crawford et al. 395  
*Sullivantia hapemanii* var. *hapemanii* 219  
     var. *purpusii* 219  
     *oregana* 219  
     *sullivantii* 219  
 Synandromyces 440, 442  
     *floriformis* 443  
 Systematics: Allium *fimbriatum* complex 411  
     *Hedysimum* 460  
     *Hydrastis* (Ranunculaceae) 551  
     *Lamiaceae* 337  
 Tapetum, integumentary: use in dicotyledon classification 123, 124i  
 Tapetum types: use in dicotyledon classification 112i, 113  
 Tarweeds: Californian and Hawaiian 487, 490  
 Tavaresiella 559  
     *hebri* 561, 562i, 571i  
     *majewskii* 566, 567i, 571i  
     *polhemii* 568, 570i, 571i  
     *santamariae* 563, 564i, 571i  
 Taxol 463  
 Taxonomy: Allium *fimbriatum* complex 411  
     Angiospermae 365  
     ×*Chiranthofremontia lenzii* (Sterculiaceae) 239  
 Laboulbeniales 427  
     *Cupulomyces* 356  
     *Phalacrichomyces* 428  
     *Tavaresiella* 560  
 Pogogyne 510  
 dicotyledons—use of serological characters 183  
 embryology and classification of dicotyledons 107  
 Taxus 463  
     *baccata* 464  
         presence of taxol 463  
         taxane compounds 466  
     *brevifolia* 463  
     *cuspidata* 464  
         ×*media* 464  
     *Tellima grandiflora* 219  
 Tenebrionidae 442  
 Tetracentraceae 546  
 Tetracentron 453  
*Teucrium flavum* 313  
     *heterophyllum* 313  
 Theales 522  
 Thorne, R. F. Phylogenetic classification of the flowering plants 365  
 Thyrsopteris 298  
*Tiarella cordifolia* 397  
     *polyphylla* 397  
     *trifoliata* 397  
 Timasius 559  
     *chinai* 568, 569  
*Tinnea rhodesiana* 313  
*Tolmiea menziesii* 219  
 Tracheids 447  
     vascular 309  
     vasicentric 309  
 Triceromyces 362, 574  
 Trichomes: nonglandular 487  
*Trichostema lanatum* 313, 323i, 331i  
*Tristiza trifaria* 514  
 Tristicaceae 518  
 Trochodendraceae 546  
*Trollius* 554–556  
*Turbinaria stenosiphon* 58, 80i  
*Ugni selkirkii* 302  
 Ukraine (Crimea) 463  
 Ultrastructure: nonglandular trichomes 487  
 Umbelliferae 301  
*Uncinia douglassii* 305  
 Urticaceae 301  
*Valeriana glauca* 68  
*Vanroyenella plumosa* 514  
 Veliidae 442  
 Verbenaceae 301, 337  
 Vernal pool 347  
 Vessel elements 447  
 Vessels: helical sculpture 309  
     helical thickenings 309  
 Wahlenbergia 302, 303  
     *berteroii* 303  
     *fernandeziana* 303  
     *masafuerae* 303  
 Welwitschia 293  
*Westringia rosmariniformis* 313, 333i  
*Wilkesia gymnoxiphium* 491, 493i  
*Wilsonia humilis* 58  
 Winteraceae 301  
 Wood anatomy: Chloranthaceae 447  
     Convolvulaceae 51  
     *Ephedra* 255, 262  
     *Lamiaceae* 309  
     *Sabiaceae* 521  
     *Santalaceae* 499  
     *Xanthorrhiza* 555  
 Yew 463  
 Yunquea 298

*Publications for Sale*

TECHNICAL REPORTS

The Rancho Santa Ana Botanic Garden, often in cooperation with USDA Forest Service, publishes a series of low-cost technical reports on various botanical subjects. These reports have paper covers and spiral binders; they are available from:

Publications  
Rancho Santa Ana Botanic Garden  
1500 North College Avenue  
Claremont, CA 91711

Shipping and handling: \$1.50 in U.S funds for first volume; \$0.50 for each additional volume.

- No. 1. "Species management guide for *Castilleja gleasonii* A.D.F. Elmer." O. Mistretta and W. J. Brown, Jr., 26 p., Oct. 1987. \$5.00.
- No. 2. "Species management guide for *Claytonia lanceolata* Pursh var. *peirsonii* Munz & Johnson." O. Mistretta and W. J. Brown, Jr., 23 p., Nov. 1987. \$5.00.
- No. 3. "Species management guide for *Mahonia nevinii* (Gray) Fedde." O. Mistretta and W. J. Brown, Jr., 17 p., Feb. 1989. \$5.00.
- No. 4. "Manual para la identificacion de las Compositae de la Peninsula de Yucatan y Tabasco." J. L. Villaseñor, 122 p., Jan. 1989. \$15.00.
- No. 5. "Species management guide for *Dudleya densiflora* (Rose) Moran." O. Mistretta and W. J. Brown, Jr., 21 p., Dec. 1989. \$5.00.
- No. 6. "Drought tolerant planting bibliography." B. Beck, 67 p., Jun. 1990. \$14.00.
- No. 7. "Species management guide for *Opuntia basilaris* Engelm. & Bigel. var. *brachyclada* (Griffiths) Munz." O. Mistretta and M. Parra-Szijj, 53 p., Jun. 1991. \$8.00.
- No. 8. "Species management guide for *Lilium parryi* Wats." O. Mistretta and M. Parra-Szijj, 53 p., Jun. 1991. \$8.00.