

Journal of the Arkansas Academy of Science

Volume 42

Article 20

1988

Bibliographic Summary of Arkansas Field Botany

James H. Peck

University of Arkansas at Little Rock

Carol J. Peck

University of Arkansas at Little Rock

Follow this and additional works at: <http://scholarworks.uark.edu/jaas>



Part of the [Botany Commons](#)

Recommended Citation

Peck, James H. and Peck, Carol J. (1988) "Bibliographic Summary of Arkansas Field Botany," *Journal of the Arkansas Academy of Science*: Vol. 42 , Article 20.

Available at: <http://scholarworks.uark.edu/jaas/vol42/iss1/20>

This article is available for use under the Creative Commons license: Attribution-NoDerivatives 4.0 International (CC BY-ND 4.0). Users are able to read, download, copy, print, distribute, search, link to the full texts of these articles, or use them for any other lawful purpose, without asking prior permission from the publisher or the author.

This Article is brought to you for free and open access by ScholarWorks@UARK. It has been accepted for inclusion in Journal of the Arkansas Academy of Science by an authorized editor of ScholarWorks@UARK. For more information, please contact scholar@uark.edu, ccmiddle@uark.edu.

A BIBLIOGRAPHIC SUMMARY OF ARKANSAS FIELD BOTANY

JAMES H. PECK and CAROL J. PECK
Dept. Biology and Office Testing Services
University of Arkansas at Little Rock
Little Rock, AR 72204

ABSTRACT

Over 750 references, compiled over the past five years, are presented on floristics, taxonomy, autecology, synecology, species biology, habitat analysis, impact analysis, paleoenvironment, phytogeography, and history of field botany in Arkansas. This bibliography is reported to facilitate efforts to document and interpret the flora, the vegetation, and the natural heritage of Arkansas and to encourage others to participate in that collective effort.

INTRODUCTION

Arkansas has a flora and vegetation that is characterized by richness and diversity, reflecting its location in the Mid-South, its varied and rugged topography, and the uninterrupted occupation of habitats during the Pleistocene and Holocene. Efforts to describe, inventory, and interpret the flora and vegetation have resulted in the compilation of an impressive body of literature. Access to plant literature was made difficult by the lack of a recent and relatively comprehensive bibliographic compilation. The last bibliography was prepared by Dale (1963) who added 102 references of vegetation studies to an earlier list of 63 taxonomic papers reported by Buchholz and Palmer (1926). According to our list, approximately 60% of the literature documenting or interpreting field botany in Arkansas was reported after 1963. Much of this recent literature is in the form of status reports, government documents, agency reports, and contract reports. In contrast to references in standard journals, this newer body of knowledge is deposited rather than disseminated, abstracted, and widely circulated, and thus, it is less well known and is cited infrequently.

The problem of access to an ever increasing body of literature on field botany is not a problem restricted to Arkansas. Increased efforts to organize natural heritage information resulted in the preparation of bibliographies on plant studies at the national, regional, and state level. On the national level, Gunn (1956) provided access to the major works on each state flora. On the regional level, Duncan (1953), Egler (1961) and Wood (1983) provided access to the regional literature of the southeastern United States. Summaries of literature for other states in the Mid-south and Northcentral United States have also been prepared and reported: Illinois (Risser, 1984), Iowa (Eilers, 1975; Peck and Roosa, 1983; Peck and Smart, 1985; Roosa and Peck, 1986), Kentucky (Browne, 1965; Davies, 1953; Fuller, 1979), Louisiana (Ewan, 1967; MacRoberts, 1984; Sundell, 1983), Missouri (Dwyer, 1970; Weher and Raveill, 1986), and Tennessee (Andre, 1971; Bates, 1985; Corgan, 1977). Workers in these states found that when access to the literature of their state and that of adjacent states is conveniently summarized, interpretations of flora and vegetation problems common to their region are much easier to compare and to assess properly.

Consequently, we prepared this bibliographic summary of 766 references to Arkansas field botanical literature for four reasons: to compile a comprehensive bibliography, to facilitate access to those literature resources, to communicate within and outside Arkansas, and to enhance or stimulate future studies on field botany projects in Arkansas. We welcome notification of references we overlooked and information of new reports, in that we intend to keep the list current, and report update lists as needed.

METHODS

The bibliography includes references cited by Buchholz and Palmer (1926) and Dale (1963) to provide a complete listing. However, as the scope of our search was broader than those two earlier compilations, we also added references reported before 1963. We included any reference on the flora or vegetation of Arkansas, including pertinent information of plant taxonomy, plant ecology (autecology and

synecology), floristics, phytogeography, palynology, dendrochronology, vegetation management, status reports on rare species, environmental impact statements of significant tracts of natural heritage value, and literature essential to the proper interpretation of Arkansas' botanical natural heritage, such as general works on soil, climate, and geography or on the history of the exploration and study of the natural resources of Arkansas by early naturalists. Some studies conducted outside Arkansas are included if they are of particular importance to the proper interpretation of Arkansas' natural heritage, particularly if these works were excluded in recent discussions.

References that primarily discuss phytoplankton, agronomic crops, weed control, pest management, or tree plantations were excluded. Rather than cite each soil survey for the 75 counties, a general reference to their existence was noted to direct the reader to the government documents section of the library. Similarly, over 100 reports on the generic flora of the southeastern United States were recently indexed (Wood, 1983), and only a few of these were included. Monographic works on wide ranging taxa were generally not included unless Arkansas material was particularly rare and of national importance. General monographs that include Arkansas taxa are well enough summarized by Smith (1968).

Eventually, any list becomes a matter of personal choice; we included any paper which we deemed to contain sufficient merit that its exclusion might be criticized. Early drafts of the list was submitted for comment to Drs. Ed Dale and Ed Smith, University of Arkansas; Dr. Leon Richards, Arkansas State University; Dr. Gary Tucker, Arkansas Tech University; Dr. Eric Sundell, University of Arkansas at Monticello; Drs. Donald Culwell and Robert Wright, University of Central Arkansas; Dr. Henry Robison, Southern Arkansas University, and to Thomas Foti, Steve Orzell, William Shepherd, and Kenneth Smith, Arkansas Natural Heritage Commission. Their contributions added measurably to our list. Several students helped to clerically update the list, including Mark Schweder, Deborah Prince, and Katie Golden.

BIBLIOGRAPHIC SUMMARY

- Agnew, D. L. 1941. The government land surveyor as a pioneer. *Mississippi Valley Hist. Rev.* 28:369-382.
Allen, R. T. 1985. Arkansas' natural areas: Ashley County. *Ark. Nat.* 3(7):1-4.
Allred, B. W., and H. C. Mitchell. 1955. Major plant types of Arkansas, Louisiana, Oklahoma and Texas and their relation to climate and soils. *Texas J. Sci.* 7:7-19.
Anon. 1982. Delzie Demaree. *Sida Contributions to Botany*. *Sida* 9(4):269-286.
Arend, J. L. 1947. An early eastern red cedar plantation in Arkansas. *J. For.* 45:358-360.
Arend, J. L. 1950. Influence of fire and soil on distribution of eastern red cedar in the Ozarks. *J. For.* 48:129-130.
Arend, J. L., and R. F. Collins. 1949. A site classification for eastern red cedar in the Ozarks. *Proc. Soil Sci. Soc. Amer.* 13:510-511.
Arend, J. L., and O. Julander. 1948. Oak sites in the Arkansas Ozarks. *Univ. Ark. Agric. Exper. Sta. Bull.* 484.

James H. Peck and Carol J. Peck

- Arkansas Dept. Planning. 1973. Atlas of Arkansas. ADP, Little Rock, AR. 91 pp.
- Arkansas Dept. Planning. 1974. Arkansas natural areas plan. ADP, Little Rock, AR. 248 pp.
- Arkansas Energy Office. 1981. Arkansas Climate Atlas. AEO, Little Rock, AR.
- Arkansas Forestry Comm. 1972. Forestry: its economic and environmental importance to Arkansas. AFC, Little Rock, AR.
- Arkansas Game and Fish Comm. 1948. Wildlife and cover map of Arkansas, 1:461,000 in color. Produced in cooperation with U. S. Wildl. Serv. by AGFC, Little Rock, AR.
- Arkansas Land Office. U. S. Government Land Office Records. [Original state survey records of Arkansas; Archives, Univ. Ark. - Little Rock, Little Rock, AR.]
- Armstrong, R. 1941. A study of the flora of Massard prairie with some ecological notes. M. S. thesis, Univ. Ark., Fayetteville, AR.
- Armstrong, R., and D. M. Moore. 1957. Botanical aspects of Massard prairie with some ecological notes. Proc. Ark. Acad. Sci. 10:44-57.
- Arnold, J. J. 1960. Prairie mounds and their climatic implications. M. S. thesis, Univ. Ark., Fayetteville, AR.
- Ashe, W. W. 1924a. Further notes on the trees and shrubs of southeastern United States. Bull. Torr. Bot. Club. 50:359-368.
- Ashe, W. W. 1924b. Notes on woody plants. J. Elisha Mitchell Soc. 50:43-48.
- Ashe, W. W. 1925. Further notes on woody plants. Torreya 25:10-11.
- Ashmore, H. S. 1978. Arkansas: A history. Norton, NY.
- Babb, D. 1973. Vascular flora of Cleburne County, Arkansas. M. S. thesis, Ark. St. Univ., State University, AR. 57 pp.
- Babcock, R. E., E. E. Dale, S. Hurley, and M. Rolington. 1975. A contribution to an environmental assessment study for the proposed Bekaert Steel Wire Corporation Van Buren plant site. Dept. Botany, Univ. of Ark., Fayetteville, AR.
- Bailey, S. W. 1976. Vegetation of selected sites of the Buffalo National River area, Arkansas. M. S. thesis, Univ. Ark., Fayetteville, AR.
- Baldwin, F. L., and E. B. Smith. 1982. Weeds of Arkansas. Dept. Botany, Univ. Ark., Fayetteville, AR.
- Barber, M. G. 1978. Status and distribution of *Monarda stipitata-glandulosa* Waterfall. Unpublished report to Ark. Nat. Heritage Comm., Little Rock, AR.
- Barber, M. G. 1979. A floristic study of Franklin County, Arkansas. M. S. thesis, Univ. Ark., Fayetteville, AR.
- Barkley, H. G. 1954. Some observations of fluctuating water levels and seasonal changes in an Arkansas cypress swamp. Proc. Okla. Acad. Sci. 35:1-2.
- Barnett, S. M. 1969. A study of the herbaceous vascular plants from selected sites in Faulkner County, Arkansas. Proc. Ark. Acad. Sci. 23:157-163.
- Baskin, J. M., and C. C. Baskin. 1986. Distribution and geographical/evolutionary relationships of cedar glade endemics in southeastern United States. Assoc. Southeast. Biol. Bull. 33:138-154.
- Beasley, R. S. 1986. Atmospheric deposition: research needs and priorities in the Mid-South. Pp. 57-62, in B. G. Blackmon and R. S. Beasley. Proceedings of Mid-South Symposium on Acid Deposition. Univ. Ark. - Monticello, Monticello, AR.
- Bedinger, M. S. 1971. Forest species as indicators of flooding in the lower White River valley, Arkansas. U. S. Geol. Sur. Prof. Paper 750-C:248-253.
- Bedinger, M. S. 1978. Relation between forest species and flooding. Pp. 427-435, in P. E. Greeson, J. R. Clark, and J. E. Clark. Wetland functions and values: the state of our understanding. Proceedings national symposium on wetlands. Amer. Water Resour. Assoc., Minneapolis, MN. 674 pp.
- Bedinger, M. S. 1979. Forests and flooding with special reference to the White River and Ouachita River basins, Arkansas. Open-file report 79-68. Water Resources Investigations, U. S. Geol. Surv., Little Rock, AR.
- Beilman, A. P., and L. G. Brenner. 1951a. The recent intrusion of forests in the Ozarks. Ann. Mo. Bot. Gard. 38:261-282.
- Beilman, A. P., and L. G. Brenner. 1951b. The changing forest flora of the Ozarks. Ann. Mo. Bot. Gard. 38:283-291.
- Bertelson, D. F. 1971. Growth components of Arkansas forests. U. S. For. Serv. Res. Note 114:1-3.
- Bertelson, D. F. 1980. Arkansas Forest Industries, 1977. U. S. Dept. Agric. For. Serv. Resour. Bull. SO-75. South. For. Exp. Stn. New Orleans, LA. 18 pp.
- Bogle, A. L., T. Swain, R. D. Thomas, and E. D. Thomas. 1971. *Geocarpus*: Aizoaceae or Caryophyllaceae. Taxon 20:473-477.
- Bossu, J. B. 1771. Travels through that part of North America formerly called Louisiana. London, printed for T. Davies.
- Bourne, G. E. 1922. Narratives of the career of Hernando de Soto. 2 vol. [Reprinted Allerton Book Co., NY.]
- Bowers, F., and P. L. Redfearn, Jr. 1967. *Lycopodium lucidulum* in the Boston Mountains of Arkansas. Amer. Fern J. 57:91-92.
- Bowers, L. J. 1973. Tree-ring dating of the bald cypress (*Taxodium distichum* L.) in the lower Mississippi valley. M. S. thesis, Ark. St. Univ., College Station, AR. 52 pp.
- Bradbury, J. 1817. Travels in the interior of North America in the years 1809, 1810, 1811, including a description of Upper Louisiana, together with the state of Ohio, Kentucky, Indiana, Tennessee, and Illinois, and western territories, and containing remarks and observations useful to those persons emigrating to those countries Sherwood, Neely, & Jones, London. 364 pp.
- Bradbury, J. L., and D. L. Marsh. 1977. Comparative studies of the witch hazels *Hamamelis virginiana* and *H. vernalis*. Proc. Ark. Acad. Sci. 31:29-31.
- Branner, J. C. 1891. Distribution of timber and its relation to the underlying rock formations. Ann. Rept. Geol. Surv. Arkansas 2:167-170.
- Branner, G. C. 1927. An outline of the physical features of Arkansas. In: Outlines of Arkansas Mineral Resources. Ark. Geol. Surv., Little Rock, AR.
- Branner, J. C. (No Date). Flora of Arkansas with additions by W. S. Blatchley, 1889, and index; also notes of others added at various times. Manuscript in University Library, Univ. Ark., Fayetteville, AR.
- Branner, J. C., and F. V. Coville. 1891. A list of the plants of Arkansas. Annual Report for 1888. Ark. Geol. Surv. 4:155-242.
- Braun, E. L. 1950. The deciduous forests of eastern North America. Chapter 15. Blakiston Company, Philadelphia, PA. 597 pp. [1964 reprint Hafner Pub. Co., NY.]
- Braun, E. L. 1955. The phytogeography of unglaciated eastern United States and its interpretation. Bot. Rev. 21:297-375.
- Breckenridge, H. W. 1814. Views of Louisiana, together with a journal of a voyage up the Mississippi River, in 1811. Quadrangle Books, Chicago, IL. 302 pp.
- Bretz, J. H. 1965. Geomorphic history of the Ozarks of Missouri. Missouri Geol. Surv. Water Resour. Div. 41:1-147.
- Brown, A. V., P. Kittle, E. E. Dale, Jr., and R. T. Huffman. 1974. Rare and endangered species, unique ecosystems and wetlands. Botany Dept., Univ. Ark., Fayetteville, AR. (mimeo. ms.)
- Brown, A. V., and J. P. Ricker. 1982. Macroinvertebrate utilization of leaf detritus in a riffle of the Illinois River, Arkansas. Proc. Ark. Acad. Sci. 36:10-13.
- Brown, A. V., and M. D. Schram. 1982. Leaf detritus processing in an Ozark cave stream. Proc. Ark. Acad. Sci. 36:14-16.
- Browne, E. T. 1974. A preliminary report on the vascular flora of the Sylamore Ranger District Ozark National Forest, Stone Co., Arkansas. Castanea 39:170-188.
- Bryant, V. M. 1969. Late full-glacial and post-glacial pollen analysis of Texas sediments. Ph. D. thesis, Univ. Texas, Austin, TX. 168 pp.
- Buchholz, J. T. 1924. Notes on Arkansas pteridophytes. Amer. Fern. J. 14:33-38.
- Buchholz, J. T. 1930. The Ozark white cedar. Bot. Gaz. 90:326-332.
- Buchholz, J. T., and W. R. Mattoon. 1924. Common forest trees of Arkansas. Bull. No. 180. Agri. Ext. Div., Univ. Ark., Little Rock, AR.
- Buchholz, J. T., and E. J. Palmer. 1926. Supplement to the catalogue of Arkansas plants. Trans. Acad. Sci. St. Louis 25:1-164.
- Buck, W. R. 1977. A new species of *Selaginella* in the *S. apoda* complex. Can. J. Bot. 55:366-371.

A Bibliographic Summary of Arkansas Field Botany

- Bullington, E. H. 1962. The vegetation of Devil's Den State Park, Washington County, Arkansas. M. S. thesis, Univ., Ark., Fayetteville, AR.
- Bush, B. F. 1897. Botany of some southern swamps. Garden and Forest 10:514-16.
- Butler, G. D. 1887. Additions to the flora of Arkansas. Bot. Gaz. 2:104.
- Cain, R. H. 1974. Pimple mounds; A new viewpoint. Ecology 55:178-182.
- Call, R. E. 1887-1889. Notes on the forest trees of eastern Arkansas. Proc. Ia. Acad. Sci. 1:76-85.
- Call, R. E. 1889. Notes on the forest trees of the Crowley's Ridge region. Annual Report for 1889. Ark. Geol. Surv. 2:183-202.
- Carlson, T. M., and W. H. Wagner. 1982. The North American distribution of the genus *Dryopteris*. Contr. Univ. Mich. Herb. 15:141-162.
- Carr, L. 1952. New additions to the flora of Arkansas. Abstract. Proc. Ark. Acad. Sci. 5:11.
- Carrothers, W. N. 1962. An ecological analysis of woody vegetation on selected sites near the White River, northwest Arkansas. National Science Foundation Undergraduate Research Participation Program. Dept. Botany, Univ. Ark., Fayetteville, AR.
- Carter, M. F., F. E. Lane, and J. B. Grace. 1985. Effects of litter on aquatic macrophyte germination and growth. Proc. Ark. Acad. Sci. 39:29-33.
- Census of Agriculture. 1982. Vol. 1. Geographic area series. Part 4. Arkansas: State and county data. 394 pp.
- Chandler, A. 1941. *Pteris multifida* in Arkansas. Amer. Fern. J. 31:112.
- Channell, R. B. and C. E. Wood. 1962. The Leitnereaceae in the southeastern United States. J. Arnold Arbor. 43:435-438.
- Chapman, H. H. 1942. Management of loblolly pine in the pine-hardwood region in Arkansas and in Louisiana west of the Mississippi River. Yale Univ. For. Bull. No. 29.
- Clark, G. T. 1971. The ecological life history of *Tephrosia virginiana* (L.) Pers. Ph. D. diss., Univ. Ark., Fayetteville, AR.
- Clark, G. T. 1974. A preliminary ecological study of Crowley's Ridge. Pp. 213-241, in Arkansas Dept. Planning. Arkansas natural area plan. Ark. Dept. of Planning, Little Rock, AR.
- Clark, G. T. 1977. Forest communities of Crowley's Ridge. Proc. Ark. Acad. Sci. 31:34-37.
- Clark, G. T. 1981. Winter twigs of Arkansas. Rose Pub. Co., Little Rock, AR. 93 pp.
- Clark, J. R., and J. Benforado. 1981. Wetlands of bottomland hardwood forests, Proceedings of a workshop on bottomland hardwood forest wetlands of the southeastern United States. Elsevier Pub. Co., New York.
- Clark, M. B. 1962. *Trichomanes boschianum* in Madison County, Arkansas. Amer. Fern J. 52:85-86.
- Clark, M. B. 1977. Remnant prairie plots of Benton County, Arkansas. Proc. Ark. Acad. Sci. 31:112-114.
- Coiles, T. S. 1936. The effect of rainfall and temperature on the annual radial growth of pine in the southern United States. Ecol. Monogr. 6:534-562.
- Cole, H. S. 1933. Drought in Arkansas. Weath. Bur. Monthly Rev. Vol. 61 (May).
- Correll, D. S., and M. C. Johnston. 1979. Manual of the vascular plants of Texas. Univ. Texas Press, Dallas, TX. 1881 pp.
- Correll, D. S., and H. B. Correll. 1972. Aquatic and wetland plants of the southwestern United States. Publ. 16030 DNL 01/72, U. S. Environ. Protect. Agenc., Washington, DC. 1777 pp.
- Coulter, J. M. 1880. Southwestern plants. Bot. Gaz. 5:84.
- Coulter, S. M. 1904. An ecological comparison of some typical swamp areas. Ann. Rept. Mo. Bot. Gard. 15:39-71.
- Covington, S. A. 1969. Studies on the ecology of *Perilla frutescens* (L.) Britt. in northwest Arkansas. M. S. thesis, Univ. Ark., Fayetteville, AR.
- Coville, F. V. 1888. Notes on the botany of Arkansas. Annual Report for 1888. Ark. Geol. Surv. 4:243-250.
- Cowardian, L. M., V. Carter, F. C. Golet, and E. T. LaRoe. 1979. Classification of wetlands and deepwater habitats of the United States. FWS/OBS-79/31, U. S. Fish Wildl. Serv., Office Biological Services, Washington, D.C.
- Cox, E. T. 1860. Search report of a geological reconnaissance of a part of the state of Arkansas made during the years of 1859-1860. 433 pp.
- Cox, I. J. 1922. The journeys of Rene-Robert Sieur de La Salle. [Reprinted by Allerton Book Co., NY.]
- Cozzens, A. B. 1940. Physical profiles of the Ozark province. Amer. Midl. Nat. 24:477-489.
- Cronquist, A. 1955. A new variety of *Solidago ulmifolia*. Rhodora 57:36.
- Culwell, D. E. 1980. Remnant prairie in Faulkner County, Arkansas? Proc. Ark. Acad. Sci. 34:107.
- Culwell, D. E. 1987a. Additions to the atlas and annotated list of the vascular plants of Arkansas. Arkansas Native Plant Society Occasional Paper No. 7. 25 pp.
- Culwell, D. E. 1987b. New records of Arkansas vascular flora from the University of Central Arkansas Herbarium. Proc. Ark. Acad. Sci. 41:102.
- Culwell, D., and W. Welch. 1987. Selected species of native plants for use on highway right of way. Rept. to Ark. Highway and Transpt. Dept., Little Rock, AR.
- Culwell, D. E., and R. D. Wright. 1983. Prairie phenology and seed germination. Proc. Ark. Acad. Sci. 37:80-81.
- Dale, E. E. 1961. Blueberries. *Vaccinium* spp. Pp. 70-73, in Deer browse plants of southern forests. U. S. For. Ser., South. For. Exp. Stn., New Orleans, LA.
- Dale, E. E. 1963. Literature on the vegetation of Arkansas. Proc. Ark. Acad. Sci. 17:40-49.
- Dale, E. E. 1967. The outdoor laboratory as an aid to teaching biology in the secondary schools. Proc. Ark. Acad. Sci. 21:100-102.
- Dale, E. E. 1972. The effects of anhydrous ammonia on native vegetation, hay meadows, and pastures near Floral, Independence County, Arkansas. Gulf Central Pipeline Co. and the Univ. Ark., Fayetteville, AR.
- Dale, E. E. 1973. Vegetation and site characteristics. Pp. 85-98, in R. E. Babcock. Preliminary reconnaissance water quality survey of the Buffalo National River. Water Resources Research Center Publication No. 19. Dept. Botany, Univ. Ark., Fayetteville, AR.
- Dale, E. E. 1977. Report for 1977 on re-establishment of prairie at Pea Ridge National Military Park. Southw. Region Natl. Park Serv., Dallas, TX. 5 pp.
- Dale, E. E. 1978a. Human carrying capacity study on camping areas, vegetation map, and natural areas survey. Pp. 61-82, in R. E. Babcock. Final Report. Buffalo National River Ecosystems Part IV. An interdisciplinary study. Ark. Water Resour. Research Cent. Publ. No. 58. Dept. Botany, Univ. Ark., Fayetteville, AR.
- Dale, E. E. 1978b. Terrestrial resources (plant communities and effects of changes). In: R. E. Babcock. Final report: Environmental effects of the completed McClelland-Kerr Arkansas River navigation system in the Little Rock district, Corps of Engineers. U. S. Army Engineers, Little Rock Distr., Little Rock, AR.
- Dale, E. E. 1979. Vegetation Mapping. Pp. 6-11, in Final report: appraisal of the avifauna, mammalian fauna, and plant communities at developmental sites proposed for the Buffalo National River. Southw. Reg. Natl. Park Serv., Dallas, TX and Dept. Botany, Univ. Ark., [Tables, Vegetation Map of Buffalo River, Lists of Plant Species at Development Sites (Appendix B)].
- Dale, E. E. 1980a. Final report: re-establishment of prairie at Pea Ridge National Military Park, Benton County, Arkansas. Southw. Reg. Natl. Park Serv., Dallas, TX. 22 pp.
- Dale, E. E. 1980b. Search for potential sites of pipewort (*Eriocaulon kornickianum* Van Henick and Muell.-Arg.) and other rare or uncommon species on prairies of Benton County, Arkansas. Final Report to Heritage Program, The Nature Conservancy, Arlington, VA.
- Dale, E. E. 1981. A search for rare or endangered species of vascular plants of the tufa area in Hot Springs National Park, Garland County, Arkansas. Hot Springs Natl. Park, Hot Springs, AR. 10 pp.

James H. Peck and Carol J. Peck

- Dale, E. E. 1983a. The effects of mowing and burning on a restored prairie at Pea Ridge National Military Park, Benton County, Arkansas. Pp. 134-138, in P. Brewer. Proc. Eighth North American Prairie Conference, Western Mich. Univ., Kalamazoo, MI.
- Dale, E. E. 1983b. Final Report: Plant communities and rare or endangered plant species of Pea Ridge National Military Park, Benton County, Arkansas. 55 pp. Pea Ridge National Military Park, Natl. Park Serv., U.S. Dept. Inter. Dept. Botany, Univ. Ark., Fayetteville, AR. 55 pp.
- Dale, E. E. 1984. Wetlands forest communities as indicators of flooding potential in backwater areas of river bottomlands. Ark. Water Resour. Res. Cent. Publ. No. 106. 85 pp.
- Dale, E. E. 1986. The vegetation of Arkansas. [including an inserted vegetation map]. Ark. Nat. 4(5):7-27.
- Dale, E. E., S. Bailey, and J. Gibbons. 1975. Re-establishment of native prairie at Pea Ridge National Military Park, Pea Ridge, Arkansas. Dept. Botany, Univ. Ark., Fayetteville, AR. 13 pp.
- Dale, E. E., A. V. Brown, R. T. Huffman, and P. Kittle. 1975. Unique ecosystem, rare and endangered species and wetlands of Arkansas. Dept. Botany, Univ. Ark., Fayetteville, AR.
- Dale, E. E., R. H. Davis, and A. Berry. 1977. Final report on survey of natural features of Sweden Creek area, Madison County, Arkansas. Dept. Botany, Univ. Ark., Fayetteville, AR. Report prepared for Ark. Nat. Heritage Comm., Little Rock, AR.
- Dale, E. E., and T. L. Foti. 1969. Relation of forage weight to vegetation cover of forage species in deer enclosures. Ark. Game Fish Comm. and Dept. Botany, Univ. Ark., Fayetteville, AR.
- Dale, E. E., and T. M. Fullerton. 1964. Ecological investigations of existing vegetation in the preimpoundment and watershed areas of Beaver Lake. Bur. Sports Fisheries Wildlife, U. S. Fish Wildl. Serv. and Dept. Botany, Univ. Ark., Fayetteville, AR.
- Dale, E. E., and J. W. Gibbons. 1979. Re-establishment of prairie vegetation at Pea Ridge National Military Park, Benton County, Arkansas. Pp. 183-187, in Proc. First Conf. on Scientific Research in the National Parks. Trans. Proc. Ser. No. 5. U. S. Dept. Inter., Natl. Park Serv., Washington, D.C.
- Dale, E. E., and R. T. Huffman. 1974a. Evaluation of Beech Hurricane Ravine as a potential national landmark. U. S. Dept. Inter. Natl. Park Serv., and Dept. Botany, Univ. Ark., Fayetteville, AR. 7 pp.
- Dale, E. E., and R. T. Huffman. 1974b. Evaluation of Grassy Lake as a potential national natural landmark. U. S. Dept. Inter., Natl. Park Serv., and Dept. Botany, Univ. Ark., Fayetteville, AR. 14 pp.
- Dale, E. E., and R. T. Huffman. 1974c. Evaluation of Lake Winona Scenic Area as a potential national natural landmark. U. S. Dept. Inter., Natl. Park Serv. and Dept. Botany, Univ. Ark., Fayetteville, AR. 9 pp.
- Dale, E. E., and R. T. Huffman. 1974d. Evaluation of the Lower Cache River area as a potential national natural landmark. U. S. Dept. Inter., Natl. Park Serv. and Dept. Botany, Univ. Ark., Fayetteville, AR. 9 pp.
- Dale, E. E., and R. T. Huffman. 1974e. Evaluation of Roaring Branch Natural Area as a potential national natural landmark. U. S. Dept. Inter., Natl. Park Serv. and Dept. Botany, Univ. Ark., Fayetteville, AR. 11 pp.
- Dale, E. E., and R. T. Huffman. 1974f. Evaluation of White River Sugarberry Natural Area in the White River National Wildlife Refuge as a potential national natural landmark. U. S. Dept. Inter., Natl. Park Serv. Dept. Botany, Univ. Ark., Fayetteville, AR. 9 pp. Technical Report EL-41-81.
- Dale, E. E., G. T. Johnson, and P. M. Kuroda. 1981. Major wetland forest communities of the U. S. Army Engineer District, Vicksburg: A phytosociological assessment. Environmental Laboratory, U. S. Army Engineer Waterways Experiment Station, Vicksburg, MI. 94 pp. Technical Report EL-41-81.
- Dale, E. E., and B. D. Keeland. 1977. Human carrying capacity study of campgrounds, Buffalo National River. In: R. E. Babcock, Final Report: Buffalo National River Ecosystems. Part III. Ark. Water Resour. Res. Cent. Publ. No. 49.
- Dale, E. E., and P. M. Kuroda. 1978. Vegetation map and natural areas survey. Pp. 77-82, in R. E. Babcock. Final Report: Buffalo National River Ecosystems. Part IV. Ark. Water Resour. Res. Cent. Publ. No. 58.
- Dale, E. E., R. L. Meyer, T. M. Buchanan, and R. T. Huffman. 1975. Environmental evaluation report on various completed channel improvement projects in eastern Arkansas. U. S. Army Corps Engineers and Dept. Botany, Univ. Ark., Fayetteville, AR. Ark. Water Resour. Res. Cent. Publ. No. 30. 42 pp.
- Dale, E. E., A. F. Posey, P. L. Raines, D. L. Zachry, and J. W. House. 1974. Environmental evaluation report on the Big Mulberry Creek Basin in Franklin, Madison, Newton, Johnson, and Crawford counties, Arkansas. U. S. Army Corps Engineers and Dept. Botany, Univ. Ark., Fayetteville, AR. Ark. Water Resour. Res. Cent. Publ. No. 21. 31 pp.
- Dale, E. E., E. B. Smith, S. Bailey, and J. Gibbons. 1975. Vascular plants and vegetation types near Bella Vista, Arkansas. Dept. Botany, Univ. Ark., Fayetteville, AR and Arkansas Highway Department, Little Rock, AR.
- Dale, E. E., E. B. Smith, J. Gibbons, and S. Bailey. 1976. Vegetation on selected sites. In: R. E. Babcock. Buffalo National River Ecosystems. Part II. Ark. Water Resour. Res. Cent. Publ. No. 38. Dept. Botany, Univ. Ark., Fayetteville, AR. 72 pp.
- Dale, E. E., and T. C. Smith. 1979. Re-establishment of prairie at Pea Ridge National Military Park, Benton County, Arkansas. Final Report for 1978. Prepared for Southwest Region, Natl. Park Serv. by Dept. Botany, Univ. Ark., Fayetteville, AR.
- Dale, E. E., and T. C. Smith. 1983. Changes in vegetation of a restored prairie at Pea Ridge National Military Park, Arkansas. Pp. 237-241, in C. L. Kucera. Proc. Seventh North American Prairie Conference, Springfield, MO.
- Dale, E. E., and T. C. Smith. 1985. The effects of different seeding densities on establishment of grasses in a restored prairie at Pea Ridge National Military Park, Arkansas. Pp. 195-196, in C. K. Clambey and R. H. Pembble. Proc. Ninth American Prairie Conference, Tri-College University Center for Environmental Studies, Fargo, ND/Moorhead, MN.
- Dale, E. E., and J. R. Sullivan. 1978. Final report on the composition and abundance of vegetation inhabiting the water fluctuation zones of Beaver and Bull Shoals lakes. Report to Fish and Wildl. Serv. by Water Resour. Res. Center and Dept. Botany, Univ. Ark., Fayetteville, AR.
- Dale, E. E., J. P. Sullins, and T. L. Foti. 1968. Understory vegetation and soils in deer enclosures. Project No. 54-R-9. Ark. Game Fish Comm. and Dept. Botany, Univ. Ark., Fayetteville, AR.
- Dale, E. E., and M. R. Watts. 1980. Vegetation of Hot Springs National Park, Arkansas. Final report to Southwest Region, Natl. Park Serv., Dallas, TX. Dept. Botany, Univ. Ark., Fayetteville, AR. 84 pp.
- Dale, E. E., and D. L. Zachry. 1979. Potential national natural landmarks of the Interior Highlands Natural Region, Central United States. Natl. Park Serv. and Dept. Botany, Univ. Ark., Fayetteville, AR. 272 pp.
- D'Arcy, W. G. 1969. The Ozark flora - Some collections of note. Ann. Mo. Bot. Gard. 56:465-467.
- Davis, A. M. 1959. Brush control and range development study. Agri. Expt. Stat., Univ. Ark., Fayetteville, AR. Arkansas Farm Research 8:2.
- Davis, J. R. 1974. Vascular plants of Lee County, Arkansas. M. S. thesis, Ark. St. Univ., College Station, AR. 49 pp.
- Davis, M. B. 1968. Studies on the ecology of Bangle Grass *Chasmanthium latifolium* (Michx.) Yates, in northwest Arkansas. M. S. thesis, Univ. Ark., Fayetteville, AR.
- Davis, M. B. 1976. Pleistocene biogeography of temperate deciduous forests. Geosci. Man. 13:13-26.
- Davis, M. B. 1981. Quaternary history and the stability of forest communities. Pp. 132-153, in D. C. West, H. H. Shugart, and D. B. Botkin. Forest succession: concepts and application. Springer-Verlag, New York.
- Davis, M. B. 1983. Holocene vegetational history of the eastern United States. Vol. II, pp. 164-181, in H. E. Wright. Late-

A Bibliographic Summary of Arkansas Field Botany

- Quaternary environments of the United States. 2 vol. Univ. Minnesota Press, Minneapolis, MN.
- Davis, R. H. 1978. Criteria for selection of relict natural areas in the Interior Highlands Physiographic Region, Central United States. M. S. thesis, Univ. Ark., Fayetteville, AR.
- Davis, R. 1981. Additional records and updates on the Arkansas flora. Proc. Ark. Acad. Sci. 35:84.
- Day, J. W. 1975. The autecology of *Leitneria floridana*. Ph. D. diss., Miss. St. Univ., Mississippi State, MS. 114 pp.
- Deevey, E. S. 1949. Biogeography of the Pleistocene. Geol. Soc. Amer. Bull. 60:1315-1416.
- Delcourt, H. R. 1975. Reconstructing forest primeval, West Feliciana Parish. Melanges No. 10, Louisiana St. Univ., Baton Rouge, LA. 13 pp.
- Delcourt, H. R. 1976. Pre-settlement vegetation of the North of the Red River Land District, Louisiana. Castanea 41:122-139.
- Delcourt, H. R. 1978. Roland McMillan Harper, recorder of early twentieth-century landscapes in the south. Pioneer America 10(2):36-50.
- Delcourt, H. R. 1979. Late Quaternary vegetation history of the eastern Highland Rim and adjacent Cumberland Plateau of Tennessee. Ecolog. Monogr. 49:255-280.
- Delcourt, H. R., and P. A. Delcourt. 1977. Pre-settlement Magnolia-beech climax of the Gulf Coastal Plain: quantitative evidence from the Appalachicola River Bluffs, north-central Florida. Ecology 58:1085-1093.
- Delcourt, H. R., and P. A. Delcourt. 1975. The Blufflands: Pleistocene pathway into the Tunica Hills. Amer. Midl. Nat. 94:385-400.
- Delcourt, H. R., and P. A. Delcourt. 1984. Ice age haven for hardwoods. Nat. Hist. 93(9):22-28.
- Delcourt, P. A., and H. R. Delcourt. 1977. The Tunica Hills, Louisiana-Mississippi: late-glacial locality for spruce and deciduous forest species. Quat. Res. 7:218-237.
- Delcourt, P. A., and H. R. Delcourt. 1981. Vegetation maps for eastern North America: 40,000 years B. P. to the present. Pp. 123-165, in R. C. Romans. *Geobotany II*. Plenum, New York.
- Delcourt, P. A., and H. R. Delcourt. 1983. Late-Quaternary vegetational dynamics and community stability reconsidered. Quat. Res. 19:265-271.
- Delcourt, P. A., H. R. Delcourt, R. C. Brister, and L. E. Lackey. 1980. Quaternary vegetation history of the Mississippi Embayment. Quat. Res. 13:111-132.
- Demaree, D. 1932a. A catalogue of the ligneous plants of Arkansas. Hendrix-Galloway Bull. 19:1-18.
- Demaree, D. 1932b. Submerging experiments with *Taxodium*. Ecology 13:258-262.
- Demaree, D. 1941. Noteworthy Arkansas plants. Proc. Ark. Acad. Sci. 1:17-19.
- Demaree, D. 1943a. A catalogue of the vascular plants of Arkansas. Taxodium 1:1-88.
- Demaree, D. 1943b. Arkansas fern notes. Amer. Fern J. 30:75.
- Deneke, C. F. 1981. The vascular flora of St. Francis County, Arkansas. M. S. thesis, Memphis St. Univ., Memphis, TN. 100 pp.
- Deneke, C. F. and E. T. Browne. 1987. The vascular flora of St. Francis County, Arkansas. Sida, Bot. Misc. 2:1-13.
- DeSarcos, D. 1979. The ecological life history of Purple Top, *Tridens flavus* (L.). Hitchc. M. S. thesis, Univ. Ark., Fayetteville, AR.
- Desmarais, R. H., and R. Irving. 1983. The Grand Prairie. Ark. Co. Agri. Museum, Stuttgart, AR. 36 pp.
- Dickson, J. F., and J. L. Yeiser. 1987. Woody plants of southern Arkansas: computer aided instruction in dendrology. Proc. Ark. Acad. Sci. 41:102-103.
- Dorris, P. R., K. H. Oliver, J. D. Bragg, D. L. Marsh, D. W. McMasters, and W. W. Fitzgerald. 1979. Biological inventory of the Red River waterways from Index, Arkansas, to Shreveport, Louisiana. Report by Biology Dept., Henderson St. Univ., Arkadelphia, AR, to U. S. Army Engineers, New Orleans, District, New Orleans, LA.
- Duncan, W. H. 1953. Taxonomic collections of vascular plants in the southeastern states — their abundance and relation to production of floras. Rhodora 55:353-358.
- Duncan, W. H. 1967. Woody vines of the southeastern United States. Sida 3:1-76.
- Duncan, W. H. 1975. Woody vines of the southeastern United States. Univ. Georgia Press, Athens, GA. 76 pp.
- Duncan, W. H., and L. E. Foote. 1975. Wildflowers of the southeastern United States. Univ. Georgia Press, Athens, GA.
- Environmental Laboratory. 1978. Preliminary guide to wetlands of the Gulf Coastal Plain: Major association and communities identified. Tech. Rep. Y-78-5. U. S. Army Engineers, Waterways Expt. Stat., Vicksburg, MS.
- Estes, E. T. 1970. The dendrochronology of black oak (*Quercus velutina* Lam.), white oak (*Q. alba* L.), and shortleaf pine (*Pinus echinata* Mill.), in the central Mississippi Valley. Ecol. Monogr. 40:295-316.
- Evans, D. K. 1975. Characteristics of flora and succession in the middle Mississippi River floodplain. W. Virg. Acad. Sci. 47:7-13.
- Evans, D. K. 1978. Floristics of the Mississippi River sand and mud flats. Castanea 44:8-24.
- Ewan, J. 1965. French naturalists in the Mississippi Valley. Pp. 159-174, in J. F. McDermott. *The French in the Mississippi Valley*. Univ. Illinois Press, Urbana, IL.
- Eyre, F. H. 1980. Forest cover types of the United States and Canada. Soc. Amer. Foresters, Washington, DC. 148 pp.
- Eyster-Smith, N. M. 1983. The prairie-forest ecotone of the western Interior Highlands: an introduction to the tallgrass prairies. Pp. 73-80, in R. Brewer, Proc. Eighth North American Prairie Conf., Western Mich. Univ., Kalamazoo, MI.
- Eyster-Smith, N. M. 1984. Tallgrass prairies: an ecological analysis of 77 remnants. Ph. D. diss., Univ. Ark., Fayetteville, AR.
- Farrar, D. R., and P. L. Redfearn. 1968. *Trichomanes petersii* in the Boston Mountains of Arkansas. Amer. Fern J. 58:85-86.
- Fassett, N. C. 1951. *Callitricha* in the New World. Rhodora 53:137-155, 161-182, 185-194, 209-222.
- Featherstonehaugh, G. W. 1835. Geological report of an examination made in 1834 of the elevated country between the Missouri and Red rivers. Public Doc. 274, House Exec. Doc. No. 151:1-97, 23 Congress, 2nd session. Vol. IV. Washington, D.C.
- Featherstonehaugh, G. W. 1844. Excursion through the slave states, from Washington on the Potomac to the frontier of Mexico. Harper, NY. 168 pp.
- Federal Committee on Ecological Reserves. 1977. A directory of research natural areas on federal lands of the United States of America. U. S. Forest Serv., Washington, D.C.
- Fenneman, N. M. 1938. *Physiography of eastern United States*. McGraw-Hill, NY.
- Ferguson, E. R. 1968. Roaring Branch Research Natural Area: establishment report. Ouachita National Forest, U. S. Forest Service, Hot Springs, AR.
- Ferguson, M. 1985. Plant a bit of wilderness. Ark. Nat. 3(5):1-8.
- Fernald, M. L. 1950. Gray's manual of botany. 8th ed., American Book Co., New York. 1632 pp.
- Figler, R. B. 1981. A last stand in Arkansas. Magnolia [J. Amer. Magnolia Soc.] 17(1):17-20.
- Fisk, H. N. 1944. Geological investigations of the alluvial valley of the lower Mississippi River. U. S. Army Engineers, Washington, D.C.
- Flint, T. 1826. Recollections of the last ten years passed in occasional residences and journeys in the valley of the Mississippi, from Pittsburg and the Missouri to the Gulf of Mexico, and from Florida to the Spanish Frontier, in a series of letters to the Rev. James Flint, of Salem, Massachusetts. Cummings, Hilliard, & Co., Boston. 395 pp.
- Flint, T. 1832. The history and geography of the Mississippi Valley to which is appended a condensed physical geology of the whole American continent. Vol. 1. E. H. Flint & L. R. Lincoln, Cincinnati, OH. 464 pp.
- Fogle, N., and C. L. Fogle. 1959. The ecological relationship between the occurrence of squirrel leaf-nests in different types of oak forest habitats. Proc. Ark. Acad. Sci. 13:75-82.

James H. Peck and Carol J. Peck

- Fogleman, J. B. 1981. Ordination of bottomland forests at Black Swamp, Cache River. M. S. thesis, Ark. St. Univ., State University, AR. 45 pp.
- Foster, J. W. 1869. The Mississippi Valley: its physical geography, including sketches of all topography, botany, climate, geology, and mineral resources. S. G. Griggs, Chicago, IL. 443 pp.
- Foti, T. L. 1971a. The Grand Prairie. Ozark Soc. Bull. 5(4):6-11.
- Foti, T. L. 1971b. The relationship between woody vegetation and soil factors on selected upland forest sites of the Sylamore District, Ozark National Forest, Arkansas. M. S. thesis, Univ. Ark., Fayetteville, AR.
- Foti, T. L. 1974. Natural Divisions of Arkansas. Pp. 11-37, in Arkansas Dept. of Planning. Arkansas Natural Area Plan. Ark. Dept. of Planning, Little Rock, AR.
- Foti, T. L. 1976. Arkansas: its land and people. Arkansas Dept. Education, Little Rock, AR. 54 pp. + appendix, figures, bibliography.
- Fountain, M. S. 1986. Vegetation associated with natural populations of ginseng (*Panax quinquefolia*) in Arkansas. Castanea 51:42-48.
- Fountain, M. S., and J. M. Sweeney. 1985. Ecological assessment of the Roaring Branch Research Natural Area. USDA Forest Service, So. Forest Expt. Sta., New Orleans. Res. Pap. SO-213.
- Frye, J. C. 1973. Pleistocene succession of the Central Interior United States. Quat. Res. 3:275-283.
- Fullerton, T. M. 1964. The forest vegetation of the Beaver Reservoir impoundment area, northwest Arkansas. M. S. thesis, Univ. Ark., Fayetteville, AR.
- Geiser, S. W. 1948. Naturalists of the Frontier. 2nd. ed. Southern Methodist Univ. Press, Dallas, TX.
- Geiser, S. W. 1956. Thomas Nuttall's botanical trip to the Red River, 1819. Field and Lab. 24:43-60.
- Gerstaeker, F. 1864a. Western lands and western waters. S. O. Beeton, London. 388 pp. [Translated from German.]
- Gerstaeker, F. 1864b. Wild sports in the far west. Crosby & Sons, Boston. 396 pp. [Translation from 1859 edition in German.]
- Gibbons, J. 1977. Re-establishment of prairie vegetation at Pea Ridge National Military Park, Benton County, Arkansas. M. S. thesis, Univ. Ark., Fayetteville, AR.
- Giles, W. L. 1935. The phanerogamic flora of Washington County, Arkansas. M. S. thesis, Univ. Ark., Fayetteville, AR.
- Gilmore, M. R. 1930. Vegetal remains of the Ozark bluff-dweller culture. Mich. Acad. Sci., Arts, Lett. 14:83-102.
- Gleason, H. A. 1952. The new Britton and Brown illustrated flora of the northeastern United States and adjacent Canada. Hafner, New York, 3 vols.
- Gleason, H. A., and A. Cronquist. 1963. Manual of vascular plants of northeastern United States and Canada. Van Nostrand, Princeton, NJ.
- Godfrey, R. K., and J. W. Wooten. 1979. Aquatic and wetland plants of the southeastern United States. Vol. I and II. Univ. Georgia Press, Athens, GA.
- Goodwin, R. H., and W. A. Niering. 1975. Inland wetlands of the United States evaluated as potential registered natural landmarks. Natl. Park Serv. Nat. Hist. Theme Stud. No. 2. Natl. Park Serv., Washington, D.C.
- Gottlieb, L. D., and G. Pilz. 1976. Genetic similarity between *Gaura longifolia* and its obligate outcrossing derivative (*G. demareei*). Syst. Bot. 1:181-187.
- Gould, C. 1974. The ecological life history of Heather Aster (*Aster pilosus* Willd.). M. S. thesis, Univ. Ark., Fayetteville, AR.
- Graham, W. L. 1969. *Trillium flexipes* (Liliaceae) in the Arkansas Ozarks. Sida 3:345.
- Grano, C. X. 1955. Behavior of south Arkansas oaks girdled in different seasons. J. For. 53:886-893.
- Greene, W. F., and H. L. Blomquist. 1953. Flowers of the south, native and exotic. Univ. N. Carolina Press, Chapel Hill, NC. 208 pp.
- Gregson, L. S. 1932. The Gramineae of Arkansas. M. S. thesis, Univ. Ark., Fayetteville, AR.
- Guttenberg, S. 1954. Growth and mortality in an old field southern pine stand. J. For. 52:166-168.
- Haefner, R. 1982. A classification of ecological features in the Interior Highlands of the United States. Draft report. National Park Service, Washington, D.C.
- Hale, H. 1948. University of Arkansas 1871-1948. Univ. Ark. Alumni Assoc., Fayetteville, AR. 289 pp.
- Hale, J. E. 1957. Corticolous lichen flora of the Ozark Mountains. Trans. Kansas Acad. Sci. 60:155-160.
- Hall, M. T. 1955. Comparison of juniper populations on an Ozark glade and old field. Ann. Mo. Bot. Gard. 42:171-194.
- Hall, R. D. 1960. An ecological analysis of woody vegetation near Lake Wedington, Washington County, Arkansas. National Science Foundation Undergraduate Research Participation Program. Dept. Botany, Univ. Ark., Fayetteville, AR.
- Hall, W. L. 1945. Is pine coming or going in south Arkansas? J. For. 43:634-637.
- Harper, M. D., and E. M. Rutledge. 1959. The influence of exposure on woody vegetation on the Allen soils of the Boston Mountain region of northwest Arkansas. Proc. Ark. Acad. Sci. 13:15-21.
- Harper, R. M. 1912. Botanical evidence of the age of certain oxbow lakes. Science 36:760-761.
- Harper, R. M. 1914. Phytogeographical notes on the Coastal Plain of Arkansas. Plant World 17:36-48.
- Harper, R. M. 1917. Some undescribed prairies in northwestern Arkansas. Plant World 20:58-61.
- Harshberger, J. W. 1958. Phytogeographic survey of North America. Hafner, NY. 790 pp.
- Harvey, F. L. 1880a. *Asplenium bradleyi*. Bot. Gaz. 5:15.
- Harvey, F. L. 1880b. Some Arkansas ferns. Bot. Gaz. 5:39.
- Harvey, F. L. 1880c. Early plants. Bot. Gaz. 5:56.
- Harvey, F. L. 1880d. Notes from Arkansas. Bot. Gaz. 5:91-93.
- Harvey, F. L. 1880e. Distribution of Nymphaeaceae in Arkansas. Bot. Gaz. 5:139-140.
- Harvey, F. L. 1880f. Ferns of Arkansas. Bot. Gaz. 6:189-190.
- Harvey, F. L. 1880g. Ferns of Arkansas. Bot. Gaz. 6:213-215.
- Harvey, F. L. 1880h. Some Arkansas trees. Bot. Gaz. 6:215.
- Harvey, F. L. 1880i. *Leavenworthia* in S. W. Missouri and N. W. Arkansas. Bot. Gaz. 6:230.
- Harvey, F. L. 1881a. The flora of Arkansas. Amer. Nat. 15:388-389.
- Harvey, F. L. 1881b. Forest notes. Bot. Gaz. 6:273.
- Harvey, F. L. 1882a. A second Spring in Arkansas. Bot. Gaz. 7:12.
- Harvey, F. L. 1882b. *Selenia aurea*. Bot. Gaz. 7:57.
- Harvey, F. L. 1883a. Forestry notes. Bot. Gaz. 8:355-356.
- Harvey, F. L. 1883b. Arboreal flora of Arkansas. Amer. J. For. 1:413-424, 451-458.
- Harvey, F. L. 1884a. *Carya myristicaeformis*. Bot. Gaz. 9:195.
- Harvey, F. L. 1884b. *Dioclea boykinii*. Bot. Gaz. 9:196.
- Harvey, F. L. 1885a. Notes on forest trees. Bot. Gaz. 10:279-280.
- Harvey, F. L. 1885b. Some abnormal rudeckias. Bot. Gaz. 10:296.
- Harvey, F. L. 1892. Varieties of *Ranunculus abortivus* L. Bull. Torrey Bot. Club. 19:93-94.
- Hawkins, D. L. 1976. Vascular plants of Randolph County, Arkansas. M. S. thesis, Ark. St. Univ., State University, AR. 51 pp.
- Hawks, G. G. 1980. The effects of climatic and non-climatic influences on growth rates and distribution of American beech, white oak, and eastern red cedar along the Buffalo River in northcentral Arkansas. M. S. thesis, Univ. Ark., Fayetteville, AR. 95 pp.
- Hedlund, A. 1971. Arkansas Delta forest: A vanishing resource. For. Farm. 30:13-14, 17.
- Hedlund, A., and J. M. Earles. 1970. Forest statistics for Arkansas counties. U. S. D. A., Forest Serv. Resour. Bull. SO-22. S. Forest Exp. St., New Orleans, LA. 52 pp.
- Heineke, T. E. 1984. *Carya pallida* (Ashe) Engl. & Graedn. (Juglandaceae): a new Arkansas record. Sida 10:255-256.
- Heineke, T. E. 1987. The flora and plant communities of the middle Mississippi River valley. Ph. D. diss., S. Ill. Univ., Carbondale, IL. 653 pp.
- Henbest, O. J. 1941. A preliminary report on the legumes of the Arkansas uplands. Proc. Ark. Acad. Sci. 1:21-23.
- Henbest, O. J. 1950a. The lespedezas of northwest Arkansas. Proc. Ark. Acad. Sci. 3:23-30.

A Bibliographic Summary of Arkansas Field Botany

- Henbest, O. J. 1950b. Some observations on mismanagement of grasslands and woodland. Proc. Ark. Acad. Sci. 4:57-60.
- Hermann, F. J. 1972. A new variety of *Carex bicknelli* from Arkansas. Sida 5:49.
- Herndon, D. T. 1922. Centennial history of Arkansas. 3 vols. S. J. Clarke Pub. Co., Chicago, IL.
- Herre, A. W. C. T. 1945. Some Arkansas lichens. Bryologist 48:85-90.
- Herron, E. D. 1953. The Eocene flora of northern Crowley's Ridge, Arkansas. Proc. Ark. Acad. Sci. 6:65-66.
- Hill, J. M., and D. L. Evans. 1981. Remote sensing of Little River, Cossatot River, and Pond Creek Bottoms in Sevier County, Arkansas. Report to U. S. Army Engineers, Tulsa District, Tulsa, OK.
- Hite, J. M. R. 1960. The vegetation of Lowe Hollow, Washington County, Arkansas. M. S. thesis, Univ. Ark., Fayetteville, AR.
- Hoff, V. J., and E. S. Nixon. 1977. Extension of *Gaura demareei* into east Texas. Southw. Nat. 22:135.
- Holder, T. H. 1970. Disappearing wetlands in eastern Arkansas. Ark. Planning Comm., Little Rock, AR. 72 pp.
- Hoeks, S. L. 1986. A preliminary survey of the vascular flora of Ashley County, Arkansas. M. S. thesis, Northeast Louisiana St. Univ., Monroe, LA.
- Hornkohl, L. W., and R. A. Reed. 1948. Forest grazing in the Ozarks. Pp. 270-277, in Proc. Soc. Amer. Foresters 1947.
- Howell, A. H. 1911. Birds of Arkansas. Bull. No. 38, Biol. Surv., U.S. Dept. Agr., Washington, D.C.
- Howell, J. W. 1964. A study of the major plant communities occurring on Goose Island. M. S. thesis, Memphis St. Univ., Memphis, TN.
- Huey, E. L. 1977. Ozark wild flowers. Woods Brothers Agency, Little Rock, AR.
- Huey, E. L. 1978. Ozark wild flowers II. Woods Brothers Agency, Little Rock, AR.
- Huey, E. L. 1984. Ozark wild flowers III. Woods Brothers Agency, Little Rock, AR.
- Huffman, R. T. 1974a. The origin of Grassy Lake. Proc. Ark. Acad. Sci. 28:32-33.
- Huffman, R. T. 1974b. The vegetation of Grassy Lake, Hempstead County, Arkansas. M. S. thesis, Univ. Ark., Fayetteville, AR.
- Huffman, R. T. 1976a. The relation of flood duration patterns to dominant forest species associations occurring on selected bottom sites of the Ouachita River Drainage Basin in southern Arkansas. Ph. D. diss., Univ. Ark., Fayetteville, AR.
- Huffman, R. T. 1976b. Vegetation analysis of the Bayou Meto game management area. Ark. Dept. Local Services, Little Rock, AR.
- Huffman, R. T., and E. E. Dale. 1975. Vegetation communities of Bayou Meto Game Management Area. Report to Ark. Game Fish Comm. by Dept. Botany, Univ. Ark., Fayetteville, AR, and Ark. Dept. Local Serv., Little Rock, AR.
- Huffman, R. T., and R. I. Leonard. 1983. Successional patterns on floating vegetation mats in a southern bald cypress swamp. Castanea 48:73-78.
- Hunter, C. G. 1984. Wildflowers of Arkansas. Ozark Society Foundation, Little Rock, AR. 296 pp.
- Irving, R. S. 1980. Composition, production, and management of eastern Arkansas prairies. Pp. 281-286, in C. L. Kucera. Proc. 7th North American Prairie Conf., Springfield, MO.
- Irving, R. S., and S. Brehmholts. 1977a. The forest communities and flora of Arkansas Post National Memorial. Report prepared for National Park Service, Washington, D.C.
- Irving, R. S., and S. Brehmholts. 1977b. An ecological reconnaissance of the Roth and Konenchi prairies. Report prepared for Arkansas Natural Heritage Commission, Little Rock, AR.
- Irving, R. S., S. Brehmholts, and T. Foti. 1980. Composition and net primary production of native prairies in eastern Arkansas. Amer. Midl. Nat. 103:298-309.
- Isley, D. 1939. Ecological considerations of certain Arkansas legumes. M. S. thesis, Univ. Ark., Fayetteville, AR.
- Jacobs, D. L. 1951. Ricciaceae of Arkansas. Bryologist 54:274-278.
- James, D., E. E. Dale, M. J. Lockard, D. Schick, and C. R. Preston. 1979. Appraisal of the avifauna, mammalian fauna, and plant communities at developmental sites proposed for the Buffalo National River. Final Report to National Park Service, SW Region, Dallas, TX by Dept. Zoology, Univ. Ark., Fayetteville, AR. 80 pp.
- James, D. A., and J. C. Neal. 1986. Chapter 3: Arkansas birds and the environment. Pp. 17-48, in D. A. James and J. C. Neal. Arkansas birds, their distribution and abundance. Univ. Ark. Press, Fayetteville, AR. 402 pp.
- James E. 1823. Account of an expedition from Pittsburg to the Rocky Mountains. Reprinted by University Microfilms, Ann Arbor, MI.
- Jeffries, D. L. 1983. The vegetation and soils of sandstone glades of northern Arkansas. M. S. thesis, Univ. Ark., Fayetteville, AR.
- Jeffries, D. L. 1985. Analysis of the vegetation and soils of glades on Calico Rock sandstone in northern Arkansas. Bull. Torrey Bot. Club 112:70-73.
- Jeffries, D. L. 1987. Vegetation analysis of sandstone glades in Devil's Den State Park, Arkansas. Castanea 52:9-15.
- Johnson, D. M., and A. A. Johnson. 1978. Biotic survey of the Big Creek Natural Area. Prepared for Arkansas Natural Heritage Commission, Little Rock, AR.
- Johnson, F. L., and G. D. Schnell. 1985a. Wildland fire history and the effects of fire on vegetative communities at Buffalo National River, Arkansas. Final report to Natl. Park Serv., Southw. Region, Santa Fe, NM.
- Johnson, F. L., and G. D. Schnell. 1985b. Wildland fire history and the effects of fire on vegetative communities at Hot Springs National Park, Arkansas. Final report to Natl. Park Serv., Southw. Region, Santa Fe, NM.
- Johnson, G. T. 1979. Three species of *Trypetelium* new to Arkansas. Proc. Ark. Acad. Sci. 33:82-83.
- Johnson, M. I. 1969. A survey of the vascular flora of Poinsett County, Arkansas. M. S. thesis, Memphis St. Univ., Memphis, TN.
- Johnson, M. I. 1971. A survey of the vascular flora of Poinsett County, Arkansas. Proc. Ark. Acad. Sci. 25:42-52.
- Justice, J. 1984. Arkansas' mushroom. Ark. Nat. 2(5):1-3.
- Justice, J., E. Nelson and J. E. Moore. 1983. Checklist of the mushrooms of Arkansas. Ark. Acad. Sci., Ark. Biota Survey Checklist No. 37. 9 pp.
- Kartesz, J. T. and R. Kartesz. 1980. A synonymized checklist of the vascular flora of the United States, Canada, and Greenland. Vol. II. The Biota of America. Univ. N. Carolina Press, Chapel Hill, NC. 498 pp. [1985. 2 ed. draft].
- Keeland, B. D. 1978. Vegetation and soils in calcareous glades of northwest Arkansas. M. S. thesis, Univ. Ark., Fayetteville, AR. 46 pp.
- Key, J. S. 1975. Pteridophytes of the Interior Highlands of North America. M. S. thesis, Southwest Missouri St. Univ., Springfield, MO.
- King, J. E. 1973. Late Pleistocene palynology and biogeography of the western Missouri Ozarks. Ecolog. Monogr. 43:539-565.
- King, J. E. 1973. Late Pleistocene palynology and biogeography of the western Missouri Ozarks. Ecolog. Monogr. 43:539-565.
- King, J. E. 1978. New evidence on the history of the St. Francis Sunk Lands, northwest Arkansas. Geol. Soc. Am. Bull. 89:1719-1722.
- King, J. E., and W. H. Allen. 1977. A Holocene vegetation record from the Mississippi River valley, southeastern Missouri. Quat. Res. 8:307-323.
- Kirkwood, R. T., J. E. Moore, and W. Owen. 1977. A biological survey of the Arkansas Natural Heritage Commission's Cove Creek site. Biology Dept., Univ. Central Ark., Conway, AR. Report to Arkansas Natural Heritage Commission, Little Rock, AR.
- Klimas, C. V., C. D. Martin, and J. W. Teaford. 1981. Impacts of flooding regime modification on wildlife habitats of bottomland hardwood forests in the lower Mississippi Valley. Tech. Rept. EL-81-13. Environmental Laboratory, U. S. Army Engineer Waterways Expt. Stat., Vicksburg, MS.
- Klomps, V. L. 1980. The status of *Lindera melissifolium* (Walt.) Blume, Pondberry, in Missouri. Trans. Mo. Acad. Sci. 14:61-66.

James H. Peck and Carol J. Peck

- Klomps, V. 1982. Natural Areas Nomination Form - Sand Ponds Natural Area. Report to Arkansas Natural Heritage Commission, Little Rock, AR. 5 pp.
- Knox, B. R. 1967. Pleistocene and recent geology of the southwestern Ozark Plateaus. M. S. thesis, Univ. Iowa, Iowa City, IA.
- Korstain, C. F. 1944. Forestry on private lands in the United States. Duke University School of Forestry, Bull. 8.
- Kral, R. 1980a. *Delphinium newtonianum* D. M. Moore. Status report. Report to U. S. Fish Wildl. Serv., Washington, DC. Biology Dept., Vanderbilt, Univ., Nashville, TN.
- Kral, R. 1980b. *Schoenolierion wrightii* Sherman. Status report to U.S. Fish Wildl. Serv., Washington, DC. Biology Dept. Vanderbilt Univ., Nashville, TN.
- Kral, R. 1983. A report on some rare, threatened, or endangered forest-related vascular plants of the South. U. S. Dept. Agri., Forest Serv., Tech. Publ. R8-TP2. 1305 pp.
- Kral, R., J. Manhart, and C. T. Bryson. 1987. A new *Carex* sect. *Oligocarpae* (Cyperaceae) from western Arkansas and eastern Oklahoma. Ann. Mo. Bot. Gard. 74:440-442.
- Kuchler, A. W. 1964. Potential natural vegetation of the coterminous United States. Amer. Geogr. Soc., Spec. Pub. No. 36. 116 pp.
- Kuroda, P. M. 1979. The relation of principle bottomland hardwood forest types to flooding in the Central Mississippi Delta. M. S. thesis, Univ. Ark., Fayetteville, AR.
- Lang, F. H., and R. D. Stevens. 1942. Pp. 198-245, Chapter V in R. W. Roberts, G. C. Branner, and Mr. R. Owens. Arkansas' natural resources - Their conservation and use. Democrat Print. and Litho., Little Rock, AR.
- Lang, J. M. 1964. The Labiateae of Arkansas. M. S. thesis, Univ. Ark., Fayetteville, AR.
- Lang, J. M. 1966. Labiateae of Arkansas. Proc. Ark. Acad. Sci. 20:75-84.
- Lang, J. M. 1977. Checklist of the Labiateae (Mints) of Arkansas. Ark. Acad. Sci., Ark. Biota Survey Checklist No. 6. 1 p.
- Lawson, M., and H. C. Ray. 1953. Site characteristics and land use in the forest-prairie margin of Arkansas. U. S. Soil Conser. Serv., Little Rock, AR.
- Leake, H., and D. Leake. 1981. Wildflowers of the Ozarks. Ozark Society Foundation, Little Rock, AR.
- Leroy, J. F. 1957. Les Botanistes français en Amérique du Nord avant 1850. Centre National de la Recherche Scientifique, Paris.
- Leslie, S. 1986. A preliminary survey of the vascular flora of Bradley County, Arkansas. M. S. thesis, Northeast. Louisiana St. Univ., Monroe, LA.
- Lesquereux, L. 1860. Botanical and palaeontological report of the geological state survey of Arkansas. Pp. 295-400, in D. D. Owen. Second report of a geological reconnaissance of the middle and southern counties of Arkansas made during the years 1859 and 1860. C. Sherman & Sons, Printers, Philadelphia, PA.
- Lewis, A. 1932. La Harpe's expedition on the Arkansas. Pp. 61-85, in Lewis, A. Along the Arkansas. Southwest Press, Dallas, TX.
- Lewis, H. 1854. Das illustre Mississippthal. Arzn, Dusseldorf. [Trans. by A. H. Poatguter, ed. by B. L. Heilbron, and printed in 1967 by Minnesota Hist. Soc., St. Paul, MN.]
- Lindsay, H. L., S. J. Bellovich, E. E. Dale, and E. B. Smith. 1974. An environmental inventory and assessment of the Poteau River Basin. Univ. Tulsa, Tulsa, OK. Prepared for U. S. Army Engineers, Tulsa District, Tulsa, OK.
- Linnartz, N. E. 1968. The ecology of southern forests. Louisiana St. Univ. Press, Baton Rouge, LA. 201 pp.
- Linnartz, N. E. 1969. Ecology of southern forests. Louisiana St. Univ. Proc. Ann. Forestry Symp. No. 17. 203 pp.
- Lipscomb, B. L. 1976. A survey of the aquatic and wetland vascular plants of north central Arkansas. M. S. thesis, Univ. Ark., Fayetteville, AR.
- Lipscomb, B. L. 1978. *Cyperus surinamensis* (Cyperaceae): new to Arkansas, Kansas, and Oklahoma. Sida 7:307.
- Lipscomb, B. L. 1980a. Additions to the Cyperaceae of Arkansas. Castanea 45:70.
- Lipscomb, B. L. 1980b. *Echinodorus tenellus* var. *parvulus* (Alismataceae) in the Ozarks of Arkansas. Castanea 42:254.
- Lipscomb, B. L., and E. B. Smith. 1977. Morphological intergradation of varieties of *Bidens aristosa* (Compositae) in northern Arkansas. Rhodora 79:203-213.
- Little, E. L. 1971. Atlas of United States trees. Vol. 1. Conifers and important hardwoods. U. S. Dept. Agri. Misc. Publ. No. 1146.
- Little, E. L. 1979. Atlas of United States trees. Vol. 4. Minor eastern hardwoods. U. S. Dept. Agri. Misc. Publ. No. 1342.
- Logan, L. A. 1960. The ligneous flora on contrasting sites at Longpool, Pope County, Arkansas. Proc. Ark. Acad. Sci. 15:20-28.
- Long, A. A. 1983. *Neviusia alabamensis*: A phytogeographic analysis. Proc. Ark. Acad. Sci. 37:94-96.
- Long, A. A. 1986. An ecological site analysis of *Neviusia alabamensis*. M. S. thesis, Univ. Central Ark., Conway, AR.
- Lonon, J. H. 1977. The Tremellales of northwest Arkansas. M. S. thesis, Univ. Ark., Fayetteville, AR.
- Lonon, J. H. 1978. Checklist of northwest Arkansas Tremellales. Ark. Acad. Sci., Ark. Biota Survey Checklist No. 17. 1 p.
- Lookingbill, S. M., M. K. Cleaveland, and M. J. Guccione. 1987. Botanical evidence for Holocene movement of rock streams in Arkansas. Proc. Ark. Acad. Sci. 41:63-68.
- Lorenz, A. 1918. Notes on *Radula obconica* Sull. Bryologist 21:56-59.
- Lowe, R. 1919. Collecting in Arkansas. Bryologist 22:14-15.
- McDonald, P. O., W. E. Frayer, and J. K. Clouser. 1979. Documentation, chronology, and future projections of bottomland hardwood habitat loss in the lower Mississippi alluvial plain, 2 Vol. Report prepared by HRB-Singer, Inc., State College, Pennsylvania, for Division of Ecological Services, Fish and Wildlife Service, U. S. Department of Interior, Washington, D.C.
- Manger, W. L. 1983. The geological provinces of Arkansas. Ark. Nat. 1(7):1-6.
- Manger, W. L. 1983. Landsat imagery of Arkansas. Ark. Nat. 1(10):5-8, 13.
- Mapes, R. B. 1972. The Arkansas waterway, people, places, events in the valley, 1817-1971. University Press, Little Rock, AR. 168 pp.
- Marquette, J., and L. Joliet. 1673. An account of the discovery of some new countries and nations in North America in 1673, in B. F. French. 1850. Historical Collections of Louisiana. Part 2.
- Marsh, D. L. 1977a. The distribution of cane: *Arundinaria gigantea* (Poaceae:Bambusoideae). Proc. Ark. Acad. Sci. 31:72-74.
- Marsh, D. L. 1977b. The taxonomy and ecology of cane *Arundinaria gigantea* (Walter) Muhlenberg. Ph. D. diss., Univ. Ark., Fayetteville, AR.
- Marsh, D. L., and A. J. Atkins. 1979. Guide to accompany the map: Vegetation of the Red River from Index, Arkansas to Shreveport, Louisiana. Report prepared for the U.S. Army Corps of Engineers, New Orleans, LA.
- Marsh, M. A. 1977. Natural resource preservation in Arkansas. Proc. Ark. Acad. Sci. 31:116-117.
- Marsh, M. A. 1978. Baker Prairie. Critical habitat for grasshopper sparrow and ornate box turtle. Ozark Soc. Bull. 12:10-11.
- Martin, P. S. 1958. Pleistocene ecology and biogeography of North America. Pp. 375-420, in Amer. Assoc. Adv. Sci. Zoogeography. Washington, DC.
- Mathis, W. D. 1974. Studies on the ecology of *Cypripedium calceolus* L. var. *parviflorum* (Salisb.) Fern. in northwest Arkansas. M. S. thesis, Univ. Ark., Fayetteville, AR.
- Mayden, R. L. 1985. Biogeography of Ouachita Highland fishes. Southw. Nat. 39:195-211.
- Maxfield, O. O. 1951. The elements delimiting the Boston Mountain of Arkansas as a geographic region. Proc. Ark. Acad. Sci. 4:149-154.
- McGregor, R. L. 1960. A new species of *Riccia* from the Ozarks. Bryologist 63:30-31.
- McKelvy, S. D. 1956. Botanical explorations of the Trans-Mississippi West, 1790-1850. Arnold Arboretum, Jamaica Plain, MA.
- McNulty, R. 1970. Vascular plants of Lawrence County, Arkansas. M. S. thesis, Ark. St. Univ., State University, AR. 46 pp.

A Bibliographic Summary of Arkansas Field Botany

- McSwain, E. W. 1946. Compositae of Arkansas. M. S. thesis, Univ. Ark., Fayetteville, AR.
- McWilliams, A. L. 1966. Observations on occurrence and range of the three species of *Dentaria* (Cruciferae) in the Ouachita Mountains. Proc. Ark. Acad. Sci. 20:22-24.
- McWilliams, A. L. 1967. The taxonomic status of *Penstemon wherryi* Pennell. Proc. Ark. Acad. Sci. 21:33-35.
- McWilliams, A. L. 1968. The enigma of *Penstemon tenuis* Small (Scrophulariaceae). Proc. Ark. Acad. Sci. 22:57-61.
- Meade, F. M. 1951. Forest plantations in Arkansas. Agricultural Experiment Station Bull. 512. Univ. Ark., Fayetteville, AR.
- Meanely, B. 1972. Swamps, river bottoms, and cane-breaks. Barre Publishers, Barre, MA.
- Mehringer, P. J., C. E. Schweger, W. R. Wood, and R. B. McMillan. 1968. Lake Pleistocene boreal forest in the western Ozark highlands? Ecology 49:568-569.
- Meisel, M. 1924-1929. Bibliography of American natural history. The Pioneer Century, 1769-1865. 3 vols. Publ. by author, N. Y. [Reprinted 1967 by Hafner.]
- Mielke, D. L. 1978. Stand model for upland forests of Southern Arkansas. M. S. thesis, Univ. Tenn., Knoxville, TN.
- Mielke, D. L., H. H. Shugart, and D. C. West. 1978. Stand model for upland forests of Southern Arkansas. Contract W-7405-ENG-26, TM-6225, Oak Ridge National Laboratory, Department of Energy, Oak Ridge, TN. 97 pp.
- Millard, J. J. 1939. Ecologic studies of a typical watershed as a guide to planning wildlife population studies of northern Arkansas. M. S. thesis, Univ. Ark., Fayetteville, AR.
- Miller, H. 1972. A vegetal reconstruction of early historic northwest Arkansas. Manuscript on file, The Museum, Univ. Ark., Fayetteville, AR.
- Moldenke, H. N. 1978. Notes on new and noteworthy plants, Part 109. Phytologia 38(6):498-499.
- Monette, J. W. 1846. History of the discovery and settlement of the valley of the Mississippi, by the three great European powers, Spain, France and Great Britain, and the subsequent occupation, settlement, and extension of civil government by the United States until the year 1846. 2 vol. Harper & Bros., NY. [Reprinted 1971 by Arnot Press.]
- Moore, D. M. 1939. *Delphinium newtonianum*, a new species from the Arkansas Ozarks. Rhodora 41:193-197.
- Moore, D. M. 1940a. *Selaginella rupestris* (L.) Spring in Arkansas. Amer. Fern J. 30:50-53.
- Moore, D. M. 1940b. Arkansas pteridophyta. Amer. Fern J. 30:105-119.
- Moore, D. M. 1941a. Checklist of the ligneous flora of Arkansas. Proc. Ark. Acad. Sci. 1:41-55.
- Moore, D. M. 1941b. White-flowered forms of some Arkansas wild flowers. Proc. Ark. Acad. Sci. 1:25-27.
- Moore, D. M. 1941c. Some noteworthy fern communities of Arkansas. Amer. Fern J. 31:63-71.
- Moore, D. M. 1941d. A checklist of the grasses of Arkansas. Proc. Ark. Acad. Sci. 1:57-62.
- Moore, D. M. 1942. Conservation of wild plant life in Arkansas: Woody and herbaceous plants. Pp. 246-274, Chapter VI. in R. W. Roberts, G. C. Branner, and M. R. Owens. Arkansas' natural resources - Their conservation and use. Democrat Print. and Litho., Little Rock, AR.
- Moore, D. M. 1947. Further notes on Arkansas pteridophytes. Proc. Ark. Acad. Sci. 2:69-70.
- Moore, D. M. 1950a. A new fern record for Arkansas. Proc. Ark. Acad. Sci. 3:33-34.
- Moore, D. M. 1950b. Grassy Lake: A biologist's paradise. Proc. Ark. Acad. Sci. 3:41-43.
- Moore, D. M. 1951. Some new records for Arkansas flora. Proc. Ark. Acad. Sci. 4:61-63.
- Moore, D. M. 1952. Additional new records of the Arkansas flora, II. Proc. Ark. Acad. Sci. 5:91-93.
- Moore, D. M. 1953. Rediscovery of the bigleaf magnolia in Arkansas. (Abstract) Proc. Ark. Acad. Sci. 6:9.
- Moore, D. M. 1954. An ecological and botanical survey - Table Rock Reservoir. Ed. Serv., Univ. Ark., Fayetteville, AR.
- Moore, D. M. 1955. Observations on *Anemone* in Arkansas. Abstract. Proc. Ark. Acad. Sci. 8:118.
- Moore, D. M. 1956a. *Neviusia alabamensis* Gray (Rosaceae) in Arkansas. Southw. Nat. 1:87-89.
- Moore, D. M. 1956b. *Neviusia alabamensis* in Arkansas. Rhodora 58:187-191.
- Moore, D. M. 1957. New records for the Arkansas flora, III. Proc. Ark. Acad. Sci. 11:6-10.
- Moore, D. M. 1958. New records for the Arkansas flora, IV. Proc. Ark. Acad. Sci. 12:9-16.
- Moore, D. M. 1959. *Mimulus floribundus* Dougl. (Scrophulariaceae) in Arkansas. Southw. Nat. 3:217-219.
- Moore, D. M. 1960. Trees of Arkansas. Rev. Ed. Ark. Forestry Comm., Little Rock, AR.
- Moore, D. M. 1961. Revised and annotated catalog of the grasses of Arkansas. Proc. Ark. Acad. Sci. 15:9-25.
- Moore, D. M. 1972. Trees of Arkansas. Ark. Forestry Comm., Little Rock, AR.
- Moore, D. M. 1977a. Checklist of Arkansas Pteridophytes. Ark. Acad. Science, Ark. Biota Survey Checklist No. 1. 3 pp.
- Moore, D. M. 1977b. Checklist on the Grasses of Arkansas. Ark. Acad. Science, Ark. Biota Survey Checklist No. 2. 8 pp.
- Moore, D. M. 1977c. Checklist of the Orchids of Arkansas. Ark. Acad. Science, Ark. Biota Survey Checklist No. 3. 2 pp.
- Moore, J. E. 1956. *Hedysotis rosea* in Arkansas. Rhodora 58:331.
- Moore, J. E. 1958. A study of the vegetation of Petit Jean Mountain in Central Arkansas. Ph. D. diss. Univ. Tenn., Knoxville, TN.
- Moore, J. E. 1959. Lichens of Arkansas collected by Jewel E. Moore and identified by Mason E. Hale, Museum No. 217286, reported by U. S. Natl. Museum, Washington, DC.
- Moore, J. E. 1965. A study of the vegetation of Petit Jean Mountain in central Arkansas. Castanea 30:1-37.
- Moore, J. E. 1979. Lichens of Arkansas I: A summary of current information. Proc. Ark. Acad. Sci. 33:85-87.
- Moore, J. E. 1981a. Checklist of the Lichens of Arkansas. Ark. Acad. Science, Ark. Biota Survey Checklist no. 30. 15 pp.
- Moore, J. E. 1981b. Key to Arkansas Lichens. Available from Cryptogamic Herbarium, Dept. Biology, Univ. Central Ark., Conway, AR.
- Moore, J. E. 1981c. Lichens of Arkansas II. Additional state records through computer search. Proc. Ark. Acad. Sci. 35:88.
- Moore, J. E. 1982. The Ferns of Arkansas. Available from Cryptogamic Herbarium, Dept. Biology, Univ. Central Ark., Conway, AR.
- Moore, J. E. 1983a. Bryophyte - lichen communities within Hot Springs National Park, Arkansas. Rept. to Hot Springs National Park, Hot Springs, AR.
- Moore, J. E. 1983b. Curatorial notes from the Cryptogamic Herbarium at the University of Central Arkansas. Proc. Ark. Acad. Sci. 37:96-97.
- Moore, J. E., and J. Hartsoe. 1955. A new location for *Ophioglossum crotalophoroides* in Arkansas. Proc. Ark. Acad. Sci. 7:63.
- Moore, J. E., P. L. Redfearn, and S. L. Timme. 1984. Checklist of the Mosses of Arkansas. Ark. Acad. Sci., Ark. Biota Survey Checklist No. 39. 21 pp.
- Moore, J. E., and S. L. Timme. 1983. Bryophyte-lichen communities within Hot Springs National Park, Arkansas I. Proc. Ark. Acad. Sci. 37:96.
- Moore, J. E., and E. B. Whittlake. 1983. Checklist of the Hornworts and Liverworts of Arkansas. Ark. Acad. of Science, Ark. Biota Survey Checklist No. 36. 7 pp.
- Moore, W. G. 1966. Central Gulf States and the Mississippi Embayment. Pp. 287-300, in David G. Frey. Limnology in North America. Madison, WI. 734 pp.
- Moyle, J. B., E. L. Nielson, and O. R. Younge. 1984. Vegetation of artificial lakes in northwestern Arkansas. Rhodora 48:329.
- Nelson, T. C., and W. M. Zillgitt. 1969. A forest atlas of the South. U. S. Forest Serv., Southern and Southeastern Forest Exp. Sta., New Orleans, LA, and Asheville, NC.

James H. Peck and Carol J. Peck

- Nielson, E. L. 1937. Grass Studies. II. Additions to the flora of Arkansas. *Rhodora* 39:423-424.
- Nielson, E. L. 1941. Grass Studies. IV. Additional species new to Arkansas. *Rhodora* 43:219-220.
- Nightingale, A. A. 1974. An introduction to the compositae (Daisy Family) of the White River Ozarks areas of southwestern Missouri. School Ozarks Press, Point Lookout, MO.
- Nuttall, T. 1821a. A journal of travels into Arkansas territory during the year 1819, with occasional observations on the manners of the aborigines. T. W. Palmer, Philadelphia, PA. 296 pp. [Reprinted 1980 by Univ. Oklahoma Press, Norman, OK.]
- Nuttall, T. 1821b. A description of some new species of plants recently introduced into the gardens of Philadelphia from the Arkansas territory. *J. Phil. Acad. Sci.* 2:114-123.
- Nuttall, T. 1825. Description of two new genera of the natural order Cruciferae. *J. Phil. Acad. Sci.* 5:132-135.
- Nuttall, T. 1835. Collections towards a flora of the territory of Arkansas. *Trans. Amer. Phil. Soc. (n. s.)* 5:139-184.
- Nuttall, T. 1836. Collections towards a flora of the territory of Arkansas. *Trans. Amer. Phil. Soc. (n. s.)* 5:185-203.
- Olmstead, F. E. 1902. A working plan for the forest lands near Pine Bluff, Arkansas. U. S. Bureau Forestry Bull. No. 32. U. S. Dept. Agri., Washington, DC.
- Orzell, S. L., and E. L. Bridges. 1987. Further additions and noteworthy collections in the flora of Arkansas, with historical, ecological, and phytogeographical notes. *Phytologia* 64(2):81-144.
- Orzell, S. L., E. L. Bridges, and S. L. Peacock. 1985. Additions and noteworthy vascular plants from Arkansas, with some ecological notes. *Sida* 11:226-231.
- Orzell, S. L. and J. H. Peck. 1985. Southern woodfern, *Dryopteris Xaustralis*, new to Arkansas. *Proc. Ark. Acad. Sci.* 39:144.
- Orzell, S. L., W. F. Pell, and G. Tucker. 1985. Notes on three palustrine natural community types in the Arkansas Ozarks. *Proc. Ark. Acad. Sci.* 39:141-143.
- Owens, D. D. 1858. First report of a geological reconnaissance of the northern counties of Arkansas. Johnson & Yerkes, State Printers, Little Rock, AR. 256 pp.
- Oxley, A. P. 1924. Mosses found in the region of Fayetteville, Arkansas.
- Palmer, E. J. 1921. The forest flora of the Ozark Region. *J. Arnold Arbor.* 2:216-232.
- Palmer, E. J. 1923. The Red River forest at Fulton, Arkansas. *J. Arnold Arbor.* 4:8-33.
- Palmer, E. J. 1924a. The lignous flora of Rich Mountain, Arkansas and Oklahoma. *J. Arnold Arbor.* 5:108-134.
- Palmer, E. J. 1924b. Two interesting ferns from Arkansas. *Amer. Fern J.* 14:39-41.
- Palmer, E. J. 1925. Is *Quercus arkansas* a hybrid? *J. Arnold Arbor.* 6:194-201.
- Palmer, E. J. 1926. The lignous flora of Hot Springs National Park and vicinity. *J. Arnold Arbor.* 7:104-135.
- Palmer, E. J. 1927. On Nuttall's trail through Arkansas. *J. Arnold Arbor.* 8:24-55.
- Palmer, E. J. 1945. *Quercus durandii* and its allies. *Amer. Midl. Nat.* 33:514-519.
- Palmer, E. J. 1948. Hybrid oaks of North America. *J. Arnold Arbor.* 29:1-48.
- Palmer, E. J., and J. A. Steyermark. 1956. Notes on *Geocarpum minimum*. *Bull. Torr. Bot. Club.* 77:268-273.
- Patterson, J. L. 1971. Floods in Arkansas, magnitude and frequency characteristics through 1968. *Ark. Geol. Comm. Water Resour. Res. Center Circ. No. 11.*
- Paulsell, L. K. 1969. The ecology of upland hardwoods of the Ozarks and Ouachitas — with certain management implications. Pp. 117-134, in N. E. Linnartz. The ecology of southern forests. Proc. Louisiana St. Univ. 17th Annual Forestry Symposium, Louisiana St. Univ. Press, Baton Rouge, LA.
- Peck, J. H. 1985. *Trichomanes petersii* (Hymenophyllaceae) in an abandoned mine in the Ouachita Mountains of Arkansas. *Southw. Nat.* 30:463-464.
- Peck, J. H. 1986. Second locality for *Dryopteris carthusiana* in Arkansas. *Amer. Fern J.* 76:28-29.
- Peck, J. H., S. Orzell, E. Sundell, and C. J. Peck. 1985. *Dryopteris ludoviciana* and *D. Xaustralis* new to Arkansas. *Amer. Fern J.* 76:28-29.
- Peck, J. H., L. Peacock, and W. Shepherd. 1985. Observations and new records of ferns naturalizing in Arkansas. *Proc. Ark. Acad. Sci.* 39:144-145.
- Peck, J. H., and C. J. Peck. 1986. Additions to the pteridophyte flora of Arkansas. *Arkansas Native Plant Society Occasional Paper No. 6:1-6.*
- Peck, J. H., and C. J. Peck. 1987. Status report on the fern *Woodsia scopulina* in Arkansas. *Proc. Ark. Acad. Sci.* 41:112.
- Peck, J. H., C. J. Peck, S. Orzell, E. Bridges, and C. Amason. 1987. Discovery of *Lycopodium* communities in the Gulf Coastal Plain of Arkansas. *Proc. Ark. Acad. Sci.* 41:112-113.
- Peck, J. H., C. J. Peck, and W. C. Taylor. 1987. Arkansas pteridophyte flora update: a new checklist and additional county-level occurrence records. *Proc. Ark. Acad. Sci.* 41:113-114.
- Peck, J. H., C. J. Peck, and W. C. Taylor. 1987. Checklist of Arkansas ferns and fern allies. *Ark. Acad. Sci.*, Ark. Biota Survey Checklist No. 47. 4 pp.
- Peck, J. H., E. Sundell, and C. J. Peck. 1985. Louisiana log fern (*Dryopteris ludoviciana*) new to Arkansas. *Proc. Ark. Acad. Sci.* 39:144.
- Pecotte, A. J. 1981. Aspects of Crowley's Ridge in Arkansas. M. S. thesis, Texas A. & M. Univ., College Station, TX. 134 pp.
- Pell, W. F. 1981. Classification and protection status of remnant natural plant communities in Arkansas. *Proc. Ark. Acad. Sci.* 35:55-59.
- Pell, W. F. 1982. Ecological themes of the Interior Highlands. Report prepared for U. S. Dept. Inter., Natl. Park Serv. and Ark. Nat. Heritage Comm., Little Rock, AR.
- Pell, W. F. 1983. The natural divisions of Arkansas: A revised classification and description. *Natural Areas J.* 3(2):12-23.
- Penfound, W. T. 1952. Southern swamps and marshes. *Bot. Rev.* 18:413-446.
- Pennell, F. W. 1950. Historical botanic collections of the American Philosophical Society and the Academy of Natural Sciences of Philadelphia. *Proc. Amer. Phil. Soc.* 93:137-151.
- Petty, F. D., and A. V. Brown. 1982. Leaf processing in a slough of an Ozark stream. *Proc. Ark. Acad. Sci.* 36:49-51.
- Phipps, R. L. 1979. Simulation of wetland forest vegetation dynamics. *Ecol. Model.* 7:257-288.
- Pierce, R. A., and R. T. Kirkwood. 1977. Evaluation of plantings for wildlife on a power-line right-of-way in southern Arkansas. *Proc. Ark. Acad. Sci.* 31:83-89.
- Pike, Z. M. 1810. An account of the expedition to the sources of the Mississippi and through the western part of Louisiana Territory. [Reprinted 1966 by Univ. Microfilms, Ann Arbor, MI.]
- Pike, Z. M. 1779-1813. Zebulon Pike's Arkansaw journal, in search of the southern Louisiana Purchase boundary line. [Edited by Hart, S. H., and A. B. Hulbert.]
- Plank, E. M. 1898-1899. Concerning the plants of southwestern Arkansas. *Plant World* 2:45-47.
- Posey, A. F. 1974. Vegetational habitats of breeding birds in Ozark shrubby old fields. Ph. D. diss., Univ. Ark., Fayetteville, AR. 42 pp.
- Puetz, C. J. Undated. Arkansas county maps. County Maps, Lyndon Station, WI. 152 pp.
- Putnam, J. A., and H. Bull. 1932. The trees of the bottomlands of the Mississippi River Delta region. U. S. Forest Serv., New Orleans, South. For. Expt. Stn. Occ. Pap. No. 27.
- Pyle, H. R. 1939. The herbaceous flora of Magazine Mountain. M. S. thesis, Univ. Ark., Fayetteville, AR.
- Raines, P. L. 1972. An ecological life history of Virginia Wild Rye (*Elymus virginicus* L.). Ph. D. diss., Univ. Ark., Fayetteville, AR.
- Raines, P. L., and E. L. Richards. 1976. Plant resources, plant communities, vascular plant inventory, and endangered plant species.

A Bibliographic Summary of Arkansas Field Botany

- In* Environmental inventory of the Tyronza River Basin. U. S. Soil Cons. Serv., Little Rock, AR. 41 pp.
- Raines, P. L., and E. L. Richards. 1977. Plant resources, plant communities, vascular plant inventory, and endangered plant species. *In* Environmental inventory of the Village Creek Basin. U. S. Soil Cons. Serv., Little Rock, AR. 41 pp.
- Raup, H. M. 1942. Trends in the development of geographic botany. *Ann. Assoc. Amer. Geogr.* 32:319-354.
- Ray, H. C. 1953. Site characteristics and land-use in the forest-prairie margin of Arkansas. U. S. Dept. Agri., Soil Cons. Comm., Ft. Worth, TX. 28 pp.
- Ray, H. C. 1954. Historical review of prairie and savannah areas of the Ozark and Ouachita Highlands. U. S. Dept. Agri., Soil Cons. Serv., Ft. Worth, TX.
- Ray, H. C., and M. L. Lawson. 1955. Site characteristics as a guide to forest grazing use in the Ozarks. *J. Range Manag.* 8:69-74.
- Read, R. A. 1951. Woodland forage in the Arkansas Ozarks. *J. Range Manag.* 4:391-396.
- Read, R. A. 1952. Tree species occurrence as influenced by geology and soil on an Ozark north slope. *Ecology* 33:239-246.
- Recorc, S. J. 1907. The forests of Arkansas. *For. Quart.* 5:206-301.
- Record, S. J. 1910. The forest resources of Arkansas. Mo. Pac. Land Office, Little Rock, AR.
- Redfearn, P. L., Jr. 1964. Bryophytes of Arkansas I. Species "Lost Valley" and adjacent regions. *Bryologist* 67:196-201.
- Redfearn, P. L., Jr. 1968. Bryophytes from the Interior Highlands. XIII. Additions to the flora. *Bryologist* 71:356-357.
- Redfearn, P. L. 1969. *Marshallia caespitosa* var. *signata* (Compositae) in the Ouachita Mountains of Arkansas. *Sida* 3:450.
- Redfearn, P. L. 1970. Bryophytes of the Interior Highlands XV. Additions to the flora. *Bryologist* 73:716-717.
- Redfearn, P. L. 1972a. Mosses of the Interior Highlands of North America. *Ann. Mo. Bot. Gard.* 59:1-104.
- Redfearn, P. L. 1972b. The valley mandarin, a notable addition to the flora of Arkansas. *Rhodora* 74:523-524.
- Redfearn, P. L. 1979a. Bryophytes of the Interior Highlands of North America. XVI. Species of the Ozark National Forest, Sylamore Division, and adjacent areas in Stone County, Arkansas. *Bryologist* 82:483-486.
- Redfearn, P. L. 1979b. *Spiranthes lucida* in Arkansas. *Castanea* 44:59-60.
- Redfearn, P. L. 1983a. Bryophytes of the Interior Highlands of North America. XVIII. Additions to the flora. *Bryologist* 86:357.
- Redfearn, P. L. 1983b. A checklist of the mosses of the Interior Highlands of North America in Arkansas, Illinois, Missouri, and Oklahoma. Ozark regional herbarium, Dept. Biol., Southwest Missouri St. Univ., Springfield, MO.
- Redfearn, P. L., G. L. Pyrah, W. R. Weber, and C. Pope. 1979. Botanical survey of the Morris, Sutton, and Big Foot areas of Hempstead and Nevada counties, Arkansas. Southwest Missouri St. Univ., Springfield, MO. (mimeo.)
- Reed, P. B. 1986. Wetland plants of the state of Arkansas. Report for National Wetlands Inventory, U. S. Fish Wildl. Serv., St. Petersburg, FL. (In conjunction with U. S. Fish Wildl. Serv., U. S. Army Engineers, U. S. Envir. Protect. Agen., and U. S. Soil Cons. Serv.) 31 pp.
- Reinhold, R. O. 1969. Climate of the states: Arkansas. *In*: Climatography of the United States No. 60-3 by U. S. Dept. Comm., ESSA, Environmental Data Services. Washington, DC.
- Rettig, J. H. 1979. Primary growth-limiting factors in communities of *Nelumbo lutea* (Willd.) Pers. M. S. thesis, Ark. St. Univ., College Station, AR. 37 pp.
- Rettig, J. H. 1982. Seven significant vascular plant records for Arkansas. *Proc. Ark. Acad. Sci.* 36:98.
- Rettig, J. H. 1983. A new station for *Geocarpon minimum* MacKenzie (Caryophyllaceae). *Bull. Torrey Bot. Club.* 110:213.
- Reynolds, J. H., and D. Y. Thomas. 1910. History of the University of Arkansas. University of Arkansas, Fayetteville, AR. 555 pp.
- Reynolds, R. R. 1950. Sidelights on managing mixed pine-hardwood stands under the selection systems. *J. For.* 48:108-111.
- Rhodes, D. and F. Tainter. 1979. Abstract: Interaction of precipitation, temperature, and annual radial growth of white oak in Northeast Arkansas. *Phytopathology* 69:531.
- Richards, E. L. 1972. Vascular plants. *In* Environmental inventory of the Strawberry River Basin. U. S. Army Engineers, Little Rock, AR. 22 pp.
- Richards, E. L. 1973a. Vascular plants and endangered plant species. *In* Environmental impact report on the Cache-Bayou DeView drainage system. Midwest Research Institute, Kansas City, MO. 11 pp.
- Richards, E. L. 1973b. Vascular plants and endangered plant species. *In* Environmental inventory of the White River Basin. U. S. Army Engineers, Little Rock, AR. 36 pp.
- Richards, E. L. 1974a. Vascular plants and endangered plant species. *In* Environmental inventory study for Eastman Kodak near Batesville, AR. 15 pp.
- Richards, E. L. 1974b. Vascular plants and endangered plant species. *In* Environmental inventory of Village Creek basin. U. S. Army Engineers, Little Rock, AR. 15 pp.
- Richards, E. L. 1975. Vascular plants and endangered species and plant communities. *In* Environmental inventory of the Upper Strawberry River. U. S. Soil Cons. Serv., Little Rock, AR. 17 pp.
- Richards, E. L. 1978a. Environmental inventory of vascular plants. *In* Environmental impact statement of proposed transmission line from Batesville Southside to Alonzo in Independence County. Report prepared for Arkansas Power and Light Co., Little Rock, AR. 21 pp.
- Richards, E. L. 1978b. Vascular plants and environmental assessment. *In* Environmental assessment of the North Fork River downstream of the Norfolk Dam. Report to U. S. Army Engineers, Little Rock, AR. 13 pp.
- Richards, E. L. 1980. Vascular plants and endangered plants. *In* Environmental inventory and brief report of the Caney Creek study area, West Helena, AR. Report prepared for A. C. Young and Associates, Inc. Tulsa, OK. 9 pp.
- Richards, E. L. 1982. New and interesting plants for the Arkansas flora from northeastern Arkansas. *Proc. Ark. Acad. Sci.* 36:99.
- Richards, E. L. 1985. New and interesting plants for the Arkansas flora. *Proc. Ark. Acad. Sci.* 39:147-148.
- Richards, E. L., and S. L. Orzell. 1987. New locations for Ponberry (*Lindera melissifolia*) in Arkansas. *Proc. Ark. Acad. Sci.* 41:114.
- Rickett, H. W. 1966. Wildflowers of the United States. II. The southwestern states. 2 vols. New York. 688 pp.
- Roberts, J. L. 1978. The sandhills region of south Arkansas. Report prepared for Arkansas Natural Heritage Commission, Little Rock, AR. (mimeo.)
- Roberts, J. L. 1979. The Arkansas blackland region. Report prepared for Arkansas Natural Heritage Commission, Little Rock, AR. (mimeo.)
- Roberts, R. W., G. C. Branner, and M. R. Owens. 1942. Arkansas' natural resources — their conservation and use. Democrat Print and Litho. Co., Little Rock, AR.
- Robinson, A. 1959. The flora of Izard County. *Proc. Ark. Acad. Sci.* 13:9-14.
- Robinson, A. 1964. Report on the Graminae of the Arkansas Salem Plateau. *Kansas Acad. Sci.* 67:460-469.
- Robinson, A. 1968. Report on the Graminae of the Arkansas Springfield Plateau. *Proc. Ark. Acad. Sci.* 22:76-87.
- Robison, H. W., and K. L. Smith. 1982. The endemic flora and fauna of Arkansas. *Proc. Ark. Acad. Sci.* 36:52-57.
- Rosen, H. R. 1926. A new *Amanita* from Arkansas. *Mycologia* 18:97-99.
- Rosen, R. 1976. A preliminary checklist of Arkansas Acrasieae. *Proc. Ark. Acad. Sci.* 30:75.
- Rosen, R. 1980. Checklist of the Cellular Slime Molds (Acrasieae) of Arkansas. *Ark. Acad. Sci., Ark. Biota Survey Checklist No. 28.* 1 p.
- Ruby, E. S. 1953. Prairie vegetation in northwest Arkansas. *Proc. Ark. Acad. Sci.* 6:31-35.

James H. Peck and Carol J. Peck

- Sargent, C. S. 1884. Report on the forests of North America (exclusive of Mexico). 10th U.S. Census (Arkansas) 9:543-544. Washington, D.C. [Includes map showing distribution of Arkansas forests.]
- Sargent, C. S. 1918. Notes on North American trees. II. *Carya*. Bot. Gaz. 66:229-258.
- Saucier, R. T. 1970. Origin of the St. Francis Sunk Lands, Arkansas and Missouri. Geol. Soc. Amer. Bull. 81:2847-2854.
- Saucier, R. T. 1974. Quaternary geology of the Lower Mississippi Valley. Ark. Archaeol. Surv., Res. Ser. 6.
- Saucier, R. T. 1978. Sand dunes and related eolian features of the lower Mississippi River valley. Geosci. Man. 19:23-40.
- Schoolcraft, H. R. 1821. Journal of a tour into the interior of Missouri and Arkansas, from Potosi, or Mine a Burtin, in Missouri Territory, in a south-west direction, toward the Rocky Mountains; performed in the years 1818 and 1819. Sir R. Phillips and Co., London. 102 pp.
- Schoolcraft, H. R. 1853. Scenes and adventures in the semi-alpine regions of the Ozark Mountains of Missouri and Arkansas, which were first traversed by De Soto, in 1541. Lippincott, Grambo, & Co., Philadelphia, PA. 256 pp.
- Schick, D. 1979. Vegetation studies of north and south exposures on sandstones of the Buffalo River Area, Arkansas. M. S. thesis, Univ. Ark., Fayetteville, AR.
- Schulman, E. 1942. Dendrochronology in pines of Arkansas. Ecology 23:309-318.
- Scott, R., and E. E. Dale, Jr. (undated). Vegetation of adjacent grazed and ungrazed sites, Washington County, Arkansas. University of Arkansas, Fayetteville, AR. (mimeo.)
- Scully, F. J. 1937. Ferns of Hot Springs National Park. Amer. Fern J. 27:59-62.
- Scully, F. J. 1939. Ferns of Hot Springs National Park and vicinity. J. Hot Springs Nat. Hist. Assoc. 5:1-37.
- Scully, F. J. 1941. The mosses of Hot Springs National Park and vicinity. Bryologist 44:125-128.
- Scully, F. J. 1942a. Grasses of Hot Springs National Park, Arkansas and vicinity. Rhodora 44:70-71.
- Scully, F. J. 1942b. Sedges and rushes of Hot Springs National Park, Arkansas, and vicinity. Torreya 42:129-130.
- Sealander, J. A. 1979. A guide to Arkansas mammals. River Road Press, Conway, AR.
- Sears, P. B., and G. G. Couch. 1932. Microfossils in an Arkansas peat bog and their significance. Ohio J. Sci. 32:63-68.
- Segelquist, C. A. and R. E. Pennington. 1972. Browse resources of the Ouachita National Forest in Arkansas. U. S. Forest Serv. Res. Note SO 140:1-4.
- Severin, T. 1968. Explorers of the Mississippi. Knopf, NY. 294 pp.
- Shantz, H. L., and R. Zon. 1924. Natural vegetation. Atlas of American agriculture. Part I. Section E. U. S. Dept. Agri., Forest Serv., New Orleans, LA.
- Shelford, V. E. 1926. Naturalist's Guide to the Americas. Williams and Wilkins Company. Baltimore. [Includes section on Arkansas by J. T. Buchholz.]
- Shepard, R. D., and W. R. Boggess. (undated). The oak-hickory forest region of the eastern deciduous forest including an inventory of significant natural areas. National Park Service contract No. 14-10-9-900-187.
- Shepherd, W. 1986. Visiting Royalty (*Silene regia*). Ark. Nat. 4(1):16-19.
- Shepherd, W., K. L. Smith, W. F. Pell, J. H. Rettig, R. H. Davis, and H. W. Robison. 1984. Arkansas' Natural Heritage. August House, Little Rock, AR.
- Sheviak, C. J. 1987. On the occurrence of *Plantanthera leucophaea* in Louisiana and Arkansas. Rhodora 89:347-350.
- Sherif, A. S. 1983. Floristic study of the Gramineae (Poaceae) of Arkansas. Ph. D. diss., Dept. Botany, Univ. Ark., Fayetteville, AR.
- Shinners, L. H. 1956. *Hypochaeris glabra* L. (Compositae) in Arkansas and Louisiana. Southwest Nat. 1:88.
- Shinners, L. H. 1962. Evolution of Gray's and Small's Manual ranges. Sida. 1:1-31.
- Shinners, L. H. 1969. *Pterorhagia prolifera*, *Dianthus prolifera*, *D. tunica* (Caryophyllaceae) in Arkansas and Texas. Sida 3:345-346.
- Shreve, R. W. 1924a. *Iris cristata*. Flower Grower 11:301.
- Shreve, R. W. 1924b. Native irises of the Ozarks. Flower Grower 11:385-386.
- Shugart, H. H. 1968. Ecological succession of breeding bird populations in northwest Arkansas. M. S. thesis, Univ. Ark., Fayetteville, AR.
- Shugart, H. H., and D. James. 1973. Ecological succession of breeding bird populations in northwestern Arkansas. Auk 90:62-77.
- Shugart, H. H., and D. C. West. 1981. Long-term dynamics of forest ecosystems. Amer. Sci. 69:647-652.
- Small, J. K. 1933. Manual of the southeastern flora. J. K. Small, New York. 1554 pp. [Reprinted by Univ. N. Carolina Press, Chapel Hill, NC.]
- Smith, A. I. 1979. A guide to wildflowers of the Mid-South. Memphis St. Univ. Press, Memphis, TN.
- Smith, A. R. 1971. The *Thelypteris normalis* complex in the southeastern United States. Amer. Fern J. 61:21-32.
- Smith, E. B. 1968. The spring wildflowers of northeastern Arkansas. Dept. Botany, Univ. Ark., Fayetteville, AR.
- Smith, E. B. 1969. A survey of the Arkansas Campanulaceae (including the Lobeliaceae). Proc. Ark. Acad. Sci. 23:126-130.
- Smith, E. B. 1970. Additions to the Arkansas flora. Proc. Ark. Acad. Sci. 24:37-39.
- Smith, E. B. 1972. Keys to the composite of Arkansas. Dept. Botany, Univ. Ark., Fayetteville, AR.
- Smith, E. B. 1973. An annotated list of the Compositae of Arkansas. Castanea 38:79-109.
- Smith, E. B. 1973. A biosystematic study of *Coreopsis saxicola* (Compositae). Brittonia 25:200-208.
- Smith, E. B. 1975. An atlas of the compositae of Arkansas. In: A partial inventory of Arkansas biota, 9th Annual Ark. Biology Curriculum Development Conf., Hendrix College, Conway, AR. Ark. Biol. Curr. Dev. Conf. No. 2. 53 pp.
- Smith, E. B. 1976a. A biosystematic survey of *Coreopsis* in eastern United States and Canada. Sida 6:123-215.
- Smith, E. B. 1976b. *Hedyotis ouachitana* (Rubiaceae): A new species from the Ouachita Mountains of Arkansas and Oklahoma. Brittonia 28:453-459.
- Smith, E. B. 1977a. Checklist of the Saxifragaceae (Saxifragas) of Arkansas. Ark. Acad. Science, Ark. Biota Survey Checklist No. 4. 1 p.
- Smith, E. B. 1977b. Checklist of the Rubiaceae (Madders) of Arkansas. Ark. Acad. Science, Ark. Biota Survey Checklist No. 5. 1 p.
- Smith, E. B. 1977c. Notes on the Arkansas Saxifrageae. Proc. Ark. Acad. Sci. 31:100-102.
- Smith, E. B. 1978. An atlas and annotated list of the vascular plants of Arkansas. Dept. Botany, Univ. Ark., Fayetteville, AR.
- Smith, E. B. 1979a. A new variety of *Galium arkansanum* (Rubiaceae) endemic to the Ouachita Mtns. of Arkansas. Brittonia 31:279-283.
- Smith, E. B. 1979b. An atlas and annotated list of the vascular plants of Arkansas. Dept. Botany, Univ. Ark., Fayetteville, AR [Revised Second Printing.]
- Smith, E. B. 1979c. An atlas and annotated list of the vascular plants of Arkansas, Supplement 1:1-21. Dept. Botany, Univ. Ark., Fayetteville, AR. [Reprinted as Occ. Pap. Ark. Nat. Plt. Soc. No. 1:1-21.]
- Smith, E. B. 1980. An atlas and annotated list of the vascular plants of Arkansas, Supplement 2:1-11. Dept. Botany, Univ. Ark., Fayetteville, AR. [Reprinted as Occ. Pap. Ark. Nat. Plt. Soc. No. 2:1-11.]
- Smith, E. B. 1981a. An atlas and annotated list of the vascular plants of Arkansas, Supplement 3:1-9. Dept. Botany, Univ. Ark., Fayetteville, AR. [Reprinted as Occ. Pap. Ark. Nat. Plt. Soc. No. 3:1-9.]
- Smith, E. B. 1981b. New combinations in *Croptilon* (Compositae-Asteraceae). Sida 9:59-63.
- Smith, E. B. 1982a. An atlas and annotated list of the vascular plants of Arkansas, Supplement 4:1-17. Dept. Botany, Univ. Ark., Fay-

A Bibliographic Summary of Arkansas Field Botany

- eteville, AR. [Reprinted as Occ. Pap. Ark. Nat. Plt. Soc. No. 4:1-17.]
- Smith, E. B. 1982b. Juvenile and adult leaflet phases in *Aralia spinosa* L. *Sida* 9:330-332.
- Smith, E. B. 1982c. A new variety of *Cardamine angustata* (Cruciferae) from the Ouachita Mountains of Arkansas. *Brittonia* 34:376-380.
- Smith, E. B. 1983a. Collecting vascular plants. *Ark. Nat.* 1(10):1-3, 10-11.
- Smith, E. B. 1983b. *Cypripedium candidum* muhl. ex Wild. (Orchidaceae) in Arkansas. *Sida* 10:189.
- Smith, E. B. 1986. An atlas and annotated list of the vascular plants of Arkansas, Supplement 5:1-21. [Reprinted as Occ. Pap. Ark. Nat. Plt. Soc. No. 5:1-21.]
- Smith, E. B., and M. G. Barber. 1979. Additions, deletions and corrections for the atlas and annotated list of the vascular plants of Arkansas. *Proc. Ark. Acad. Sci.* 33:91.
- Smith, E. B., and B. L. Lipscomb. 1975. Some new and noteworthy plants of the Arkansas flora. *Proc. Ark. Acad. Sci.* 29:64-66.
- Smith, E. B., and H. M. Parker. 1971. A biosystematic study of *Coreopsis tinctoria* and *C. cardaminefolia* (Compositae). *Brittonia* 23:161-170.
- Smith, J. L. 1960. Hardwood removal lessens litter-humus in Ozarks. *S. Forest Res.* 1(1):9-10.
- Smith, R. A. 1951. Exploration of the Arkansas River by Benard de la Harpe, 1721-1722: extracts from his journal and instructions. *Ark. Hist. Quart.* 10:339-363.
- Smith, T. 1979. Ecological studies of prairie restoration at Pea Ridge National Military Park, Benton County, Arkansas. M. S. thesis, Univ. Ark., Fayetteville, AR.
- Society of American Foresters. 1967. Forest cover types of North America (exclusive of Mexico). SAF, Washington, D.C.
- Spellman, D. L. 1980. *Sarcostemma cyananchoides* (Asclepiadaceae) in Arkansas, USA. *Sida* 7:92.
- Stahle, D. W. 1982. Development of modern tree-ring chronologies in the midwest: Arkansas, North Texas, Oklahoma, Kansas, and Missouri. Final report submitted to Climate Dynamics Program, NSF, Washington, DC.
- Stahle, D. W., M. K. Cleaveland, and J. G. Hehr. 1985. A 450-year drought reconstruction for Arkansas, United States. *Nature* 316:530-532.
- Stahle, D. W., J. G. Hehr, G. G. Hawks, M. K. Cleaveland, and J. R. Baldwin. 1985. Tree-ring chronologies for southcentral United States. Tree-ring Laboratory and Office of State Climatologist, Dept. Geogr., Univ. Ark., Fayetteville, AR.
- State of Arkansas. 1974. Arkansas Natural Area Plan. Arkansas Natural Heritage Commission, Little Rock, AR.
- State Data Center. 1986. Arkansas statistical abstract — 1986. Geography and Environment, pp. 49-74. SDC, Research & Publ Serv. Unit, Univ. Ark. — Little Rock, Little Rock, AR. 499 pp.
- Sternitzke, H. S. 1960. Arkansas forests. So. For. Surv. Release 84. U. S. Forestry Serv., So. For. Exp. Stn., New Orleans, LA.
- Sternitzke, H. S., and J. F. Christopher. 1970. Land clearing in the lower Mississippi Valley. *Southeastern Geographer* 10:63-66.
- Steyermark, J. A. 1938. Two undescribed plants from Arkansas. *Rhodora* 40:71-72.
- Steyermark, J. A. 1940. *Draba aprica* in the Ozarks of southwestern Missouri. *Rhodora* 42:32-33.
- Steyermark, J. A. 1949. *Lindera melissifolia*. *Rhodora* 51:152-162.
- Steyermark, J. A. 1958. Another station for *Geocarpon minimum*. *Bull. Torr. Bot. Club* 85:124-127.
- Steyermark, J. A. 1959. Vegetational history of the Ozark forest. University of Missouri Studies, Columbia, MO.
- Steyermark, J. A., J. W. Voight, and R. H. Mohlenbrock. 1959. Present biological status of *Geocarpon minimum* MacKenzie. *Bull. Torrey Bot. Club* 86:228-235.
- Steyermark, J. A. 1963. Flora of Missouri. Iowa State Univ. Press, Ames. 1728 pp.
- Stoller, K. M. 1932. Timber types in the Kiamichi and Ozark regions. *J. For.* 30:69-71.
- Stroud, H. B., and G. T. Hanson. 1981. Arkansas geography: the physical landscape and the historical-cultural setting. Rose Publishing Co., Little Rock. 90 pp.
- Sullins, J. P. 1970. Vegetation of selected sites in deer enclosures of the Sylamore District, Ozark National Forest, Arkansas. M. A. thesis, Univ. Ark., Fayetteville, AR.
- Sullivan, J. R. 1978. Composition and abundance of vegetation of the water fluctuation zones of Beaver and Bull Shoals lakes, northwest Arkansas. M. S. thesis, Univ. Ark., Fayetteville, AR.
- Sundell, E. 1983. Two additions to the Arkansas flora from Warren Prairie. *Sida* 10:188-189.
- Sundell, E. 1986. Noteworthy vascular plants from Arkansas. *Castanea* 51:211-215.
- Swartz, D. 1942. Conservation of wild plant life in Arkansas: Fungi, algae, and mosses. Pp. 274-288. Chapter VI in R. W. Roberts, G. C. Branner, and M. R. Owens. Arkansas' natural resources — Their conservation and use. Democrat Print. and Litho., Little Rock, AR.
- Sweeny, J. M., M. E. Garner, and R. P. Burkert. 1984. Analysis of white-tailed deer use of forest clear-cuts. *J. Wildl. Manag.* 48:652-655.
- Taylor, R. J., and C. E. Taylor. 1981. Plants new to Arkansas, Oklahoma, and Texas. *Sida* 9:25-28.
- Taylor, W. C. 1976. Arkansas pteridophyta: description and. Ph. D. diss., Univ. Southern Illinois, Carbondale, IL.
- Taylor, W. C. 1981. Ferns of the tufa deposits on Hot Springs Mountain, Hot Springs National Park: inventory, status, and maintenance. Report to Eastern Natl. Park & Monument Assoc., Philadelphia, PA.
- Taylor, W. C. 1982. Dr. Demaree and the Palmer *Dryopteris*. *Sida* 9:287-289.
- Taylor, W. C. 1984. Arkansas ferns and fern allies. Milwaukee Public Museum, Milwaukee, WI. 262 pp.
- Taylor, W. C., and D. Demaree. 1979. Annotated list of the ferns and fern allies of Arkansas. *Rhodora* 81:503-548.
- Taylor, W. C., and D. M. Johnson. 1979. *Thelypteris* in Arkansas. *Amer. Fern J.* 69:26-28.
- Templeton, G. E. 1962. A list of the smut fungi of Arkansas. *Proc. Ark. Acad. Sci.* 16:17-18.
- Templeton, G. E. 1977. Checklist of the Smut Fungi of Arkansas. *Ark. Acad. Sci. Ark. Biota Survey Checklist No. 7.* 1 p.
- Teskey, R. O., and T. M. Hinckley. 1977. Impact of water level changes on woody riparian and wetland communities. Vol. II: Southern Forest Region. U. S. Fish and Wildlife Service.
- Theriot, R. F. 1988. Flood tolerance indices of plant species of southeastern bottomland forests. Technical Report, U. S. Army Engineer Waterways Expt. Station, Vicksburg, Mississippi.
- Timme, S. L. 1986. Distribution of bryophytes in selected western Missouri and western Arkansas prairies. Pp. 61-64. in G. K. Clambey and R. H. Pemble. The prairie, past, present and future. Proceedings Ninth North American Prairie Conference. Tri-college University, Center for Environmental Studies, Fargo, ND/Moorhead, MN.
- Thomas, P. E., and P. L. Redfearn. 1976. Bryophytes of the interior highlands. Part 16: new distributional records for Arkansas and Missouri, USA. *Bryologist* 79:100-101.
- Thomas, R. D. 1978. Three additions to the Ophioglossaceae of Arkansas. *Bull. Torr. Bot. Club* 105:234-235.
- Thomas, R. D., and S. Hooks. 1985. *Limnoscidium pumilum* new to Arkansas. *Phytologia* 57:374.
- Thomas, R. D., S. Leslie, and S. Hooks. 1985. *Seymeria cassiooides* (Walt.) Blake new to Arkansas. *Phytologia* 59:81-82.
- Thompson, P. 1984. A new orchid for Arkansas. *Ark. Nat.* 2(1):1-3, 10.
- Thompson, R. L. 1977. The vascular flora of Lost Valley, Newton County, Arkansas. *Castanea* 42:61-94.
- Thornbury, W. D. 1965. Regional geomorphology of the United States. Wiley, NY. 609 pp.
- Timme, S. L., and J. E. Moore. 1983. New county and state records of mosses from Arkansas. *Proc. Ark. Acad. Sci.* 37:100-101.

James H. Peck and Carol J. Peck

- Torrey, J. 1853. Description of the plants collected during the expedition (to the Red River of Louisiana in 1852). In: R. B. Marcy, Exploration of the Red River of Louisiana.
- Torrey, J. and A. Gray. 1838-1843. A flora of North America; containing abridged descriptions of all the known indigenous and naturalized plants growing north of Mexico; arranged according to the natural system. Wiley and Putnam, NY. 2 vol.
- Torrey, J. and A. Gray. 1855. Botanical report upon the collections made by Captain Gunnison, Topographical Engineers, in 1853, and by Lieutenant E. G. Beckwith, Third Artillery, in 1854. Part II. In: Report of explorations and surveys...for a railroad from the Mississippi River to the Pacific Ocean, etc. Vol. II. House of Representatives Ex. Doc. No. 91, 33rd Congress, 2nd Session.
- Troutman, F. H., and R. L. Porterfield. 1974. The role of Arkansas forests in the state's economy. Prepared for Ark. State Chamber of Comm. and Associated Indus. of Ark., by Indus. Research and Ext. Center, College of Bus. Admin., Univ. Ark. Little Rock, Little Rock, AR. Publ. No. D-16.
- Troutman, F. H., S. G. Breshears, J. L. Greene, and J. C. Geisler. 1981. Forests and the Arkansas economy. Indus. Research and Ext. Center, Univ. Ark. Little Rock, Little Rock, AR. Publ. No. D-17.
- Tucker, G. E. 1969. Some noteworthy species of the Arkansas flora. Proc. Ark. Acad. Sci. 23:142-144.
- Tucker, G. E. 1971. *Selaginella arenicola* ssp. *riddellii* (Selaginellaceae) in Arkansas. Sida 4:275.
- Tucker, G. E. 1972. The vascular plants of Magazine Mountain. Report prepared for U.S. Forest Serv., Ozark Natl. Forest, Russellville, AR.
- Tucker, G. E. 1974a. *Caperonia palustris* (Euphorbiaceae) in Arkansas. Sida 5:286.
- Tucker, G. E. 1974b. *Lindera melissaefolium* in Arkansas. Rhodora 76:525.
- Tucker, G. E. 1974c. The vascular plant family Lauraceae in Arkansas. Proc. Ark. Acad. Sci. 28:74-75.
- Tucker, 1974d. Threatened native plants of Arkansas. In Arkansas Natural Area Plan. Ark. Dept. Planning, Little Rock, AR.
- Tucker, G. E. 1975a. A guide to the woody flora of Arkansas. In: A partial inventory of Arkansas biota, 9th Annual Arkansas Biology Curriculum Development Conf., Hendrix College, Conway, AR. Ark. Biol. Curr. Dev. Conf. No. 1. 207 pp.
- Tucker, G. E. 1975b. *Castanea pumila* var. *ozarkensis* (Ashe) Tucker, comb. nov. Proc. Ark. Acad. Sci. 29:67-69.
- Tucker, G. E. 1976. A guide to the woody flora of Arkansas. Ph. D. diss., Univ. Ark., Fayetteville, AR.
- Tucker, G. E. 1979. Checklist of the woody plants of Arkansas. Ark. Acad. Sci., Ark. Biota Survey Checklist No. 21. 9 pp.
- Tucker, G. E. 1983a. Status report on *Trillium pusillum* var. *ozarkanum* (Palmer & Steyermark) Steyermark. Report to U. S. Fish Wildl. Service. 42 pp.
- Tucker, G. E. 1983b. A survey of Overcup Oak — and Pin Oak — dominated wetlands in the Boston Mountains of Arkansas. Unpubl. manuscript, Dept. Biology, Arkansas Tech Univ., Russellville, AR.
- Tucker, G. E. 1984a. In memoriam, Richard Harley Davis, 1946-1983. Sida 10:265-267.
- Tucker, G. E. 1984b. Status survey *Castanea ozarkensis*. Report to U. S. Fish and Wildl. Serv. 33 pp.
- Tucker, G. E. 1984c. Status survey *Delphinium newtonianum*. Report to U. S. Fish and Wildl. Serv. 46 pp.
- Tucker, G. E. 1984d. Status survey *Delphinium treleasei*. Report to U. S. Fish and Wildl. Serv. 37 pp.
- Tucker, G. E. 1984e. Status survey *Dodecatheon frenchii*. Report to U. S. Fish and Wildl. Serv. 30 pp.
- Tucker, G. E. 1984f. Status survey *Draba aprica*. Report to U. S. Fish and Wildl. Serv. 29 pp.
- Tucker, G. E. 1984g. Status survey *Eriocaulon kornickianum*. Report to U. S. Fish and Wildl. Serv. 31 pp.
- Tucker, G. E. 1984h. Status survey *Geocarpon minimum*. Report to U. S. Fish and Wildl. Serv. 32 pp.
- Tucker, G. E. 1984i. Status survey *Heuchera arkansana*. Report to U. S. Fish and Wildl. Serv. 31 pp.
- Tucker, G. E. 1984j. Status survey *Leitneria floridana*. Report to U. S. Fish and Wildl. Serv. 47 pp.
- Tucker, G. E. 1984k. Status survey *Lindera melissifolia*. Report to U. S. Fish and Wildl. Serv. 45 pp.
- Tucker, G. E. 1984l. Status survey *Neviusia alabamensis*. Report to U. S. Fish and Wildl. Serv. 39 pp.
- Tucker, G. E. 1984m. Status survey *Oenothera pilosella* ssp. *sessilis*. Report to U. S. Fish and Wildl. Serv. 19 pp.
- Tucker, G. E. 1984n. Status survey *Penstemon cobaea* var. *purpureus*. Report to U. S. Fish and Wildl. Serv. 12 pp.
- Tucker, G. E. 1984o. Status survey *Thalictrum debile*. Report to U. S. Fish and Wildl. Serv. 23 pp.
- Tucker, G. E., and B. Grabill. 1970. Floristic elements of the Pope County, Arkansas area. Proc. Ark. Acad. Sci. 24:39-41.
- Turner, L. M. 1935a. Catastrophes and pure stands of southern shortleaf pine. Ecology 16:213-215.
- Turner, L. M. 1935b. Notes on forest types of northwestern Arkansas. Amer. Midl. Nat. 16:417-421.
- Turner, L. M. 1935c. The status of the shortleaf pine in the northwestern Ozark region. Trans. Ill. Acad. Sci. 28:115-16.
- Turner, L. M. 1936a. Factors influencing the rate of growth of pine in Arkansas. Ecology 17:227-240.
- Turner, L. M. 1936b. A comparison of roots of southern shortleaf pine in three soils. Ecology 17:649-658.
- Turner, L. M. 1936c. Root growth of seedling of *Pinus echinata* and *Pinus taeda*. J. Agri. Res. 53:145-149.
- Turner, L. M. 1937a. Some soil characteristics influencing the distribution of forest types and rate of growth on trees in Arkansas. J. For. 35:5-11.
- Turner, L. M. 1937b. Trees of Arkansas. Coll. Agric. Univ. Ark. and U. S. Dept. Agri. Ext. Circ. No. 180.
- Twain, M. 1904. Life on the Mississippi. Harper & Bros., NY. 465 pp.
- University of Arkansas. 1972. Environmental evaluation report on the Big Mulberry Creek Basin in Franklin, Madison, Newton, Johnson, and Crawford counties, Arkansas. Appendix A. Principal forest communities. Prepared for U. S. Army Engineers, Little Rock District, Little Rock, AR.
- University of Arkansas. 1974. An ecological inventory of Devil's Den State Park, Arkansas. National Science Foundation Student-orig. Studies. Univ. Ark., Fayetteville, AR.
- U. S. Army Engineers. 1974. Cache River basin project: a waterfowl habitat preservation program. Final Environmental Impact Statement. U. S. Army Engineers, Memphis District, Memphis, TN. 2 vol.
- U. S. Army Engineers. 1978. Preliminary guide to wetlands of the Gulf Coastal Plain. Technical Report Y-78-5. Waterways Expt. Station, Vicksburg, MS.
- U. S. Army Engineers. 1982. Preliminary guide to the onsite identification and delineation of wetlands of the interior United States. Technical Report Y-78-6. Waterways Expt. Station, Vicksburg, MS.
- U. S. Dept. Agri. 1941. Climate and man. The 1941 Yearbook of Agriculture. U. S. Dept. Agri, GPO, Washington, DC.
- U. S. Dept. Agri., Forest Service. 1960. Management and inventory of southern hardwoods. Agric. Handbk. No. 181.
- U. S. Dept. Agri., Forest Service. 1969. A forest atlas of the south. So. For. Exper. Sta., New Orleans and Southeast. For. Exper. Sta., Asheville, NC.
- U. S. Dept. Agri., Forest Service. 1986. Ouachita National Forest Land and Resources Management Plan and Environmental Impact Statement. 2 vol. Southern Region, Forest Service, USDA, Washington, DC.
- U. S. Dept. Agri., Forest Service. 1986. Ozark-St. Francis National Forest Land and Resources Management Plan and Environmental Impact Statement. 2 vol. Southern Region, Forest Service, USDA, Washington, DC.
- U. S. Dept. Agri., Soil Conservation Service. 1967. Soil association map: State of Arkansas. SCS, Little Rock, AR.

A Bibliographic Summary of Arkansas Field Botany

- U. S. Dept. Agri., Soil Conservation Service. 1982. National list of scientific plant names. 2 vol. 1: List of Plant Names. 2: Synchrony. SCS-Technical Publ. 159, Washington, DC.
- U. S. Dept. Agri., Soil Conservation Service. Soil Surveys of Arkansas Counties. Ark. Agri. Expt. Stat., Forest Serv., Soil Conserv. Serv., and U. S. Dept. Agri., Washington, DC.
- U. S. Dept. Agri., Weather Bureau. 1916. Summary of the climatological data for the United States, by sections: Arkansas. U. S. Dept. Agri., Weather Bur., GPO, Washington, DC.
- U. S. Dept. Commerce, Natl. Oceanic Atmosph. Admin. 1976. Climate of Arkansas. Natl. Climatic Center, Asheville, NC.
- U. S. Dept. Commerce, Natl. Oceanic Atmosph. Admin. 1969-1987. Climatological Data: Annual summary, Arkansas. GPO, Washington, DC.
- U. S. Dept. Commerce, Natl. Oceanic Atmosph. Admin. 1979. Outstanding tornadoes in Arkansas. Natl. Weather Serv. Forecast Off., North Little Rock, AR.
- U. S. Dept. Inter., Fish and Wildlife Service. 1954. Wetlands of Arkansas in relation to their wildlife value. Bur. Sport Fish. Wildlife, Atlanta, GA.
- U. S. Dept. Inter., Fish and Wildlife Service. 1978. Bottomland hardwood preservation program Lower Mississippi River Delta Habitat Category 7. U. S. Fish Wildl. Serv., Atlanta, GA.
- U. S. Dept. Inter., Fish and Wildlife Service. 1984. Cache River Basin: A waterfowl habitat preservation proposal: Jackson, Monroe, Prairie, and Woodruff counties, Arkansas. Final environmental impact statement. U. S. Fish Wildl. Serv., Atlanta, GA.
- Van Dover, B. 1962. Root habits of broomsedge (*Andropogon virginicus* L.). Unpublished research report. National Science Foundation Undergraduate Research Participation Program. Dept. Botany, Univ. Ark., Fayetteville, AR.
- Van Hees, W. S. 1980. Arkansas forests; trends and prospects. U. S. Dept. Agri. For. Serv. Resour. Bull. SO-77, South. For. Exp. St., New Orleans, LA. 32 pp.
- Van Sickle, C. C. 1970. Arkansas forest resource patterns. U. S. For. Serv. Res. Bull. SO-24, South. For. Exp. St., New Orleans, LA. 34 pp.
- Vanderpool, S. S. 1984. A comparative study of the vascular plants from selected bogs of Crowley's Ridge in Greene and Clay counties, Arkansas. M. S. thesis, Ark. St. Univ., State University, AR. 77 pp.
- Vines, R. A. 1960. Trees, shrubs, and woody vines of the Southwest. Univ. Texas Press, Austin, TX.
- Wackerman, A. G. 1929. Why prairies in Arkansas and Louisiana? J. For. 27:726-734.
- Wade, R. G. 1977. Arkansas wildflowers. White Pub. Co., Paragould, AR. 92 pp.
- Waggoner, G. S. 1975. Eastern deciduous forest. Vol. 1. Southeastern evergreen and oak-pine region. Natl. Park Serv. Nat. Hist. Theme Studies, No. 1. U. S. Gov. Printing Office, Washington, DC.
- Wagner, W. H. 1962. *Trichomanes boschianum* in Arkansas. Amer. Fern J. 52:85.
- Wagner, W. H., and W. C. Taylor. 1976. *Dryopteris X leedsii* and its westernmost station. Sida 6:224-234.
- Wahlenberg, W. G. 1948. Effect of forest shade and openings on loblolly pine seedlings. J. For. 46:832-834.
- Warder, J. A. 1880. Notes from Arkansas. Bot. Gaz. 6:188.
- Watts, W. A. 1980. The late Quaternary vegetation history of the southeastern United States. Ann. Rev. Ecol. Syst. 11:387-409.
- Watts, W. A., and M. Stuiver. 1980. Late-Wisconsin climate of northern Florida and the origin of species-rich deciduous forest. Science 210:325-327.
- Webb, T., and J. H. McAndrews. 1976. Corresponding patterns of contemporary pollen and vegetation in central North America. Pp. 267-299, in R. M. Clive and J. D. Hay. Investigations of late quaternary paleoecography and paleoclimatology. Geol. Soc. Amer. Mem. 145.
- Wells, P. V. 1965. Scarp woodlands, transported grassland soils, and concept of grassland climate in the Great Plains. Science 148:245-249.
- Wells, P. V. 1970. Historical factors controlling vegetation patterns and floristic distributions in central plains region of North America. Pp. 211-221, in W. Dordt and J. K. Jones. Pleistocene and recent environments of the central Great Plains. Dept. Geol. Univ. Kansas Spec. Publ. No. 3., Univ. Kansas Press, Lawrence, KS. 433 pp.
- Wells, P. V. 1970. Postglacial vegetational history of the Great Plains. Science 167:1574-1582.
- Weniger, D. 1970. Cacti of the Southwest: Texas, New Mexico, Oklahoma, Arkansas and Louisiana. Univ. Texas Press, Austin, TX. 249 pp.
- Werth, C. R., and C. W. Taylor. 1980. *Asplenium X gravesii* discovered in Arkansas. Amer. Fern J. 70:28.
- Wharton, C. H., W. M. Kitchens, E. C. Pendleton, and T. W. Stipe. 1982. The ecology of bottomland hardwood swamps of the southeast: community profile. FWS/OBS-81/37. U. S. Fish Wildl. Serv., Office Biological Services, Washington, DC.
- Wherry, E. T. 1935. An Ozark variety of *Phlox pilosa*. Amer. Midl. Nat. 16:413-416.
- Wilhelm, P. 1835. Erste Reise nach dem nordlichen Amerika in den Jahren 1822 bis 1824. J. G. Cotta'schen, Tubingen. [Trans. by W. R. Nitske, ed. by S. Lottinville. Paul Wilhelm, Duke of Wurtenberg, Travels in North America, 1822-1824. Publ. in 1973 by Univ. Oklahoma Press, Norman, OK; Vol. 63 of American Exploration and Travel Series.]
- Whitehead, D. R. 1963. "Northern" elements in the Pleistocene of the Southwest. Ecology 44:403-406.
- Whitehead, D. R. 1965. Palynology and Pleistocene phytogeography of unglaciated eastern North America. Pp. 417-432, in H. E. Wright, and D. G. Frey. The Quaternary of the United States. Princeton Univ. Press, Princeton, NJ. 922 pp.
- Whitehead, D. R. 1967. Studies of full-glaical vegetation and climate in southeastern United States. Pp. 237-248, in E. J. Cushing and H. E. Wright. Quaternary Paleocology. Yale Univ. Press, New Haven, CN. 433 pp.
- Whitehead, D. R. 1973. Late Wisconsin vegetational changes in unglaciated eastern North America. Quat. Res. 3:621-631.
- Wilcox, W. H. 1973. A survey of the vascular flora of Crittenden County, Arkansas. Castanea 38:286-297.
- Williams, J. F. 1890. Distribution of the timber and its relation to the underlying rock formations. (Magnet Cove region). Ann. Rep. for 1889, Part 2. (Igneous rocks). Ark. Geol. Surv. for 1890. 2:167-170. Little Rock, AR.
- Wittlake, E. B. 1950a. Preliminary report on Arkansas bryophytes. Proc. Ark. Acad. Sci. 3:35-37.
- Wittlake, E. B. 1950b. The bryophytes of Spy Rock Hollow. Proc. Ark. Acad. Sci. 3:39-40.
- Wittlake, E. B. 1951a. A new record for *Petalophyllum lamellatum* (Nees) Lindb. Bryologist 54:76.
- Wittlake, E. B. 1951b. Preliminary report on the Hepaticae of Arkansas. Proc. Ark. Acad. Sci. 4:65-68.
- Wittlake, E. B. 1954. The Hepaticae of Arkansas. I. Bryologist 57:7-18.
- Wittlake, E. B. 1972. Bryophytes of Strawberry River Basin. Appendix C of Environmental Inventory, Strawberry River Basin. Prepared by Ark. St. Univ., College Station, for U. S. Army Engineers, Little Rock District, Little Rock, AR.
- Wolff, S. E. 1954. A guide to plant names in Texas, Oklahoma, Louisiana, and Arkansas. Rev. by C. A. Rechenthin. U. S. Dept. Agr., Soil Conser. Serv. 91 pp.
- Wood, W. R., and R. B. McMillan. 1976. Prehistoric man and his environments: a case study in the Western Ozark Highlands. Academic Press, NY.
- Woodson, R. E. 1943. A new *Amsonia* from the Ozarks of Arkansas. Rhodora 45:328-329.
- Wright, C. A., G. E. Bradford, and D. E. Classen. Undated. Final report on vegetation of Pea Ridge, National Military Park, Benton County, Arkansas. U. S. Dept. Inter., National Park Service.
- Wright, H. E. 1970. Vegetational history of the Central Plains. Pp. 157-172, in W. Dordt and J. K. Jones. Pleistocene and recent environments of the central Great Plains. Dept. Geol., Univ. Kansas Sp. Publ. 3. 433 pp.

- Wright, H. E. 1976. The dynamic nature of Holocene vegetation: a problem in paleoclimatology, biogeography, and stratigraphic nomenclature. *Quat. Res.* 6:581-596.
- Wright, R. D. 1984. Some studies on introducing *Castilleja coccinea*, Indian Paintbrush, into prairie vegetation. *Proc. Ark. Acad. Sci.* 38:85-87.
- Wright, R., and D. Culwell. 1982. Early stages of prairie restoration on a 1.5 hectare field in Faulkner County, Arkansas. *Proc. Ark. Acad. Sci.* 36:80-81.
- Wyatt, T. M. 1972. Vascular flora of Mississippi County, Arkansas. M. S. thesis, Ark. St. Univ., State University, AR. 46 pp.
- Yocom, H. A. 1968. Shortleaf pine seed dispersal. *J. For.* 66:422.
- Yocom, H. A., and E. L. Little. 1976. Another Arkansas colony of *Neviusia*. U. S. Forest Serv. Res. Note SO-211 pp 1-3. S. Forest Expt. Stn., New Orleans, LA.
- Youree, J. T. 1969. The vegetation and soils of selected sites near Lake Wedington, Arkansas. M. S. thesis, Univ. Ark., Fayetteville, AR.
- Zachry, D. L., E. E. Dale, R. A. Berry, and R. H. Davis. 1979. Potential national natural landmarks of the Interior Highlands physiographic region, central United States. U.S. Dept. Inter., Natl. Park Serv. 272 pp.
- Dwyer, J. D. 1970. The universities of the state of Missouri and botany in middle America. *Trans. Mo. Acad. Sci.* 4:29-32.
- Egler, F. E. 1961. Cartographic guide to selected regional vegetational literature.—Where plant communities have been described. Part II. Southeastern United States. *Sarracenia* 6:1-87.
- Eilers, L. J. 1975. History of studies on the Iowa vascular flora. *Proc. Iowa Acad. Sci.* 82:59-64.
- Ewan, J. 1967. A bibliography of Louisiana botany. *Southwestern Louisiana J.* 7:2-83.
- Fuller, M. J. 1979. Field botany in Kentucky: a reference list. *Trans. Kentucky Acad. Sci.* 40:43-51.
- Gunn, C. R. 1956. A guide to some recent state floras. *Castanea* 21:33-38.
- MacRoberts, D. T. 1984. The vascular plants of Louisiana. An annotated checklist and bibliography of the vascular plants reported to grow without cultivation in Louisiana. Bull. No. 6. Museum Life Sci., Louisiana St. Univ., Shreveport, LA.
- Peck, J. H. and D. M. Roosa. 1983. Bibliography of Iowa aquatic and wetland plant literature. *Proc. Iowa Acad. Sci.* 90:72-77.
- Peck, J. H. and M. M. Smart. 1985. Bibliography to Upper Mississippi River aquatic and wetland plant literature. *Proc. Iowa Acad. Sci.* 92:78-84.
- Risser, P. G. 1984. Bibliography of Illinois vegetation. Ill. Nat. Hist. Surv. Biol. Note No. 121. 51 pp.
- Roosa, D. M. and J. H. Peck. 1986. Annotated bibliography of Iowa prairie literature. *Proc. Iowa Acad. Sci.* 93:54-69.
- Smith, E. B. 1978. An atlas and annotated list of the vascular plants of Arkansas. Dept. Botany, Univ. Ark., Fayetteville, AR.
- Sundell, E. 1983. A bibliography of Louisiana botany: 1951-1975. *Tulane Stud. Zool. Bot.* 21(1):1-66.
- Weher, W. and J. Raveill. 1986. Missouri botanical record. *Misouriensis* 7(1):23-39.
- Wood, C. E. 1983. Indexes to papers 1 to 100 published as parts of the generic flora of the southeastern United States. *J. Arnold Arbor.* 64:547-563.

LITERATURE CITED

- Andre, J. E. 1971. The history of systematic botany in Tennessee: 1770-1942. MS thesis, Univ. Tenn., Knoxville, TN. 117 pp.
- Bates, V. 1985. The vascular flora of Tennessee: a taxonomic and geographic guide to the floristic literature. *J. Tenn. Acad. Sci.* 60(3):66-76.
- Browne, E. T. 1965. Botany in Kentucky since 1914. *Trans. Kentucky Acad. Sci.* 25(3):77-82.
- Buchholz, J. T. and E. J. Palmer. 1926. Supplement to the catalogue of Arkansas plants. *Trans. Acad. Sci. St. Louis* 25:1-164.
- Corgan, J. X. 1977. Tennessee's early technical and scientific journals, 1825-1861. *J. Tenn. Acad. Sci.* 52:23-26.
- Dale, E. E. 1963. Literature on the vegetation of Arkansas. *Proc. Ark. Acad. Sci.* 17:40-49.
- Davies, P. A. 1953. The status of floristic studies in Kentucky. *Trans. Kentucky Acad. Sci.* 14(2):49-58.
- Duncan, W. H. 1953. Taxonomic collections of vascular plants in the southeastern United States — their abundance and relation to production of flora. *Rhodora* 35:3-358.