

1985

## A Check-list of the Spiders of Arkansas

Peggy Rae Dorris  
*Henderson State University*

Follow this and additional works at: <http://scholarworks.uark.edu/jaas>

 Part of the [Zoology Commons](#)

---

### Recommended Citation

Dorris, Peggy Rae (1985) "A Check-list of the Spiders of Arkansas," *Journal of the Arkansas Academy of Science*: Vol. 39 , Article 10.  
Available at: <http://scholarworks.uark.edu/jaas/vol39/iss1/10>

This article is available for use under the Creative Commons license: Attribution-NoDerivatives 4.0 International (CC BY-ND 4.0). Users are able to read, download, copy, print, distribute, search, link to the full texts of these articles, or use them for any other lawful purpose, without asking prior permission from the publisher or the author.

This Article is brought to you for free and open access by ScholarWorks@UARK. It has been accepted for inclusion in Journal of the Arkansas Academy of Science by an authorized editor of ScholarWorks@UARK. For more information, please contact [scholar@uark.edu](mailto:scholar@uark.edu), [ccmiddle@uark.edu](mailto:ccmiddle@uark.edu).

# A CHECK-LIST OF THE SPIDERS OF ARKANSAS

PEGGY RAE DORRIS  
Henderson State University  
Arkadelphia, AR 71923

## ABSTRACT

Collections of spiders were made from 1966, to the present in the six physiographic regions of Arkansas. During this time 435 species representing 35 families were collected and recorded.

## INTRODUCTION

Research has been in progress for the past 18 years to provide a checklist of Arkansas spiders. Dorris (1968, 1969, 1970, 1971, 1972, 1980); Dorris and Burnside (1977); Beck and Dorris (1983); and Dorris and Saughey (1983); made numerous studies in an effort to cover the major physiographic regions of the state. Whitcomb, Exline, and Hite (1963); Whitcomb and Tadic (1963); Whitcomb and Bell (1964); and Warren, Peck, and Tadic (1967) made arthropod studies in agricultural habitats of the Ozark Mountain Area. Heiss (1977) collected specimens from pit traps located in two counties of the Ozark Mountain Area.

The six physiographic regions of Arkansas as defined by the Environmental and Conservation office of the Department of Education, show significant ecological differences with habitat diversity including mountains, upland hardwoods, bottomland hardwoods, loblolly-shortleaf pine, cedar glade, upland prairie, to caves.

The purpose of this lengthy study has been to determine the spider fauna of Arkansas. It is the authors opinion that at least 90% of the species have been identified, while recognizing that an ecological study of this scope can rarely be definitive.

## METHODS AND MATERIALS

Several methods and types of instrumentation for collecting were used. They were (a) heavy duty sweep net in grasses and heavy brush, (b) wire mesh for leaf litter, (c) chopping bark from trees, (d) hand picking from bushes, ground and old dwellings and other related places, (e) mud-dauber nest collections to reveal paralyzed spiders captured by mud-daubers, (f) night spot-lighting. Pit traps were used extensively in Drew County and Heiss (1977) also employed this sampling technique. Collections from other institutions such as University of Arkansas at Fayetteville and L.S.U. at Baton Rouge were examined.

Most of the collections were made between the hours of 9 A.M. and 5 P.M. The specimens were preserved in screw cap vials containing 75% ethyl alcohol.

In all physiographic regions 8-10 check stations were set up across the whole region so that coverage of the various habitats could be assured.


Names used are those employed by Kaston and Kaston (1972), Gertsch (1974), and Comstock (1982). Species are listed alphabetically. The arrangement followed is that of Kaston (1948, 1978). Other literature used for identification of specimens included: Archer (1951), Brady (1964, 1969), Bell (1967), Bowling and Sauer (1975), Carico and Holt (1964), Dondale (1961), Dondale and Redner (1968), Emerton (1961), Exline (1938, 1962), Exline and Levi (1962), Gertsch (1934, 1949, 1953, 1979), Ivie (1969), Kaston (1973), Peck (1966, 1981), Peck and Peck (1982), Rapp (1980), and Sauer and Platnick (1972).

## RESULTS AND DISCUSSION

Four hundred thirty-five species representing 35 families were collected from the following habitat types: forests, mixed deciduous and pine forests, buildings, inhabited dwellings, abandoned dwellings, barns and other out buildings, caves, mine tunnels, roadsides, bare ground,

mixed grasses, fields of mixed grasses, shrubs, herbs, mud-dauber nests, and water surfaces. The number of specimens decreased as temperature and humidity increased.

Figure 1, Pell (1983), represents the six physiographic regions covered in this study. It is the belief of this author that at least 90% of the spider fauna of Arkansas has been identified. The Arkansas spider checklist of species follows and common names are employed where known.



- 1 OZARK MOUNTAINS NATURAL DIVISION
  - 1a Salem Plateau Subdivision
  - 1b Springfield Plateau Subdivision
  - 1c Boston Mountains Subdivision
- 2 ARKANSAS VALLEY NATURAL DIVISION
- 3 OUACHITA MOUNTAINS NATURAL DIVISION
  - 3a Fourche Mountains Subdivision
  - 3b Central Ouachita Mountains Subdivision
  - 3c Athens Piedmont Plateau Subdivision
- 4 WEST GULF COASTAL PLAIN NATURAL DIVISION
  - 4a Southwestern Arkansas
  - 4b Southcentral Arkansas
- 5 MISSISSIPPI ALLUVIAL PLAIN NATURAL DIVISION
  - 5a Bottomlands Subdivision
  - 5b Loessial Plains Subdivision
- 6 CROWLEY'S RIDGE NATURAL DIVISION

Figure 1. Natural Divisions of Arkansas

## Peggy Rae Dorris

## A CHECKLIST OF THE SPIDERS OF ARKANSAS

- ANTRODIAETIDAE Folding-door trap-door spiders  
*Antrodiaetus unicolor* (Hentz)
- THERAPHOSIDAE "Ordinary" tarantulas  
*Dugesia hentzi* (Girard)
- CTENIZIDAE Trap-door spiders  
*Bothriocyrtum californicum* (O. P. Cambridge)  
*Ummidia audouini* (Lucas) Common trap-door spider
- FILISTATIDAE  
*Filistata hibernalis* Hentz Brown house spider
- OECOBIIDAE  
*Oecobius annulipes* Lucas  
*Oecobius cellariorum* (Duges)  
*Oecobius texanus* Bryant
- ULOBORIDAE  
*Hyptiotes cavatus* (Hentz) Triangle spider  
*Uloborus diversus* Marx  
*Uloborus glomosus* (Walckenaer) Feather-legged spider
- DICTYNIDAE  
*Dictyna annulipes* (Blackwall)  
*Dictyna bicornis* (Emerton)  
*Dictyna hentzi* Kaston  
*Dictyna segregata* Gertsch & Mulaik  
*Dictyna volucris* Keyserling  
*Lathys pallida* (Marx)
- AMAUROBIIDAE White-eyed spiders  
*Amaurobius bennetti* (Blackwall)  
*Amaurobius ferox* (Walckenaer)  
*Callioplus tibialis* (Emerton)  
*Titanoeca americana* Emerton
- SCYTODIDAE Spitting spiders  
*Scytodes thoracica* (Latreille)  
*Scytodes perfecta* Banks
- LOXOSCELIDAE  
*Loxosceles reclusa* Gertsch & Mulaik Brown recluse-  
Violin spider  
*Loxosceles rufescens* (Dufour)
- LEPTONETIDAE  
*Leptoneta arkansa* Gertsch
- SEGESTRIIDAE  
*Ariadna bicolor* (Hentz)
- PHOLCIDAE Cellar spiders  
*Pholcus phalangioides* (Fuesslin) Long-bodied cellar spiders  
*Spernophora meridionalis* Hentz Short-bodied cellar spiders
- THERIDIIDAE Comb-footed spiders  
*Achaearanea globosa* (Hentz)  
*Achaearanea porteri* (Banks)  
*Achaearanea tepidariorum* (C. L. Koch) House spider-  
Domestic spider  
*Argyrodes trigonum* (Hentz)  
*Aelosimus textrix* (Walckenaer)  
*Conopistha rufa* (Walckenaer)  
*Conopistha trigona* (Hentz)  
*Ctenium riparius* (Keyserling)  
*Dipoena nigra* (Emerton)  
*Diopena buccalis* Keyserling  
*Euryopsis limbata* (Walckenaer)  
*Euryopsis funebris* (Hentz)  
*Latrodectus geometricus* C. L. Koch  
*Latrodectus hasselti* Thorel  
*Latrodectus hesperus* Chamberlin & Ivie  
*Latrodectus mactans* (Fabricius) Black widow  
*Latrodectus variolus* (Walckenaer)  
*Rhomphaea lacerta* (Walckenaer)  
*Spintharus flavidus* Hentz  
*Steatoda palmara* Chamberlin & Ivie  
*Steatoda triangulosa* (Walckenaer)  
*Teutana triangulosa* (Walckenaer)  
*Theridula opulenta* (Walckenaer)
- Theridula emertoni* (Levi)  
*Theridion australe* Banks  
*Theridion differens* Emerton  
*Theridion flavonotatum* Becker  
*Theridion frondeum* Hentz  
*Theridion intervallatum* Emerton  
*Theridion murarium* Emerton  
*Theridion neshamini* Levi  
*Theridion rabuni* Chamberlin & Ivie  
*Theridion tinctum* Walckenaer  
*Tidarren sisyphoides* (Walckenaer)  
*Ulesanis americana* Emerton
- NESTICIDAE  
*Eidmannella pallida* (Emerton)
- LINYPHIIDAE  
*Florinda coccinea* (Hentz)  
*Frontinella pyramitela* (Walckenaer) Bowl & doily spider  
*Lepthyphantes nebulosa* (Keyserling)  
*Meioneta fabra* (Keyserling)  
*Meioneta meridionalis* Crosby & Bishop  
*Meioneta micaria* Emerton  
*Porrhomma caverniculum* Keyserling  
*Prolynphia maculata* Emerton  
*Prolynphia marginata* (C. L. Koch)
- MICRYPHANTIDAE  
*Ceraticelus creolus* Chamberlin  
*Ceraticelus similis* (Banks)  
*Eperigone maculata* (Banks)  
*Eperigone tridentata* (Emerton)  
*Eperigone trilobata* (Emerton)  
*Erigone autumnalis* Emerton  
*Gonatium rubens* (Blackwall)  
*Grammonota inornata* Emerton  
*Grammonota maculata* Banks  
*Grammonota texana* (Banks)  
*Walckenaera spiralis* (Emerton)  
*Walckenaera vigilax* (Blackwall)
- THERIDIOSOMATIDAE Ray spiders  
*Theridiosoma radiosa* (McCook) Ray spider
- ARANEIDAE Typical orb weavers  
*Acacesia hamata* (Hentz)  
*Acanthepeira moesta* Comstock  
*Acanthepeira stellata* (Marx) Star-bellied spider  
*Acanthepeira vanusta* (Banks)  
*Araneus cavaticus* (Keyserling)  
*Araneus cingulatus* (Walckenaer)  
*Araneus gemma* (McCook)  
*Araneus frondosa* (Linnaeus) Foliate spider  
*Araneus guttulatus* (Walckenaer)  
*Araneus juniperi* (Emerton)  
*Araneus marmoreus* Clerck Marbled spider  
*Araneus miniatus* (Walckenaer)  
*Araneus nordmanni* (Thorell)  
*Araneus partitus* (Walckenaer)  
*Araneus thaddeus* (Hentz)  
*Araniella displicata* (Hentz)  
*Argiope aurantis* Lucas Black & yellow garden spider-  
Writing spider  
*Argiope trifasciata* (Forsk.) Banded garden spider  
*Conopeira ozarkensis* Archer  
*Cyclosa bifurca* (Hentz)  
*Cyclosa conica* (Pallas)  
*Cyclosa turbinata* (Walckenaer)  
*Epeira cornuta* (Clerck)  
*Eustala anastera* (Walckenaer)  
*Eustala arkansana* Archer  
*Eustala cepina* (Walckenaer)  
*Gasteracantha elipsoides* (Walckenaer) Spiny-bellied orb  
weaver  
*Gea Heptagon* (Hentz)

## A Check-List of the Spiders of Arkansas

- Glyptocranium bisaccatum* Comstock  
*Larinia directa* (Hentz)  
*Leucauge venusta* (Walckenaer)  
*Mangora gibberosa* (Hentz)  
*Mangora maculata* (Keyserling)  
*Mangora placida* (Hentz)  
*Mecynogea lemniscata* (Walckenaer) Basilica spider  
*Meta menardii* (Latreille) Cave orb weaver  
*Metepeira labyrinthica* (Hentz)  
*Micrathena gracilis* (Walckenaer) Spiny-bellied orb weaver  
*Micrathena sagittata* (Walckenaer) Spiny-bellied orb weaver  
*Neoscona arabesca* (Walckenaer)  
*Neoscona domiciliorum* (Hentz)  
*Neoscona minima* O. P. Cambridge  
*Neoscona pratensis* (Hentz)  
*Neoscona sacra* (Walckenaer)  
*Neosconella pegnia* (Walckenaer)  
*Nephila clavipes* (Linnaeus) Foliate spider  
*Nuctenea cornuta* (Clerck) Furrow spider  
*Nuctenea sericata* (Clerck) Bridge spider-Gray cross spider  
*Singa* Keyserling McCook  
*Verrucosa arenata* (Walckenaer)  
*Wixia ectypa* (Walckenaer)
- TETRAGNATHIDAE**  
*Leucage venusta* (Walckenaer) Orchard spider  
*Mimognatha foxi* (McCook)  
*Pachygnatha tristriata* C. L. Koch Thick-jawed orb weaver  
*Tetragnatha elongata* Walckenaer Long-jawed orb weaver  
*Tetragnatha laboriosa* Hentz  
*Tetragnatha seneca* Seeley  
*Tetragnatha straminea* Emerton  
*Tetragnatha versicolor* Walckenaer
- AGELENIDAE** Funnel-web weavers  
*Agelenopsis emertoni* Chamberlin & Ivie  
*Agelenopsis naevia* (Walckenaer)  
*Agelenopsis pennsylvania* (C. L. Koch)  
*Agelenopsis potteri* (Blackwall)  
*Circurina arcuata* Keyserling  
*Circurina bryantae* Exline  
*Circurina davisii* Exline  
*Circurina robusta* Simon  
*Circurina tersa* Simon  
*Coras medicinalis* (Hentz)  
*Coras montanus* Emerton
- HAHNIIDAE**  
*Hahnina cinerea* Emerton  
*Neoantistea agilis* Keyserling  
*Neoantistea riparia* (Keyserling)
- MIMETIDAE**  
*Ero furcata* (Villers)  
*Mimetus epeiroides* Emerton  
*Mimetus interfector* Hentz  
*Mimetus puritanus* Chamberlin
- PISAUROIDAE** Nursery-web spiders  
*Dolomedes scriptus* Hentz Fishing spider  
*Dolomedes tenebrosus* Hentz Fishing spider  
*Dolomedes triton* (Walckenaer) Fishing spider  
*Dolomedes vittatus* (Walckenaer) Fishing spider  
*Pelopatis undulata* (Keyserling)  
*Pisaurina mira* (Walckenaer)  
*Pisaurina mirabilis* (Clerck)  
*Tinus peregrinus* (Bishop)
- LYCOSIDAE** Wolf spiders  
*Allocosa funerea* (Hentz)  
*Arctosa emertoni* Gertsch  
*Arctosa littoralis* (Hentz)  
*Arctosa sublata* (Montgomery)  
*Arctosa virgo* (Chamberlin)  
*Lycosa annexa* (Chamberlin & Ivie)  
*Lycosa antelucana* Montgomery  
*Lycosa aspersa* Hentz  
*Lycosa gulosa* Walckenaer  
*Lycosa avara* (Keyserling)  
*Lycosa frondicola* Emerton  
*Lycosa carolinensis* Walckenaer  
*Lycosa baltimoriana* (Keyserling)  
*Lycosa helluo* Walckenaer  
*Lycosa* var. *annexa*  
*Lycosa lenta* Hentz  
*Lycosa modesta* (Keyserling)  
*Lycosa punctulata* (Hentz)  
*Lycosa rabida* Walckenaer  
*Pardosa banksi* Chamberlin  
*Pardosa distincta* (Blackwall)  
*Pardosa floridana* Banks  
*Pardosa lapidicina* Emerton  
*Pardosa milvina* (Hentz)  
*Pardosa moesta* Banks  
*Pardosa pauxilla* Montgomery  
*Pardosa pullata* (Clerck)  
*Pardosa saxatilis* (Hentz)  
*Pardosa saxatilis* var. *atlantica*  
*Pardosa sternalis* (Thorell)  
*Pardosa utahensis* Chamberlin  
*Pirata alachua* Gertsch & Wallace  
*Pirata apalacheus* Gertsch  
*Pirata insularis* Emerton  
*Pirata minutus* Emerton  
*Pirata piratica* (Clerck)  
*Pirata sedentarius* Montgomery  
*Pirata suwaneus* Gertsch  
*Pirata sylvanus* Chamberlin  
*Schizocosa avida* (Walckenaer)  
*Schizocosa bilineata* (Emerton)  
*Schizocosa crassipes* (Walckenaer)  
*Schizocosa ocreata* (Hentz)  
*Schizocosa retrorsa* (Banks)  
*Tarentula accentuata* (Latreille)  
*Tarentula aculeata* (Clerck)  
*Tarentula kochi* Keyserling  
*Trabea aurantiaca* (Emerton)  
*Trochosa acompa* (Chamberlin)  
*Trochosa avara* Keyserling
- OXYOPIDAE** Lynx spiders  
*Hamataliwa hilia* Brady  
*Oxyopes acleistus* Chamberlin  
*Oxyopes aglossus* Chamberlin  
*Oxyopes helius* Chamberlin  
*Oxyopes salticus* Hentz  
*Oxyopes scalaris* Hentz  
*Peucetia veridans* (Hentz) Green Lynx
- GNAPHOSIDAE** Ground spiders  
*Callilepis imbecilla* (Keyserling)  
*Callilepis pluto* Banks  
*Cesonia bilineata* (Hentz)  
*Drassodes auriculoides* Barrows  
*Drassodes hypocrita* Simon  
*Drassodes neglectus* (Keyserling)  
*Drassyllus aprilius* (Banks)  
*Drassyllus covensis* Exline  
*Drassyllus creolus* Chamberlin & Gertsch  
*Drassyllus depressus* (Emerton)  
*Drassyllus dixinus* Chamberlin  
*Drassyllus fallens* Chamberlin  
*Drassyllus femoralis* Banks  
*Drassyllus mephisto* Chamberlin  
*Drassyllus socius* Chamberlin  
*Drassyllus virginianus* Chamberlin  
*Geodrassus phanus* Chamberlin  
*Gnaphosa muscorum* (L. Koch)

## Peggy Rae Dorris

- Gnaphosa sericata* (L. Koch)  
*Haplodrassus signifer* (C. L. Koch)  
*Herpyllus ecclesiasticus* Hentz Parson spider  
*Litophullus rupicolens* Chamberlin  
*Peocilochroa capulata* (Walckenaer)  
*Peocilochroa fumulus* (Chamberlin)  
*Rachodrassus echinus* Chamberlin  
*Rachodrassus exlineae* Platnick & Shadak  
*Sergiolus capulatus* (Walckenaer)  
*Sergiolus famulus* Chamberlin  
*Sostichus insularis* (Banks)  
*Strotarchus piscatoria* (Hentz)  
*Zelotes duplex* (Chamberlin)  
*Zelotes hentzi* (Barrows)  
*Zelotes laccus* (Barrows)  
*Zelotes rusticus* (L. Koch)
- CLUBIONIDAE** Foliage spiders  
*Agroeca pratensis* Emerton  
*Castianetra amoena* (C. L. Koch)  
*Castianiera cingulata* (C. L. Koch)  
*Castianiera descripta* (Hentz)  
*Castianiera gertschi* Kaston  
*Castianiera longipalpus* (Hentz)  
*Castianiera trilineata* (Hentz)  
*Castianeira variata* Gertsch  
*Castianiera vulnerea* Gertsch  
*Chiracanthium erraticum* (Walckenaer)  
*Chiracanthium inclusum* (Hentz)  
*Clubiona abbotii* L. Koch  
*Clubiona excepta* Koch  
*Clubiona catawba* Gertsch  
*Clubiona johnsoni* Gertsch  
*Clubiona moesta* Banks  
*Clubiona obesa* Banks  
*Clubiona pallens* Hentz  
*Clubiona putris* Koch  
*Clubiona riparia* Koch  
*Clubiona saltitans* Emerton  
*Marcellina piscatoria* (Hentz)  
*Meriola decepta* Banks  
*Micaria aurata* (Hentz)  
*Micaria longipes* Emerton  
*Micaria vinnula* Gertsch  
*Phrurotimpus alarius* (Hentz)  
*Phrurotimpus borealis* (Emerton)  
*Phrurotimpus formica* Banks  
*Phrurotimpus illudens* (Gertsch)  
*Scotinella formica* L. Koch  
*Scotinella fratella* (Gertsch)  
*Scotinella pallida* Banks  
*Scotinella redempta* Gertsch  
*Strotarchus piscatorius* (Hentz)  
*Trachelas laticeps* Bryant  
*Trachelas similis* Cambridge  
*Trachelas tranquillus* (Hentz)
- ANYPHAENIDAE**  
*Anyphaena celer* (Hentz)  
*Anyphaena fragilis* Banks  
*Anyphaena maculata* (Banks)  
*Aysha gracilis* (Hentz)  
*Aysha velox* (Becker)  
*Wulfilia saltabunda* (Hentz)
- ZORIDAE**  
*Zora pumilus* (Hentz)
- CTENIDAE**  
*Anahita animosa* (Walckenaer)  
*Ctenus exlineae* Peck  
*Ctenus hibernalis* (Hentz)
- THOMISIDAE** Crab spiders  
*Coriarachne floridana* Banks  
*Coriarachne lenta* (Walckenaer)  
*Coriarachne versicolor* Keyserling  
*Misumena vatia* (Clerck) Flower spider; Goldenrod spider  
*Misumenops asperatus* (Hentz)  
*Misumenops celer* (Hentz)  
*Misumenops deserti* Schick  
*Misumenoides formosipes* (Walckenaer)  
*Misumenops oblongus* (Keyserling)  
*Oxyptila conspurcata* Thorell  
*Oxyptila modesta* (Scheffer)  
*Oxyptila monroensis* Keyserling  
*Synema parvula* (Hentz)  
*Tmarus angulatus* (Walckenaer)  
*Xysticus auctifucus* Keyserling  
*Xysticus bicuspis* Keyserling  
*Xysticus cunctator* Thorell  
*Xysticus elegans* Keyserling  
*Xysticus ferox* (Hentz)  
*Xysticus fraternus* Banks  
*Xysticus gulosus* Keyserling  
*Xysticus montanensis* Keyserling  
*Xysticus nervosus* (Emerton)  
*Xysticus punctatus* Keyserling  
*Xysticus texanus* Banks  
*Xysticus triguttatus* Keyserling  
*Xysticus transvertatus* (Walckenaer)  
*Xysticus tumefactus* (Walckenaer)  
*Xysticus ulmi* (Hahn)
- PHILODROMIDAE** Running crab spiders  
*Ebo latithorax* Keyserling  
*Ebo punctatus* Schick  
*Philodromus abbotii*  
*Philodromus aureolus* (Oliver)  
*Philodromus imbecillus* Keyserling  
*Philodromus keyserling* Marx  
*Philodromus laticeps* Keyserling  
*Philodromus marxi* Keyserling  
*Philodromus pernix* Blackwall  
*Philodromus placidus* Banks  
*Philodromus rufus* Walckenaer  
*Philodromus satullus* Keyserling  
*Philodromus vulgaris* Hentz  
*Thanatus formicinus* (Clerck)  
*Thanatus lysoides* (Clerck)  
*Thanatus rubicellus* Mello-Leitao  
*Thanatus vulgaris* Simon  
*Tmarus angulatus* (Walckenaer)  
*Tibellus duttoni* (Hentz)  
*Tibellus ablongus* (Walckenaer)
- SALTICIDAE** Jumping spiders  
*Agassa cerulea* (Walckenaer)  
*Ballus youngii* G. & E. Peckham  
*Corythalia aurata* (Hentz)  
*Eris aurantia* (Lucas)  
*Eris marginata* (Walckenaer)  
*Eris pineus* (Kaston)  
*Evarcha hoyi* (G. & E. Peckham)  
*Habrocestum parvulum* (Banks)  
*Habrocestum pulex* (Hentz)  
*Habronattus borealis* (Banks)  
*Habronattus coronatus* (Hentz)  
*Habronattus decorus* (Blackwall)  
*Habronattus paykulli* (Audouin)  
*Habronattus viridipes* (Hentz)  
*Hentzia ambigua* (Walckenaer)  
*Hentzia mtrata* (Hentz)  
*Icius elegans* Emerton  
*Icius hartii* Emerton  
*Icius vitis* (Cockerell)  
*Maevia inclemens* (Walckenaer)



## A Check-List of the Spiders of Arkansas

- Marpissa lineata* (C. L. Koch)  
*Marpissa pikei* (G. & E. Peckham)  
*Metacyrba taeniola* (Hentz)  
*Metacyrba undata* (DeGreer)  
*Metaphidippus canadensis* (Banks)  
*Metaphidippus exiguus* (Banks)  
*Metaphidippus flaviceps* Kaston  
*Metaphidippus flavipedes* (Peckham)  
*Metaphidippus galathea* (Walckenaer)  
*Metaphidippus insignis* (Banks)  
*Metaphidippus protervus* (Walckenaer)  
*Metaphidippus sexmaculatus* (Banks)  
*Myrmarachne hentzi* Banks  
*Neon nellii* Peckham  
*Paraphidippus marginatus* (Walckenaer)  
*Paraphidippus arantius* (Kaston)  
*Peckhamia picata* (Hentz)  
*Phidippus apacheanus* Chamberlin & Gertsch  
*Phidippus audax* (Hentz)  
*Phidippus carolinensis* Peckham & Peckham  
*Phidippus hirsutus* Barrows  
*Phidippus incertus* Peckham  
*Phidippus insignarius* C. L. Koch  
*Phidippus insolens* Peckham  
*Phidippus mccoookii* Peckham  
*Phidippus mystaceus* Emerton  
*Phidippus opifex* (McCook)  
*Phidippus otiosus* Peckham  
*Phidippus princeps* (Peckham)  
*Phidippus purpuratus* Keyserling  
*Phidippus putmanii* (Peckham)  
*Phidippus rimator* (Walckenaer)  
*Phidippus variegatus* (Lucas)  
*Phidippus whitmanii* Peckham  
*Phlegra fasciata* (Hahn)  
*Salticus scenicus* (Linnaeus)  
*Sarinda hentzi* (Banks)  
*Sassacus papenhoei* G. & E. Peckham  
*Sitticus floricoles* (C. L. Koch)  
*Sitticus floridanus* Gertsch & Mulaik  
*Sitticus palustris* G. & E. Peckham  
*Synemosyna lunata* (Walckenaer)  
*Talavera minuta* (Banks)  
*Thiodina iniquies* (Walckenaer)  
*Thiodina puerpera* (Hentz)  
*Tutelina similis* (Banks)  
*Zygoballus bettinii* G. & E. Peckham  
*Zygoballus nervosus* (Peckham)  
*Zygoballus sexpunctatus* (Hentz)
- LYSSOMANIDAE  
*Lyssomanes viridis* (Walckenaer)
- ACKNOWLEDGMENT
- Appreciation is expressed to Henderson State University and to the Research Committee for providing time, space, equipment and financial assistance to make this 18 year survey possible. I also express gratitude to my friends, relatives, students, and colleagues who contributed to this study.
- LITERATURE CITED
- ARCHER, A. 1951. Studies in the orbweaving spiders (Argiopidae). *Am. Mus. Novit.* 1487:1-52.  
 BECK, M., and P. DORRIS. 1983. Twenty-two new species of spiders for the Arkansas checklist. *Proc. Ark. Acad. Sci.* 37:78.  
 BRADY, A. 1964. The lynx spiders of North America, north of Mexico (Araneae: Oxyopidae). *Bull. Mus. Comp. Zool.* 131:430-518.  
 BRADY, A. 1969. A reconsideration of the *Oxyopes apollo* species group with the descriptions of two new species (Araneae: Oxyopidae). *Psyche.* 76:416-438.  
 BELL, K. 1967. The bollworm-tobacco budworm problem in Arkansas and Louisiana. *Ark. Agri. Exp. Sta. Bull.* 720:1-66.  
 BOWLING, T., and R. SAUER. 1975. A taxonomic revision of the crab spiders genus *Coriarachne* (Araneae: Thomisidae) for North America north of Mexico. *J. Arachnol.* 2:183-193.  
 CARICO, J., and P. HOLT. 1964. A comparative study of the female copulatory apparatus of certain species in the spider genus *Dolomedes* (Araneae: Pisauridae). *Agri. Exp. Sta. Va.* 172:1-27.  
 COMSTOCK, J. 1982. The spider book. Comstock Publ. Co., Ithaca, N.Y. 729 pp.  
 DONDALE, C. 1961. Revision of the *aureolus* group of the genus *Philodromus* (Araneae: Thomisidae) in North America. *Can. Entomol.* 93:199-222.  
 DONDALE, C., and J. REDVER. 1968. The *Imbecillus* and *Rufus* groups of the spider genus *Philodromus* in North America (Araneae: Thomisidae). *Can. Entomol. Soc.* 55:1-78.  
 DORRIS, P. 1968. A preliminary study of the spiders of Clark County, Arkansas compared with a five year study of Mississippi spiders. *Proc. Ark. Acad. Sci.* 22:33-37.  
 DORRIS, P. 1969. Spiders collected from mud-dauber nests in Clark County, Arkansas. *Proc. Ark. Acad. Sci.* 23:88-90.  
 DORRIS, P. 1970. Observations on the impact of certain insecticides on spider populations in a cotton field. *Proc. Ark. Acad. Sci.* 24:53-54.  
 DORRIS, P. 1972. A checklist of spiders collected in Mississippi compared with a preliminary study of Arkansas spiders. *Proc. Ark. Acad. Sci.* 26:83-86.  
 DORRIS, P., and F. BURNSIDE. 1977. A continuation of spider research in Arkansas: Ouachita Mountain Area. *Proc. Ark. Acad. Sci.* 31:114-116.  
 DORRIS, P. 1980. A continuation of spider research in Arkansas: Gulf Coastal Plains. *Proc. Ark. Acad. Sci.* 34:108-112.  
 DORRIS, P., and D. SAUGEY. 1983. Spiders collected from abandoned mine tunnels in the Ouachita National Forest. *Proc. Ark. Acad. Sci.* 37:81.  
 EASON, R., W. PECK, and W. WHITCOMB. 1967. Notes on spider parasites, including a reference list. *J. Kan. Entomol. Soc.* 40:422-434.  
 EMERTON, J. 1961. The common spiders of the United States. Dover Publ. New York, N.Y. 227 pp.  
 EXLINE, H. 1938. The Araneida of Washington: Agelenidae and Hahniidae. *Univ. Wash. Publ.* 9:1-44.  
 EXLINE, H. 1962. Two gnaphosid spiders from Arkansas. *Proc. Calif. Acad. Sci.* 32:79-85.  
 GERTSCH, W. 1934. Further notes on American spiders. *Am. Mus. Novit.* 726:1-26.

## Peggy Rae Dorris

- GERTSCH, W. 1949. American spiders. D. Van Nostrand Co., Princeton, N.J. 285 pp.
- GERTSCH, W. 1953. The spider genera *Zysticus*, *Coriarachne*, and *Oxyptila* (Thomisidae: Misumeninae) in North America. Bull. Am. Mus. 102:413-482.
- GERTSCH, W. 1974. The spider family Leptonetidae in North America. J. Arachnol. 1:145-203.
- GERTSCH, W. 1979. American spiders. D. Van Nostrand Co., Princeton, N.J. 274 pp.
- HEISS, J. 1977. Faunal study of spiders collected from pitfall traps in Newton and Union County of Arkansas. Unpubl. M.S. thesis. Univ. of Ark., Fayetteville. 158 pp.
- IVIE, W. 1969. North American spiders of the genus *Bathyphantes* (Araneae: Linyphiidae). Bull. Am. Mus. 2364:1-70.
- KASTON, B., and E. KASTON. 1972. How to know the spiders. Wm. C. Brown Co., Dubuque, IA. 220 pp.
- KASTON, B. 1948. Spiders of Connecticut. Bull. 70. Pieper Publ. Co., Wallingford, CN. 874 pp.
- KASTON, B. 1973. Four new species of *Metaphidippus*, with notes of related jumping spiders (Araneae: Salticidae) from the eastern and central United States. Trans. Am. Micros. Soc. 92:106-122.
- KASTON, B. 1978. How to know the spiders. Wm. C. Brown Co., Dubuque, IA. 272 pp.
- PECK, W. 1966. The population composition of a spider community in West Central Missouri. Am. Midl. Nat. 76:151-168.
- PECK, W. 1981. The Ctenidae of temperate zone North America. Bull. Am. Mus. Nat. Hist. 170:157-169.
- PECK, S., and J. PECK. 1982. Invertebrate fauna of Devil's Den, a zoogeographically important sandstone cave in northwestern Arkansas. Proc. Ark. Acad. Sci. 36:46-47.
- PELL, W. 1983. The natural divisions of Arkansas: A revised classification and description. Nat. Area Jour. 3:12-23.
- RAPP, W. 1980. A catalog of spiders of Nebraska. Novit. Arthrop. 1:1-39.
- SAUER, R., and N. PLATNICK. 1972. The crab spider genus *Ebo* (Araneae: Thomisidae) in the United States and Canada. Can. Entomol. Soc. 104:35-60.
- WARREN, L., and M. TADIC. 1967. Spiders associated with the fall webworm, *Hyphantria cunea*. J. Kan. Entomol. Soc. 40:382-395.
- WHITCOMB, W., H. EXLINE, and M. HITE. 1963. Comparison of spider populations of ground stratum in Arkansas pasture and adjacent cultivated field. Proc. Ark. Acad. Sci. 17:34-39.
- WHITCOMB, W., and M. TADIC. 1963. Araneida as predators of the fall webworm. J. Kan. Entomol. Soc. 36:186-190.
- WHITCOMB, W., and K. BELL. 1964. Predaceous insects, spiders, and mites of Arkansas cotton fields. Agri. Exp. Sta. Bull. 690:1-84.