1 2 3 4	Title: The individual experience of ageing prisoners: systematic review and meta-synthesis through a Good Lives Model framework
5 6	Running head: Systematic review on ageing prisoners.
7	Keywords: Prison, ageing prisoners, mental health, physical health, systematic review, meta-
8	synthesis.
9 10	Main points
11	• The experience of imprisonment from the perspective of ageing prisoners has received
12	little attention in research.
13	• We adopted a prisoner-centred approach grounded in the Good Lives Model, to explore
14	the experience of ageing prisoners, the elements of life in prison impacting on their
15	wellbeing and the current service provision.
16	• We reviewed 25 international studies and developed through meta-synthesis three themes:
17	The hardship of imprisonment, addressing health and social care needs and the route out
18	of prison.
19	• We found that, despite initiatives to address their needs, the experience of incarceration
20	for ageing prisoners is quite poor, which reflects the inconsistent support that they are
21	usually offered.
22	
23	Names of authors: Claudio Di Lorito, Birgit Völlm, Tom Dening
24	
25	Name of institution where research was conducted: Division of Psychiatry
26	and Applied Psychology, School of Medicine, University of Nottingham
27	

28	Corresponding author: Claudio Di Lorito, Room A10, Institute of Mental Health,
29	Innovation Park, University of Nottingham, Triumph Road, Nottingham, NG7 2TU, United
30	Kingdom. Email: <u>claudio.dilorito@nottingham.ac.uk</u> . Phone: (+44) 07453717277
31	
32	Name of Sponsor: CLAHRC East Midlands
33	
34	Word count of body text: 4,494
35	
36	
37	
38	
39	
40	
41	
42	
43	
44	
45	
46	
47	
48	
49	
50	
51	

- 52 Abstract
- 53

Objective. The existing literature on ageing prisoners tends to focus on such aspects as diagnosis and physical ill-health. In contrast, the experience of imprisonment from the perspective of ageing prisoners has received less attention. Grounded in a Good Lives Model theoretical framework, we reviewed and meta-synthesised literature around their experience of life in prison, its impact on their wellbeing and how prison services are currently addressing their complex needs. We further identify potential areas of improvement.

60

61 *Methods.* 1. Systematic search on Assia, PsycInfo, MedLine, Embase, Web of Science,

Google and Gov.uk. 2. Extraction and categorisation of data on NVivo. 3. Development of
themes through thematic analysis and meta-synthesis. 4. Identification of potential areas of
improvement.

65

*Results.* We selected 25 studies for our review, of which thirteen were from the USA, seven
from the UK, two from Australia and one each from Ireland, Switzerland and Israel. We
identified three themes: The hardship of imprisonment, addressing health and social care
needs, and the route out of prison.

70

Conclusions. Ageing prisoners have unique and complex health and social care needs which,
to varying degree across different countries, are mostly unmet. Promising initiatives to
address their needs are emerging but, at present time, the overall experience of incarceration
for the ageing prisoner is quite poor, given the inconsistent physical, emotional and social
care support offered from prison intake to release and beyond.

## 77 Introduction

The number of ageing prisoners is growing in many countries. In the United Kingdom, the population of prisoners over 60 years old has increased eight times since 1990 (Senior et al., 2013). In the United States of America, Ireland and Australia, ageing prisoners have been identified as the fastest growing group (Joyce & Maschi, 2016; Davoren et al, 2015; Cornish et al., 2016).

83

This increase has been determined by demographic factors such as the ageing of the
population (Senior et al., 2013) and cultural factors, including less lenient treatment of ageing
offenders (Yorston, 2015). This has been accompanied, in the UK context, by tougher
sentencing policies, causing an increase in longer, life and indeterminate sentences (Moll,
2013), historical and "other offences" (+95% between 1995 and 2005) (RECOOP, 2015).

Ageing prisoners have been identified as a special need population in relation to physical, mental and social health care (Atabay, 2009). Regarding their physical health, in addition to common ailments, whose incidence increases with age (e.g., arthritis, Parkinson's disease, dementia, diabetes) (Baidawi, 2015), they experience poorer health status compared to people in the community, owing to their common histories of substance abuse and poor health management (Cooney & Braggins, 2010). Deteriorating physical health impacts on the mobility and independence of ageing prisoners, who may require consistent social care.

97

98 In relation to mental health, a recent meta-analysis found that 38% of ageing prisoners suffer 99 from 'any psychiatric disorder', with more than double the prevalence reported in community 100 studies (15%) (Di Lorito, Völlm, & Dening, 2017). The authors also found higher prevalence 101 for depression, schizophrenia/psychoses and anxiety disorders. 102 Several policies aim to address the complex health care needs of ageing prisoners, including 103 the European Convention of Human Rights (ECHR) against inhuman treatment and the 8<sup>th</sup> 104 amendment to the US constitution (Williams et al., 2012; Wahidin, 2011). In the UK, ageing 105 prisoners are granted equal care as people living in the community through the National 106 Institute for Health and Care Excellence (NICE) guidelines on mental wellbeing and 107 independence in ageing people (NICE, 2015) and the Care Act 2015, which gives local 108 authorities legal responsibility for the social care and support needs of prisoners. 109 110 Consideration of individual needs is also a key principle of strength-based models for the 111 rehabilitation of offenders, which, in contrast with risk need responsivity (RNR) (Andrews & 112 Bonta, 2010) focusing on risk reduction, resort to personal strengths to promote rehabilitation 113 (Robertson et al., 2011). Among the strength-based approaches, the Good Lives Model 114 (GLM) is gaining a central role in forensic policy and practice (Robertson et al., 2011), 115 following several international studies which yielded promising results in rehabilitation 116 outcomes (Barnao, Ward, & Casey, 2016; Barnao, Ward, & Robertson, 2016; Ward & Willis, 117 2016; Chu & Ward, 2015; Fortune et al., 2015; Lord, 2014). 118 119 The GLM is grounded in principles of human dignity and postulates that rehabilitation to 120 socially integrated lifestyles is attained when the prison system provides the 121 resources/support for the person to meet individual needs or "Primary goods" (Table 1) 122 (Laws & Ward, 2011; Ward & Maruna, 2007; Ward & Stewart, 2003), by applying three principles: 123 124 1. Person-centredness, which considers the person's preferences, aspirations and 125

126 individual needs.

127	2. <u>Human agency</u> , which acknowledges the individual's ability to identify individual
128	needs and act through socially integrated lifestyles to meet them.
129	3. <u>Human rights</u> , which gives back dignity to offenders, by recognising their own
130	individuality and the need for prison services to implement tailored pathways of
131	rehabilitation.
132	
133	[Insert Table 1 near here]
134	
135	These principles put the prisoner at the centre and therefore their subjective experience is
136	crucial. Although a robust body of international literature exists around ageing prisoners,
137	most studies rely on data collected through the input of stakeholders' groups other than
138	prisoners (e.g. custodial staff), neglecting their subjectivity. Grounded on a GLM theoretical
139	framework, this review provides a meta-synthesis of the literature around the experience of
140	imprisonment through the perspective of the ageing prisoners and is guided by three research
141	questions:
142	
143	(i). What is the subjective experience of imprisonment for the ageing prisoner?
144	(ii). What are the variables that most affect this experience?
145	(iii). How are prison services addressing the individual needs of ageing prisoners?
146	Methods
147	Selection strategy and search criteria
148	This review complies with the Preferred Reporting Items for Systematic Reviews and Meta-
149	Analyses (PRISMA) (Moher et al., 2009).
150	

- 151 Inclusion criteria:
- 152
- Study is on ageing prisoners. We systematically searched for terms related to the age
   domain, but we avoided a strict age inclusion criterion because:
- 155
- (i). There is little consensus as to the age range of 'older' prisoners (Williams et 156 157 al., 2012). Some contend that given that age 60 is the cut-off in community 158 studies, 50 years old would apply to prisoners, who usually experience premature 159 ageing, given their poor health habits and histories of substance abuse (Cooney & 160 Braggins, 2010). Others object that prisoners experience similar health problems 161 as people in the community (Fazel et al., 2004). Given the absence of a resolution 162 in the current debate and in order not to discard relevant sources a priori, we refrained from adopting a pre-determined age cut-off. 163 164
- 165 (ii). Prisoners feel that ageing is a highly subjective experience:
- 166
- 167 "There was an unusual reaction to the question "How old does a prisoner have to be
  168 before people treat him as an older prisoner?" Fourteen men suggested that this
- 169 "depends on the man's physical and mental condition", Reed (1980).
- 170
- The primary interest of the study is the experience of imprisonment for the ageing
   prisoner including aspects that impact on this experience.

• Either sex.

- Any language and year of publication.
- 175

176	Exclu	ision	criteria	a:

178	• Studies on ex-prisoners or patients in forensic psychiatric settings, as they do not have
179	current lived experience of imprisonment.
180	• Remand prisoners, as the experience of being temporarily detained in prison may
181	greatly differ from that of sentenced prisoners.
182	• Studies which do not reflect the views of prisoners.
183	
184	We ran our search in December 2015 and again in December 2016 to retrieve the most
185	updated literature. We searched on 5 databases: Assia, PsycInfo, Embase, Medline and Web
186	of Science and combined terms from three domains:
187	
188	(i). The age domain, including: Age*, old*, aging, elderly, mature.
189	(ii). The prison domain, including: Prison*, imprison*, inmate*, incarcerat*, detain*,
190	detention*.
191	(iii). The health domain, including: Care, mental*, emotion*, physical*, health*, service,
192	healthcare, psychotic, psychos*, psychiatr*, psycholog*, mental*, wellbeing.
193	
194	The same strategy was used to identify further relevant literature through the first 100 hits on
195	Google and Gov.uk and by screening the reference pages of the studies we retrieved.
196	
197	Quality screening of the studies
198	We undertook a quality screening of our sources using the Mixed Methods Appraisal Tool
199	(MMAT) – Version 2011 (Pluye et al., 2011), a validated screening tool for complex
200	systematic literature reviews that include qualitative, quantitative and mixed methods studies.

#### 201 Data extraction and analysis

Data were extracted onto NVivo 11 (QSR International Pty Ltd., 2012). We adopted a
deductive approach to Thematic Analysis (Braun & Clarke, 2006) and extracted data which
were relevant to our research questions, but refrained from generating themes at the initial
stage. Only after extraction, based on the emerging topics, we developed tentative umbrella
themes and sub-themes. The task was undertaken by the main author, who proposed an initial
number of seven tentative themes to the research team.

208

Each team member studied the dataset, assessed the appropriateness of the tentative themes individually and fed back to the group during successive team meetings. The process of metasynthesis of themes was iterative. A final number of three themes and titles reflecting their

212 content was agreed by all research team members.

## 213 Results

We retrieved 3,222 records; 3,199 were identified through the databases and 23 through Google and Gov.uk. Following title or abstract screening, 3,120 were dismissed. The remaining 102 were screened for duplicates and assessed for eligibility against the inclusion criteria. Twenty-five studies were included in this review (Figure 1). [Insert Figure 1 near here]

219

#### 220 Quality screening of the studies

221 Twenty studies were screened for quality, all of which passed the preliminary screening;

therefore, none was excluded for poor quality. Five were not screened for quality as they

were not empirical (Baldwin & Leete, 2012; Booth, 1989; Chaiklin, 1998; Hodel & Sanchez,

224 2012; Moll, 2013).

The scores ranged from 50 to 100. Five articles totalled the maximum score (Allen et al.,
2008; Doron, 2007; Fazel et al., 2004; Leigey, 2008; Reed, 1980). The qualitative studies (or
qualitative element of the studies) obtained mostly positive scoring in items 1.1 (data
sources), 1.2 (data analysis), and 1.3 (discussion of how findings relate to the context). In
relation to discussion around the researchers' influence in the interview process (item 1.4),
negative scoring was attributed in all but three cases (Doron, 2007; Leigey, 2008; Reed,
1980).

For the quantitative studies (or quantitative element of the studies), mostly positive scoring
was attributed for items 2.1 (sampling strategy) and 2.3 (tools for data collection).
Information on response rates was instead poorly reported in most studies (item 2.4). The

236 quality screening is reported fully in table 2. [Insert Table 2 near here]

237

### 238 Study characteristics

Sixteen studies were qualitative, nine were quantitative and three adopted mixed methodologies. The publication year ranged from 1979 to 2016; most of the articles were published from the mid 2000's onwards, following an increase in the prevalence of ageing prisoners. Thirteen studies were from the USA, seven from the UK, two from Australia and one each from Ireland, Switzerland and Israel. In contrast to other countries, the US studies covered all years of publication, reflecting a longer tradition of prison literature in the USA.

- 246 Seven studies focused on the general experience of imprisonment; the remainder addressed
- 247 dementia (n=4); death/suicide (n=3); release from prison (n=3); physical and/or mental health
- 248 and related needs, including social care (n=3); religion (n=2); treatment for physical and
- 249 mental health (n=2); and forgiveness (n=1). The studies from the USA and the UK covered

250	the whole range of topics. Most studies concerning dementia were published since 2010,
251	which reflects the increased prevalence and increasing research interest in the condition.
252	
253	Most studies were peer-reviewed. We also included two unpublished theses (Leigey, 2008;
254	Reid, 1980), which we believe reduces potential publication bias. The study designs included
255	both empirical and non-empirical methodologies. Study samples ranged from two to 263
256	prisoners. The age cut-off for inclusion in the studies ranged from 45 to 69 years old. Ten
257	studies were conducted on just one prison and 12 studies looked at multiple sites (Table 3).
258	[Insert Table 3 near here]
259	
260	Themes
261	We derived three themes:
262	1. The hardship of imprisonment
263	2. Addressing health and social care needs
264	3. The route out of prison
265	
266	The hardship of imprisonment
267	The first theme was the hardship of imprisonment experienced by ageing prisoners due to
268	"Institutional thoughtlessness", the systematic neglect of age-related needs through a one-
269	size-fits-all regime (Crawley, 2005). This was reflected in the access issues for inmates who
270	have limited mobility, as reported by an ageing prisoner in the Irish prison system:
271	
272	"Walking up and down the stairs is hard, the breathing's not the bestyou can imagine
273	going to the top, it's five floors up" (Joyce & Maschi, 2016).
274	

In the UK context, many prisons dating back to the 19<sup>th</sup> century do not fully comply with the Disability Discrimination Act 2005, presenting narrow cell doors and inaccessible bathrooms (Senior et al., 2013; Crawley, 2005). In addition, facilities are often located on upper floors (Joyce & Maschi, 2016). Limited accessibility, through a GLM perspective, leads to neglect of the primary human need for healthy living and functioning (see Table 1), since the ageing prisoners may be unable to use essential services for rehabilitation and wellbeing.

281

Another example of institutional thoughtlessness relates to dementia. Only few institutions have actively worked to become dementia-friendly (i.e. promoting the inclusion of people with dementia) (Fazel et al., 2002), mostly in the United States (Moll, 2013; Hodel & Sanchez, 2012) and in the UK, where HMP Norwich offers units for serious conditions, including dementia, and HMP Exeter is developing a specialist service for dementia (Moll, 2013).

288

289 These units offer specialised group activities such as walking, reminiscing and training in 290 personal hygiene; modifications to the prison, including visual aids for easier navigation and 291 quieter dining tables/zones (Hodel & Sanchez, 2012); and specialist programmes, such as the 292 "Gold Coats", an Alzheimer's Association sponsored buddy scheme in 11 California prisons, 293 in which people with dementia are assisted by younger inmates in managing finances, food, 294 medications and cleaning (Baldwin & Leete, 2010; Moll, 2013). Exceptions aside, however, 295 the overall picture appears less encouraging, as summarised by the CEO of Age Action, 296 Eamon Timmins:

297

298 "There's nothing to suggest in our experience of prison life that it is dementia friendly or that
299 there is dementia awareness within the prison system" (Joyce & Maschi, 2016).

Institutional thoughtlessness was also reflected in activity programmes. Only 55% of prisons
in England and Wales offer age-friendly activities and in 67% these are not suitable for
inmates with mobility difficulties, who may become reluctant to venture out of their cell
(Crawley, 2005), remain active and engage in hobbies and recreational pursuits (see Table 1).

Social disengagement and loneliness is often exacerbated by loss of contact with family and
friends (Leigey, 2008) and age-related life events, such as the death of a spouse or friends
(Booth, 1989) and may lead to alienation from life (Moll, 2013; Crawley, 2005), or in GLM
terms, a loss of pleasure in the here and now (See Table 1). This was well summed up by an
ageing prisoner:

310

"Unfortunately, there's guys whether it be old age or just that killer thing of 'I don't care, I'll
just lie down in bed and I'll go asleep'...A lot of them here have given up" (Joyce & Maschi,
2016)

314

In response to the hardship of imprisonment, ageing prisoners adopt various coping
mechanisms, such as religion and spirituality (Leigey, 2008). In contrast with younger
prisoners, who tend to hide their religious belief from their peers, ageing prisoners often pride
themselves over a rich spiritual life (Reed, 1980), which alleviates feelings of depression,
anxiety and fear (Bishop et al., 2014, Allen et al., 2013; Allen et al., 2008), thus promoting
"inner peace" (see Table 1). Attending religious ceremonies also represents an opportunity
for social life and connectedness (Reed, 1980).

Another important response to the hardship of imprisonment is the potential for reconciliationand restitution. With the passage of time, prisoners may come to accept responsibility for

325 their offence and their sentence. This may bring a change in attitude towards the victim(s) of their crime and the judicial authority, as well as emerging personal forgiveness for their 326 327 wrongdoing (Bishop et al., 2014). Ageing prisoners also resort to reminiscing, the recalling of 328 happy memories and/or challenging past events successfully dealt with, to find the strength to 329 face the present (Crawley, 2005; Leigey 2008). Instead, counselling, psychotherapy and 330 pastoral care were not reported as coping mechanisms. This may denote poor service 331 provision in the prison system, which, as highlighted by Chaiklin (1998), is nonetheless 332 crucial:

333

334 "One should distinguish between humanitarian care, therapeutic care, and custodial care.
335 All are needed. There is also a need for crisis intervention...".

336

337 Addressing health and social care needs

The second theme was care provision in the prison system. Our findings indicated that the complex physical, mental and social care health needs of ageing prisoners remain largely

unmet, neglecting the primary good of healthy living and functioning (see Table 1).

341

340

This may occur because of the highly specialised care required, which may exert strain on the resources of the prison system (Booth, 1989). In the current economic climate, where optimisation of costs is often the priority, cuts in funding may result in poor service provision (Crawley, 2005).

346

347 In relation to physical and social health care needs, one barrier is represented by the emphasis

348 on punishment over care, which makes custodial staff reluctant to respond to the ageing

349 prisoners' needs (Crawley, 2005) and by a "macho" culture, which considers attending to

prisoners' needs as feminine (Moll, 2013). The negative impact of the prison culture is
reinforced by ageing prisoners being poorer self-advocates than the younger inmates (Doron,
2007). In an ageing prisoner's words:

353

354 "With the younger ones, they know they have to keep them healthy anyway because they'd be
355 complaining and they'd be writing to the papers" (Joyce & Maschi, 2016).

356

Physical health issues and social care needs may also pass unidentified, especially if
untrained prison staff are unable to recognise symptoms or emerging social care needs
(Baidawi, 2015). The overall discontentment around physical and social health led a prisoner
to conclude that only by becoming persistent self-advocates, can ageing prisoners have their
health and social care needs met (Loeb et al., 2007).

362

A similar neglect extends to mental health needs (Fazel et al., 2004), given the reticence of ageing prisoners to voice their needs, because of the stigma attached to psychiatric illness (Leigey, 2008) and the fear of being ridiculed by prison officers or fellow inmates (Baidawi, 2015). This concern is well supported by evidence, as Joyce and Maschi (2016) report that ageing prisoners are more frequently the victims of bullying compared to younger prisoners (38% against 12%).

369

A potential vehicle to address the complex physical, mental and social health care needs of
ageing inmates is networking with charities/organisations specialised in old age, such as
AgeUK or the Alzheimer's Society, which could offer professional advice (Baidawi, 2015).
In England and Wales, however, only a third of prisons co-operate with external agencies
(Senior et al., 2013).

Given the neglect of basic needs, ageing prisoners report poor emotional wellbeing and
frequently engage in negative thinking. Some ageing prisoners may come to see death as
liberation from misery (Crawley & Sparks, 2006; Aday, 2005). Handtke and Wangmo (2014)
report that 50% of ageing prisoners have suicidal thoughts, which are often undisclosed, as
being on suicide watch is stigmatising. In addition, suicide assessment is not carried out
regularly, making it more difficult to identify at-risk subjects (Barry et al., 2015).

381

382 Despite the overall poor service provision, our review also found some examples of good 383 practice, which are unevenly spread across countries and mostly depend on whether a 384 national policy on ageing prisoners exists. They nonetheless reflect a growing interest among 385 policy makers, the justice system and prison staff, in caring for the needs and wellbeing of 386 ageing prisoners.

387

In the UK, HMP Wymott offers weekly visits from healthcare assistants, who provide
support for bathing to prisoners with mobility issues; a programme of psychological
interventions; self-help books or referrals to chaplaincy in the occurrence of mental health
crises; and the delivery of age-friendly activities such as arts, yoga or cooking classes
(Crawley, 2005; Crawley & Sparks, 2006).

393

In the Irish context, where prisons are not able to offer support services, social care has been delegated to community-based organisations such as the Red Cross and the ageing prisoners have welcomed the initiative:

397

398 "When they discovered that I had rheumatoid arthritis, they asked the Red Cross to arrange
399 to bring my meals...They're very well organised" (Joyce & Maschi, 2016)

#### 400 The route out of prison

As per the GLM principles, to sustain the process of rehabilitation, prisoners must fulfill their
need for connection with the wider community (see Table 1), once they are released from
prison. However, the evidence suggests that around 50% of ageing prisoners experience
homelessness and/or destitution upon release (Senior et al., 2013; Joyce & Maschi, 2013).
This is likely to result from limited information around resettlement arrangements (Senior et al., 2013) and poor liaison strategies between prisons, probation services and offenders'
managers.

408

409 Pre-release courses are offered in a minority of prisons, but these rarely cater for individual 410 needs (Senior et al., 2013). Therefore, the soon-to-be-released prisoners tend to rely on the 411 information of other inmates, which is often inaccurate and generates high levels of anxiety 412 (Senior et al., 2013). Most ageing prisoners fear being relocated with younger ex-offenders 413 (Crawley & Sparks, 2006) and becoming the victims of physical and verbal intimidation 414 (Forsyth et al., 2015) and have concerns around economic uncertainty upon resettlement, which may impact on their health (Crawley & Sparks, 2006; Loeb et al., 2007). 415 416 417 Given these uncertainties, prison may be seen as a protective environment (Doron, 2007, 418 Aday & Webster, 1979). For example, healthcare provision, though far from being ideal,

419 grants a level of security that could be lacking in the community (Handtke & Wangmo,

420 2014). This applies especially to the US health care system and to prisoners living in geriatric

421 hospital wings which provide highly specialised treatments (Doron, 2007). As one ageing

422 prisoner stated:

423

- 425 "Not long ago I sat down and analysed my situation. Heck, I couldn't work outside...I'm
- 426 better off here than I would be anywhere...I have friends in here...My medications and
- 427 everything are there when I need them" (Aday, 1994)

## 428 Discussion

This systematic review adds to the current field of knowledge around ageing prisoners forseveral reasons:

- 431
  1. It is the first review grounded upon the evidence-based and increasingly applied
  432 rehabilitation framework of the GLM), through which we interpreted the literature
  433 and investigated our research questions.
- 434
  2. It is the only existing review with an international focus and based on updated
  435
  436
  436
  437
  437
  438
  438
  438
- 439 3. It focuses on the experience of prisoners, as opposed to accounts from other
  440 stakeholders. We deem this work timely, given the increasing recognition of the
  441 individual dimension of the prisoner's experience.
- 442

Our review confirmed that ageing prisoners have unique health and social care needs, which at present are only partially met. This has implications for research and practice. Given their direct daily contact with the inmates, prison staff are crucial in identifying and referring prisoners with emerging health issues to health care professionals. Therefore, basic awareness training for prison staff and a change of culture to view prisoners as patients, are required (Crawley, 2005). In the United States, the Community Aging Health Project has extended

geriatric training to all professionals working in the justice system (Ahalt & Williams, 2015).
Similar initiatives do not seem to exist in other countries.

452	Given that the remit of custodial staff does not extend to health and social care, effective
453	work of a multi-disciplinary team, which includes health and social care professionals, is
454	essential. These professionals should be capable to work at three levels:
455	(i). <u>Prevention</u> , by developing and implementing programmes that promote physical and
456	mental health.
457	(ii). <u>Identification</u> of emerging needs, through team work with custodial staff;
458	(iii). Intervention, which requires expertise around age-associated conditions and the
459	difficulties that these entail.
460	
461	Improvement in health and social care also depends on the regular administration of health
462	screenings, which, at present, are systematically carried out at intake but not afterwards.
463	These would further facilitate the identification of social care needs and the allocation of
464	support.
465	
466	Adequate policy development and implementation is also required. In the UK, the Care Act
467	2015 may represent a turning point in the social care of ageing prisoners, who constitute 42%
468	of all prisoner referrals for assessment of social care and support (Anderson, 2015). A report
469	of the ADASS (Association of Directors of Adult Social Services) following the introduction
470	of the new legislation, however, has denounced that so far a very limited number of referrals
471	for social care has been made to local councils and concluded that integration between health
472	and social care still needs to be achieved in the prison system (Anderson, 2015).
473	

In this sense, local authorities should promote cooperation between support providers (e.g.
NHS), prison staff, health commissioners and the National Offender Management Service
(NOMS) to ensure good practice. Interdisciplinary work between different agencies is also
fundamental to support the 95% of ageing prisoners who are eventually reintegrated in the
community, many of whom need long-term social care (Williams et al., 2012).

479

In relation to the health and social care needs of terminally-ill ageing prisoners, different countries have implemented different strategies, including pre-term compassionate release, specialised units for ageing prisoners, hospice and palliative care and assisted suicide. Preterm compassionate release (i.e. reintegration of a terminally-ill prisoner in the community when it offers more suitable treatment than the prison) is common in France (Steiner, 2003), but it can be controversial with sexual offenders. Thus, in the US and the UK, requirements are often strict and few prisoners benefit from compassionate release (Williams et al., 2012).

A compromise between security and treatment is offered by specialised geriatric prison units,
which are the subject of a heated debate. Some argue that they require large financial
investments, promote age segregation, lack stimulation, and discourage family visits, if
located further than general prisons (Howse, 2003). They also contend that ageing inmates
exert a calming effect on the younger prisoners in a mixed environment (Howse, 2003).
Others object that these units offer humane and specialist care in a safer environment (Fazel
et al., 2004).

495

496 Undoubtedly, dedicated units for the ageing patients could provide opportunities for
497 improving end of life care. In Switzerland, assisted suicide is legal practice for terminally-ill
498 prisoners (Handtke & Wangmo, 2014). The prison hospice care movement in the United

499 States has led to the wide implementation of in-prison palliative and hospice care, which
500 ensures emotional and physical support for dying prisoners, while preserving their human
501 rights. In other countries, such as the United Kingdom, this is still less common (Docherty,
502 2009).

503

#### 504 Limitations

505

506 This review has some limitations. Most of the studies were carried out in the UK and the 507 USA; our findings may therefore be less generalisable to other countries. Nonetheless, the 508 phenomenon of an ageing prison population is also seen in countries with different traditions 509 of legal justice, such as Japan (Williams et al., 2012). Therefore, we feel that our findings are 510 relevant to inform good practice in a variety of contexts.

511

512 Further limitations derive from the quality of the studies included. Five studies used non-513 empirical methodologies, which reduces confidence in their findings. In addition, we could 514 only retrieve one study reporting on ageing female prisoners (Joyce & Maschi, 2016), thus 515 potentially incurring a gender selection bias. Selection bias may have also been caused by the 516 fact that almost a third of the studies (n=10) were single-site.

517

Finally, four studies were carried out more than 20 years ago, thus providing data that do not necessarily reflect the current situation. Nonetheless, we observe that their results are consistent with those reported in more recent literature. This suggests that their findings are still valid, and/or that there have been no substantial advances over the years in addressing ageing prisoners' needs.

# 523 Conclusion

524	Our review found that ageing prisoners have unique and complex health and social care needs
525	which are mostly unmet. There is an interest in this population, which is reflected in
526	initiatives aimed at their wellbeing. However, at present time, the overall experience of
527	incarceration for the ageing prisoner is quite poor, given the inconsistent physical, emotional
528	and social care support offered from prison intake to release and beyond.
529	
530	Disclaimer: The research was funded by the NIHR Collaboration for Leadership in Applied
531	Health Research and Care East Midlands (CLAHRC EM). The views expressed are those of
532	the authors and not necessarily those of the NHS, the NIHR or the Department of health.
533	
534	
535	
536	
537	
538	
539	
540	
541	
542	
543	
544	
545	

546	References
547 548	Aday, R. H. (1994). Aging in prison: A case-study on new elderly offenders. International
549	Journal of Offender Therapy and Comparative Criminology, 38(1), 79-91.
550	
551	Aday, R. H. (2005). Aging prisoners' concerns toward dying in prison. Journal of Death and
552	<i>Dying</i> , 52(3), pp. 199-216. doi: <u>http://dx.doi.org/10.2190/CHTD-YL7T-R1RR-LHMN</u>
553	
554	Aday, R., & Webster, E. (1979). Aging in Prison: The Development of a Preliminary Model.
555	Offender Rehabilitation $3(3)$ , 271-282.
556	
557	Ahalt, C., & Williams, B. (2015). How can criminal justice systems from police to probation
558	address the medical and social care needs of elderly prisoners? Available at:
559	https://www.penalreform.org/blog/declining-health-advancing-years-prison-call-
560	policy-oriented/ [Accessed 25 Oct. 2016]
561	
562	Allen, R. S., Phillips, L. L., Roff, L. L, Cavanaugh, R., & Day, L. (2008).
563	Religiousness/Spirituality and Mental Health Among Ageing Male Inmates. The
564	Gerontologist, 48(5), 692–697.
565	
566	Allen, R. S., Harris, G. M., Crowther, M. R., Oliver, J. S., Cavanaugh, R., & Phillips, L. L.
567	(2013). Does religiousness and spirituality moderate the relations between physical and
568	mental health among aging prisoners? International Journal of Geriatric Psychiatry,
569	28(7), 710-717. doi: <u>http://dx.doi.org/10.1002/gps.3874</u>
570	

571	Anderson, I. (2015). A report on the findings of the ADASS (Association of Directors of
572	Adult Social Services) survey of social care activity in prisons and approved premises -
573	Quarter 1 2015/16. Available at: https://www.adass.org.uk/media/4231/an-analysis-of-
574	social-care-activity-in-prisons-and-approved-premises.pdf [Accessed 10 May 2017].
575	
576	Andrews, D. A., & Bonta, J. (2010). The psychology of criminal conduct (5th Edition).
577	New Providence, NJ: LexisNexis.
578	
579	Atabay, T. (2009). Handbook on prisoners with special needs. United Nations Publications.
580	Vienna, Austria: United Nations Office on Drugs and Crime.
581	
582	Baidawi, S. (2015). Older prisoners: Psychological distress and associations with mental
583	health history, cognitive functioning, socio-demographic, and criminal justice factors.
584	International Psychogeriatrics, 28(3), 385-395.
585	doi: <u>http://dx.doi.org/10.1017/S1041610215001878</u>
586	
587	Baldwin, J., & Leete, J. (2012). Behind bars: the challenges of an ageing population.
588	Australian Journal of Dementia care, 2(1), 16-19.
589	
590	Barnao, M., Ward, T., & Casey, S. (2016). Taking the good life to the institution: Forensic
591	service users' perceptions of the Good Lives Model. International Journal of Offender
592	Therapy and Comparative Criminology, 60(7), 766-786.
593	
594	Barnao, M., Ward, T., & Robertson, P. (2016) The Good Lives Model: A New Paradigm for
595	Forensic Mental Health. Psychiatry, Psychology and Law, 23(2), 288-301.

596	Barry, L. C., Wakefield, D. B., Trestman, R. L., & Conwell, Y. (2015). Active and passive
597	suicidal ideation in older prisoners. The Journal of Crisis Intervention and Suicide
598	Prevention, 37(2), 88-94. doi: <u>http://dx.doi.org/10.1027/0227-5910/a000350</u>
599	
600	Bishop, A. J., Randall, G., & Merten, M. J. (2014). Consideration of forgiveness to enhance
601	the health status of older male prisoners confronting spiritual, social, or emotional
602	vulnerability. Journal of Applied Gerontology, 33(8), 998-1017.
603	doi: <u>http://dx.doi.org/10.1177/0733464812456632</u>
604	
605	Booth, D. E. (1989). Health Status of the Incarcerated Elderly. Journal of Offender
606	Counseling Services Rehabilitation, 13(2), 193-213. doi: 10.1300/J264v13n02_11
607	
608	Braun, V., & Clarke, V. (2006). Using thematic analysis in psychology. Qualitative
609	Research in Psychology, $3(2)$ , 77-101.
610	
611	Chu, C. M., & Ward, T. (2015). The good lives model of offender rehabilitation: Working
612	positively with sex offenders. In Ronel, N. & Segev, D. (eds.) Positive Criminology.
613	Abingdon, United Kingdom: Routledge, pp. 140-161
614	
615	Chaiklin, H. (1998). The elderly disturbed prisoner. Clinical Gerontologist: The Journal of
616	Aging and Mental Health, 20(1), 47-62.
617	
618	Convention for the Protection of Human Rights and Fundamental Freedoms (European
619	Convention on Human Rights, as amended) (ECHR) art. 3.
620	

621	Cooney, F., & Braggins, J. (2010). Doing time. Good practice with older people in prison –
622	The views of prison staff. London: Prison Reform Trust.
623	
624	Cornish, N., Kimmett, E., Hewson, A., & War S. (2016). Social care or systematic neglect?
625	Older people on release from prison. London: Prison Reform Trust.
626	
627	Crawley, E. (2005). Institutional thoughtlessness in prisons and its impacts on the day-to-day
628	prison lives of elderly men. Journal of Contemporary Criminal Justice, 21(4), 350-
629	363. doi:10.1177/1043986205282018
630	
631	Crawley, E., & Sparks, R. (2006). Is there life after imprisonment? How elderly men talk
632	about imprisonment and release. Criminology and Criminal Justice, 6(1), 63-82.
633	doi:10.1177/1748895806060667
634	
635	Davoren, M., Fitzpatrick, M., Caddow, F., Caddow, M., O'Neill, C., O'Neill, H., &
636	Kennedy, H. (2014). Older men and older women remand prisoners: mental illness,
637	physical illness, offending patterns and needs. International Psychogeriatrics, 27(5),
638	747-755.
639	
640	Department of Health (2001). National Framework for Older People. London: Department of
641	Health.
642	
643	Di Lorito, C., Völlm, B., & Dening, T. (2017). Psychiatric disorders among older prisoners:
644	A systematic review and comparison study against older people in the community. Aging
645	and Mental Health. 2017 Feb 7:1-10. doi: 10.1080/13607863.2017.1286453. [Epub ahead

646	of	print]	
010	01	princ	•

647

- Docherty, J. L. (2009). The Healthcare Challenges of Older People in Prisons a briefing
  paper. Prison Health Research Network. Available at:
- 650 <u>http://www.ohrn.nhs.uk/resource/Research/OlderPrisonersReview.pdf</u> [Accessed 18 Nov.
- 651 2016].

652

Doron, I. (2007). Heaven or hell? Aging behind bars in Israel. *International Journal of Aging*,
9(2), 145-159. doi:<u>http://dx.doi.org/10.2190/HA.9.2.e</u>

655

- Fazel, S. (2014). Older people and the criminal justice system. In J. Gunn and P. J. Taylor
- eds., *Forensic Psychiatry: Clinical, legal and ethical issues*. London: Taylor and Francis,
  pp. 523-528.

659

660 Fazel, S., Hope, T., O'Donnell, I., & Jacoby, R. (2004). Unmet treatment needs of older

prisoners: a primary care survey. *Age & Ageing*, *33*(4), 396-398.

662

Fazel, S., McMillian, J., & O'Donnell, I. (2002). Dementia in prison: Ethical and legal
implications. *Journal of medical Ethics*, 28(3), 156-159.

665

- 666 Forsyth, K., Senior, J., Stevenson, C., O'Hara, K., Hayes, A., Challis, D., & Shaw, J. (2015).
- <sup>667</sup> 'They just throw you out': Release planning for older prisoners. *Ageing & Society*, *35*(9),

668 2011-2025. doi:<u>http://dx.doi.org/10.1017/S0144686X14000774</u>

669

671	Fortune, C. A., Ward, T., & Mann, R. (2015). Good lives & the rehabilitation of sex
672	offenders: A positive treatment approach. In: Linley, A. & Joseph S. (eds.) Positive
673	psychology in practice (2nd ed.). Hoboken, NJ: John Wiley & Sons.
674	
675	Handtke, V., & Wangmo, T. (2014). Ageing prisoners' views on death and dying:
676	contemplating end-of-life in prison. Journal of Bioethical Inquiry, 11(3), 373-386.
677	doi: <u>http://dx.doi.org/10.1007/s11673-014-9548-x</u>
678	
679	Hodel, B., & Sanchez, H. G. (2012). The Special Needs Program for Inmate-Patients with
680	Dementia (SNPID): a psychosocial program provided in the prison system. Dementia,
681	12(5), 654-660. doi: <u>http://dx.doi.org/10.1177/1471301211432952</u>
682	
683	Howse, K. (2003). Growing old in prison: a scoping study on older prisoners. London: Prison
684	Reform Trust. Available at:
685	http://www.prisonreformtrust.org.uk/uploads/documents/Growing.Old.Booksmall.pdf
686	[Accessed on 5 Dec. 2016]
687	
688	Joyce, J., & Maschi, T. (2016). "In here, time stands still". The rights, needs and
689	experiences of older people in prison. Irish Penal Reform Trust: Dublin, Ireland.
690	
691	Laws, D. R., & Ward, T. (2011). Desistance from sex offending: Alternatives to throwing
692	away the keys. New York, NY: The Guilford Press.
693	
694	Leigey, M. E. (2008). Life while serving life: Examining the correctional experiences of
695	older inmates serving a life without parole sentence. Dissertation Abstracts International

- 696 Section A: Humanities and Social Sciences, 68, pp. 3599.

698	Loeb, S. J., Steffensmeier, D., & Myco, P. M. (2007). In their own words: older male
699	prisoners' health beliefs and concerns for the future. Geriatric Nursing, 28(5), 319-
700	329. doi: <u>http://dx.doi.org/10.1016/j.gerinurse.2007.02.001</u>
701	
702	Lord. A. (2014). Integrating risk, the Good Lives Model and recovery for mentally
703	disordered sexual offenders. Journal of Sexual Aggression, 22(1), 107-122.
704	
705	Moher, D., Liberati, A., Tetzlaff, J., & Altman, D. G., The PRISMA Group (2009).
706	Preferred Reporting Items for Systematic Reviews and Meta-Analyses: The PRISMA
707	Statement. PLoS Med, 6(7), e1000097. doi:10.1371/journal.pmed1000097
708	
709	Moll, A. (2013). Losing track of time: dementia and the ageing prison population. Mental
710	Health Foundation, London. Available at:
711	http://www.mentalhealth.org.uk/content/assets/PDF/publications/losing-track-of-time-
712	2013.pdf?view=Standard [Accessed 10 Oct. 2015]
713	
714	National Institute for Health and Care Excellence (2015). Mental Wellbeing and
715	independence in older people. NICE guideline (NG32). London: National Institute for
716	Health and Care Excellence.
717	
718	NVivo qualitative data analysis Software (2012). Melbourne, Australia: QSR International
719	Pty Ltd.
720	

721	Pluye, P., Robert, E., Cargo, M., Bartlett, G., O'Cathain, A., Griffiths, F., Boardman, F.,
722	Gagnon, M.P., & Rousseau, M.C. (2011). Proposal: A mixed methods appraisal tool for
723	systematic mixed studies reviews. Available at:
724	http://mixedmethodsappraisaltoolpublic.pbworks.com [Accessed on 12 May 2017]
725	
726	Reed, M. B. (1980). Aging in a total institution: The case of older prisoners (Doctoral
727	Dissertation). Available at: <u>https://www.ncjrs.gov/pdffiles1/Digitization/65232NCJRS.pdf</u>
728	[Accessed 10 Dec 2016]
729	
730	Resettlement and Care for Older ex-Offenders and Prisoners (RECOOP) (2015). Available at:
731	http://www.recoop.org.uk/pages/resources/ [Accessed on 25 Oct. 2016]
732	
733	Robertson P., Barnao, M., & Ward, T. (2011). Rehabilitation frameworks in forensic mental
734	health. Aggression and Violent Behavior, 16(6), 472–484.
735	
736	Senior, J., Forsyth, K., Walsh, E., O'Hara, K., Stevenson, C., Hayes, A. C., Short, V., Webb,
737	R., Challis, D., Fazel, S., Burns A. and Shaw, J. (2013). Health and social care services for
738	older male adults in prison: the identification of current service provision and piloting of
739	an assessment and care planning model. Health Services and Delivery Research, 1(5).
740	doi:10.3310/hsdr01050
741	
742	Steiner, E. (2003). Early release for seriously ill and elderly prisoners: Should French
743	practice be followed? Probation Journal, 50(3), 267-276.
744	
745	

746	Wahidin, A. (2011). Ageing behind bars, with particular reference to older women prisoners
747	in prison. Irish Probation Service, 8, 109-123.
748	
749	Ward, T., Mann, R. E., & Gannon, T. A. (2007). The Good Lives Model of offender
750	rehabilitation: Clinical implications. Aggression and Violent Behavior, 12(1), 87–107.
751	
752	Ward, T., & Maruna, S. (2007). Rehabilitation: Beyond the risk paradigm. London, UK:
753	Routledge.
754	
755	Ward, T., & Stewart, C. A. (2003). The treatment of sex offenders: Risk management and
756	good lives. Professional Psychology, Research and Practice, 34(4), 353-360.
757	
758	Ward, T. & Willis, G. (2016). Dynamic Risk Factors and Offender Rehabilitation: A
759	Comparison of The Good Lives Model and The Risk-Need Responsivity Model. In: Laws,
760	D. R. & O'Donohue, W. (eds.). Treatment of sex offenders: Strengths and weaknesses in
761	assessment and intervention. New York, NY: Springer, pp 175-190.
762	
763	Williams, B. A., Stern, M. F., Mellow, J., Safer, M., & Greifinger, R. B. (2012). Aging in
764	correctional custody: Setting a policy agenda for older prisoner health care. American
765	journal of Public health, 102(8), 1475-1481.
766	
767	Yorston, G. A. (2015). Managing aggression and violence in older people. In G. Dickens, P.
768	Sugarman and M. Picchioni eds., Handbook of secure care (179-192). London: The Royal
769	College of Psychiatrists.
770	

- Table 1. The 11 classes of primary goods (i.e. needs) identified by the GLM (Retrieved from <u>https://www.goodlivesmodel.com/information</u>) 772

Primary good	Notes
1. Life	Includes healthy living and functioning
2. Knowledge	How well informed about things that are important to them
3. Excellence in play	Hobbies and recreational pursuits
4. Excellence in work	Includes mastery experiences
5. Excellence in agency	Autonomy, power and self-directedness
6. Inner peace	Freedom from emotional turmoil and stress
7. Relatedness	Including intimate, romantic, and familial relationships
8. Community	Connection to wider social groups
9. Spirituality	In the broad sense of finding meaning and purpose in life
10. Pleasure	Feeling good in the here and now
11. Creativity	Expressing oneself through alternative forms

785 786 787 788 789 Records identified through Additional records Identification 790 databases (Assia, identified through PsycInfo, MedLine, Google and Gov.uk Embase and Web of (n = 32) Science) (n = 2,615)

784

Figure 1. Selection of papers

Records excluded Records screened Screening (n = 2449)(n = 2,647)Articles excluded (n = 173)On forensic psychiatry • (n=15) Full-text articles Eligibility On ex-prisoners (n=26) assessed for On prisoners in eligibility (n = 198) temporary incarceration (n=42) On offenders (n=46) Did not reflect the views of prisoners (n=44)Included Studies included in (n = 25)

Article	Screening* Qualitative studies				Quantitative studies				3. Miz	Score***				
	Α	B	1.1	1.2	1.3	1.4	2.1	2.2	2.3	2.4	3.1	3.2	3.2	-
Aday, 1994	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	×								75
Aday, 2005	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	×	×	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	<ul> <li>✓</li> </ul>	$\checkmark$	×	72
Aday & Webster, 1979	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	×	$\checkmark$	$\checkmark$	×	×	<ul> <li>✓</li> </ul>	$\checkmark$	×	63
Allen et al., 2013	$\checkmark$	$\checkmark$					$\checkmark$	×	$\checkmark$	×				50
Allen et al., 2008	$\checkmark$	$\checkmark$					$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$				100
Baidawi, 2015	$\checkmark$	$\checkmark$					$\checkmark$	$\checkmark$	$\checkmark$	×				75
Baldwin & Leete, 2012	Non-empirical												1	
Barry et al., 2015	$\checkmark$	$\checkmark$					$\checkmark$	×	$\checkmark$	×				50
Bishop et al., 2014	$\checkmark$	$\checkmark$					$\checkmark$	×	$\checkmark$	×				50
Booth, 1989		I					N	lon-emp	oirical					I
Chaiklin, 1998	Non-empirical													
Crawley, 2005	<ul> <li>✓</li> </ul>	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	×								75
Crawley & Sparks, 2006	✓	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	×								75
Doron, 2007	<ul> <li>✓</li> </ul>	✓	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$								100
Fazel et al., 2002	<ul> <li>✓</li> </ul>	✓	$\checkmark$	✓	$\checkmark$	×								75
Fazel et al., 2004	<ul> <li>✓</li> </ul>	✓					$\checkmark$	$\checkmark$	$\checkmark$	✓				100
Forsyth et al., 2015	<ul> <li>✓</li> </ul>	✓	$\checkmark$	$\checkmark$	$\checkmark$	×								75
Handtke & Wangmo, 2014	<ul> <li>✓</li> </ul>	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	×								75

Table 2. Study quality screening through the MMAT (Pluye et al., 2011)

Hodel & Sanchez, 2012		Non-empirical												
Joyce & Maschi, 2016	✓	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	×								75
Leigey, 2008	✓	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$								100
Loeb et al., 2007	✓	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	×								75
Moll, 2013		Non-empirical												
Reed, 1980	✓	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$								100
Senior et al., 2013	$\checkmark$	✓	$\checkmark$	✓	✓	×	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	✓	✓	✓	90

Note: Omission to report on items were rated with a negative (i.e. 'No') score on the ground that the MMAT investigates basic areas, which must be addressed in a study for it to be considered of good quality.

\* Initial screening, administered to all articles, regardless of their methodology. Articles which did not pass this were discarded

\*\* Relevant criteria from the qualitative (1) and quantitative (2) domains can be applied for mixed methods studies

\*\*\* Percentage of yes on total (excluding criteria A and B)

A. Are there clear qualitative and quantitative research questions (or objectives), or a clear mixed methods question (or objective)?

B. Do the collected data allow address the research question (objective)?

1.1. Are the sources of data (archives, documents, informants, observations) relevant to address the research question (objective)?

1.2. Is the process for analysing data relevant to address the research question (objective)?

1.3. Is appropriate consideration given to how findings relate to the context, e.g., the setting, in which the data were collected?

1.4. Is appropriate consideration given to how findings relate to researchers' influence, e.g., through their interactions with participants?

2.1. Is the sampling strategy relevant to address the research question?

2.2. Is the sample representative of the population under study?

2.3. Are measurements appropriate (clear origin, or validity known, or standard instrument)?

2.4. Is there an acceptable response rate (60% or above)?

3.1. Is the design relevant to address the qualitative and quantitative research questions (or objectives)?

3.2. Is the integration of qualitative and quantitative data (or results\*) relevant to address the research question (objective)?

3.3. Is consideration given to the limitations associated with the divergence of qualitative and quantitative data (or results\*)?

## Table 3. Study characteristics

Author	Year	Country	Article	Theme of article	Design	Methodology	Sample (n)	Age	Site
Aday	1994	USA	Journal	Experience of imprisonment	Case-study	Qualitative	25	$68(\overline{x})$	1
Aday	2005	USA	Journal	Death	Cross-sectional	Mixed	102	59 ( <del>x</del> )	1
Aday & Webster	1979	USA	Journal	Experience of imprisonment	Cross-sectional	Mixed	40	55+	1
Allen et al.	2013	USA	Journal	Religion	Cross-sectional	Quantitative	94	45+	1
Allen et al.	2008	USA	Journal	Religion	Cross-sectional	Quantitative	81	50+	1
Baidawi	2015	Australia	Journal	Health status	Cross-sectional	Quantitative	233	50+	>1
Baldwin & Leete	2012	Australia	Journal	Dementia	Editorial	-	-	-	-
Barry et al.	2015	USA	Journal	Suicidal ideation	Cross-sectional	Quantitative	124	50+	>1
Bishop et al.	2014	USA	Journal	Forgiveness	Cross-sectional	Quantitative	261	45+	>1
Booth	1989	USA	Journal	Health status	Discussion paper	-	-	-	-
Chaiklin	1998	USA	Journal	Treatment	Discussion paper	-	-	-	-
Crawley	2005	UK	Journal	Experience of imprisonment	Observational	Qualitative	80+	65+	>1
					cross-sectional				
Crawley &	2006	UK	Journal	Release	Observational	Qualitative	80+	65+	>1
Sparks					cross-sectional				
Doron	2007	Israel	Journal	Experience of imprisonment	Cross-sectional	Qualitative	12	50+	1
Fazel et al.	2002	UK	Journal	Dementia	Case-study	Qualitative	2	69+	1
Fazel et al.	2004	UK	Journal	Treatment	Cross-sectional	Quantitative	203	60+	>1
Forsyth et al.	2015	UK	Journal	Release	Longitudinal	Qualitative	62	60+	>1
Handtke &	2014	Switzerland	Journal	Death	Cross-sectional	Qualitative	35	51+	>1
Wangmo									
Hodel & Sanchez	2012	USA	Journal	Dementia	Discussion paper	-	-	-	1
Joyce & Maschi	2016	Ireland	Report	Experience of imprisonment	Cross-sectional	Qualitative	23	50+	>1
Leigey	2008	USA	Thesis	Experience of imprisonment	Cross-sectional	Qualitative	25	50+	>1
Loeb et al.	2007	USA	Journal	Release	Pilot	Qualitative	51	50+	1
Moll	2013	UK	Report	Dementia	Report	-	-	-	>1
Reed	1980	USA	Thesis	Experience of imprisonment	Cross-sectional	Qualitative	19	59 ( <del>x</del> )	1
Senior et al.	2013	UK	Journal	Health	Cross-sectional	Mixed	127	60+	>1