

University of Massachusetts Amherst
ScholarWorks@UMass Amherst

Cranberry Chart Book - Management Guide

Cranberry Station Outreach and Public Service
Activities

Spring 4-2017

2017 Chart Book: Disease Management At-A-Glance

Erika Saalau Rojas

UMass Amherst Cranberry Exp Station, esaalau@umass.edu

Frank Caruso

Follow this and additional works at: <https://scholarworks.umass.edu/cranchart>

 Part of the [Agriculture Commons](#)

Saalau Rojas, Erika and Caruso, Frank, "2017 Chart Book: Disease Management At-A-Glance" (2017). *Cranberry Chart Book - Management Guide*. 241.

Retrieved from <https://scholarworks.umass.edu/cranchart/241>

This Public Service and Outreach is brought to you for free and open access by the Cranberry Station Outreach and Public Service Activities at ScholarWorks@UMass Amherst. It has been accepted for inclusion in Cranberry Chart Book - Management Guide by an authorized administrator of ScholarWorks@UMass Amherst. For more information, please contact scholarworks@library.umass.edu.

DISEASE MANAGEMENT 2017 AT A GLANCE

Prepared by E. Saalau Rojas as an addendum to the 2017 Chart Book
 UMass Cranberry Station <http://ag.umass.edu/cranberry> 508-295-2212 x 18

ALWAYS READ THE LABEL and REFER TO 2017 CHART BOOK

DISEASE	FUNGICIDE	RATE/A	NOTES
Phytophthora root rot <i>Foliar Applications</i>	Aliette WDG (fosetyl-al)	5 lb	
	Fosphite (phosphites)	2-4 qt	
	Fungi-Phite (phosphites)	2-3 qt	Maximum 4 apps, 3 day PHI.
	ProPhyt (phosphites)	4 pt	Rates are for chemigation application!
	K-Phite 7LP AG (phosphites)	2-4 qt	Do not tank mix!
	Phostrol (phosphites)	5-6 pt	
	Rampart (phosphites)	2-4 qt	
<i>Soil Applications</i>	Metastar 2EC (metalaxyl)	4-7 pt	No air! Ground or chemigation only. 45 day PHI, maximum 3 apps.
	Gold SL (mefenoxam)	1-1.75 pt	
	Ultra Flourish (mefenoxam)	2-3.5 pt	
	Ridomil Gold GR (mefenoxam)	20-35 lb	No chemigation! Ground or air only. 45 day PHI, maximum 3 apps.
<u>CHLOROTHALONILS</u>			
Upright dieback	Bravo Ultrex	3.8-6 lb	
	Bravo Weather Stik	4-6.5 pt	
	Chloronil 720	4-6.5 pt	ALL formulations are Zone II restricted.
	Chlorothalonil 720 SC	4-6.5 pt	Maximum 3 apps.
	Echo 720	4-7 pt	12-hour REI.
	Echo 90 DF	3.25-5.75 lb	DO NOT add spreader-sticker.
	Equus DF	3.8-6 lb	Do not mix with Dipel.
	Equus 720 SST	4-6.5 pt	50 day PHI.
	Equus 500 ZN	5.75-9.25 pt	
	Initiate 720	5.75-9.25 pt	
<u>COPPERS</u>			
	Champ DP Dry Prill	5.3 lb	No PHI, 48-hour REI.
	Champ Formula 2 Flowable	5.3 pt	Maximum 5 apps per season,
	Champ WG	4.2 lb	except 3 apps for Champ WG.
Fairy ring	Abound (azoxystrobin)	15.5 fl oz per 30-100 gal	First app at bud break, followed 2-4 weeks later, if necessary.
	Indar 2F (fenbuconazole)	12 fl oz per 30-100 gal	First app at bud break, followed 2-4 weeks later, if necessary.
	Ferbam Granuflo	9 lb/100 gal	Apply 1 gal/sq ft in June-July, maximum 1 app, 24-hour REI.
	Sul-Po-Mag or K-Mag 0-0-22	4000 lb/A or 1.5 oz/sq ft	Mid-August through October. Use alone or after lime.

SEE OTHER SIDE FOR FRUIT ROT



DISEASE MANAGEMENT 2017 AT A GLANCE

Prepared by E. Saalau Rojas as an addendum to the 2017 Chart Book

UMass Cranberry Station <http://ag.umass.edu/cranberry> 508-295-2212 x 18

ALWAYS READ THE LABEL and REFER TO 2017 CHART BOOK

DISEASE	FUNGICIDE	RATE/A	NOTES
	Abound (azoxystrobin)	6-15.5 oz	No more than 2 sequential apps. High risk of fungicide resistance. Phytotoxic to McIntosh apples.
	Indar 2F (fenbuconazole)	6-12 oz	Maximum 4 apps or 48 oz. Medium risk of fungicide resistance. 30 day PHI.
	Proline 480SC (prothioconazole)	5 oz	Maximum 2 apps. Medium risk of fungicide resistance. 45 day PHI. Hold water 14 days.
	<u>CHLOROTHALONILS</u>		
	Bravo Ultrex	3.8-6 lb	ALL formulations are Zone II restricted.
	Bravo Weather Stik	4-6.5 pt	50 day PHI.
Fruit rot (start early to mid- bloom, continue through late bloom and early fruit set)	Chloronil 720, Initiate 720	4-6.5 pt	Maximum 3 apps.
	Chlorothalonil 720 SC	4-6.5 pt	12-hour REI.
	Echo 720	4-7 pt	DO NOT add spreader-sticker.
	Echo 90 DF	3.25-5.75 lb	Do not mix with Dipel.
	Equus DF	3.8-6 lb	
	Equus 720 SST	4-6.5 pt	
	Equus 500 ZN, Initiate ZN	5.75-9.25 pt	
	Ferbam Granuflo	6 lb	Maximum 5 apps, 24-hour REI, 50 day PHI.
	<u>MANCOZEBS</u>		
	Dithane F-45 Rainshield	2.4-4.8 qt	30 day PHI, 24-hour REI.
	Dithane M-45. Koverall	3-6 lb	Spray adjuvants should be added to maximize efficacy.
	ManKocide	7 lb	Personal Protective Equipment requirements may vary.
	Manzate Flowable, Manzate Max	2.4-4.8 qt	Always check the label for specific instructions.
	Manzate Pro-Stick	3-6 lb	
	Penncozeb 75DF	3-6 lb	
	Penncozeb 80WP	3-6 lb	
	Roper DF Rainshield	3-6 lb	
	<u>COPPERS</u>		
Fruit rot (start mid- late bloom)	Cuprofix Ultra 40 Dispers	5 lb	Check the Chartbook for product efficacy notes. Maximum 3 apps per season for most products. Check label for specific instructions. No PHI unless noted on label.
	Top Cop with Sulfur	2 qt	
	Badge X2	3.5 lb	
	Badge SC	7 pt	
	Champ DP Dry Prill	5.6 lb	
	Champ Formula 2 Flowable	5.33 pt	All 48-hour REI Except: 24- hour for Cuprofix Ultra, Nordox, Top Cop w/ Sulfur 12-hr for Nordox WG
	Champ WG	4.2 lb	
	Copper-Count-N	4-8 qt	
	Kentan DF	4-5.25 lb	
	Kocide 2000	6 lb	
	Kocide 3000	3.5 lb	
	MasterCop	3 pt	
	Nordox	8 lb	
	Nordox 75WG	5 lb	
	Nu-Cop HB, Nu-Cop 50 DF	4.2 lb	
Nu-Cop 3L	4.33-5.67 pt		

SEE OTHER SIDE FOR OTHER DISEASES

