



Approaching target: A service for nationwide deformation monitoring in Denmark using Sentinel-1

F. Levinsen, J.; Sørensen, Carlo Sass; Broge, N.H.

Publication date:
2017

Document Version
Peer reviewed version

[Link back to DTU Orbit](#)

Citation (APA):

F. Levinsen, J., Sørensen, C. S., & Broge, N. H. (2017). Approaching target: A service for nationwide deformation monitoring in Denmark using Sentinel-1 [Sound/Visual production (digital)]. Fringe 2017 Workshop, Helsinki, Finland, 05/06/2017

DTU Library Technical Information Center of Denmark

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

→ FRINGE 2017 WORKSHOP


Advances in the Science and Applications of SAR Interferometry and Sentinel-1 InSAR

5–9 June 2017 | Aalto University | Helsinki, Finland

Approaching target: A service for nationwide deformation monitoring in Denmark using Sentinel-1

J. F. Levinsen¹ (jofle@sdfc.dk), N. H. Broge², C. S. Sørensen^{1,3}


- 1) Agency for Data Supply and Efficiency, Danish Ministry of Energy, Utilities and Climate, Copenhagen, Denmark
- 2) Danish Ministry of Energy, Utilities and Climate, Copenhagen, Denmark
- 3) DTU Space, National Space Institute, Technical University of Denmark, Kongens Lyngby, Denmark



The "why": Motivation

→ FRINGE 2017 WORKSHOP




- Small country w/ low topography
- Issues:
 - Climate changes
 - Management of levels
 - Soil management
 - Coastal urbanisation
- Vertical ground motion
 - Imminent risk of broken pipes
 - Explosion of pipes
 - ...



The "why": Need for deformation monitoring

→ FRINGE 2017 WORKSHOP


Long-term experience with: Precision leveling + GNSS



Precision leveling (1885→):
Cycles of 1 yr, 3 yrs, 50 yrs

GNSS: Permanent (1998→) as well as semi-permanent (2007→) stations
with cycles of 1 yr, 3 yrs

Long-term experience with: InSAR




ERS-2 (1995-2001)

Various test studies with ERS, EV, S1 data.

Activities:

- QC over selected sites
- Build up experience
- Demonstrate potentials

Optimal climate change adaptation ↔ high spatial coverage + hotspot detection: possible with InSAR, particularly Sentinel-1!



Contains modified Copernicus Sentinel data 2014 - 2016

Ref: PPO.Labs, NORUT, NGU (2017)


Summary:

- Imminent risk of flooding.
- InSAR ideal screening tool.

Copernicus program:

- Sentinel-1: High spatio-temporal resolution and spatial coverage.
- Data acquisition ensured until 2030.
- Free and open data policy.

→ Great potential for nationwide deformation monitoring!




Requirements for establishing operational service for nationwide deformation monitoring in Denmark?

Process:

How? Identify technical approach (status: completed)

- Which technique is optimal for DK, and why?
- How to update, and why?
- How to include leveling, GNSS, corner reflectors?
- How to expand network of corner reflectors?
- Costs for service?
- Processing: Esbjerg, Aarhus, **first large-scale deformation map.**



Why? Identify end-user requirements (status: on-going)

- Point density? Error estimate? Data format? Type of visualisation? ...?

How much? Cost-benefit analyses (status: on-going)


When? Basis of decision (status: November)

- If yes: EU tender (2018)

The "what": Results

→ FRINGE 2017 WORKSHOP

- Integration of multitude of methods
 - PSI and SBAS
 - Utilisation of all relevant geometries
 - On-going R&D to resolve long-wavelength components: GIA signal and seasonal signal
 - **Preliminary, large-scale result:**
 - PSI: Oct. 2014 – Mar. 2017
 - Most infrastructure resolved
 - Islands and mainland well-connected
 - Expected errors: ± 3 mm/yr
- En route to nationwide solution



The "what": Results

→ FRINGE 2017 WORKSHOP



- Platform for dissemination
- Web-interface essential
 - Must be profiled to end-user needs

Work-in-progress!



Ref: PPO.Labs, NORUT, NGU (2017)





Contains modified Copernicus Sentinel data 2014 - 2017



Corner reflectors

- Test and permanent set-ups
- Quality control
- Demonstration
- Integration
- Geo-referencing



Q: How did DK make it this far?

A: The possibility to establish operational services →

Cross-border collaborations

- Simple to confine AOI and avoids multiple, cross-border computations (ex: SNGMS).
- Exploitation of regions facing similar issues (ex: climate changes).
- Exploitation of other countries' expertise/ knowledge.

Maximising output

- Inclusion of potential end-users to specify technical requirements

Thank you!

The presentation contains modified Copernicus Sentinel data 2014-2017

The authors would like to acknowledge ESA and the Copernicus programme for making data available, and PPO.Labs, NORUT, and NGU for processing and expert advice.

