

Lucero, Andrés and Quigley, Aaron and Rekimoto, Jun and Roudaut, Anne and Porcheron, Martin and Serrano, Marcos (2016) Interaction techniques for mobile collocation. In: 18th International Conference on Human-Computer Interaction with Mobile Devices and Services Adjunct (MobileHCI'16), 06-09 September 2016, Florence, Italy.

Access from the University of Nottingham repository:

http://eprints.nottingham.ac.uk/44589/1/2016%20Collocation%20Techniques %20%28MobileHCI%29.pdf

Copyright and reuse:

The Nottingham ePrints service makes this work by researchers of the University of Nottingham available open access under the following conditions.

This article is made available under the University of Nottingham End User licence and may be reused according to the conditions of the licence. For more details see: http://eprints.nottingham.ac.uk/end_user_agreement.pdf

A note on versions:

The version presented here may differ from the published version or from the version of record. If you wish to cite this item you are advised to consult the publisher's version. Please see the repository url above for details on accessing the published version and note that access may require a subscription.

For more information, please contact eprints@nottingham.ac.uk

Interaction Techniques for Mobile Collocation

Andrés Lucero

Mads Clausen Institute University of Southern Denmark University of Bristol, UK lucero@acm.org

Aaron Quigley

SACHI, Computer Science University of St Andrews, UK aquigley@acm.org

Jun Rekimoto

The University of Tokyo, Sony Computer Science Laboratories, inc., Japan rekimoto@acm.org

Anne Roudaut

Bristol Interaction Group roudauta@gmail.com

Martin Porcheron

The Mixed Reality Laboratory University of Nottingham, UK porcheron@acm.org

Marcos Serrano

IRIT

University of Toulouse, France marcos.serrano@irit.fr

Abstract

Research on mobile collocated interactions has been exploring situations where collocated users engage in collaborative activities using their personal mobile devices (e.g., smartphones and tablets), thus going from personal/individual toward shared/multiuser experiences and interactions. The proliferation of eversmaller computers that can be worn on our wrists (e.g., Apple Watch) and other parts of the body (e.g., Google Glass), have expanded the possibilities and increased the complexity of interaction in what we term "*mobile* collocated" situations. The focus of this workshop is to bring together a community of researchers, designers and practitioners to explore novel interaction techniques for *mobile collocated interactions*.

Author Keywords

Collaboration; collocated; handheld devices; multidevice; multi-user.

ACM Classification Keywords

H.5.m. Information interfaces and presentation (e.g., HCI): Miscellaneous.

Introduction

Mobile Collocated Interactions Mobile devices such as smartphones and tablets were

originally conceived and have traditionally been utilized

Permission to make digital or hard copies of part or all of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for third-party components of this work must be honored. For all other uses, contact the Owner/Author.

Copyright is held by the owner/author(s).

MobileHCI '16 Adjunct, September 06-09, 2016, Florence, Italy ACM 978-1-4503-4413-5/16/09. http://dx.doi.org/10.1145/2957265.2962651



Figure 1. CHI '15 workshop on Mobile Collocated Interactions: From Smartphones to Wearables. http://www.funkydesignspaces.com/ mobile_collocated/

In the morning, individual presentations were followed by group discussions where relevant topics were identified for the afternoon 'hands on' session.

In the afternoon, we used LightBlue Beans to create working prototypes. https://punchthrough.com/bean/ for individual use. Research on *mobile collocated interactions* [5] has been exploring situations in which collocated users engage in collaborative activities using their mobile devices, thus going from *personal/individual* multi-device workflows [11] toward *shared/multiuser* experiences and interactions.

Several researchers have explored *mobile collocated interactions*, encouraging people to share their devices to create a collective experience or reach a common goal. Various physical and social contexts of use have been taken into account, such as teamwork at the office, sharing media content at home and outdoors, and public expression in a theme park and in a pub [4]. More recently, researchers have been looking into simple ways to bind such devices together [2]. Most of this research initially looked at the use of smartphones (and tablets) to study *mobile collocated interactions*. However, as computers get smaller, more powerful, and closer to our bodies, a rich ecosystem of small wearable devices becomes available for interaction.

Micro Mobility

Micro-interactions, device-to-device interactions or adhoc interactions can be realized by device-to-device coordination. By contrast, proxemics interaction in HCI is based on the assumption that an ecosystem [13] of connected devices will have knowledge of the configuration of people and objects within range. Proxemics prototypes [7] have been developed which exploit knowledge of the configuration of devices and people in personal and group settings. The knowledge required is largely based on details of proximity between devices or between people and their devices. Less common is the use of the full spatial knowledge described within proxemics. This can be extended to consider mobile settings where personal and mobile devices form the basis for the sensing system for proxemics interaction. The sensed data required for rich *mobile collocated interactions* often results in the development of prototype systems reliant on fixed infrastructure.

Interaction Techniques for Mobile Collocation The proliferation of ever-smaller computers that can be worn on our wrists and other parts of the body, have expanded the possibilities and increased the complexity of interaction in *mobile collocated* situations. These include novel gestural interactions with wearables [9] and interactions distributed between wearables and handheld devices [1]. Head-worn displays could be used to create a unified collocated experience by allowing multiple users to interact with a single shared virtual desktop [12]. The focus of this workshop is to bring together a community of researchers, designers and practitioners to explore novel interaction techniques for *mobile collocated interactions*.

Workshop Goals

The first workshop on *mobile collocated interactions* at MobileHCI'11 [8] identified several design and evaluation challenges as being the core of this research area: group size, physical distance, device-binding, operating systems, privacy, extending to public displays and tabletops, and conducting in-the-wild evaluations. More recent workshops have focused on technology and prototyping at CHI'15 [3] (Figure 1), bodily exploration with wearable devices at MobileHCI'15 [6] (Figure 2), and proxemics at CHI'16 [10] (Figure 3).

One pressing question that remains unanswered is, *how can we move beyond existing interaction paradigms?*



Figure 2. MobileHCI '15 workshop on *Mobile Collocated Interactions With Wearables*.

http://www.funkydesignspaces.com/ collocated_wearables/

Following presentations of accepted position papers, attendees worked together in small groups to acquaint themselves with a design framework for mobile collocated interactions.

Attendees used different materials, conductive fabrics, and strappings to provoke thought and explore ideas around embodied interactions. http://www.daniellewilde.com/swingthat-thing/the-owl-interviews/ We are witnessing how computers are getting smaller, more powerful, and closer to our bodies. As Google Glass, Pebble, Android Wear and Apple Watch gain popularity, we will soon be considering situations where people want to use a rich ecosystem of small wearable devices and engage in *mobile collocated interactions*. Such interactions may include clothing, eyewear, wristwatches, rings, pendants, and jewelry.

In this workshop we want to continue the exploration of *mobile collocated interactions* and promote research into this domain. In particular, the focus in this MobileHCI 2016 workshop will be on creating a deeper understanding of designing and evaluating novel interaction techniques for *mobile collocated interactions*. The goals of this workshop are:

- Identify key opportunities for interaction in *mobile collocated* contexts.
- Investigate how devices will be bound together.
- Consider more intimate or personal interaction techniques, as these devices get closer to our bodies.
- Explore interaction paradigms that can be (re-) appropriated for such interactions.
- Examine ways of visually, functionally and experientially prototyping and evaluating such systems.

Workshop Plan

The aim is to bring together a mix of researchers and practitioners from disciplines such as interaction design, UX, human factors, product design, computer science, art, fashion, and HCI, who are interested in exploring interaction techniques for mobile collocation. The first half of the workshop (the morning) will be dedicated to introducing emerging forms of interacting in the context of *mobile collocated interactions*, and presentations of attendees. Time will also be spent preparing a list of topics for the afternoon.

The second half of the workshop (the afternoon) will consist of a 'hands on' session, where we split into three teams and create technology scenarios based on a specific aspect of interacting in mobile collocated situations (presented or identified during the morning session). We will bring a range of technologies to sketch interaction techniques for *mobile collocated interactions*. We will then work out a concept for collocated interactions and create a working prototype. This activity will stimulate discussion on how to prototype and evaluate such concepts and how existing ecosystems and uses may be studied in the wild.

The results of the workshop will be summarized and published on the workshop's website¹.

References

- Steven Houben and Nicolai Marquardt. 2015. WatchConnect: A Toolkit for Prototyping Smartwatch-Centric Cross-Device Applications. In Proceedings of the 33rd Annual ACM Conference on Human Factors in Computing Systems (CHI '15). ACM, 1247-1256. http://dx.doi.org/10.1145/2702123.2702215
- Tero Jokela, Ming Ki Chong, Andrés Lucero, and Hans Gellersen. 2015. Connecting devices for collaborative interactions. *interactions* 22, 4 (June 2015), 39-43. http://dx.doi.org/10.1145/2776887

¹ http://www.funkydesignspaces.com/collocation_techniques/




Figure 3. CHI '16 workshop on Proxemic Mobile Collocated Interactions. https://proxemicmci.wordpress.com

In the morning, accepted position paper presentations were followed by a number of activities to explore ideas relating to the workshop goals to frame the afternoon discussion.

In the afternoon, we split into two large groups for an in-depth discussion on proxemics from an evaluation and technological standpoint.

3. Andrés Lucero, James Clawson, Kent Lyons, Joel E. Fischer, Daniel Ashbrook, and Simon Robinson. 2015. Mobile Collocated Interactions: From Smartphones to Wearables. In Proceedings of the 33rd Annual ACM Conference Extended Abstracts on Human Factors in Computing Systems (CHI EA '15). ACM, 2437-2440.

http://doi.acm.org/10.1145/2702613.2702649

- 4. Andrés Lucero, Jussi Holopainen, and Tero Jokela. 2012. MobiComics: collaborative use of mobile phones and large displays for public expression. In Proceedings of the 14th international conference on Human-computer interaction with mobile devices and services (MobileHCI '12). ACM, 383-392. http://doi.acm.org/10.1145/2371574.2371634
- 5. Andrés Lucero, Matt Jones, Tero Jokela, and Simon Robinson, 2013. Mobile collocated interactions: taking an offline break together. interactions 20, 2 (March 2013), 26-32. http://doi.acm.org/10.1145/2427076.2427083
- 6. Andrés Lucero, Danielle Wilde, Simon Robinson, Joel E. Fischer, James Clawson, and Oscar Tomico. 2015. Mobile Collocated Interactions With Wearables. In Proceedings of the 17th International Conference on Human-Computer Interaction with Mobile Devices and Services Adjunct (MobileHCI '15). ACM, 1138-1141.

http://doi.acm.org/10.1145/2786567.2795401

- 7. Nicolai Marguardt, Ken Hinckley, and Saul Greenberg. 2012. Cross-device interaction via micro-mobility and f-formations. In Proceedings of the 25th annual ACM symposium on User interface software and technology (UIST '12). ACM, 13-22. http://dx.doi.org/10.1145/2380116.2380121
- 8. Nirmal J. Patel and James Clawson. 2011. Designing and evaluating mobile systems for collocated group use. In Proceedings of the 13th International Conference on Human Computer Interaction with Mobile Devices and Services

(MobileHCI '11). ACM, 765-768. http://doi.acm.org/10.1145/2037373.2037508

9. Simon T. Perrault, Eric Lecolinet, James Eagan, and Yves Guiard. 2013. Watchit: simple gestures and eves-free interaction for wristwatches and bracelets. In Proceedings of the SIGCHI Conference on Human Factors in Computing Systems (CHI '13). ACM, 1451-1460.

http://dx.doi.org/10.1145/2470654.2466192

10. Martin Porcheron, Andrés Lucero, Aaron Quigley, Nicolai Marguardt, James Clawson, and Kenton O'Hara, 2016, Proxemic Mobile Collocated Interactions. In Proceedings of the 34th Annual ACM Conference Extended Abstracts on Human Factors in Computing Systems (CHI EA '16). ACM, 3309-3316.

http://dx.doi.org/10.1145/2851581.2856471

- 11. Stephanie Santosa and Daniel Wigdor. 2013. A field study of multi-device workflows in distributed workspaces. In Proceedings of the 2013 ACM international joint conference on Pervasive and ubiquitous computing (UbiComp '13). ACM, 63-72. http://dx.doi.org/10.1145/2493432.2493476
- 12. Marcos Serrano, Barrett Ens, Xing-Dong Yang, and Pourang Irani. 2015. Gluey: Developing a Head-Worn Display Interface to Unify the Interaction Experience in Distributed Display Environments. In Proceedings of the 17th International Conference on Human-Computer Interaction with Mobile Devices and Services (MobileHCI '15). ACM, 161-171. http://dx.doi.org/10.1145/2785830.2785838
- 13. Lucia Terrenghi, Aaron Quigley, and Alan Dix. 2009. A taxonomy for and analysis of multi-persondisplay ecosystems. Personal Ubiquitous Comput. 13, 8 (November 2009), 583-598. http://dx.doi.org/10.1007/s00779-009-0244-5