

DAFTAR PUSTAKA

1. Pitaloka, Diah. "Striae Gravidarum". 20 Maret 2015. www.blogwordpress.com.
2. Ramsal Lerdpien Pitayakul MD, et al. *Prevalence and Risk Factors of SG in Primipara*. Thai Journal of Obstetrics and Gynecology April 2009. Vol 17 PP 70-79
3. Young GL, Jewel D. *Cream for Preventing Stretch Marks in Pregnancy*. The Cocbrane database of Systematic Review 2000;2;CD000066
4. Chang A. L., Agredano Y. z, Kimball A. B., *Risk Factors Associated with SG*. J.Am Acad Dermatol 2004; 51:881-885
5. Shusters. *The Cause of Striae Distance*. Acta Derm Venereol. 1979;59(supple):161-169
6. Ernita, D, dan R. Rosyidah. 2000. *Kunyit (Curcuma Domestica Val.)*. www.asiamaya.com/jamu/isi/kunyit_curcumaedomestica.htm
7. Rukmana, R, 1999. *Kunyit*. Cetakan Pertama. Yogyakarta : Kanisius
8. Tuba AK. *Gulcin. I. Antioxidant and Radical Scavenging Properties of Curcumin*. Chem_B10 Interac. 2008;174(1);27;37
9. Setyorini, Tantri. "9 Manfaat Kunyit". 10 Maret 2014. www.merdeka.com.htm.
10. Bobak, Lowdermilk, Jensen. *Buku Ajar Keperawatan Maternitas*. Edisi IV. Jakarta : EGC. 2005. 117.
11. Dorlan WN. *Kamus Kedokteran Dorland*. Edisi 29. Jakarta : AGC. 2002. 302
12. Pierard FC, Hermanns LT, Pierard GE. *Striae Distansae in Darker Skin Types : The Influence of Melanocyte Mechanobiology*. Journal of Cosmetic Dermatology. 2005;4:174-8
13. Dwi RL, *Buku Ajar Asuhan Keperawatan Klien Gangguan Sistem Integumen*. Jakarta : EGC. 2008. 30-3
14. Mohamed EL, Leslie SB, Lotfy TE. *Striae Distance (Stretch Mark) and Different Modalities of Therapy : An Update*. Dermatology Surgery. 2009;35(4):563-73

15. Srimal, R.C., Dhawan, B. N. 1973. Pharmacology of diferuloyl methane (curcumin), a non-steroidal anti- inflammantory agent. *J. Pharm. Pharmacol.* 25, p.447-5
16. Bobak, Lowdermilk, Jensen. Buku Ajar Keperawatan Maternitas. Edisi IV. Jakarta : EGC. 2005. 117
17. Dorlan WN. Kamus Kedokteran Dorland. Edisi 29. Jakarta : AGC. 2002. 302
18. Pierard FC, Hermanns LT, Pierard GE. Striae Distansae in Darker Skin Types : The Influence of Melanocyte Mechanobiology. *Journal of Cosmetic Dermatology.* 2005;4:174-8
19. Dwi RL, Buku Ajar Asuhan Keperawatan Klien Gangguan Sistem Integumen. Jakarta : EGC. 2008. 30-3
20. R.A.B Wat Son. *Fibrilin Microfibril are Reduced in Skin Exhibitions Striae Distance.* 1998. British Association of Dermatologis, *British Journal of Dermatology*, 138, 931-937
21. Sharon A, Salter M, Alexa B, Kimball M. Striae Gravidarum. *Clinic in Dermatology.* 2006;24:97-100
22. Mohamed EL. Leslie SB, Lotfy TE. Striae Distance (Stretch Mark) and Different Modalities of Therapy : An Update. *Dermatology Surgery.* 2009;35(4):563-73
23. Ghasemi A, Gorouhi F, Rashigi FM, Jafarian S, Firooz A. Striae gravidarum : Associated Factors. *JEADV.* 2007;21:743-6
24. Rachel N, Anthony VB. Cosmetic Aspect of Pregnancy. *Clinics in Dermatology.* 2006;24:133-41
25. Brincat M, Studd J. Oosterogen and The Skin. *J of Cosm Dermatol.* 2004;3(3):41-9
26. Samuel L, Zippora M, Asora F, Abraham G, Oscar S. Association of Serum Relaxin with Striae Gravidarum in Pregnant Women. *Arch Gynecol Obstet.*2011;283:219-22

27. Maya MM, G RN. Physiological and Biological Skin Changes in Pregnancy. *Clinics in Dermatology*. 2006;24:80-3
28. Guyton, Hall. *Buku Ajar Fisiologi Kedokteran*. Edisi 9. Jakarta : EGC. 1997. 1310-3
29. Chang A, Agredano Y, Kimball A. Risk Factors Associated with Striae Gravidarum. *J Am Acad Dermatol*. 2004;51(6):881-5
30. Rashmi K, TJ J, Mohan TD. A Clinical Study of Skin Changes ini Pregnancy. *IJDVL*. 2007;73(2):141
31. Ratre J, VitayaT. Prevalence and Associate Factors for Striae Gravidarum. *J Med Assoc Thai*. 2008;91(4):445-51
32. Hibah O, Nelly R, Hala T, H NA. Risk Factors for The Development of Striae Gravidarum, *Am J Obstet Gynecol*. 2007;196(62):e1-62.e5
33. Kartal DSP, Fatma E. Striae Gravidarum : Associated Factors in Turkish Primiparae. *J Turk Acad Dermatol*. 2009;3(4):93401a
34. Maia M, Marcon C, Rodrigues S, Aoki T. Striae Distensae in Pregnancy : Risk Factors in Primiparaous Women. *Am Bras Dermatol*. 2009;84(6):599-605
35. Romsai L, Sumonmal M, BusabaW, Jariya L. Prevalence and Risk Factor of Striae Gravidarum in Primiparae. *Thai J of Obstet Gynecol*. 2009;17:70-9
36. Thomas, Mitts. 2010. Prognostic tests for development of dermal stretch marks and implications for the preventative treatment thereof. US20100267641
37. Gary CF, Norman FG, Kenneth JL, Larry CG, John CH, Katherine DW. William Obstetrics. 23thed. United States : Mc Graw Medical. 2010. 199
38. Ushma MJ, Maria SRA, Amy HH. Effect of Body Image on Pregnancy Weight Gain. *Maternal and Child Health Journal*. 2011;15(3):324-32
39. Michael H, Joanne B, Simon G, Elizabeth WM. *Farmakognosi dan Fisioterapi*, Jakarta : EGC. 2009. 311-3
40. Bleve, Ariella . Capra , Priscilla Capra. Pavanetto, Franca. and Perugini, Paola. *Ultrasound and 3D Skin Imaging: Methods to Evaluate Efficacy of Striae*

Distensae Treatment, vol. 2012, Article ID 673706, 10 pages
DOI :10.1155/2012/673706, 2012

41. Aiano AB, Ambacco RTA, Terraco N, Revitali MAP, Amacchia CL, Elant. Change in Phenolic Content and Antioxidant Activity of Italian Extra-Virgin Olive Oils During Storage. *Journal of Food Science*. 2009;74(Nr 2):177-83
42. Fuentes F, Miranda JL, Pe'rez M, Jime'nez Y, Mari,n C, Go'mez P, et al. Chronic Effects of A High-Fat Diet Enriched with Virgin Olive Oil and Low-Fat Diet Enriched with a-Linolenic Acid on Postprandial Endothelial Fuction in Healthy Men. *British Journal of Nutrition*. 2008;100:159-65
43. Nugroho, Nurfina Aznam, Hajah. Manfaat dan Prospek Pengembangan Kunyit. Ungaran : Trubus Agriwidya, 1998
44. Mukophadhyay A., Basu, N., Ghatak, N, and Gujral, P. K. 1982. Anti-inflamantory and irritant activities of curcumin analogues I rats. *Agents and Actions* 12, p. 508-12
45. Arora, R. B., Basu, ., Kapoor, V., and Jain, A.P. 1971. Anti-inflamantory studies on *Curcuma longa* (Turmeric), *Indian J. Med. Res.* 59, p.1289 – 95
46. Srimal, R.C., Dhawan, B. N. 1973. Pharmacology of diferuloyl methane (curcumin), a non-steroidal anti- inflammantory agent. *J. Pharm. Pharmacol.* 25, p.447-5
47. Chuang, S. E., Chen, A.L., Lin, J.K..2000. Inhibition by curcumin of diethylnitro samine-induced hepatic hyperplasia, inflammation, cellular gene products and cell-cycle related protein in rats. *Food Chem. Toxicol.* 38, p. 991 – 25
48. Park, E.J., C. H., Ko, G., Kim, j., and Sohn, D. 2000. Protective effect of curcumin in rat liver injury induced by carbon tetracholide, *J. Pharm. Pharmacol.* 52, p. 437 – 40
49. Unnikrishnan, M. K., and Rao, R. 1995. Inhibition of nitrite induced oxidation of hemoglobin by curcuminoids. *Pharmazie* 50, p. 490-492

50. Ruby, A.J., Khuttan, G., Babu, K. D., Rajasekharan, K. N., and Khuttan R., 1995. Anti-tumour and antioxidant activity of natural curcuminoids, *Cancer lett.* 94 (1), p. 79 – 83
51. Aradjo C.A.C., Alegrio, L.V., Lima. M. E. F., Gomes-Cardoso, L., and Leon, L. L., 1999. Studies on the effectiveness of diarylheptanoids derivatives against *Leishmania amzonensis*. *Mem. Inst. Oswaldo Cruz.* 94 p. 791 – 794
52. Chopra, G. N., Gupta, J.C., Chopra, G. S., 1941. Pharmacological action of the essential oil of *Curcuma longa*, *Indian J. Med. Res.* 29, p. 769 – 72
53. Bhavani, S., Murthy, S. 1979. Effect of turmeric (*Curcuma longai*) fractions in the growth of some intestinal and pathogenic bacteria *in vitro*, *Indian J. Exp. Biol.* 17, p. 1363 – 66
54. Ferreira, L.A.F., Henriques, O.B., Andreoni, A.A.S., Vital, G. R. F., Campos, M.M.C., Habermehl, G.G., and Moraes, V/L.G. 1982. Antivenom and biological effects of ar-turmerone isolated from *Curcuma longa* (Zingiberaceae). *Toxicon* 30, p. 1211 –1218
55. Mazumber, A., Rhagavan, K., Weinstein, J., Kohn, K. W., Pommer, Y. 1995. Inhibiton of human immunodeficiency virus type-1 integrase by curcumin. *Biochem. Pharmacol.* 49, p.1165 – 1170
56. Eigner, D., Schol, D. 1999. *Curcuma longa* in traditional medicinal treatment and diet in Nepal, *J. Etmopharmacol* 67, p. 1 – 6
57. Huang, M. T., Smart, RC., Wong, C. Conney, A.H. 1988. Inhibitory effect of curcumin, chlorogenic acid, caffeic acid and ferulic acid on tumor promotion in mouse skin by 12-O- tetradecanoylphorbol-13-acetate, *Cancer Res.* 48, p. 5941 – 5946
58. Sudigdo S, Sofyan I. Dasar-dasar Metodologi Penelitian Klinis. Edisi ke-5. Jakarta : Sagung Seto. 2014.
59. Notoatmodjo. S, *Metodologi Peneltian Kesehatan*. PT. Rineka Cipta. 2012

60. Dahlan, Sopiudin., 2011. *Statistik Untuk Kedokteran dan Kesehatan Edisi 5*. Jakarta, Salemba Medika.
61. Fraenkel, J. & Wallen, N. (1993). *How to Design and evaluate research in education*. (2nd ed). New York: McGraw-Hill Inc
62. Almagro, Elissa Quintanilla, *et al.* 2000. *Pharmacological Activities of Curcuma Longa Extracts*. US6841177B1.PCT/ES2000/000354.
63. Priyatno, Dwi. 2009. *5 Jam Belajar Olah Data dengan SPSS 17*. Yogyakarta : Andi. Hamrolie Harun.
64. J. Arct, Anna Ratz-Kyko, M.Mieloch, and M. Witulska. Evaluation of Skin Colouring Propertis of Curcuma Longa Extract. 2014;76(4);374-378.
65. *Curcumin acts as anti-tumorigenic and hormone-suppressive agent in murine and human pituitary tumour cells in vitro and in vivo*. Schaaf, C., et al., et al. [ed.] James A. Fagin. 4, New York: Society for Endocrinology, December 1, 2009, *Endocrine-Related Cancer*, Vol. 16, pp. 1339-1350. DOI: 10.1677/ERC-09-0129; <http://erc.endocrinology-journals.org/content/16/4/1339>. Society for Endocrinology.
66. Baumann, Leslie and Saghari, Sogol. *Skin Pigmentation and Pigmentation Disorders*. [ed.] Leslie, Saghari, Sogol, Weisberg, Edmund Baumann. *Cosmetic Dermatology: Principles and Practice*. 2nd. New York: The McGraw-Hill Companies, Inc., 2009, 13, pp. 98-108. ISBN: 978-0-07-164128-9.
67. Handog, Evangeline B. and Macarayo, Maria Juliet E. *Melasma*. [ed.] Antonella Tosti, Pearl E. Grimes and Maria Pia De Padova. *Color Atlas of Chemical Peels*. 2. s.l.: Springer-Verlag Berlin Heidelberg, 2012, 15, pp. 123-140. ISBN: 978-3-642-20269-8.
68. *Phytolastil in the treatment of weals of gravid origin.*, Chastrusse L, Soumireu-Mourat J, Ambonville C, Hourcabie J., *J Gynecol Obstet Biol Reprod (Paris)*. 1976 Sep;5(6):848-9.

69. *Efficacy and Safety of Curcuminoids Loaded Solid Lipid Nanoparticles Facial Cream as an Anti-aging Agent*. Plianbangchang, Pinyupa, Tungpradit, Watcharaphorn and Tiyafoonchai, Waree. [ed.] Sakchai Wihayaarekul. 2, Mueang District: Naresuan University, May-August 2007, Naresuan University Journal, Vol. 15, pp. 73-81. ISSN: 0858-7418.
70. Wegmann, Michael, et al., et al. *Cellular Protection: Protective turmerones from Curcuma longa*. Essen:Evonik Industries Personal Care, 2009, pp. 1-4.