

publisher	Universidad del Rosario
type	info:eu-repo/semantics/article
type	info:eu-repo/semantics/publishedVersion
title	Synaptic Transmission-Calcium Channels and Neurotransmitters Releasing
title	Transmisión sináptica-canales de calcio y liberación de neurotransmisores
subject	canales de calcio sinapsis; unión neuromuscular; neurotransmisores
subject	Calcium channels; synapses; neuromuscular junction; Neurotransmitters
source	Revista Ciencias de la Salud; Vol. 3, núm. 1 (2005)
source	1692-7273
source	2145-4507
source	Revista Ciencias de la Salud; Vol. 3, núm. 1 (2005)
source	Revista Ciencias de la Salud; Vol. 3, núm. 1 (2005)
rights	http://creativecommons.org/licenses/by-nc/4.0
rights	info:eu-repo/semantics/openAccess
relation	http://revistas.urosario.edu.co/index.php/revsalud/article/view/577/496
language	spa
format	application/pdf
description	<p>Neuronal communication in the nervous system is mediated, in the vast majority of animals, by chemical synaptic transmission. In most cases this junctional communication occurs via the release of a transmitter substance, from a presynaptic nerve terminal. This synaptic transmitter binds post-synaptic receptors and results in a postsynaptic response on the target cell. Such release of transmitter from the presynaptic terminal appears to be universally triggered by a transient increase of intracellular calcium at the release site. This transient increase in calcium, is mostly brought about by the activation of voltage gated calcium channels (VGCC) which result in a Ca²⁺ influx into the presynaptic cytosol that triggers synaptic vesicle fusion and neurotransmitter release. Methodology: Databases such as Medline, Pubmed and Columbia University Library ejournals were consulted, in order to find articles published from January 1990 to November 2004. Conclusions: During the last decade significant advances have been achieved in the</p>

molecular and genetics of voltage gated channels. The integration of this knowledge with functional neurophysiology and clinical neurology is only starting.

description	La comunicación neuronal en el sistema nervioso está mediada, en la gran mayoría de animales, por la transmisión sináptica química. Generalmente esta comunicación ocurre mediante la liberación de una sustancia transmisora en el terminal presináptico. Este transmisor sináptico se une a receptores postsinápticos y da lugar a una respuesta postsináptica en la célula blanco. La liberación del transmisor en la región presináptica, al parecer, es desencadenada por un aumento transitorio del calcio intracelular en el sitio de liberación. Este aumento se logra, principalmente, por la activación de canales de calcio dependientes de voltaje (VGCC), lo que da lugar a un ingreso de iones de calcio en el citosol presináptico, que desencadena la fusión de las vesículas sinápticas y la liberación del neurotransmisor. En este artículo se revisan las características moleculares y funcionales de los VGCC necesarias para la comprensión de alteraciones patológicas como las canalopatías y la transmisión sináptica anormal. Metodología: se consultaron las bases de datos Medline, Pubmed y los e-journals de la Biblioteca de la Universidad de Columbia, correspondientes a los años 1990 a 2004. Resultados: durante la última década se han logrado avances significativos en los aspectos moleculares y en la genética de los canales dependientes de voltaje. La integración de este conocimiento con la neurofisiología funcional y la neurología clínica apenas se está iniciando.
identifier.uri	http://hdl.handle.net/10336/7452
identifier	http://revistas.urosario.edu.co/index.php/revsalud/article/view/577
date.available	2014-07-09T15:56:01Z
date.accessioned	2014-07-09T15:56:01Z
date	2010-05-18
creator	Moreno, Carlos B.