

Strathprints Institutional Repository

Wu, Tao and Akartunali, Kerem and Song, Jie and Shi, Leyuan (2012) *Mixed integer programming in production planning with backlogging and setup carryover : modeling and algorithms.* Discrete Event Dynamic Systems. ISSN 0924-6703 (In Press)

Strathprints is designed to allow users to access the research output of the University of Strathclyde. Copyright © and Moral Rights for the papers on this site are retained by the individual authors and/or other copyright owners. You may not engage in further distribution of the material for any profitmaking activities or any commercial gain. You may freely distribute both the url (http:// strathprints.strath.ac.uk/) and the content of this paper for research or study, educational, or not-for-profit purposes without prior permission or charge.

Any correspondence concerning this service should be sent to Strathprints administrator: mailto:strathprints@strath.ac.uk

http://strathprints.strath.ac.uk/

Mixed Integer Programming in Production Planning with Bill-of-materials Structures: Modeling and Algorithms

Tao Wu $^{*,\dagger},$ Leyuan Shi $^{\dagger},$ Kerem Akartunalı ‡

[†] University of Wisconsin-Madison, Madison, WI 53706, USA, danielwu9999@gmail.com,

[‡] Department of Management Science, University of Strathclyde, Glasgow, G1 1QE, United Kingdom.

kerem.akartunali@strath.ac.uk

This paper proposes a mixed integer programming formulation for modeling the capacitated multi-level lot sizing problem with both backlogging and linked lot sizes. Based on the model formulation, a progressive time-oriented decomposition heuristic framework is then proposed, where improvement and construction heuristics are effectively combined, therefore efficiently avoiding the weaknesses associated with the one-time decisions made by other classical time-oriented decomposition algorithms. Computational results show that the proposed optimization framework provides competitive solutions within a reasonable time.

Key words: Lot Sizing, Linked Lot Sizes, Backlogging, Progressive Time-oriented Decomposition Heuristic

1. Introduction

Lot sizing problems are complex and yet routine practical problems that have attracted attention from researchers and practitioners for decades. However, most research still is focused on simple classes of lot sizing problems, including but not limited to single item, single level with multiple items, and/or with unlimited capacities. This research has substantially helped understand the root structures and difficulties of these classes of problems, but, in most cases, assumptions made to define these simple problems are unrealistic. Facing with these issues, researchers have started to consider more realistic classes of the problems, including the capacitated multi-level lot sizing problem with setup times, setup carryover, and/or backlogging. The research along this line is substantial as it is more associated with real industrial settings, but optimally solving these classes of problems is extremely difficult as the problem size is getting large. The focus in this paper is on problem classes of MLCLSPB (Multi-Level Capacitated Lot Sizing Problem with Einked lot sizes), and MLCLSPBL (Multi-Level Capacitated Lot Sizing Problem with Einked lot sizes), and MLCLSPBL (Multi-Level Capacitated Lot Sizing Problem with Einked lot sizes).

To improve the techniques for solving these classes of problems, this paper makes contributions at two aspects. The first one is to propose a strong mixed integer formulation for the lot sizing problem with backlogging and linked lot sizes. This extended facility location based formulation can provide significantly better LP lower bounds, and they can be more efficient for obtaining better upper bounds than the classical inventory and lot sizing based formulation. The second contribution is to propose a new progressive timedecomposition approach that is a novel and robust combination of some existing procedures, which focuses on the strengths of these methods but avoids their weaknesses. Decomposition is a common technique used in the literature due to problem complexity in industrial instances. The novelty and difference of our approach is that many promising subproblems are found in the solution process, increasing the chance of progressively finding good solutions for the original problem.

To summarize our approach, we first combine the prominent relax-and-fix procedure (SHRF) proposed by Stadtler (2003) to quickly find an initial feasible solution. This is because the SHRF can efficiently reduce decomposed problem size as it considers only inventory balance constraints and capacity constraints to anticipate future capacity bottlenecks in a large number of periods. However, not fully considering capacity bottlenecks for all periods has a big possibility of deteriorating the solution quality. This is especially true for the high capacitated lot sizing problem with high seasonality. To avoid the weakness associated with the SHRF, our solution approach therefore also combines other procedures, including weighted sampling and a relax-and-fix procedure (AHRF) proposed by Akartunalı and Miller (2010). The weighted sampling procedure is applied to select a subset of binary setup decision and carryover variables, and then all the variables in this subset is then fixed to the solution obtained by the SHRF. By doing this way, many promising subproblems can be found where the size of binary variables is relatively small compared with the original problem. To solve these subproblems, the AHRF is applied. The advantage of the AHRF over the SHRF is that it always fully considers the entire planning horizon, ensuring capacity bottlenecks for the periods following the time windows are well considered. Meanwhile, a quadratically-increasing number of variables associated with the AHRF is not a big concern anymore as the subproblem with fixed variables is usually relatively small.

The remainder of this paper is organized as follows: Section 2 presents a literature review. Section 3 presents alternative formulations and also makes a brief overview of several time-oriented decomposition heuristic methods from the literature, with their strengths and weaknesses. Next, Section 4 proposes a progressive time-oriented decomposition heuristic framework. Section 5 discusses the results of computational experiments conducted on a number of data sets via a comparison with a commercial solver. Finally, Section 6 concludes and suggests directions for future research.

2. Literature Review

Solution procedures for lot sizing problems vary from exact methods (such as mathematical programming techniques and dynamic programming algorithms) to heuristic methodologies (decomposition-based, relaxation-based, neighborhood search, to name a few types of heuristics). Exact methodologies are in general limited to special instances, however they provide us valuable insight. On the other hand, heuristic methodologies are crucial for solving problems in the practice, in particular in the industrial settings, although they might lack of solution quality guarantees. In the following, we present a brief overview of these methods, covering a few key references as well as recent examples.

The literature on exact methods for lot sizing problems cover a broad range of mathematical programming techniques. In particular, extended reformulations and valid inequalities have been popular tools. The facility location reformulation of Krarup and Bilde (1977) and the shortest route reformulation of Eppen and Martin (1987) have been widely used in the following decades. The family of valid inequalities defined by Barany et al. (1984) are proven to be useful in practice, in addition to the theoretical fact that, with trivial inequalities, they define the convex hull of the uncapacitated single-item problem. For various valid inequalities for various types of lot sizing problems, we refer the interested reader to Pochet and Wolsey (1988), Pochet and Wolsey (1991), and Miller and Wolsey (2003). Particularly for problems with backlogging, Mathieu (2006) presented two extended linear programming reformulations of the single-item problem with constant capacities, and Kucukyavuz and Pochet (2009) recently provided the full definition of the convex hull for the uncapacitated single item problem. On the other hand, dynamic programming (DP) has been used for some problems, although DP has been limited to polynomially solvable cases, see e.g. Federgruen and Tzur (1993), Ganas and Papachristos (2005) and Song and Chan (2005) proposing DP algorithms for various single-item lot sizing problem with backlogging.

The majority of the heuristic methods presented in the literature for lot sizing problems are *construction heuristics*, i.e., heuristics that generate a feasible solution from scratch, and we will provide an overview of these in the following. However, it is also important to note that there are some good examples of *improvement heuristics*, i.e., methods that build up on a given initial solution. One recent example is the fix-and-optimize heuristic of Sahling et al. (2009) proposed for solving the capacitated multi-level lot sizing problem with general product structures and with setup-carryover. We refer the interested reader also to ? and ? for other recent examples.

Decomposition based heuristics include time-oriented or item-oriented decomposition based heuristics. For example, Kim et al. (2010) proposed a solution approach for lot sizing problems by dividing a time period into a number of micro time periods, in which a time horizon is treated as a continuum, instead of as a collection of discrete time periods. Belvaux and Wolsey (2000), Suerie and Stadtler (2003), Federgruen et al. (2007), and Akartunalı and Miller (2009) are successful examples of time-oriented decomposition approaches. ? and ? used relax-and-fix heuristics in industrial settings for combinations of lot sizing and scheduling problems.

Relaxation based heuristics usually employ Lagrangean relaxation. Millar and Yang (1994) proposed two Lagrangian decomposition and relaxation algorithms for solving the capacitated single-level multi-item lot sizing problem with backlogging. Sox and Gao (1999) proposed a Lagrangian decomposition heuristic for solving large capacitated multi-item lot sizing problems without setup times, but with setup-carryover. Briskorn (2006) later claimed that the Lagrangian heuristic proposed by Sox and Gao (1999) can not guarantee an optimal solution when solving Lagrangian relaxation subproblems, and they revised the heuristic to ensure the optimality. Tempelmeier and Buschkuhl (2009) proposed a Lagrangean heuristic for the dynamic capacitated multi-level lot sizing problem with linked lot sizes.

Neighborhood search heuristic is another group of heuristics. The LP-based heuristic of Kuik et al. (1993) was well compared to the performance of other approaches based on simulated annealing and tabu search techniques. Tabu search was extensively employed by various researchers, see e.g. Gopalakrishnan et al. (2001) (problems with set-up carryover), Hung et al. (2003) (problems with multiple items and machines, setup times and costs), Karimi et al. (2006) (capacitated problem with setup-carryover) and Almada-Lobo and James (2010) (incorporating with a neighborhood search heuristic to handle sequence-dependent setup times and costs).

3. Formulations and Decomposition Heuristics

3.1. The Inventory and Lot Sizing Model for the MLCLSPB

We present first the inventory and lot sizing formulation of Billington et al. (1983), which was extended to the MLCLSPB by other researchers (see e.g. Akartunalı and Miller (2009)). The formulation (referred as ILS-B in the remainder of the paper) is given as follows:

$$\min\sum_{i=1}^{I}\sum_{t=1}^{T}sc_{i}\cdot y_{it} + \sum_{i=1}^{I}\sum_{t=1}^{T}hc_{i}\cdot s_{it} + \sum_{i\in endp}\sum_{t=1}^{T}bc_{i}\cdot b_{it} + \sum_{m=1}^{M}\sum_{t=1}^{T}oc_{mt}\cdot ot_{mt}$$
(1)

Subject to:

$$x_{it} + s_{i,t-1} + b_{it} - b_{i,t-1} = gd_{it} + s_{it} \qquad \forall i \in endp, \ t \in [1,T].$$
(2)

$$x_{it} + s_{i,t-1} = \sum_{j \in \eta_i} r_{ij} \cdot x_{jt} + s_{it} \qquad \forall i \in [1, T] \setminus endp, \ t \in [1, T].$$
(3)

$$\sum_{i=1}^{I} a_{im} \cdot x_{it} + \sum_{i=1}^{I} st_{im} \cdot y_{it} \le C_{mt} + ot_{mt} \qquad \forall m \in [1, M], \ t \in [1, T].$$
(4)

$$x_{it} \le \left(\sum_{j \in endp_i} r_{ij} \cdot gd_{j1T}\right) \cdot y_{it} \qquad \forall i \in [1, T], \ t \in [1, T].$$
(5)

 $x_{it} \ge 0, \ s_{i0} = 0, \ s_{it} \ge 0, \ b_{it} \ge 0, \ b_{iT} = 0, \ y_{it} \in \{0,1\}, ot_{mt} \ge 0 \qquad \qquad \forall \ i \in [1,I], \ t \in [1,T], \ m \in [1,M].$ (6)

Sets and indices:

- T number of time periods in the planning horizon.
- M number of production resources or machines.
- *I* number of items (subassemblies and/or end items).
- t interchangeable time period index, $t \in [1, T]$.
- m machine index, $m \in [1, M]$.

i, j item indices, $i, j \in [1, I]$.

endp set of end items (items with external demand only; backlogging allowed on these).

 $endp_i$ set of end items that have a subassembly item i.

 η_i set of immediate successors of item *i*.

Parameters:

- sc_i setup cost for producing a lot of item *i*.
- hc_i inventory holding cost for one unit of item *i* per period.
- bc_i backlogging cost for one unit of item *i* per period.
- oc_{mt} overtime cost for one unit time of machine m in period t.
- st_{im} setup time required for producing item *i* on machine *m*.
- a_{im} production time required to produce a unit of item *i* on machine *m*.
- gd_{it} external demand for item *i* in period *t*.
- gd_{itp} total external demand for item *i* from period *t* to period *p*.
- r_{ij} number of units of item *i* needed to produce one unit of the successor item *j*.
- C_{mt} available capacity of machine m in period t.

Variables:

- x_{it} number of units of item *i* produced in period *t*.
- s_{it} inventory of item *i* at the end of period *t*.
- y_{it} 1 if production is setup for item *i* in period *t*, and 0 otherwise.
- b_{it} backlogging level for end item *i* in period *t*.

 ot_{mt} amount of overtime used on machine m in period t.

The objective function (1) minimizes total setup, inventory holding, and backlogging costs during the entire time horizon. Note that in its current format, the objective function includes a component related to backlogging to the last period; we left it in here in case backlogging from beyond the planning horizon is feasible (possibly with a high cost); in case this is not a possibility, this component can be removed. Constraints (2) and (3) ensure demand satisfaction in all periods for end and non-end items, respectively. The former constraint includes the possibility of backlogging, as w.l.o.g. only final products are assumed to have external demand. Constraints (4) enforce capacity requirements. Constraint set (5) ensures that no production occurs for item i in period t unless the corresponding setup variable y_{it} takes a value of 1. Constraints (6) enforce the integer and nonnegativity requirements for variables. Although overtime is included in the formulation, one point we need to emphasize is that overtime cost is set to be huge, ensuring no usage of overtime if possible. In the test problems, we consider a solution where overtime is strictly bigger than zero as infeasible.

The size of the ILS-B formulation is relatively modest. However, time required for proving the optimality of a given solution is often prohibitive because the integrality gap associated with LP relaxation is generally large. Besides, the poor lower bounds associated with LP relaxations usually are not adequate to guide the search for good feasible solutions in branch-and-bound. In order to strengthen the model formulation, strong inequalities need to be added into the model. The (ℓ, S) inequalities proposed by Barany et al. (1984) have proven to be efficient in practice at improving lower bounds.

To introduce (ℓ, S) inequalities, we first define four sets of marginal echelon variables and parameters: echelon demand (ed_{it}) , echelon inventory holding cost (ec_i) , echelon inventory (e_{it}) , and total marginal echelon demands (ed_{itp}) , which is the total echelon demand for item *i* between periods *t* and *p*.

$$\begin{split} ed_{it} &= gd_{it}, \ ec_i = hc_i, \ e_{it} = s_{it} \\ ed_{it} &= \sum_{j \in \eta_i} r_{ij} \cdot ed_{jt} \\ ec_i &= hc_i - \sum_{i \in \eta_j} r_{ji} \cdot hc_j \\ e_{it} &= s_{it} + \sum_{j \in \eta_i} r_{ij} \cdot e_{jt} \\ \end{split} \qquad \forall i \in [1, T] \setminus endp, t \in [1, T]. \\ \forall i \in [1, I] \setminus endp, t \in [1, T]. \\ \forall i \in [1, I] \setminus endp, t \in [1, T]. \end{split}$$

Then, (ℓ, S) inequalities can be defined as:

$$\sum_{t \in S} x_{it} \le \sum_{t \in S} (ed_{it,\ell} \cdot y_{it} + \sum_{j \in endp} r_{ij} \cdot b_{j,t-1}) + e_{i\ell} \qquad \forall i \in [1, I], \ l \in [1, T], \ S \subseteq [1, \ell].$$
(7)

After adding constraints (7) into the ILS-B formulation, the new strong formulation is referred to as SILS-B.

3.2. The Simple Facility Location Formulation for the MLCLSPB

To obtain tight LP relaxation lower bounds, we also present a simple facility location reformulation, referred to as SFL-B. In this model formulation, production (x_{it}) , inventory (s_{it}) , and backlogging (b_{it}) variables of

(8)

, M]. (14)

ILS-B are replaced by u_{itp} variables, defined as production of item *i* in period *t* to be used for satisfying demand in period *p*. The relationship for variables u_{itp} , x_{it} , s_{it} , and b_{it} can be given as follows:

$$x_{it} = \sum_{p=1}^{T} u_{itp} \qquad \forall i \in [1, I], \ t \in [1, T].$$

$$s_{it} = \sum_{\substack{q=1\\t}}^{t} \sum_{\substack{p=t+1\\T}}^{T} u_{iqp} \qquad \qquad \forall i \in endp, \ t \in [1,T].$$

$$s_{it} = \sum_{q=1}^{T} \sum_{p=t+1}^{T} u_{iqp} - \sum_{q=1}^{T} \sum_{p=t+1}^{T} \sum_{j \in endp_i}^{T} r_{ij} \cdot u_{jqp} \qquad \forall i \in [1, I] \setminus endp, \ t \in [1, T].$$

$$\sum_{j \in endp_i} r_{ij} \cdot b_{jt} = \sum_{q=t+1}^{T} \sum_{p=1}^{t} u_{iqp} \qquad \forall i \in [1, I], \ t \in [1, T].$$

Using these relationships, x, s, and b can be substituted with u into (1), (2), (3), (4), and (6) in the ILS-B formulation. The resulting SFL-B formulation is given as follows.

SFL-B:

$$\min \sum_{i=1}^{I} \sum_{t=1}^{T} sc_i \cdot y_{it} + \sum_{i=1}^{I} \sum_{t=1}^{T} \sum_{p=t}^{T} ec_i \cdot (p-t) \cdot u_{itp} + \sum_{i \in endp} \sum_{t=1}^{T} \sum_{p=1}^{t-1} bc_i \cdot (t-p) \cdot u_{itp} + \sum_{m=1}^{M} \sum_{t=1}^{T} oc_{mt} \cdot ot_{mt}$$

Subject to:

$$\sum_{p=1}^{I} u_{ipt} = ed_{it} \qquad \forall i \in [1, T], \ t \in [1, T].$$
(9)

$$\sum_{q=1}^{t} \sum_{p=t+1}^{T} u_{iqp} \ge \sum_{j \in \eta_i} r_{ij} \cdot \sum_{q=1}^{t} \sum_{p=t+1}^{T} u_{jqp} \qquad \forall i \in [1, I] \setminus endp, \ t \in [1, T]. \ (10)$$

$$\sum_{j \in endp_i} r_{ij} \cdot \sum_{q=t+1}^{T} \sum_{p=1}^{t} u_{jqp} = \sum_{q=t+1}^{T} \sum_{p=1}^{t} u_{iqp} \qquad \forall i \in [1, I] \setminus endp, \ t \in [1, T]. \ (11)$$

$$u_{itp} \le ed_{ip} \cdot y_{it} \qquad \forall i \in [1, I], \ t \in [1, T]. \ (12)$$

$$\sum_{i=1}^{T} \sum_{p=1}^{T} a_{im} \cdot u_{itp} + \sum_{i=1}^{I} st_{im} \cdot y_{it} \le C_{mt} + ot_{mt} \qquad \forall m \in [1, M], \ t \in [1, T]. \ (13)$$

$$\forall i \in [1, I], t \in [1, T], p \in [1, T], m \in [1, T]$$

In the formulation, constraints (9) ensure demand satisfaction for all items in all periods. Constraints (10) make sure that echelon inventories for non-end items must be large enough to satisfy the echelon inventories of their corresponding end items. Constraints (11) enforce that echelon backlogs for non-end items must be used to satisfy the backlogs of their corresponding end items. Constraints (12) correspond to setup forcing constraints, while constraint set (13) enforces production capacity limits. Besides, constraints (14) enforce nonnegative and binary requirements for production and setup decision variables.

3.3. Linked Lot Sizes

 $u_{itp} \ge 0, \ y_{it} \in \{0, 1\}, \ ot_{mt} \ge 0,$

We make the following assumptions for MLCLSPBL: At most a setup state can be carried over on each machine from a period to the next, such that no setup activity is necessary in the second period. Singleitem production is possible (i.e., the conservation of a setup state for the same item over two consecutive bucket boundaries). A setup state is not lost if there is no production on a machine within a period. These assumptions are realistic and common, see e.g. Suerie and Stadtler (2003).

To include setup-carryover into the model formulation, two new sets of variables have to be introduced. The first set is lk_{it} , the binary setup-carryover decision variable vector. lk_{it} is 1 if a setup state for item *i* is carried over from period t-1 to period *t*, and 0 otherwise. The second set of variables is z_{mt} , which become 1 if the production on resource *m* in period *t* is limited to at most an item for which no setup has to be performed because the setup state for this specific item is linked to both the preceding and next periods, and 0 otherwise. We also define R_m to be the subset of items that are processed on resource *m*.

To formulate the MLCLSPBL, constraints (15) - (19) have to be added:

$$\begin{split} \sum_{i \in R_m} lk_{it} &\leq 1 & \forall \ m \in [1, M], \ t \in [2, T]. \ (15) \\ \forall \ i \in [1, I], \ t \in [2, T]. \ (16) \\ \forall \ i \in [1, I], \ t \in [2, T]. \ (16) \\ \forall \ i \in [1, I], \ t \in [2, T]. \ (16) \\ \forall \ i \in R_m, \ t \in [1, T-1], \ m \in [1, M]. \ (17) \\ y_{it} + z_{mt} &\leq 1 & \forall \ i \in R_m, \ t \in [1, T-1], \ m \in [1, M]. \ (17) \\ \forall \ i \in R_m, \ t \in [1, T], \ m \in [1, M]. \ (18) \\ lk_{it} \in \{0, 1\}, \ z_{mt} \in \{0, 1\} & \forall \ i \in [1, I], \ t \in [1, T], \ m \in [1, M]. \ (19) \\ u_{itp} &\leq ed_{ip} \cdot (y_{it} + lk_{it}) & \forall \ i \in [1, I], \ t \in [1, T], \ p \in [t, T]. \ (20) \end{split}$$

In addition, setup constraints (12) within SFL-B have to be substituted by constraints (20). The new formulation for the MLCLSPBL is referred to as SFL-BL. In the formulation, constraints (15) guarantee that at most one setup state can be preserved from one period to the next on each machine. Constraints (16) make sure that a setup can be carried over to period t only if either item i is setup in period t-1 or the setup state already has been carried over from period t-2 to period t-1. Constraints (17) ensure z_{mt} be equal to 1 if a setup state is preserved both over period t-1 to period t and over period t to period t+1. Constraints (18) enforce that a performance of a setup and a preservation of a setup status can not happen simultaneously for a machine within a period. Constraints (19) enforce integrality and nonnegativity requirements for setup linkage variables. Constraints (20) ensure that the total amount of production is less than a sufficiently large value and that either a setup or a setup-carryover is performed in period t for item i f any demand is satisfied using the corresponding production.

Similarly, to formulate MLCLSPL, constraints (15) - (19) have to be added to the classical formulation for the multi-level capacitated lot sizing problem. We omit the details here as it is trivial to switch the ILS-B and SFL-B formulations to model the multi-level capacitated lot sizing problem with linked lot sizes without consideration of backlogging.

3.4. Time-Oriented Decomposition Heuristics

Time-oriented decomposition heuristics, including relax-and-fix, are efficiently used for lot sizing problems. We discuss here three previously developed heuristics that use relax-and-fix.

Belvaux and Wolsey (2000) proposed the first systematic production planning tool (bc-prod) that uses relax-and-fix, a specialized branch-and-cut system for lot sizing problems. Bc-prod first generates cutting planes, and then implements relax-and-fix. In the beginning stage of such an algorithmic approach, only the binary variables in the first time window are restricted to be binary, and all other binary variables are relaxed so as to be continuous. The time window is defined as a time interval spanning several contiguous periods (e.g., a time interval from period 1 to period 4 is a time window). This permits solving a smaller subproblem (with fewer complicating binary variables) using an MIP solver, and using the resulting solutions to fix the binary variables within the window. The next time window then is processed as the same manner until the last time window is completed. Figure 1 shows an example of such algorithm, in which the period size of a time window is 3.



Figure 1 Relax-and-fix on the bc-prod system

Stadtler (2003) proposed a Heuristic, called internally rolling schedules with time windows, that also uses a Relax-and-Fix algorithm (referred to as SHRF in the remainder of the paper). The basic idea of this relax-and-fix algorithm is to distinguish the entire horizon of periods into three parts. The first is a time window that contains several periods, the second includes the periods preceding to the time window, and the third includes the periods following the time window. In the beginning stage of the method, lot sizing problem in the first time window (here, SH_{α} is defined as the size of the time window) is solved. Within this time window, not all binary setup decision variables, but the binary variables in the first few periods are restricted as being binary, while the binary variables in the remaining periods (here, the size of such remaining periods is defined as SH_{γ}) are relaxed so as to be continuous. According to the resulting solution using an MIP solver, only the binary variables in the first few periods (here, the size of such processed in the same manner until all binary variables are fixed. In the example shown in Figure 2, SH_{α} is equal to 4, SH_{β} is equal to 2, and SH_{γ} is equal to 1.



Figure 2 Relax-and-fix on internally rolling schedules with time windows

Akartunalı and Miller (2009) proposed a Heuristic algorithm that also uses a Relax-and-Fix algorithm (referred to as AHRF in the remainder of the paper). Relax-and-fix in this algorithm combines the ideas of

two previously mentioned methods. Specifically, it emphasizes the entire time horizon by relaxing all binary decision variables in the periods following the time window as *bc-prod* does, but it does not fix all binary decision variables in the time window after one iteration as SHRF does. One example of AHRF is shown in Figure 3, in which the window size (here, we define the window size as AH_{α}) is 4, and the size of overlapping periods (here, the size of overlapping periods is defined as AH_{β}) is 2.



Figure 3 Relax-and-fix on the Akartunalı and Miller (2009)'s heuristic algorithm

These three methods are efficient at solving capacitated lot sizing problems. The advantage of *bc-prod* and AHRF is that the entire planning horizon is always fully considered, ensuring capacity bottlenecks for the periods following the time windows are well considered. SHRF treats the periods following a time window in a different way. Instead of relaxing all binary variables in these periods, as *bc-prod* and AHRF do, SHRF considers only inventory balance constraints and capacity constraints (i.e. it does not consider setup times) included in the model formulation to anticipate future capacity bottlenecks. The reason for this approach is that a tight extended model is just formulated inside the lot sizing window, not for the entire time horizon. Consequently, the drawback of an inflated matrix caused by the extended variables can be avoided.

The disadvantage of *bc-prod* and AHRF is that, under a limited solution time, solution qualities might be not as good when the problem size gets larger. This issue has a low impact on solution qualities obtained by SHRF. However, not fully considering capacity bottlenecks for the periods following the time window might deteriorate the solution quality. This is especially true for the high capacitated lot sizing problem with high seasonality, for which unexpected effects caused by previously-made bad decisions in the early iteration(s) could be growing with time windows rolling, resulting in the final solution being bad. The progressive timeoriented decomposition framework proposed in this paper is designed in an attempt to reduce the risk of unfavorable setup decisions being made on relax-and-fix, and to utilize the advantages of both AHRF and SHRF.

4. The Progressive Time-Oriented Decomposition Heuristic Framework

The **P**rogressive **T**ime-oriented decomposition **H**euristic (PTH) framework is designed to systematically fix binary decision variables in order to improve solution quality. Rather than solving initial problems that are difficult to solve, the framework focuses on solving promising subproblems, where some binary variables are fixed. Several techniques are incorporated into the framework, including LP-fix, SHRF, AHRF, and weighted sampling. In this paper, three different scenarios of the framework are proposed. The first scenario combines the techniques of SHRF and AHRF, the second scenario incorporates the LP-fix technique as well, and the third scenario incorporates all the techniques.

Next we define our notation. The sets fsv, flkv, and fzv, that are the index sets of y_{it} , lk_{it} , and z_{mt} variables, respectively, which indicate indices **f**ixed in the previous iteration(s) of the algorithm. We also define usv, ulkv, and uzv, that are the index sets of y_{it} , lk_{it} , and z_{mt} variables, respectively, which indicate indices that are not fixed yet in the algorithm. Note that any index for any variable will belong to either fixed or not fixed set. Moreover, we let \overline{y} , \overline{lk} , and \overline{z} be the binary solution vectors in the best feasible solution. With these definitions, and given the defined subsets, the corresponding subproblem, Z_{SFL-BL}^{Fix} , is defined as follows:

$$Z_{SFL-BL}^{Fix} = \min\{(8) | (y, u, lk, z, o) \in P_{SFL-BL}\}$$

$$\begin{aligned} y_{it} &= \overline{y}_{it} & \forall (i,t) \in fsv, \\ lk_{it} &= \overline{lk}_{it} & \forall (i,t) \in flkv, \\ z_{mt} &= \overline{z}_{mt} & \forall (m,t) \in fzv, \\ y_{it} \in \{0,1\} & \forall (i,t) \in usv, \\ lk_{it} \in \{0,1\} & \forall (i,t) \in ulkv, \\ z_{mt} \in \{0,1\} & \forall (m,t) \in uzv. \end{aligned}$$

$$(21)$$

Note that this problem is simply a partially fixed MIP. Next, we define our notation and three sub-functions of the algorithm (see Algorithm 1 for a scenario):

bs	best cost objective.
n	total number of used strategies of relax-and-fix.
5	total number of sampled Z_{SFL-BL}^{Fix} problems.
ť	time limit set to solve the subproblems in the AHRF and SHRF algorithm.
t″	time limit set to solve the subproblem Z_{SFL-BL}^{Fix} using an MIP solver.
t	maximum time allowed for the algorithm.
Call_LP_Fix()	sub-function for LP-fix.
Call_Update()	sub-function for updating fsv , $flkv$, fzv , usv , $ulkv$, and uzv .
Call_WS()	sub-function for getting sampled promising subproblems, Z_{SFL-BL}^{Fix} .

Next we explain the three sub-functions in detail. The first is the implementation of LP-fix, where the LP relaxation of the original MIP problem is solved and then a subset of binary variables are fixed so that the MIP problem can be reduced in size. The algorithm for the MLCLSPBL is defined to fix setup variables with an LP relaxation solution value of 1 only. Our empirical tests based on a large number of test instances show that fixing all binary variables with binary solutions is more likely to yield an infeasible solution.

The second sub-function is for updating the six predefined subsets when a predefined criterion is reached. The third is for obtaining sampled promising subproblems using effective weighted sampling strategies. The weighted sampling methods in the algorithm utilize the domain knowledge of \mathbf{n} sets of solutions of all binary variables achieved by \mathbf{n} strategies of SHRF. The binary variables that have the same solutions for all \mathbf{n} strategies of SHRF are more likely to be chosen, and then temporarily fixed to the best feasible solutions. One can define many different sampling strategies. One example sampling strategy is defined below for solving the MLCLSPBL. The probability of choosing a binary setup variable, y_{it} , is set to 80% if it has the same solutions for all \mathbf{n} strategies of SHRF, while the probability is set to zero if the solutions are not the same **Algorithm 1**: Scenario 3 of the PTH algorithm (PTH_{s3}) Initialization: Set $fsv = \emptyset$, $flkv = \emptyset$, $fzv = \emptyset$, usv = full set, ulkv = full set, uzv = full set; $\mathfrak{bs} = +\infty, \, \overline{y} = 0^{|I \times T|}, \, \overline{lk} = 0^{|I \times T|}, \, \overline{z} = 0^{|M \times T|}, \, done = 0, \, \text{and} \, iter = 1;$ Call_LP_Fix(); while done = 0 and the algorithm time $\leq t$ do Solve Z_{SFL-BL}^{Fix} with a preset time limit, \mathfrak{t}'' ; Update $\mathfrak{bs}, \overline{y}, \overline{lk}$, and \overline{z} to the corresponding solutions and check feasibility when the solution of cost objective is smaller than \mathfrak{bs} ; if Z_{SFL-BL}^{Fix} is solved to optimality then done = 1;else if iter = 1 then for $n = 1, \dots, \mathfrak{n}$ do Set $SH_{\alpha} = \alpha_n$, $SH_{\beta} = \beta_n$, and $SH_{\gamma} = \gamma_n$; Solve Z_{SFL-BL}^{Fix} using SHRF with time limit \mathfrak{t}' ; Update $\mathfrak{bs}, \overline{y}, \overline{lk}$, and \overline{z} to the corresponding solutions and check feasibility when the solution of cost objective is smaller than \mathfrak{bs} ; $Call_WS()$; else for $n = 1, \dots, \mathfrak{n}$ do Set $AH_{\alpha} = \alpha_n$ and $AH_{\beta} = \beta_n$; Solve Z_{SFL-BL}^{Fix} using AHRF with time limit t'; Update $\mathfrak{bs}, \overline{y}, \overline{lk}$, and \overline{z} to the corresponding solutions and check feasibility when the solution of cost objective is smaller than \mathfrak{bs} ; Call_Update(); iter = iter + 1;

Algorithm 2: Sub-function [Call_LP_Fix()]: LP-fix

Solve Z_{SFL-BL}^{LP} ;

if The solution of y_{it} for $(i,t) \in usv$ is equal to 1 **then** | Delete (i,t) from usv, add (i,t) to fsv, and fix y_{it} to 1 :

Algorithm 3: Sub-function [Call_Update()]

if The solutions of y_{it} for $(i,t) \in usv$, lk_{it} for $(i,t) \in ulkv$, and z_{mt} for $(m,t) \in uzv$ are the same for all \mathfrak{n} sets of solutions **then**

Delete (i,t) from usv, add (i,t) to fsv, and fix y_{it} to \overline{y} accordingly;

Delete (i, t) from ulkv, add (i, t) to flkv, and fix lk_{it} to \overline{lk} accordingly;

Delete (m,t) from uzv, add (m,t) to fzv, and fix z_{mt} to \overline{z} accordingly;

Algorithm 4: Sub-function [Call_WS()]: Weighted sampling

for $s = 1, ..., \mathfrak{s}$ do

Get an index subset (i_s, t_s) from usv, an index subset (i_s, t_s) from ulkv, and an index subset (m_s, t_s) from uzv by weighted sampling, and temporarily fix their corresponding binary variables to \overline{y} , \overline{lk} , and \overline{z} , respectively.;

Set $AH_{\alpha} = \alpha_s$ and $AH_{\beta} = \beta_s$;

Solve Z^{Fix}_{SFL-BL} using AHRF with time limit \mathfrak{t}' ;

Update $\mathfrak{bs}, \overline{y}, \overline{lk}$, and \overline{z} to the corresponding solutions and check feasibility if the solution of cost

- objective is smaller than \mathfrak{bs} ;
- **if** The solution of the s^{th} sampling problem is the best **then** Delete (i_s, t_s) from usv, add (i_s, t_s) to fsv, and fix $y_{i_st_s}$ to \overline{y} accordingly; Delete (i_s, t_s) from ulkv, add (i_s, t_s) to flkv, and fix $lk_{i_st_s}$ to \overline{lk} accordingly; Delete (m_s, t_s) from uzv, add (m_s, t_s) to fzv, and fix $z_{m_st_s}$ to \overline{z} accordingly;

for all strategies. The probability used for other binary variables, lk_{it} and z_{mt} , is set to 95% if they have the same solutions for all \mathfrak{n} strategies of SHRF, and zero otherwise.

Two other scenarios of the PTH algorithm are developed, besides the scenario described above. Scenario 2 of the algorithm is referred to as PTH_{s2} , for which $Call_WS()$ is substituted with $Call_Update()$ in scenario 3, while scenario 1 of the algorithm is referred to as PTH_{s1} , for which $Call_LP_Fix()$ is simply removed from PTH_{s2} . When solving the MLCLSPB using PTH, all procedures associated with lk_{it} and z_{mt} have to be removed from the algorithm; only setup decision variables y_{it} are considered. The detailed revision is omitted here because the procedure is straightforward.

Our progressive time-oriented decomposition heuristic is effective for solving lot sizing problems due to the following characteristics. First of all, an LP-fix strategy is used first to fix a subset of binary variables, making the problems smaller and easier to solve into optimality within a limited time. Secondly, it checks and compares solutions within all strategies, which is critical to avoid unsound decisions. The basic idea here is straightforward, that is, if an equivalent solution for a binary variable is achieved within all strategies, such solution is more promising than others. Fixing a setup variable with such a solution more promisingly leads to a good solution than fixing a decision based on only one strategy. Besides, a weighted sampling technique is critical to sample promising subproblems. Finally, a subset of pre-fixed binary variables helps reduce the bad influences associated with an inflated matrix, caused by the extended variables, and leads to better solutions under a given time limit.

5. Computational Results

Our computational experiments were conducted on numerous test instances of different sizes, in order to characterize the performance of PTH across a wide range of problem instances.

5.1. Test Instances with Backlogging

Two groups of data sets were used for computational tests. The first group of test data sets was originally generated by Tempelmeier and Derstroff (1996) and Stadtler (2003). These data sets have no allowance for

13

backlogging; therefore, we alter the problem instances to permit backlogging. We use a ratio of backlogging costs to inventory costs such that $bc_i = 10^*hc_i$ for $i \in endp$. Also, for each test instance, the demand for all items are increased by 20% for the first half of the time horizon, while the resource capacities are increased by 10% over the entire time horizon. The second group of test data stems from Simpson and Erengue (2005), with no permission of backlogging. Akartunali and Miller (2009) modified the data sets by adding backlogging. For more details about these two groups of instances, see Stadtler (2003) and ?.

As the improvement on solution qualities of hard instances is more crucial than improvement on solution qualities of easy instances, we chose the hardest instances from these two groups for our computations: From the first group, 10 general and 10 assembly instances from data set C and 10 general instances from data set D with the highest duality gaps on the basis of the results of Stadtler (2003) are selected. From the second group, we selected all test instances of SET3 and SET4. The first group has problems with 40 items, 16 periods, and 6 machines, and the second group has problems with 16 periods, 78 items, and 6 machines.

In addition to these test instances, we also randomly generated 14 large instances with 600 items, 90 machines, and 16 periods, in order to have problems with sizes encountered in industrial practice. In these large test instances, subgroups of 40 items and 6 machines have a similar bill-of-materials structure to those problems in groups C and D of Tempelmeier and Derstroff (1996), and the data parameters were generated with the same random ranges. For example, EG501322 was generated with the same rules of CG501322. In addition, we alter the problem instances to permit backlogging, where we set the ratio of backlogging costs to inventory costs as 10 for all items. Moreover, for each test instance, the demand for all items are increased by 20% for the first four periods of the time horizon.

 PTH_{s1} is compared with the heuristic method proposed by Akartunalı and Miller (2009) (Aheur) and the commercial MIP solver Cplex 11.2 to establish its efficiency. The algorithm Aheur is able to obtain good quality results for MLCLSPB instances, and Cplex 11.2 is a state-of-the-art solver. For ensuring fair comparisons, all three approaches are implemented on the same SFL-B model for sets C and D, while they are implemented on the same inventory and lot sizing formulation with backlogging presented by Akartunalı and Miller (2009) for sets SET3 and SET4, in which a setup can be used for a family of products, instead of only one product, making that formulation different from the SILS-B formulation presented in this paper. We used a PC with Intel Pentium 4 3.16 GHz processor for all the tests. All approaches are programmed using GAMS, a high-level algebraic modeling language, and Cplex 11.2 is the available solver.

A total computing time of 300 seconds is assigned for each test instance and for each benchmark from Stadtler (2003) and ?, and a total time of 1200 seconds is assigned for each large test instance generated by us, to ensure a fair comparison between different methods. The parameter settings for all three methods are defined as follows. In PTH, for the test instances from Stadtler (2003) and ?, the value of t' is set to the total number of binary variables in the test instance divided by 60, but for the large test instances, the value of t' is set to 100. For other parameters, both **n** and **s** are set to 2, the values of α_1 and α_2 are set to 3 and 4, respectively, while both β_1 and β_2 are set to 2, and γ_1 and γ_2 are set to 1 and 2, respectively. The value of t'' is set to 5. For Aheur, the strategy recommended by Akartunali and Miller (2009) is applied to

		Best Solution Fo	ound By	Feasibility			
Sets	Aheur	CPLEX	PTH_{s1}	Aheur	CPLEX	PTH_{s1}	
<u>C</u>	1	3	16	100.00%	100.00%	100.00%	
$\underline{\mathbf{D}}$	1	2	7	100.00%	50.00%	100.00%	
SET3	6	0	24	100.00%	100.00%	100.00%	
SET4	8	0	24	100.00%	100.00%	100.00%	

Table 1 Comparison of Aheur, CPLEX, and PTH_{s1} for the hardest instances

The symbol of an underline is added to \underline{C} and \underline{D} because they are subsets of C and D with changes,

respectively.

set values of the parameters; details are omitted here. Finally, for the CPLEX solver, the "flow cover" and "mixed integer rounding" cuts are activated to improve solution quality.

In Table 1, the numbers of the best feasible solutions found by Aheur, CPLEX, and PTH_{s1} are listed. Note that these numbers are possibly added by one for several methods simultaneously if they achieve the same best feasible solutions. The results demonstrate that our proposed method achieves most of the best solutions. In addition, the ratio of feasibilities achieved by these three methods are also listed in this table, which shows that Aheur and PTH_{s1} obtained feasible solutions for all tested instances, while CPLEX only achieved 50% feasibilities for the test instances within set D. For the reference, a more detailed comparison of solution qualities is listed in Appendix A. For those tables, LB indicates the LP relaxation lower bounds associated with the SFL-B formulation for sets C and D, but associated with the inventory and lot sizing formulation with backlogging presented by Akartunali and Miller (2009) for sets SET3 and SET4. LB-C represents the lower bounds obtained by CPLEX after a running time of 300 seconds. The values on the columns of Aheur, CPLEX, and PTH_{s1} are feasible solutions. PTH_{s1} -DG denotes the duality gaps of solutions obtained by PTH_{s1} , which is calculated as the difference between the upper bounds achieved by PTH_{s1} and LB-C, divided by the upper bounds obtained by PTH_{s1} . Imp-1 is calculated as the difference between the feasible solutions achieved by PTH_{s1} and the feasible solutions achieved by Aheur, divided by the feasible solutions achieved by Aheur. Imp-2 is calculated similarly, but is for the improvement of PTH_{s1} over CPLEX. From the computational results, we conclude with discretion that PTH_{s1} is superior to the other two methods in the solution qualities for the tested MLCLSPB.

With respect to the 14 large test instances, the computational results are given in Table 2, in which LB indicates the LP lower bound obtained by the SFL-B formulation, Aheur-UB, CPLEX-UB, and PTH_{s1} -UB denote the upper bounds achieved by Aheur, CPLEX, and PTH_{s1} , respectively, while Aheur-G, CPLEX-G, and PTH_{s1} -G represent the duality gaps obtained by Aheur, CPLEX, and PTH_{s1} , respectively. Gaps are calculated as the difference between UB and LB divided by LB. According to the results listed in the table, it can be seen that PTH_{s1} obtains much better solution quality when compared with the other two approaches.

5.2. Test Instances with Linked Lot Sizes

Computational tests also were made for the MLCLSPL at benchmark test instances. These instances include a total number of 1,920 different problems with up to 40 products, 16 periods, and 6 resources that are

Instances	LB	Aheur-UB	CPLEX-UB	$\text{PTH}_{s1}\text{-UB}$	Aheur-G	CPLEX-G	PTH_{s1} -G
EG501322	1007974.2	*	2165212.3	1234013.6	*	114.8%	22.4%
EG501332	611988.6	*	1110356.6	682980.9	*	81.4%	11.6%
EG501342	742285.9	1042958.0	1030618.1	818233.9	40.5%	38.8%	10.2%
EG501422	5692200.2	*	6916668.3	7064132.8	*	21.5%	24.1%
EG502322	1016122.5	*	2232185.7	1240374.8	*	119.7%	22.1%
EG502332	618685.4	*	1013634.6	681449.4	*	63.8%	10.1%
EG502422	10316942.9	*	11451008.4	10777368.2	*	11.0%	4.5%
EG502432	9848174.9	*	10332100.9	10072945.0	*	4.9%	2.3%
EG502442	9971797.3	*	10555222.5	10426393.6	*	5.9%	4.6%
EK501122	6229289.7	*	6383151.7	6369507.6	*	2.5%	2.3%
EK501322	140858.5	*	285081.1	171486.0	*	102.4%	21.7%
EK501332	85484.6	106953.1	139315.7	95071.5	25.1%	63.0%	11.2%
EK501342	96805.4	116890.6	145345.0	106748.4	20.7%	50.1%	10.3%
EK502332	84954.2	109279.6	127581.9	94295.6	28.6%	50.2%	11.0%

 Table 2
 Comparison of Aheur, CPLEX, and PTH_{s1} for large instances with 600 items, 90 machines, and 16 neriods.

The symbol, *, represents that no solutions are found.

grouped into six classes with five factors, capacity, setup time, setup costs, demand variation, and bill-ofmaterials structures. As the tests for larger size problems are more interesting, we choose test instances in Classes 5 and 6 with setup costs that have a setting, 1, defined by Sahling et al. (2009), this is a total number of 240 test instances. To show the efficiency of PTH, we made comparisons with the effective fixand-optimize (referred as FAO) method proposed by Tempelmeier and Buschkuhl (2009). The FAO method was implemented in Delphi on a 2.13 GHz Intel Pentium Core2 machine, whereby the CPLEX 10.2 callable library was used. To ensure a fair comparison, we directly used the same mixed integer model developed by Sahling et al. (2009), and their best computational results, and implement PTH_{s1} in GAMS on a 1.7 GHz PC. The computational time limit used by PTH_{s1} is set to 7.6 and 19.0 seconds for test instances in Classes 5 and 6, respectively, to match the average computational usage by the FAO method.

According to our computational tests, PTH_{s1} achieved better solution qualities compared with FAO. Out of 120 instances we tested in Class 5, PH_{s1} achieved better solutions at 85 instances, tied solution qualities at 25 instances, and obtained worse solution qualities at only 10 instances. Similarly, for the test instances in Class 6, PH_{s1} achieved better solutions at 78 instances, tied solution qualities at 12 instances, and got worse solution qualities at only 30 instances. For reference, we provide a partial set of solutions in Tables 3 and 4. In these two tables, the columns associated with PTH_{s1} and FOA provide objective solutions achieved by these two methods, respectively, PTH_{s1} -Time and FOA-Time indicate the computational time used by these two methods, while GAP-Imp indicates the solution improved achieved by PTH_{s1} when compared with FOA.

5.3. Test Instances with Backlogging and Linked Lot Sizes

In order to provide more computational insight, we selected all test instances within sets B+ and D with setup times of Tempelmeier and Derstroff (1996) and Stadtler (2003). Set D has been briefly introduced in

TestInstances	PTH_{s1}	PTH_{s1} -Time	FOA	FOA-Time	GAP-Imp
5AA1111	8073.3	7.6	8078.0	6.3	4.8
5AA1141	8073.3	7.6	8079.0	6.5	5.8
5AA1151	8073.3	7.6	8081.3	6.6	8.0
5AA2111	8316.8	7.6	8330.3	7.0	13.5
5AA2141	8610.3	7.6	8626.0	7.0	15.8
5AA2151	8547.8	7.6	8589.8	7.7	42.0
5AC1111	8069.0	7.6	8069.0	6.8	0.0
5AC1141	8069.0	7.6	8069.0	6.0	0.0
5AC1151	8069.0	7.6	8069.0	6.9	0.0
5AC2111	8313.8	7.6	8331.8	7.2	18.0
5AC2141	8469.8	7.6	8494.5	7.2	24.8
5AC2151	8397.8	7.6	8418.5	8.1	20.8
5GA1111	12871.3	7.6	12871.3	7.7	0.0
5GA1141	12874.3	7.6	12874.3	7.9	0.0
5GA1151	12874.3	7.6	12874.3	7.9	0.0
5GA2111	12699.3	7.6	12708.0	7.7	8.8
5GA2141	14820.0	7.6	14828.8	8.1	8.8
5GA2151	13977.5	7.6	13987.0	7.9	9.5
5GC1111	12869.3	7.6	12869.3	10.7	0.0
5GC1141	12869.3	7.6	12869.3	10.4	0.0
5GC1151	12869.3	7.6	12869.3	10.0	0.0
5GC2111	12723.8	7.6	12725.8	7.7	2.0
5GC2141	12723.8	7.6	12725.8	7.9	2.0
5GC2151	12723.8	7.6	12725.8	7.8	2.0

Table 3 Comparison of PTH_{s1} and FOA for test instances in Class 5 from Tempelmeier and Buschkuhl (2009).

the previous section, and set B+ has problems with 10 items, 24 periods, and 6 machines. Set B+ contains 312 test instances, and D contains 80 test instances. These two data sets were constructed based on a full factorial experiment with seven factors, including operations structure, resource assignment, demand variability, setup time, capacity utilization, setup cost/holding cost ratio (TBO), and seasonality. For these two sets of test instances, with the revision for the data sets described in the previous section, setup times and costs are further tripled such that the setup-carryover plays a more significant role. The altered data sets are referred to as \overline{B} + and \overline{D} .

We are not aware of any computational results for MLCLSPBL instances in the literature. In order to characterize the performance of PTH_{s1} , PTH_{s2} , and PTH_{s3} , they are compared with the commercial MIP solver Cplex 11.2 to establish its efficiency. Most of the test settings are the same as those in the previous section with a few differences. Here, for PTH, a total computing time of 250 seconds is assigned for instances in set \overline{B} +, and a total computing time of 500 seconds is assigned to set \overline{D} (due to complexity), while the total times for CPLEX are set to 900 and 1800 seconds for data sets \overline{B} + and \overline{D} , respectively.

Computational results are given in Tables 5 and 6. In these two tables, P_{s1} , P_{s2} , and P_{s3} represent PTH_{s1} , PTH_{s2} , and PTH_{s3} , respectively. The listed values in these three columns denote the corresponding improvement in the upper bounds when compared with CPLEX, and they are the differences between the upper bounds achieved by CPLEX and the upper bounds achieved by the corresponding methods, divided

TestInstances	PTH_{s1}	$\text{PTH}_{s1}\text{-}\text{Time}$	FOA	FOA-Time	GAP-Imp
6AA1111	16420.0	19.0	16420.0	17.1	0.0
6AA1141	16657.4	19.0	16671.3	17.6	13.9
6AA1151	16542.4	19.0	16560.0	18.5	17.6
6AA2111	16412.0	19.0	16437.8	17.3	25.8
6AA2141	17993.0	19.0	17995.6	21.6	2.6
6AA2151	17314.3	19.0	17286.6	19.0	-27.6
6AC1111	16423.4	19.0	16423.4	16.8	0.0
6AC1141	16545.4	19.0	16547.3	17.5	1.9
6AC1151	16432.3	19.0	16436.0	20.7	3.8
6AC2111	16502.1	19.0	16528.5	17.6	26.4
6AC2141	18221.8	19.0	18270.8	18.8	49.0
6AC2151	17170.3	19.0	17180.1	19.6	9.9
6GA1111	25651.0	19.0	25666.9	19.4	15.9
6GA1141	25652.0	19.0	25666.9	19.8	14.9
6GA1151	25652.0	19.0	25666.9	19.7	14.9
6GA2111	24736.9	19.0	24751.0	19.7	14.1
6GA2141	27893.9	19.0	27868.5	22.0	-25.4
6GA2151	26639.3	19.0	26605.6	21.6	-33.6
6GC1111	25637.0	19.0	25652.9	19.9	15.9
6GC1141	25637.0	19.0	25653.9	20.0	16.9
6GC1151	25637.0	19.0	25653.9	20.1	16.9
6GC2111	24809.0	19.0	24817.0	20.0	8.0
6GC2141	24960.9	19.0	24968.3	20.8	7.4
6GC2151	24881.6	19.0	24889.0	20.5	7.4

Table 4 Comparison of PTH_{s1} and FOA for test instances in Class 6 from Tempelmeier and Buschkuhl (2009).

by the upper bounds achieved by CPLEX. Note that the test instances that have infeasible solutions are not counted here. P_{feas} indicates the average ratio of the feasible solutions obtained by the three scenarios of PTH, accordingly, while C_{feas} is for CPLEX.

From these two tables, we can see that PTH obviously offers solutions superior to CPLEX. In terms of upper bounds, PTH improves the solutions about 7.5% for set \overline{B} +, and 25% for set \overline{D} when compared with CPLEX, though the computational resources used by CPLEX are four times those used by PTH. When it comes to solution feasibility, PTH is still superior to CPLEX. PTH obtains feasible solutions for all tested instances, while CPLEX only obtains 96.25% feasible solutions, on average, for test instances within \overline{D} .

In addition, PTH can obtain smaller upper bounds across various problems with different factors when compared with CPLEX. The average improvement is much bigger for hard problems that are high capacitated or have larger sizes. For example, the average improvement for the data set \overline{D} of larger size is more than 3 times that of the data set with smaller size, and the average improvement for high capacitated test instances is more than 10 times that for low capacitated test instances within set \overline{D} . In the case of solution qualities obtained by the different scenarios of PTH, we can see that PTH_{s3} obviously obtains better solutions, on average, than other two scenarios for these two data sets. For example, with implementation of LP-fix, PTH_{s2} is able to improve 5% more than PTH_{s1} when compared with CPLEX for data set \overline{D} .

Factors	Coefficient	$P_{s1}(\%)$	$P_{s2}(\%)$	$P_{s3}(\%)$	$P_{feas}(\%)$	$C_{feas}(\%)$
Setup Time	Medium	8.04	7.78	7.76	100.00	100.00
	High	6.46	6.73	6.88	100.00	100.00
	High	7.27	7.53	7.76	100.00	100.00
	Huge	8.26	8.26	8.18	100.00	100.00
Utilization	High	10.54	10.40	10.58	100.00	100.00
	Medium	5.94	6.43	6.39	100.00	100.00
	Low	3.89	3.68	3.70	100.00	100.00
Seasonality	Low	8.20	8.05	7.98	100.00	100.00
	Medium	7.43	7.48	7.46	100.00	100.00
	High	6.35	6.51	6.81	100.00	100.00
DV	Low	7.30	7.51	7.59	100.00	100.00
	High	7.34	7.19	7.25	100.00	100.00
TBO	Medium	9.40	9.65	9.65	100.00	100.00
	Low	5.25	5.05	5.18	100.00	100.00
	Average	7.32	7.35	7.42	100.00	100.00

Table 5 Comparison of PTH_{s1} , PTH_{s2} , PTH_{s3} , and CPLEX for the full factorial experiment of data set \overline{B} +.

Table 6 Comparison of PTH_{s1} , PTH_{s2} , PTH_{s3} , and CPLEX for the full factorial experiment of data set \overline{D} .

Factors	Coefficient	$P_{s1}(\%)$	$P_{s2}(\%)$	$P_{s3}(\%)$	$P_{feas}(\%)$	$C_{feas}(\%)$
Setup Time	Medium	30.06	37.31	37.82	100.00	92.50
	Huge	11.92	13.4	14.17	100.00	100.00
Utilization	High	31.68	40.06	39.97	100.00	87.50
	Medium	23.57	27.89	28.16	100.00	100.00
	Low	3.14	3.41	5.79	100.00	100.00
Seasonality	Medium	22.46	26.5	26.37	100.00	95.00
	High	19.61	24.18	25.52	100.00	97.50
TBO	Medium	22.76	25.96	26.54	100.00	95.00
	Low	17.94	23.28	24.02	100.00	97.50
	Average	20.75	25.04	25.68	100.00	96.25

Figures 4 and 5 plot the solution qualities of upper bounds achieved by different methods. In these two figures, all upper bounds achieved by CPLEX are divided by themselves such that they are equal to 1, while the upper bounds obtained by PTH_{s1} , PTH_{s2} , and PTH_{s3} are divided by the corresponding upper bounds achieved by CPLEX. A value larger than 1 indicates the quality of an upper bound that is worse than the solution of CPLEX. From these two figures, we know that three scenarios of the PTH algorithm achieve better upper bounds for more than 92% tested instances on average, even though the time resources used by CPLEX are four times those used by PTH. The PTH algorithm even improves the upper bounds more than 50% for many tested instances, this is especially true for the hard instances within set \overline{D} .

6. Conclusions and Future Work

This paper considers two classes of extended capacitated multi-level lot sizing problems, the MLCLSPB and the MLCLSPBL. Two strong MIP formulations are provided for these two classes of problems. With strong formulations, a progressive time-oriented decomposition heuristic framework is proposed for efficiently



Figure 4 Comparison of CPLEX, PTH_{s1} , PTH_{s2} , and PTH_{s3} for data set \overline{B} +



Figure 5 Comparison of CPLEX, PTH_{s1} , PTH_{s2} , and PTH_{s3} for data set \overline{D}

solving the two classes of problems. Three scenarios of this framework are proposed, comprising three different combinations of techniques. Computational tests based on a large number of test instances show that the scenario incorporating four techniques (LP-fix, SHRF, AHRF, and weighted sampling) performs the best. In order to characterize the comparative performance of the framework, compared with other methods, it is empirically compared with two other state-of-the-art techniques. A limited comparison suggests that the framework provides high quality solutions.

Future work will focus on investigating the framework more thoroughly. Unsolved fundamental problems to be addressed are to determine how incorporating the LP-fix technique into the framework could improve the solution quality significantly; why applying this technique only to setup decision variables, instead of all binary variables, could more remarkably improve the solution; and how the length of time windows and overlapping periods should be defined in SHRF and AHRF, such that the performance of the framework is optimized. For example, empirical tests showed that a comparatively larger time window size for test instances with high seasonality might improve the performance of the framework, but a comparatively smaller window size for test instances with high utilization and low seasonality might improve the solution quality under a solution time limit. Besides the influences related with the attributes of the test instances themselves, the solution is also influenced by the total allowed solution time and the computing (CPU) capacity of a computer. Therefore, the question that remains unanswered is how these parameters could be defined flexibly, such that the performance of the framework could be enhanced under different kinds of situations.

In addition, further investigation of different strategies of the weighted sampling technique in the framework will also be interesting. It is well known that LP relaxation solutions can provide guidelines for optimal solutions; it would be interesting to incorporate this technique into the framework in order to improve its performance. The application of the framework to other general MIP optimization problems, especially problems with prerequisites, including open-pit mining problems, is also proposed to be examined in future work.

Appendix A:

Table 7 Comparison of Aheur, CPLEX, and PTH_{s1} for hard instances within <u>C</u>.

Instances	LB	LB-C	Aheur	CPLEX	PTH_{s1}	$\mathrm{PTH}_{s1} ext{-}\mathrm{DG}$	Imp-1	Imp-2
CG501120B	1,039,522	1,044,484	$2,\!125,\!744$	$2,\!201,\!391$	$1,\!691,\!803$	38.26%	20.41%	23.15%
CG501121B	1,028,889	$1,\!030,\!976$	$2,\!125,\!073$	$2,\!116,\!728$	$1,\!792,\!622$	42.49%	15.64%	15.31%
CG501122B	$1,\!105,\!629$	$1,\!108,\!865$	$2,\!270,\!973$	$2,\!323,\!648$	$1,\!964,\!833$	43.56%	13.48%	15.44%
CG501131B	$613,\!969$	$621,\!067$	$1,\!019,\!274$	$809{,}517$	$853,\!015$	27.19%	16.31%	-5.37%
CG501132B	$694,\!442$	$702,\!630$	$1,\!115,\!072$	1,066,644	$1,\!158,\!587$	39.35%	-3.90%	-8.62%
CG501141B	$773,\!599$	$777,\!444$	$1,\!298,\!350$	$1,\!269,\!694$	$1,\!107,\!344$	29.79%	14.71%	12.79%
CG501142B	848,798	$852,\!467$	$1,\!512,\!416$	$1,\!500,\!655$	$1,\!428,\!884$	40.34%	5.52%	4.78%
CG501222B	710,289	$715,\!123$	1,729,587	$1,\!383,\!430$	999,069	28.42%	42.24%	27.78%
CG502221B	759,515	$764,\!581$	$1,\!602,\!151$	$1,\!483,\!852$	$1,\!064,\!932$	28.20%	33.53%	28.23%
CG502222B	$734,\!617$	$739,\!676$	1,720,775	$1,\!214,\!141$	$1,\!048,\!070$	29.42%	39.09%	13.68%
CK501120B	$145,\!805$	$146,\!140$	270,065	$303,\!666$	214,783	31.96%	20.47%	29.27%
CK501121B	$143,\!071$	$143,\!398$	$269,\!195$	306, 362	$236{,}632$	39.40%	12.10%	22.76%
CK501122B	150,161	$151,\!007$	$297,\!545$	$314,\!389$	$243,\!688$	38.03%	18.10%	22.49%
CK501132B	$93,\!371$	$93,\!875$	$144,\!896$	$146,\!243$	$147,\!826$	36.50%	-2.02%	-1.08%
CK501142B	$107,\!149$	$107,\!996$	$179,\!695$	163,795	$173,\!121$	37.62%	3.66%	-5.69%
CK501221B	$103,\!136$	104,064	222,778	171,711	140,890	26.14%	36.76%	17.95%
CK501222B	$98,\!985$	99,545	228,062	$156,\!871$	$135{,}563$	26.57%	40.56%	13.58%

References

- Akartunalı, K., A. J. Miller. 2009. A heuristic approach for big bucket multi-level production planning problems. European Journal of Operational Research 193(2) 396–411.
- Almada-Lobo, B., R. J. W. James. 2010. Neighbourhood search meta-heuristics for capacitated lot-sizing with sequencedependent setups. International Journal of Production Research 48(3) 861–878.
- Barany, I., T. J. Van Roy, L. A. Wolsey. 1984. Strong formulations for multi-item capacitated lot-sizing. Management Science 30(10) 1255–1261.
- Belvaux, G., L. A. Wolsey. 2000. Bc-prod: A specialized branch-and-cut system for lot-sizing problems. *Management Science* 46(5) 724–738.
- Billington, P., J. McClain, L. Thomas. 1983. Mathematical programming approaches to capacity-constrained MRP systems: Review, formulation and problem reduction. *Management Science* 29(10) 1126–1141.
- Briskorn, D. 2006. A note on capacitated lot sizing with setup carry over. IIE Transactions 38(11) 1045–1047.
- Eppen, G. D., R. K. Martin. 1987. Solving multi-item lot-sizing problems using variable redefinition. *Operations Research* **35**(6) 832–848.
- Federgruen, A., J. Meissner, M. Tzur. 2007. Progressive interval heuristics for multi-item capacitated lot-sizing problems. Operations Research 55(3) 490–502.
- Federgruen, A., M. Tzur. 1993. The dynamic lot-sizing model with backlogging: A simple $O(n \log n)$ algorithm and minimal forecast horizon procedure. Naval Research Logistics **40**(4) 459–478.

			- / - /			···· <u>-</u> ,	_,	-
Instances	LB	LB-C	Aheur	CPLEX	PTH_{s1}	$\text{PTH}_{s1}\text{-}\text{DG}$	Imp-1	Imp-2
CK501422B	$114,\!692$	$116,\!043$	$188,\!290$	$182,\!155$	157,703	26.42%	16.24%	13.42%
CK502221B	106,756	108,790	$224,\!900$	$144,\!157$	142,715	23.77%	36.54%	1.00%
$\rm CK502222B$	$101,\!565$	$101,\!891$	$212,\!916$	$146,\!795$	$141,\!943$	28.22%	33.33%	3.31%
DG012132B	$710,\!275$	$713,\!825$	$1,\!222,\!480$	$1,\!590,\!065$	$1,\!245,\!867$	42.70%	-1.91%	21.65%
DG012141B	$802,\!619$	$812,\!126$	$1,\!367,\!941$	$2,\!118,\!844$	$1,\!355,\!329$	40.08%	0.92%	36.03%
DG012142B	860, 181	869, 169	$1,\!543,\!457$	$2,\!450,\!903$	$1,\!448,\!996$	40.02%	6.12%	40.88%
DG012532B	710,224	715,794	1,047,876	$1,\!037,\!157$	$1,\!105,\!090$	35.23%	-5.46%	-6.55%
DG012542B	860,118	868,021	$1,\!301,\!314$	$1,\!224,\!847$	$1,\!339,\!229$	35.19%	-2.91%	-9.34%
DG512131B	$625,\!073$	$627,\!683$	$1,\!150,\!637$	$1,\!472,\!783$	$1,\!050,\!955$	40.27%	8.66%	28.64%
DG512132B	$677,\!441$	$682,\!124$	$1,\!333,\!728$	$6,\!357,\!157$	$1,\!219,\!488$	44.06%	8.57%	80.82%
DG512142B	812,665	819,219	1,716,131	$5,\!385,\!700$	$1,\!585,\!755$	48.34%	7.60%	70.56%
DG512532B	$676,\!630$	$682,\!531$	$1,\!191,\!543$	$4,\!395,\!795$	$1,\!041,\!660$	34.48%	12.58%	76.30%
DG512542B	$812,\!037$	$820,\!198$	$1,\!398,\!277$	3,701,476	$1,\!330,\!037$	38.33%	4.88%	64.07%
$SET3_01$	$65,\!668$	$78,\!931$	$194,\!520$	$248,\!157$	$197,\!516$	60.04%	-1.54%	20.41%
$SET3_02$	82,342	$96,\!108$	$224,\!349$	$265,\!216$	$228,\!993$	58.03%	-2.07%	13.66%
$SET3_03$	74,209	89,226	$213,\!504$	$221,\!435$	$213,\!049$	58.12%	0.21%	3.79%
$SET3_04$	$78,\!282$	$95,\!568$	$221,\!423$	$274,\!597$	$213,\!574$	55.25%	3.55%	22.22%
$SET3_05$	$76,\!607$	$89,\!677$	$231,\!369$	$263,\!336$	$211,\!932$	57.69%	8.40%	19.52%
$SET3_06$	79,093	100,872	$224,\!819$	$214,\!060$	$212,\!019$	52.42%	5.69%	0.95%
$SET3_07$	$72,\!979$	86,215	$213,\!359$	266,078	$206,\!480$	58.25%	3.22%	22.40%
$SET3_08$	88,610	$99,\!592$	$254,\!467$	$253,\!628$	$228,\!257$	56.37%	10.30%	10.00%
$SET3_09$	$64,\!180$	77,210	$192,\!171$	276,750	$195,\!132$	60.43%	-1.54%	29.49%
$SET3_{-10}$	$66,\!878$	$79,\!447$	$199,\!493$	$245,\!565$	$206,\!134$	61.46%	-3.33%	16.06%
$SET3_{-11}$	42,946	$57,\!219$	$134,\!980$	$183,\!079$	141,850	59.66%	-5.09%	22.52%
$SET3_{-12}$	86,047	$101,\!932$	$211,\!684$	$246,\!384$	$204,\!560$	50.17%	3.37%	16.97%
$SET3_{-13}$	$74,\!643$	88,212	207,786	$245,\!261$	204,021	56.76%	1.81%	16.81%
$SET3_14$	85,209	$99,\!598$	211,711	$240,\!545$	$205,\!449$	51.52%	2.96%	14.59%
$SET3_{15}$	40,715	$49,\!429$	138,915	$185,\!167$	$138,\!123$	64.21%	0.57%	25.41%
$SET3_{-16}$	$46,\!548$	$56,\!345$	150,507	$167,\!853$	$144,\!506$	61.01%	3.99%	13.91%
$SET3_17$	$71,\!555$	$79,\!430$	200,997	$254,\!369$	$197,\!283$	59.74%	1.85%	22.44%
$SET3_{18}$	$39,\!533$	$45,\!846$	$115,\!341$	$117,\!123$	$115,\!003$	60.13%	0.29%	1.81%
$SET3_{19}$	$47,\!495$	$59,\!185$	163,742	188,732	160,076	63.03%	2.24%	15.18%
$SET3_20$	$58,\!189$	$62,\!662$	$191,\!385$	$222,\!688$	$171,\!278$	63.41%	10.51%	23.09%
$SET3_21$	$44,\!182$	58,710	143,328	148,739	$137,\!845$	57.41%	3.83%	7.32%
$SET3_22$	$130,\!235$	$144,\!326$	258,758	$273,\!200$	$254{,}501$	43.29%	1.65%	6.84%
$SET3_23$	$96,\!810$	112,772	230,460	$236{,}515$	$214,\!855$	47.51%	6.77%	9.16%
$SET3_24$	$105,\!300$	$133,\!498$	$277,\!348$	$271,\!216$	$258,\!137$	48.28%	6.93%	4.82%
$SET3_{25}$	203,044	241,272	330,743	$376,\!654$	$328,\!499$	26.55%	0.68%	12.79%
SET3_26	145,184	$154,\!682$	289,107	361,160	$284,\!564$	45.64%	1.57%	21.21%
$SET3_27$	145,420	$159,\!615$	304,090	343,420	298,204	46.47%	1.94%	13.17%
$SET3_{28}$	145,227	$174,\!909$	225,838	$248,\!861$	227,262	23.04%	-0.63%	8.68%
SET3_29	79,813	96,308	198,947	215,842	198,567	51.50%	0.19%	8.00%

Table 8Comparison of Aheur, CPLEX, and PTH_{s1} for hard instances within \underline{C} , \underline{D} , and SET3.

Ganas, I., S. Papachristos. 2005. The single-product lot-sizing problem with constant parameters and backlogging: Exact results, a new solution, and all parameter stability regions. *Operations Research* **53**(1) 170–176.

448,998

397,811

SET3_30

274,018

286,496

412,668

27.98%

3.60%

11.40%

		-						
Instances	LB	LB-C	Aheur	CPLEX	PTH_{s1}	$\mathrm{PTH}_{s1} ext{-}\mathrm{DG}$	Imp-1	Imp-2
SET4_01	$16,\!353$	$32,\!845$	60,183	$57,\!255$	$53,\!168$	38.22%	11.66%	7.14%
$SET4_02$	$31,\!541$	50,022	80,773	79,216	74,467	32.83%	7.81%	5.99%
$SET4_03$	$24,\!864$	$32,\!147$	$68,\!177$	$76,\!396$	66,730	51.82%	2.12%	12.65%
$SET4_04$	27,786	38,495	$75,\!956$	$80,\!447$	68,975	44.19%	9.19%	14.26%
$SET4_{05}$	$25,\!450$	29,767	$67,\!329$	78,209	$67,\!257$	55.74%	0.11%	14.00%
$SET4_06$	$30,\!632$	40,775	75,042	78,929	$72,\!807$	44.00%	2.98%	7.76%
$SET4_07$	$22,\!650$	27,020	62,993	$75,\!031$	$64,\!133$	57.87%	-1.81%	14.53%
$SET4_08$	$40,\!532$	$53,\!920$	81,201	$87,\!951$	$81,\!138$	33.55%	0.08%	7.75%
$SET4_09$	$13,\!490$	29,056	$55,\!902$	$57,\!851$	$51,\!070$	43.11%	8.64%	11.72%
$SET4_{-10}$	$15,\!542$	25,034	$55,\!602$	$59,\!544$	$55,\!579$	54.96%	0.04%	6.66%
$SET4_{-11}$	$12,\!802$	$24,\!830$	$28,\!350$	29,408	28,272	12.17%	0.28%	3.86%
$SET4_{-12}$	$43,\!341$	58,043	$73,\!653$	$75,\!944$	$72,\!130$	19.53%	2.07%	5.02%
$SET4_{-13}$	$28,\!152$	$45,\!330$	$52,\!525$	$53,\!659$	$55,\!252$	17.96%	-5.19%	-2.97%
$SET4_{-14}$	$56,\!174$	74,162	79,086	$83,\!659$	78,941	6.05%	0.18%	5.64%
$SET4_{15}$	$14,\!628$	$22,\!150$	26,132	$25,\!365$	$25,\!214$	12.15%	3.51%	0.59%
$SET4_{-16}$	$17,\!171$	$31,\!656$	35,211	$34,\!914$	34,966	9.47%	0.70%	-0.15%
$SET4_{-}17$	29,001	$45,\!049$	$51,\!396$	$53,\!423$	$51,\!396$	12.35%	0.00%	3.79%
$SET4_{18}$	$19,\!184$	22,791	26,101	$26,\!631$	26,222	13.09%	-0.46%	1.54%
$SET4_{19}$	10,724	$26,\!251$	$31,\!586$	$31,\!642$	30,726	14.57%	2.72%	2.89%
$SET4_{20}$	18,718	$28,\!442$	39,250	$41,\!199$	39,740	28.43%	-1.25%	3.54%
$SET4_{-}21$	$15,\!812$	19,512	25,725	$25,\!895$	$25,\!841$	24.49%	-0.45%	0.21%
$SET4_22$	91,715	$107,\!215$	$120,\!217$	$118,\!953$	$118,\!469$	9.50%	1.45%	0.41%
$SET4_{-23}$	$55,\!058$	$62,\!587$	$74,\!180$	74,750	$73,\!297$	14.61%	1.19%	1.94%
$SET4_{-}24$	$58,\!919$	$64,\!840$	$83,\!470$	82,847	82,260	21.18%	1.45%	0.71%
$SET4_{25}$	171,987	176,704	$196,\!627$	201,233	$196,\!562$	10.10%	0.03%	2.32%
$SET4_{-26}$	$110,\!570$	$121,\!856$	$137,\!225$	$143,\!031$	$135,\!645$	10.17%	1.15%	5.16%
$SET4_{-}27$	$101,\!114$	$114,\!646$	$135,\!937$	$138,\!381$	$132,\!449$	13.44%	2.57%	4.29%
$SET4_{28}$	$112,\!892$	$116,\!608$	$126,\!554$	$127,\!246$	$126,\!036$	7.48%	0.41%	0.95%
$SET4_{29}$	$51,\!149$	$58,\!428$	66,131	67,326	66,971	12.76%	-1.27%	0.53%
SET4_30	$241,\!678$	$245,\!038$	$262,\!381$	$272,\!139$	$262,\!381$	6.61%	0.00%	3.59%

Table 9 Comparison of Aheur, CPLEX, and PTH_{s1} for hard instances within SET4.

- Gopalakrishnan, M., K. Ding, J.M. Bourjolly, S. Mohan. 2001. A tabu-search heuristic for the capacitated lot-sizing problem with set-up carryover. *Management Science* **47**(6) 851–863.
- Hung, Y. F., C. P. Chen, C. C. Shih, M. H. Hung. 2003. Using tabu search with ranking candidate list to solve production planning problems with setups. *Computers & Industrial Engineering* **45**(4) 615–634.
- Karimi, B., S. M. T. F. Ghomiand, J. M. Wilson. 2006. A tabu search heuristic for solving the CLSP with backlogging and set-up carry-over. Journal of the Operational Research Society 57(2) 140–147.
- Kim, S., J. Han, Y. Lee, E. Park. 2010. Decomposition based heuristic algorithm for lot-sizing and scheduling problem treating time horizon as a continuum. *Computers & Operations Research* 37(2) 302–314.
- Krarup, J., O. Bilde. 1977. Plant location, set covering and economic lot sizes: An O(mn) algorithm for structured problems. Optimierung bei Graphentheoretischen und Ganzzahligen Probleme Birkhauser Verlag, Basel, Switzerland 155–180.
- Kucukyavuz, S., Y. Pochet. 2009. Uncapacitated lot sizing with backlogging: the convex hull. *Mathematical Programming* **118**(1) 151–175.
- Kuik, R., M. Salomon, L. N. Vanwassenhove, J. Maes. 1993. Linear-programming, simulated annealing and tabu search heuristics for lotsizing in bottleneck assembly systems. *IIE Transactions* 25(1) 62–72.

- Mathieu, V. V. 2006. Linear-programming extended formulations for the single-item lot-sizing problem with backlogging and constant capacity. *Mathematical Programming* 108(1) 53–77.
- Millar, H. H., M. Z. Yang. 1994. Lagrangian heuristics for the capacitated multiitem lot-sizing problem with backordering. International Journal of Production Economics **34**(1) 1–15.
- Miller, A. J., L. A. Wolsey. 2003. Tight MIP formulations for multi-item discrete lot-sizing problems. *Operations Research* **51**(4) 557–565.
- Pochet, Y., L. A. Wolsey. 1988. Lot-size models with backlogging: Strong reformulations and cutting planes. *Mathematical Programming* **40**(3) 317–335.
- Pochet, Y., L. A. Wolsey. 1991. Solving multi-item lot-sizing problems using strong cutting planes. *Management Science* **37**(1) 53–67.
- Sahling, F., L. Buschkuhl, H. Tempelmeier, S. Helber. 2009. Solving a multi-level capacitated lot sizing problem with multiperiod setup carry-over via a fix-and-optimize heuristic. Computers & Operations Research 36(9) 2546–2553.
- Simpson, N.C., S.S. Erenguc. 2005. Modeling multiple stage manufacturing systems with generalized costs and capacity issues. Naval Research Logistics 52(6) 560570.
- Song, Y.Y., G.H. Chan. 2005. Single item lot-sizing problems with backlogging on a single machine at a finite production rate. European Journal of Operational Research 161(1) 191–202.
- Sox, C.R., Y.B. Gao. 1999. The capacitated lot sizing problem with setup carry-over. IIE Transactions 31(2) 173–181.
- Stadtler, H. 2003. Multilevel lot sizing with setup times and multiple constrained resources: Internally rolling schedules with lot-sizing windows. Operations Research 51(3) 487–502.
- Suerie, C., H. Stadtler. 2003. The capacitated lot-sizing with linked lot sizes. Management Science 49(8) 1039–1054.
- Tempelmeier, H., L. Buschkuhl. 2009. A heuristic for the dynamic multi-level capacitated lotsizing problem with linked lotsizes for general product structures. OR Spectrum 31(2) 385–404.
- Tempelmeier, H., M. Derstroff. 1996. A lagrangian-based heuristic for dynamic multilevel multilevel multilevel multilevel nultilevel multilevel multile