CORE
Metadata, citation and similar papers at core.ac.uk
Provided by Central Archive at the University of Reading




A
B
C
D
E
F
G
H
I
J
K
L
M
N
O
M1
M2
1 seed per pod
2 seeds per pod
Apical
Basal
Top
Middle
Bottom
Fresh weight (mg)
Dry weight (mg)
Moisture content (% f.wt.)
Days after pollination


A 36 DAF
B 38 DAF
C 40 DAF
D 42 DAF
E 44 DAF
F 49 DAF
G 56 DAF
H 63 DAF
I 70 DAF
Proportion
Moisture content (% f.wt.)
All
M1
M2
1 seed
Apical
Basal
Bottom
Middle
Top
Green
Yellow
Dark yellow
Orange
Dark orange


A
B
C
D
E
F
G
H
I
J
K
L
M
N
O
Germination (%)
Germination (%)
Hardseededness (%)
M1
M2
1 seed per pod
2 seeds per pod
Apical seed
Basal seed
Top
Middle
Bottom
Fresh
Dried
M1 fresh
M2 fresh
M1 dried
M2 dried
1 seed fresh
2 seeds fresh
1 seed dried
2 seeds dried
Apical fresh
Basal fresh
Apical dried
Basal dried
Top fresh
Middle fresh
Bottom fresh
Top dried
Middle dried
Bottom dried
Days after pollination
Days after pollination
Days after pollination
Days after pollination
Days after pollination


A
Fresh germination
No germination; hard-seeded
No germination; not hard-seeded
Germination; hard-seeded
Germination; not hard-seeded
B
Desiccation tolerance
No germination; hard-seeded
No germination; not hard-seeded
Germination; hard-seeded
Germination; not hard-seeded
Days after pollination
Fresh weight (mg)
10
20
30
40
50
60
0.5
1.0
1.5
2.0
2.5
3.0
3.5
4.0
4.5
5.0


A
36 DAP
B
38 DAP
C
40 DAP
D
42 DAP
E
44 DAP
F
49 DAP
G
56 DAP
H
63 DAP
I
70 DAP
Germination
No germination
Seed fresh weight (mg)
Storage period (days)


A
B
σ (days)
Ki (NED)
Days after pollination
All data
Green
Yellow
Dark yellow
Orange
Dark orange