

Citation: Gurwitz KT, Aron S, Panji S, Maslamoney S, Fernandes PL, Judge DP, et al. (2017) Designing a course model for distance-based online bioinformatics training in Africa: The H3ABioNet experience. PLoS Comput Biol 13(10): e1005715. https://doi.org/10.1371/journal.pcbi.1005715

Editor: Francis Ouellette, Genome Quebec, CANADA

Published: October 5, 2017

Copyright: © 2017 Gurwitz et al. This is an open access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

Funding: Research reported in this publication was supported by National Human Genome Research Institute (NHGRI) and the Office of the Director (OD), National Institutes of Health under award number U41HG006941. The content is solely the responsibility of the authors and does not necessarily represent the official views of the National Institutes of Health. The funders had no role in study design, data collection and analysis, decision to publish, or preparation of the manuscript.

Competing interests: The authors have declared that no competing interests exist.

EDUCATION

Designing a course model for distance-based online bioinformatics training in Africa: The H3ABioNet experience

Kim T. Gurwitz^{1®}, Shaun Aron^{2®}, Sumir Panji¹, Suresh Maslamoney¹, Pedro L. Fernandes³, David P. Judge⁴, Amel Ghouila⁵, Jean-Baka Domelevo Entfellner^{6,7}, Fatma Z. Guerfali⁵, Colleen Saunders⁶, Ahmed Mansour Alzohairy⁸, Samson P. Salifu⁹, Rehab Ahmed^{10,11}, Ruben Cloete⁶, Jonathan Kayondo¹², Deogratius Ssemwanga^{12,13}, Nicola Mulder^{1*}, H3ABioNet Consortium's Education Training and Working Group as members of the H3Africa Consortium¹

 Computational Biology Division, Department of Integrative Biomedical Sciences, Institute of Infectious Disease and Molecular Medicine, University of Cape Town, Cape Town, South Africa, 2 Sydney Brenner Institute for Molecular Bioscience, University of the Witwatersrand, Johannesburg, South Africa, 3 Instituto Gulbenkian de Ciência, Oeiras, Portugal, 4 Independent bioinformatics training specialist, Cambridge, United Kingdom, 5 Institut Pasteur de Tunis, LR11IPT02, Laboratory Transmission, Control and Immunobiology of Infections (LTCII), Tunis-Belvédère, Tunisia, 6 South African National Bioinformatics Institute, Medical Research Council Unit for Bioinformatics Capacity Development, University of the Western Cape, Bellville, South Africa, 7 Computer Science Department, University of the Western Cape, Bellville, South Africa, 8 Genetics Department, Faculty of Agriculture, Zagazig University, Zagazig, Egypt, 9 Department of Biochemistry and Biotechnology, Kumasi Centre for Collaborative Research, Kwame Nkrumah University of Science and Technology, Kumasi, Ghana, 10 Centre for Bioinformatics and Systems Biology, Faculty of Science, University of Khartoum, Khartoum, Sudan, 11 Future University of Sudan, Khartoum, Sudan, 12 Uganda Virus Research Institute, Entebbe, Uganda, 13 Uganda Research Unit on AIDS, Medical Research Council/ Uganda Virus Research Institute, Entebbe, Uganda

• These authors contributed equally to this work.

¶ Listing of the members of the H3ABioNet Consortium's Education and Training Working Group are provided in Acknowledgments.

* nicola.mulder@uct.ac.za

Abstract

Africa is not unique in its need for basic bioinformatics training for individuals from a diverse range of academic backgrounds. However, particular logistical challenges in Africa, most notably access to bioinformatics expertise and internet stability, must be addressed in order to meet this need on the continent. H3ABioNet (www.h3abionet.org), the Pan African Bioinformatics Network for H3Africa, has therefore developed an innovative, free-of-charge "Introduction to Bioinformatics" course, taking these challenges into account as part of its educational efforts to provide on-site training and develop local expertise inside its network. A multiple-delivery–mode learning model was selected for this 3-month course in order to increase access to (mostly) African, expert bioinformatics trainers. The content of the course was developed to include a range of fundamental bioinformatics topics at the introductory level. For the first iteration of the course (2016), classrooms with a total of 364 enrolled participants were hosted at 20 institutions across 10 African countries. To ensure that classroom success did not depend on stable internet, trainers pre-recorded their lectures, and classrooms downloaded and watched these locally during biweekly contact sessions. The trainers were available via video conferencing to take questions during contact

Francis Ouellette is a member of the H3ABioNet Scientific Advisory Board.

sessions, as well as via online "question and discussion" forums outside of contact session time. This learning model, developed for a resource-limited setting, could easily be adapted to other settings.

This is a PLOS Computational Biology Education paper.

Introduction

It is widely accepted that biological analyses are increasingly reliant on computing technologies and that there is a need to train scientists in (at least) the basics of how to utilize computational tools and resources in the analysis of their data [1]. Various training initiatives have provided such introductory training, such as the European Bioinformatics Institute (EMBL-EBI) (http://www.ebi.ac.uk/training), bioinformatics.ca at the Ontario Institute for Cancer Research (OICR) (https://bioinformatics.ca/), and the Gulbenkian Training Programme in Bioinformatics (GBTP) at Instituto Gulbenkian de Ciência (http://gtpb.igc.gulbenkian.pt/bicourses/index. html). These have typically relied on features such as access to expert bioinformatics trainers, infrastructure for training, and stable internet connectivity.

In resource-limited settings, however, specific challenges need to be addressed in order to adequately provide bioinformatics training. Challenges include a lack of access to local bioinformatics expertise, a lack of access to bioinformatics training, and internet access instability [2]. In the past, these challenges have been addressed by physically moving participants to where the resources are located; that is to say, by holding face-to-face training workshops in established, relatively well-resourced locations. A major focus area of H3ABioNet, the Pan African Bioinformatics Network for H3Africa [3], has been to develop sustainable approaches to develop bioinformatics capacity in Africa. Taking into consideration the challenges mentioned above, H3ABioNet has explored various training approaches, including long and short face-to-face training workshops, internships, and data-centered hackathons. Although face-toface training workshops have proven successful, the model does present several challenges. The workshops are expensive to run, considering the need to finance travel, accommodation, and meals for both the trainers and the participants, which results in a restriction on the number of participants recruited to attend the workshops. In addition, participants may not have access to the infrastructure required to use the skills learned once they return to their home institutes. Furthermore, there are logistical concerns associated with travel, especially in areas not well-serviced by flight routes and the often tedious visa application processes. Finally, it may be disruptive and counterproductive for participants to leave their home institutes for extended periods of time. These challenges raise the question of the true value of face-to-face short courses in terms of what is actually assimilated and learned in the allotted time and what may be disseminated and utilized by the participants at their home institutes.

In an attempt to overcome some of the challenges presented by face-to-face training in a resource-limited environment, one may look to various alternative learning models, which have been used to deliver training courses. For example, distance learning, in which the trainer and participants are not in the same physical location, has been employed by universities for many years in order to open up access to learning in the form of correspondence courses [4]. Ensuring that content may be used as open educational resources (OER) further opens access, especially with advances in technology, in which the internet has been utilized to facilitate the

dissemination of these materials. Distance learning and OER indisputably increase access to education; however, both, in their simplest forms, offer only sparse human contact. Students still enjoy, and perhaps prefer, face-to-face learning—having someone to rely on and feel accountable to [5]. In most instances, this preference for face-to-face learning has been attributed to the value of interaction and the presence and opinions of classmates and lecturers, structured time allocated to complete tasks, and immediate feedback to comments or questions raised. In an effort to provide the "best of both worlds," one might employ a multiple-delivery–mode learning approach, in which elements of various learning models are combined to suit one's specific training needs [6,7].

H3ABioNet has therefore developed a multiple-delivery-mode learning model comprising elements of distance learning, OER, and face-to-face learning for an "Introduction to Bio-informatics" (IBT) course in order to meet the need for bioinformatics training of molecular biologists—as well as individuals from other backgrounds interested in developing skills in bioinformatics—in Africa and to address the specific challenges for this setting. Below we discuss the course curriculum and key features of our learning model. We highlight the approach used for the 2016 iteration of the course in order to illustrate the logistical setup and the lessons learnt.

Skills-based course curriculum

The IBT course curriculum comprised an introduction to various bioinformatics topics that H3ABioNet's Education and Training Working Group identified as important for molecular biologists in African research institutions who would like to become basic "bioinformatics users" (as described by the International Society for Computational Biology's [ISCB] core bio-informatics competencies [8]). Modules include the following: an introduction to bioinformatics, bioinformatics databases, and resources; genomics; Linux; sequence alignment; protein structural bioinformatics; and phylogenetics (http://training.h3abionet.org/IBT_2016/?page_id=273). These priority topics were selected as essential for African scientists who often face population-level epidemic threats and hence need to develop skills in using bioinformatics resources to rapidly tackle the local global health challenges. Pitching the course at the introductory level helped address an important issue in the African context: many of the current bioinformatics courses are aimed at the advanced researcher level. An introductory-level course is important to equip novices with enough skills and confidence to apply for more advanced courses if they would like to further develop their bioinformatics skills.

Great effort was taken to ensure that the content delivered was relevant, up to date, of a high standard, and developed using sound educational theory. Specific attention was given to differentiating between learning objectives and learning outcomes (S1 File) [9]. Furthermore, each session was designed to be skills based with an emphasis on what the participants will be able to do and which bioinformatics skills they will have acquired after the sessions. All resources—lecture recordings, lecture slides, and practical assignment instructions—remain publicly available under a Creative Commons license on the course website (http://training. h3abionet.org/IBT_2016/).

H3ABioNet's multiple-delivery-mode learning model

A multiple-delivery-mode learning model was constructed for our IBT course in order to address the various challenges associated with bioinformatics training in a resource-limited setting, as discussed above. Most notably, the model allows for increased access to information, to local academic and administrative support, and to the tools and course material even after the training has concluded. The contribution of each learning model to our approach is explained below and is summarized in Table 1.

Face-to-face learning

Face-to-face learning allowed for local academic and administrative support.

Local classrooms. Participating institutions set up local classrooms after certain infrastructure requirements were confirmed, namely, the following: enough computers with internet access for each participant; a projector system to screen the virtual classroom interface and pre-recorded lectures (see section entitled "Distance learning"); a system administrator to provide technical support; and teaching assistants to provide local academic and administrative support. The classroom environment provided the opportunity for participants to discuss bioinformatics concepts with their classmates and teaching assistants and to seek clarification when necessary. It created a support structure that intended to motivate participants and hold them accountable to attending class and to keeping up to date with the course content. This structure also provided a streamlined channel of communication linking the course's core team to the various classrooms. It is important to mention that this course was offered free of charge to participating institutions and to participants in order to ensure that cost was not a barrier to education.

Distance learning

Distance learning allowed for access to bioinformatics expertise and training.

Virtual classroom. During biweekly contact sessions (4 hours per day), classrooms connected with the expert trainer and with the other classrooms via the Mconf platform (https://mconf.sanren.ac.za/) for live video conferencing sessions (Figs 1 and 2). During these sessions, time was allocated for questions and answers with the trainer (Fig 2). These sessions also provided an opportunity for interaction across classrooms—classrooms enjoyed activating their webcams and waving to their colleagues across Africa. In this way, face-to-face elements were incorporated into distance learning components of the course in order to put a "face to the voice/screen" and to remind everyone that they belonged to an Africa-wide community comprising real people and real scientists across the continent (see section entitled "OER" for more on encouraging interactivity across classrooms).

Table 1. Components of and rationale behind H3ABioNet's multiple-delivery-mode learning model for the IBT course.

Challenges in Africa	Learning Model Utilized to Meet These Challenges	Implementation of Learning Model for the IBT Course				
Need for local academic and administrative support	Face-to-face learning	Local classrooms with volunteer staff				
Lack of access to local bioinformatics expertise and bioinformatics training	Distance learning	Local classrooms connect to expert trainers in a virtual classroom via the Mconf ^a video conferencing platform and via online forums in Vula ^b —the course management platform				
Internet access instability	Distance learning	Pre-recorded lectures and online forums				
Lack of access to training materials	OER	Resources publicly available on course website				
Coordination of course administration for large cohort (364 enrolled participants)	Distance learning	Practical assignments and assessments administered via Vula				
Limited access to software	OER	Web-based, open-source bioinformatics tools are used				

^a http://mconf.org; hosted by the CSIR SANREN, https://mconf.sanren.ac.za/)

^b http://vula.uct.ac.za

Abbreviations: CSIR, Council for Scientific and Industrial Research; H3ABioNet, Pan African Bioinformatics Network for H3Africa; IBT, Introduction to Bioinformatics; OER, open educational resources; SANREN, South African National Research Network.

https://doi.org/10.1371/journal.pcbi.1005715.t001



Fig 1. Location of classroom sites for 2016 iteration of the IBT course. Classrooms (20 classrooms across 10 African countries accommodating 364 participants in total) met each other virtually to widen the scope and improve the depth of biweekly contact sessions. Abbreviation: IBT, Introduction to Bioinformatics.

https://doi.org/10.1371/journal.pcbi.1005715.g001

Pre-recorded lectures. In addition to live video conferencing during contact sessions, local classrooms watched pre-recorded and pre-downloaded lecture videos prepared by expert trainers via a locally set up projector system (Fig 3). The pre-recorded lecture videos were each restricted to roughly 15 minutes in length, which helped in reducing the size of the lecture videos to be downloaded with low internet bandwidth. In this way, unstable internet access was not a barrier to accessing lecture content. Short videos also allowed for a "mental breather" between concepts or groups of concepts for participants watching the videos. Tools used to create and register these recordings included freely available resources: Screencast-O-Matic (https://screencast-o-matic.com/) and the free, Libre, and open-source software VokoScreen (http://www.kohaupt-online.de/hp/). Trainers were encouraged to activate their webcams while recording their lectures because participants seemed to be motivated by being able to see their trainer while learning (Fig 3). This was also true for virtual classroom sessions during which webcams were activated (whenever bandwidth would allow) (Fig 2). Education scientists have established that nonverbal communication (e.g., watching someone's facial expressions and body language) enhances the learning experience [10]. It is unclear from the IBT course data whether seeing the trainer assisted with learning, but it definitely seemed to increase attention and enjoyment of the contact sessions. An additional benefit of making the lecture recordings available before the contact sessions was that it allowed participants and staff to become familiar with the material before class. The availability of pre-recorded lectures to participants and staff prior to each contact session also provided the initial step for the possible adoption of a flipped classroom model for future iterations of the course [11]. The flipped classroom model would entail participants viewing the course material before the contact sessions and instead using the contact time to facilitate discussion and questions. If implemented





https://doi.org/10.1371/journal.pcbi.1005715.g002

in further iterations of the course, local staff would need to be adequately trained on the approach.

OER

Incorporating OER into our learning model and, in particular, making these available online allowed for redundancy because it ensured that there was always more than one way to access course content and assistance. For example, even if a physical classroom could not connect to the virtual classroom due to internet instability, they could still access the course content via the course website (http://training.h3abionet.org/IBT_2016/). Furthermore, open-source webbased bioinformatics tools were used to ensure that access to particular software was not a barrier to education (see section entitled "Web-based tools"). The IBT training material is a valuable resource that can be utilized by the wider bioinformatics community, and the material will be reviewed and submitted to the Global Organisation for Bioinformatics Learning, Education & Training (GOBLET, http://www.mygoblet.org/).

Course management platform, Vula. The course management platform, Vula (http:// vula.uct.ac.za), was utilized in order to send out announcements, manage participants, track their progress, and allow for live or delayed interaction amongst participants and with trainers and staff (Fig 4A). Vula is the University of Cape Town's (UCT) online learning and collaboration environment built on Sakai, which is a free, open-source educational software platform (https://sakaiproject.org). A UCT member can create a project site, and guest accounts for that site can be created for any non-UCT members free of charge as long as the project is not for





Fig 3. Pre-recorded lectures. Screenshot of a pre-recorded lecture with webcam activated. Note: Consent to publish this image was obtained from the individual in the figure.

https://doi.org/10.1371/journal.pcbi.1005715.g003

profit. Participants were able to log in with their unique credentials and could access, complete, and upload practical assignments and assessments for grading; each contact session had a practical component and practical assignment for hand-in, and each module had an end-ofmodule assessment comprising both theoretical and practical questions. In order to be eligible

А										В	
E Overview	H3ABioNet	Announcements (viewing amouncements from the last 10 days) There are currently no announcements at this location.								E Overview	Forums / Module 7: Molecular Evolution and Phylogenetics / Session 4 / Bootstrap values View by Conversation
🛗 Calendar	Pan African Bioinformatics Network for H3Africa	n Bioinformatics Network for H3Africa Vet's IBT_2016 course! Calendar 9								Calendar	Bootstrap values Donwilliams Otieno (06 Oct 2016 11:52 AM) - Read by: 16
Course Outline	Welcome to H3ABioNet's IBT_2016 course!							9h 7	Resources	Gi Reply	
Questions and Discussion Forum	This course is an introduction to the field of bioinformatics, with a focus on important bioinformatic tools and resources. It combines theoretical and	OPTIONS PUBLISH (PRIVATE)								Questions and Discussion Forum	What are the bootstrap values to report for academic work? I am currently inferring phylogenies using maximum likelihood methods (PHyML and RAMML programs) but I am unsure of the values to report. Phylogeny experts are not unanimous on a specific bootstrap interestid, with some saving that bootstrap values above 50% are good while others sticking to 70% and above. Kind vasist. Thanks
Q Chat Room	practical sessions to allow participants to gain practical experience in using various tools and resources.	April 2017					< Today >			<table-cell> Chat Room</table-cell>	
Assignments		Sun	Mon	Tue	Wed	Thu	Fri	Sat	t I	Assignments	Jean-Baka Domelevo Entfeliner (06 Oct 2016 12:41 PM) - Read by: 14
Tests & Quizzes	 http://training.h3abionet.org/IBT_2016/ 	26 2	27	28 4	29 5	30 6	31	1		☑ Tests & Quizzes	Sig Reply
Gradebook Classic		9	10	11	12	13	14	15		Gradebook Classic	Hello, that's a good question. So far nobody has undertaken the work to associate meaningful p-values with standard bootstrap proportions
Participants		16	17	18	19	20	21	22		Participants	(BP), so there are only rules-of-thumb out there to decide whether a branch is "well supported" or not. The threshold I have been hearing of is rather 80% than 50% or 70% though but the threshold you want to take into account depends on many factors, primarily the threshold you want to take into account depends on many factors, primarily the threshold you want to take into account depends on many factors, primarily the threshold you want to take into account depends on many factors, primarily the tore of data (is
Q Search		30	1	2	3	4	5	6		Q Search	there lots of phylogenetic divergence in the dataset or not? If sequences are far apart from each other you will tend to be content with lower BP there is use a factor to take the dataset or not? If sequences are far apart from each other you will tend to be content with lower BP
Messages										Messages	be more demaining with a clean alignment, with reduced variability. The depint in the deet slab of raccine to clade into consider addit, you will be more demaining in terms of bootstrap support for branches relatively close to leaves (outer branches) than for inner branches; a BP of 70% and a branches are branches in terms of bootstrap support for branches relatively close to leaves (outer branches) than for inner branches; a BP of 70% and a branches are branches in the destination of the destination o
Lecture Recordings and The Classrooms	Mersan Conter Notifications							٩.		Lecture Recordings and The Classrooms	only on a branch eading to a cherry two saw busine or two eages) is an initiation of a poor physigenetic signal, whereas it you get 70% on a deep branch of the tree, I would say it is significant enough to consider that branch as relatively well supported. So the short answer ic rule of humb and commarison to other ansers dealine with the same type of data. Taik to a biologist who is a snecialist
all Polls		New Messages none						1 0		Lal Polls	of phylogenies similar to the one you are battling with.
Feedback							none			P Feedback	
O Help	New in Forums 55 km									Help	< Previous Conversation Next Conversation 2

Fig 4. Screenshots of Vula site for IBT_2016 course. (A) Landing page of course site showing all tools. (B) Forums tool specifically showing the number of people that read the response to a particular question. In this example, at the time that the screenshot was obtained, 14 people had read the question, and 12 people had read the answer. Please note: Consent to publish this screenshot was obtained from participants of the relevant discussion. Abbreviation: IBT, Introduction to Bioinformatics.

https://doi.org/10.1371/journal.pcbi.1005715.g004

for the course letter of completion (i.e., course certificate), participants had to submit at least 90% of practical assignments and obtain a minimum overall mark of 60% in the assessments.

In addition, interactions between participants, trainers, and staff were facilitated by the question and discussion forums on the Vula site (Fig 4B). The forums allowed for the creation of a curated repository of questions and corresponding answers, which could be accessed by all members at any time even after the course was concluded. These forums were especially useful for asking questions outside of contact session time or for those that could not connect to the virtual classroom during contact sessions due to internet instability. The chat room on the Vula site allowed for informal interaction amongst participants from the various classrooms across Africa and created a friendly online atmosphere. Links to the lecture resources (lecture slides and pre-recorded lecture recordings, etc.) were also available via this site. Following each module, participants and staff members were able to access and anonymously complete an evaluation form on Vula in order for the course organizers to gain an impression of the quality and relevance of the content of each module.

Web-based tools. To further decrease barriers to education, trainers were encouraged to use web-based tools in their practical assignments to ensure that software limitations and computing infrastructure were not a disadvantage. H3ABioNet has also invested in installing eBio-Kits at some of the partner nodes to facilitate training activities (http://www.ebiokit.eu/). The eBioKit is a standalone device that can run bioinformatics analyses independent of the internet. Although the use of the eBioKit is an efficient approach to overcome the challenge posed by internet instability, at the time the course was designed, not all nodes had access to an eBio-Kit, and not all IBT classrooms are H3ABioNet nodes. This would be a limiting factor restricting some classrooms from benefitting from the IBT course, and therefore eBioKits are not currently used for the course. Using web-based tools also kept the classroom setup as simple as possible and enabled participants to access the tools via their own computers at home or in another computer laboratory. While internet instability was a challenge at certain classroom sites, deadlines were shifted accordingly to accommodate any campus-wide internet issues, thereby enabling participants to complete and submit assignments by the stipulated due dates.

Lessons learned

Core features identified as crucial to the success of the IBT course in 2016, as well as areas to strengthen going forward, are outlined below. While we agreed to keep the results of the course evaluation confidential, the following points were evident to the course organizers and in conversations with participants and volunteer staff.

What worked?

Expert trainers. One of the biggest pillars of success of the IBT course was the quality and experience of the expert trainers. Apart from a guest introductory lecture given by expert European bioinformaticians, all our trainers are based within Africa, and most are H3ABioNet members. They provided excellent lectures and content, set weekly practical assignments, and embraced a new course design model that fell, for most, outside of their comfort zone.

Volunteer staff in local classrooms. A course of this design and size would not have been possible without dedicated local volunteer staff—the teaching assistants, system administrators, and principle investigators. Local staff were key in securing and setting up their training rooms and in ensuring that participants kept up to date with the various course requirements in order to pass the course. As several of the volunteer staff were PhD candidates or postdoctoral students—many of whom will go on to teach in some form or another during their careers—this course provided a platform for education-capacity development. We hope that

this will benefit participating institutions in future introductory bioinformatics training endeavors and perhaps in more advanced bioinformatics training courses, too. Short biographies of the local staff for each of the IBT_2016 classrooms can be viewed on the IBT_2016 course website (http://training.h3abionet.org/IBT_2016/?page_id=130).

Redundancy. Another key feature of the course is redundancy in course delivery methods there was always more than 1 avenue through which to access the course content and to access assistance. Internet stability can be a challenge anywhere in the world and is exacerbated in many African regions. By ensuring redundancy (e.g., live question and answer sessions via video conferencing sessions as well as question and discussion forums on the course management platform), we could ensure that internet instability was not a barrier to education. Crucially, providing prerecorded lectures ensured that classrooms could continue with the course locally during contact sessions even if they could not connect to the virtual classroom on a particular day.

Communication and interaction across and within classrooms. This course provided a unique opportunity for connecting young scientists across Africa. Interacting in the virtual classroom and in the online forums and chat rooms greatly enhanced the learning experience for all. Linking the local classrooms during the regular contact sessions not only provided the opportunity for junior scientists to develop new skills but also created an environment to facilitate future collaborations between African scientists. Furthermore, interaction among peers and with teaching assistants within physical classrooms provided great support and motivation for the participants.

What could be strengthened?

In addition to continuing to advocate for and strengthen the above points, there are certain additional elements that would benefit a course like IBT.

Staff training. While staff were supported by the core team throughout the course, providing formal training would prepare the local staff for the running of their classroom by providing a space for the staff to establish a team atmosphere in which everyone knows their responsibilities and how they might assist each other during the course, providing facilitation skills training so that they may adequately assist participants, and providing training on the various platforms used in the course. In this way, training capacity is increased at the local institutions to serve future training endeavors. Staff training has been implemented in the 2017 iteration of the course.

Community engagement. Drawing participants' attention to bioinformatics research and activities taking place in their own institution might inspire collaborations and ensure that participants utilize the skills learnt in the course, perhaps enabling them to progress in their bioinformatics abilities. The IBT course provides a wonderful platform to facilitate this engagement and to bring together molecular biologists and bioinformaticians.

Looking forward

IBT_2016 proved a successful endeavor, with 195 participants (53%) meeting all the course requirements and receiving a letter of completion for the course. The course is running again in 2017 (https://training.h3abionet.org/IBT_2017/). We have incorporated the lessons learnt in the new iteration of the course and opened the course to a wider African research community. We are also looking at the possibility of running additional short courses using this model and are running an "Introduction to Genomic Medicine for Nurses" course for 17 weeks (https://training.h3abionet.org/AGMC_2016/). We would like to reiterate that, with a bit of creativity and a lot of dedication, this type of initiative can work even in a resource-limited setting; the IBT course is a testament to this.

Supporting information

S1 File. Detailed description of the different modules provided in the IBT_2016 course, including learning objectives and learning outcomes. (PDF)

Acknowledgments

The authors thank the volunteer staff from all 20 of the IBT_2016 classroom sites (i.e., teaching assistants, system administrators, and classroom principal investigators https://training. h3abionet.org/IBT_2016/?page_id=130), Vula help team at the University of Cape Town (http://vula.uct.ac.za/), the Mconf help team at the South African National Research Network (SANREN, http://www.sanren.ac.za/south-african-nren/), and the H3ABioNet Education and Training Working Group: Nicola Mulder¹, Shaun Aron², Sumir Panji¹, Kim Gurwitz¹, Judit Kumuthini³, Shakuntala Baichoo⁴, Segun Fatumo⁵, Oyekanmi Nash⁵, Jonathan Kayondo⁶, Faisal M. Fadlelmola⁷, Samar Kassim⁸, Jean-Baka Domelevo Entfellner⁹, Samson Pandam Sal-ifu¹⁰, Winston Hide^{11,12}, Kais Ghedira¹³, Amel Ghouila¹³, Lerato Magosi¹⁴, Alia Benkhala¹³, Victoria Nembaware¹, Mary Piper¹¹, Radhika S. Khetani¹¹

¹Computational Biology Division, Department of Integrative Biomedical Sciences, Institute of Infectious Disease and Molecular Medicine, University of Cape Town, Cape Town, South Africa; ²Sydney Brenner Institute for Molecular Bioscience, University of the Witwatersrand, Johannesburg, South Africa; ³Centre for Proteomic and Genomic Research, Cape Town, South Africa; ⁴University of Mauritius, Moka, Mauritius; ⁵National Biotechnology Development Agency, Abuja, Nigeria; ⁶Uganda Virus Research Institute, Entebbe, Uganda; ⁷Centre for Bioinformatics and Systems Biology, Faculty of Science, University of Khartoum Future University of Sudan, Khartoum, Sudan; ⁸Medical Biochemistry and Molecular Biology Department, Faculty of Medicine, Ain Shams University, Cairo, Egypt; ⁹South African National Bioinformatics Institute, Medical Research Council Unit for Bioinformatics Capacity Development, University of the Western Cape, Bellville, South Africa; ¹⁰Department of Biochemistry and Biotechnology, Kumasi Centre for Collaborative Research, Kwame Nkrumah University of Science and Technology, Kumasi, Ghana; ¹¹Harvard T.H. Chan School of Public Health, Boston, Massachusetts, United States of America; ¹²Sheffield Institute for Translational Neuroscience, Department of Neuroscience, University of Sheffield, Sheffield, United Kingdom; ¹³Institute Pasteur of Tunis, Tunisia; ¹⁴Botswana Harvard AIDS Institute Partnership, Gaborone, Botswana/ University of Oxford, Oxford, United Kingdom.

References

- 1. Pevzner P, Shamir R. Computing has changed biology—biology education must catch up. Science. 2009; 325 (5940): 541–542. https://doi.org/10.1126/science.1173876 PMID: 19644094
- Tastan Bishop O, Adebiyi EF, Alzohairy AM, Everett D, Ghedira K, Ghouila A, et al. Bioinformatics education—perspectives and challenges out of Africa. Brief Bioinform. 2015; 16(2): 355–64. https://doi.org/10.1093/bib/bbu022 PMID: 24990350
- Mulder NJ, Adebiyi E, Alami R, Benkahla A, Brandful J, Doumbia S, et al. H3ABioNet, a sustainable pan-African bioinformatics network for human heredity and health in Africa. Genome Res. 2016; 26: 271–277. https://doi.org/10.1101/gr.196295.115 PMID: 26627985
- 4. Holmberg B. Theory and practice of distance education. 1st ed. New York: Routledge; 1989.
- Kemp N, Grieve R. Face-to-face or face-to-screen? Undergraduates' opinions and test performance in classroom vs. online learning. Front Psychol. 2014; 5(1278): 1–11. https://doi.org/10.3389/fpsyg.2014. 01278 PMID: 25429276
- 6. Güzer B, Caner H. The past, present and future of blended learning: an in depth analysis of literature. Procedia Soc Behav Sci. 2014; 116: 4596–4603. https://doi.org/10.1016/j.sbspro.2014.01.992

- Via A, Blicher T, Bongcam-Rudloff E, Brazas MD, Brooksbank C, Budd A, et al. Best practices in bioinformatics training for life scientists. Brief Bioinform. 2013; 14(5): 528–537. <u>https://doi.org/10.1093/bib/bbt043</u> PMID: 23803301
- Welch L, Lewitter F, Schwartz R, Brooksbank C, Radivojac P, Gaeta B, et al. Bioinformatics curriculum guidelines: toward a definition of core competencies. PLoS Comput Biol. 2014; 10(3): e1003496. https://doi.org/10.1371/journal.pcbi.1003496 PMID: 24603430
- Attwood TK, Leskosek BL, Dimec J, Morgan S, Mulder N, van Gelder CWG, et al. Defining a lingua franca for the ELIXIR/GOBLET e-learning ecosystem. Zenodo. 2016. Available from: https://zenodo.org/record/166378#.WZbjlHeGMUt
- 10. Zeki CP. The importance of non-verbal communication in classroom management. Procedia Soc Behav Sci. 2009; 1: 1443–1449. https://doi.org/10.1016/j.sbspro.2009.01.254
- 11. Bergmann J, Sams A. Flip your classroom: reach every student in every class every day. 1st ed. Washington DC: International Society for Technology in Education; 2012.