X-ray and ion emission studies from sub-nanosecond laser irradiated SiO<sub>2</sub> foam targets

CHANNPRIT KAUR<sup>1</sup>, S. CHAURASIA<sup>1\*</sup>, A. A. PISAL<sup>2</sup>, A. K. ROSSALL<sup>3</sup>, D. S. MUNDA<sup>1</sup>, A. VENKATESWARA RAO<sup>2</sup>, M. N. DEO<sup>1</sup>

<sup>1</sup>High Pressure & Synchrotron Radiation Physics Division, Bhabha Atomic Research Centre, Mumbai – 400085, India

<sup>2</sup> Department of Physics, Shivaji University, Kolhapur - 416 004, Maharashtra, India

<sup>3</sup> International Institute for Accelerator Applications, University of Huddersfield HD1 3DH, UK

d) \* Corresponding author's address: High Pressure & Synchrotron Radiation Physics Division, Purnima building, Bhabha Atomic research Centre, Trombay, Mumbai-400085, India.

Tel No: 91-22-25592377 Fax no: 91-22-25505296, E-mail - shibu@barc.gov.in

e) Short title: X-ray and ion emission studies from SiO<sub>2</sub> foam targets

f) No. of manuscript pages-21, No. of figures-14

# X-ray and ion emission studies from sub-nanosecond laser irradiated SiO<sub>2</sub> foam targets Abstract:

Low density foam of high Z to low Z materials are increasingly being used as target materials in laser produced bright X-ray sources and in laser shock physics experiments<sub>2</sub> respectively. In this experiment, a comparative study of ion and X-ray emission from both a SiO<sub>2</sub> foam and a quartz target is performed. The experiment is performed using Nd: Glass laser system operated at laser energy upto 15 J with a pulse duration of 500 ps with focussable intensity of  $10^{13}$ -  $10^{14}$  W/cm<sup>2</sup> on target is used for these studies. X-ray fluxes in different spectral ranges (soft and hard) are measured by using X-ray diodes covered with Al filters of thickness 5  $\mu$ m (0.9 – 1.56 keV) and 20  $\mu$ m (3.4 - 16 keV). A 2.5 times enhancement in soft X-ray flux (0.9 - 1.56 keV) and a decrease of 1.8 times in hard X-rays (3.4 - 16 keV) for 50 mg/cc SiO<sub>2</sub> foam is observed compared to the solid quartz. A decrease in the flux of the K-shell line emission spectrum of soft X-rays is noticed in the case of the foam targets. The high resolution K-shell spectra (He-like) of Si ions in both the cases are analyzed for the determination of plasma parameters by comparing with FLYCHK simulations. The estimated plasma temperature and density are  $T_c = 180 \text{ eV}$ ,  $n_e =$ 7 x  $10^{20}$  cm<sup>-3</sup> and T<sub>c</sub> = 190 eV, n<sub>e</sub> = 4 x  $10^{20}$  cm<sup>-3</sup> for quartz and SiO<sub>2</sub> foam respectively. To measure the evolution of the plasma moving away from the targets, four identical ion collectors are placed at different angles  $(22.5^{\circ}, 30^{\circ}, 45^{\circ})$  and  $67.5^{\circ}$ ) from target normal. The angular distribution of the thermal ions are scaled as  $\cos^n \theta$  with respect to target normal, where n = 3.8 and 4.8 for the foam and quartz respectively. The experimental plasma volume measured from the ion collectors and shadowgraphy images are verified by a 2D Eulerian radiativehydrodynamic simulation (POLLUX code).

Keywords: X-rays from laser produced plasma, aerogel targets, X-ray enhancement.

## **1. Introduction:**

The production of small, compact, easily accessible and short pulse length X-ray sources from laser plasma interactions has significantly facilitated research in advanced science such as radiobiology, X-ray microscopy, micro-lithography, astrophysical and fusion applications, measurement of the opacity of materials, X-ray driven shock studies for Equation-of-State (EOS) measurements of materials under extreme conditions and time resolved x-ray diffraction of materials (Loupias et al., 2009; Rossall et al., 2010; Daido et al., 2002; Keiter et al., 2008; Lewis et al., 1984; Chaker et al., 1988; Förstera et al., 1989; O'Neill et al., 1989; Lindl et al., 1995; . Rischel et al., 1997; Borisenko et al., 2006). The demand for high X-ray fluxes in practical applications has triggered extensive research for the enhancement of the X-ray yield of laser produced plasmas (Rosmej et al., 2015). However, the conversion efficiency of laser energy to X-ray from the solid targets is low due to the reflection of most of the laser light near the critical density surface. For a large X-ray yield, absorption of the laser energy inside the target should be high. Therefore, to enhance the x-ray yield, various laser conditions (power density, pulse duration and wavelength) and target properties have been tested previously. For example, to enhance the X-ray yield, the use of a prepulse (Andreev et al., 2002), defocusing the laser to increase the plasma volume (Chaurasia et al., 2013), structured targets (Nishikawa et al., 2001), gas targets (Fiedorowicz et al., 2000) and low density targets (Borisenko et al., 2006) have been used. The use of low density targets has been proven as a prominent condidate for the enhancement of X-ray emission from Laser Produced Plasmas (LPP). Many targets such as gold foam (Shang et al., 2013), hydrocarbon based foam (Chaurasia et al., 2015), carbon foam (Chaurasia et al., 2010), structured surfaces (Krishnamurthy et al., 2015; Rajeev at al., 2003), porous Si (Nishikawa et al., 1997), agar agar foam (Limpouch et al., 2006) are used for this

purpose. A considerable amount of work has been done already for X-ray enhancement using metal doped (Ti and Ge) low density silicon oxide foam targets (Fournier et al., 2004; Fournier et al., 2009). In the previous work (Shang et al., 2013), the X-ray conversion efficiency in the case of gold foam was found to increase by 1.34 times as compared to solid gold in the range of multi-eV to multi-keV due to a larger absorption of laser light via inverse bremmstrahlung. Further (Nishikawa et al., 2001) by using ultrashort laser pulse, the penetration depth was found to increase in the case of porous Si targets which results in a reduction of threshold of prepulse for enhancement of X-ray intensity. Earlier investigation in our lab (Chaurasia et al., 2010) indicated an enhancement in the soft X-ray by a factor of 1.8 and 2.3 in carbon foam and Pt-doped carbon foam respectively when compared to the solid carbon.

The enhancement of soft X-rays from the foam target is attributed to the underdense nature of the target which allows the laser to burn through the target supersonically. In this paper, we have made a contribution in the above area of research by studying X-ray and ion emission from  $SiO_2$  foam targets simultaneously with optical shadowgraphy of the plasma. The procedure of preparing of foam targets is also briefly described.

## 2. Experimental setup:

The laser system used in these experiments is a 15 J /500 ps Nd:Glass laser with intensity  $10^{13}$ - $2x10^{14}$  W/cm<sup>2</sup> available at BARC, Mumbai, India.The high power laser is focussed to a focal spot of 100 µm on the target using a f/5 lens and placed in an experimental chamber evacuated to  $4x10^{-5}$  mbar. The schematic of experimental setup is shown in Figure 1. Targets used are solid quartz and 50 mg/cc pure SiO<sub>2</sub> foam and also along with (25% CH<sub>3</sub> + 75% SiO<sub>2</sub>) foam of 60 mg/cc and 40 mg/cc densities. The continuum X-ray flux (free-free and free-bound) in the soft

X-ray (0.8-1.56 keV) and the hard X-ray (3.4 - 16 keV) spectral range are measured using silicon photodiodes covered with 9  $\mu$ m and 20  $\mu$ m Aluminium foils repectively. The time integrated X-ray line emission spectra were recorded by dispersing the X-rays with a flat TAP crystal (2d = 25.75Å) on to an X-ray CCD camera (M/s Rigaku made, Model- X-vision 4M) placed at 45° to the target normal. Four identical ion collectors are placed at different angles i.e., 22.5°, 30°, 45° and 67.5° with respect to the target normal and laser axis to measure the plasma evolution and its size. The details of the crystal spectrometer and ion collectors are described somewhere else (Kaur et al., 2017). To study the dynamic motion of the plasma and its volume, a transverse two frame optical shadowgraphy system was developed. The magnification at the focal plane of the imaging lens was 3.45 with a spatial resolution of 12  $\mu$ m and a temporal resolution of 500 ps. The details of the shadowgraphy system is reported elsewhere (Chaurasia et al., 2010).





Fig. 1. Schematic of various X-ray and ions diagnostics used in experiment.

## 3. Method of preparation of SiO<sub>2</sub> foam targets:

The preparation of Silica aerogel mainly includes three steps; gel preparation, aging of the gel and drying of the gel. The aerogel (i. e., silica foam targets) is prepared by the sol-gel process followed by supercritical drying in which TMOS (tetra methoxysilane) is the source of Silica. In the first step, the hydrolysis of TMOS is done by adding .001 M oxalic acid to initiate polymerisation. As the TMOS is only partially miscible with water, alcohol (methanol) is added as a solvent to this solution to ensure the same phase for the reaction to occur. Ammonium hydroxide is used as a catalyst to increase the condensation reaction speed. To obtain the low density silica aerogels, the molar ratio of TMOS: MeOH: H<sub>2</sub>O was kept constant at 1:12:4. All the solutions (silicon alkoxide, solvent, water and catalyst) were mixed in a 100 ml Pyrex beaker and the resulting sols were immediately transferred to Pyrex test tubes and closed air tight. After gelation, the resulting alcogels were covered with methanol to prevent the shrinkage and cracking of the wetgels. All of the alcogels were supercritically dried in an autoclave to obtain the low density silica aerogels. The 25 % CH<sub>3</sub> and 75 % silica aerogels (foam targets) were produced by using the methyltrimethoxy precursor in the place of tetramethoxysilane precursor, and followed the same procedures in making the aerogels. More details are given on the preparation of the silica aerogels elsewhere (Pajonk et al., 1997; Venkateswara et al., 1998, 2006, 2003).

The scanning electron microscope (SEM) image of 50 mg/cc Silica aerogel foam is shown in Figure 2.



**Fig. 2.** SEM image of 50mg/cc pure Silica aerogel foam with 25 kV electron beam and x700 magnification.

## 4. Results and discussion:

#### 4.1. Effect of target densities on soft and hard X-ray yields:


When an intense laser focuses on a target, a highly dense and hot plasma is produced. The emitted radiations are in the X-ray spectral region. There are three mechanisms of production of X-rays in plasma i.e. free-free, free-bound and bound-bound (Eliezer, S., 2002). The laser wavelength, pulse duration and choice of target material strongly affects the X-ray yield (conversion factor of laser pulse to X-rays). In our case we measured the X-ray radiation due to free-free and free-bound transitions using X-ray photodiodes covered with different filters to measure the soft and hard X-rays. The output of the photodiode signals for the soft and hard X-rays are plotted with respect to the laser intensity in Figure 3a and b respectively. From the Figures it can be seen that the X-ray flux ( $I_x$ ) scales with the laser intensity ( $I_L$ ) at a constant

pulse duration and wavelength as  $I_x = (I_L)^{\alpha}$ , where  $\alpha$  is constant. However, the value of  $\alpha$  is calculated by slope of the graph plotted between  $\ln(I_x)$  Vs  $\ln(I_L)$  and found to be 1 and 0.5 for quartz and SiO<sub>2</sub> foam targets respectively in case of soft X-rays. However, in the case of hard Xrays these values are 0.9 and 0.6 for quartz and SiO<sub>2</sub> foam targets respectively. It is observed that the soft X-ray emission (0.9 – 1.56 keV) from the low density (50 mg/cc) SiO<sub>2</sub> foam is almost 2 -2.5 times higher than in solid Quartz for almost all of the investigated laser intensities and decreases with increase of the foam density. The x-ray yield from 70 mg/cc pure SiO<sub>2</sub> is lying in between solid quartz and 50 mg/ cc pure SiO<sub>2</sub> foam target. However, in the case of hard X-ray emission (3.4 - 16 keV), the flux from low density SiO<sub>2</sub> foam is approximately 1.8 times lower than the yields from the solid quartz. The X-ray flux from the silica foam with composition (25% CH<sub>3</sub> + 75% SiO<sub>2</sub>) of densities 60 mg/cc and 40 mg/cc are also measured. It is observed that the soft X-ray yield from these targets are slightly lower than the pure SiO<sub>2</sub> foam target of density 50 mg/cc and at the same time higher than the X-ray yield from the quartz target.


The enhancement of soft X-ray emission in the low density foam target is mainly due to two reasons. Firstly, it is due to lower losses to hydrodynamic phenomenon (shock formation) and secondly and more prominently it is due to volumetric heating. (Xu et al., 2011) has done simulation studies using a one dimensional multi-group radiation hydrodynamic code (RDMG) and have shown that in the case of a sub critically dense plasma, it is heated supersonically and no shock wave formation takes place, while in an over-dense plasma, the percentage loss of energy increases with the target density and is at maximum for the solid targets. Secondly, the enhancement of the volume of the X-ray emission is due to the initial penetration of the laser due to the transparency. The dynamics of laser light absorption in low density porous material is explained by a long inhomogeneous period during which there exists a stochastic distribution in the low density region in the plasma. As a result, the radiation is absorbed in a volume at the so called geometrical transparency length which is determined by the classical collision mechanism (Bugrov et al., 1997), as given in following equation:


$$L_{T} = \frac{9.2 \times 10^{-8}}{Z} \left(\frac{A}{Z}\right)^{2} \frac{T^{3/2}}{\lambda^{2} \cdot \rho^{2}} \qquad \dots (1)$$

Here *A* and *Z* are the atomic number and charge of the plasma ions respectively,  $\lambda$  is the wavelength of the laser light (µm), *T* is the electron temperature (keV) and  $\rho$  is the plasma density (g/cm<sup>3</sup>). From the above equation, it can be seen that the penetration depth and hence the volume of plasma is inversely proportional to the square of the density. The same can be seen from the shadowgraphs for the quartz (Figure 4a –c) and for 50 mg/cc SiO<sub>2</sub> foam targets (Figure 4d-f) at a delay times of 2 ns and 8 ns after the arrival of the main laser pulse on targets. From Figure 4c and 4f, it can be seen that after 8 ns of the arrival of incident laser, the lateral plasma size in the SiO<sub>2</sub> foam case is 1.35 times larger than the solid quartz. It can also be seen from Figure 4d (without laser), 4e (2ns delay) and 4f (8 ns delay); the heated volume is larger inside the targets (shown with dotted circles). However, in the case of quartz, the interaction is only at the solid surface.




**Fig. 3.** Comparison of (a) Soft X-ray flux and (b) hard X-ray flux from solid quartz with  $SiO_2$  foam of various densities such as 50mg/cc, 25% CH<sub>3</sub> + 75% SiO<sub>2</sub> foam of 60 mg/cc and 40 mg/cc densities





**Fig. 4.** Shadowgraph of solid quartz (a) at t = 0 ns (b) at t = 2 ns (c) at t = 8 ns after laser pulse on the targets, and for foam targets at (d) t = 0 ns (e) at t = 2 ns (f) at t = 8 ns after laser pulse on the targets. The dotted circle in each image is showing the region of plasma.

We also recorded the time integrated spectrum of ions from laser produced plasma with the help of ions collectors placed at four different angles from target normal (i.e. at 22.5°,  $30^{\circ}$ ,  $45^{\circ}$  and  $67.5^{\circ}$ ) to verify the volumetric heating concept. The angular distribution of the amplitude of the thermal ions (plasma) are plotted in Figure 5, for two different laser shots of same energies on the targets of 50 mg/cc SiO<sub>2</sub> foam and quartz target. The angular distribution of the thermal ions are scaled as  $P(\theta) = P(0) \cos^{n}\theta$ , where n = 3.8 and 4.8 for the foam and quartz targets respectively. It can be seen from the Figure 5, that the thermal ion flux from the foam target is larger and closer to isotropic (hence the larger volume) compared to the thermal ion flux from the quartz. A similar behaviour has been observed via theoretical simulation done by our group using 2D Eulerian radiative-hydrodynamic code POLLUX, which is briefly described in the next section.



**Fig. 5.** Angular distribution of the thermal ion flux from the 50 mg/cc  $SiO_2$  foam and quartz targets for two laser shots of approximately same energy.

## 4.2 Simulation results to verify the volume effect:

The 2D Eulerian radiative-hydrodynamic code POLLUX was originally developed to model moderate irradiance (10<sup>10</sup> W cm<sup>-2</sup>) optical and infra-red laser irradiation of a solid target and the subsequently produced strongly ionized plasma which further interacts with the incident laser beam. The code solves the three first-order quasi-linear partial differential equations of hydrodynamic flow using the flux corrected transport model of Boris and Book (Boris et al., 1976), with an upwind algorithm (Courant et al., 1952) for the first term. The energy is absorbed by the plasma electrons through inverse Bremsstrahlung and distributed through electron-ion collisions, the equilibration of which is determined by the Spitzer plasma collision rate (Spitzer et al., 1953). For calculation of the equation-of-state (EOS) variables, POLLUX utilizes in-line hydrodynamic EOS subroutines from the Chart-D (Thompson et al., 1970) equation-of-state

package developed at Sandia National Laboratories, U. S. A. This code uses an explicit solver, therefore a Courant number of ~1 has been used to increase stability where the Courant number (C) is given by

$$C = \frac{u_x \Delta t}{\Delta x} + \frac{u_y \Delta t}{\Delta y} \sim 1 \qquad \dots (2)$$


where,  $u_x$  and  $u_y$  are magnitudes of the particle velocities in the respective directions,  $\Delta t$  is the time step and are the cell spatial dimensions. The ionization and level populations are calculated assuming local thermodynamic equilibrium, an assumption which is justified for hydrodynamic timescales (> 1 ps).

To enable the ray tracing of the incident laser pulse within the code, the Eulerian mesh is sub-divided into triangular cells with the Eulerian mesh center points at the triangle corners allowing for the refractive index and associated gradient within each cell to be calculated via direct differencing. The refractive index is continuous across cell boundaries and assumes a linear electron density variation within each cell. The (x, y) trajectory of each ray in the cell is then assumed to be parabolic dependent upon the refractive index ( $n_0$ ) and its derivative ( $n_1$ ), given by,

$$y^2 = 4\left(\frac{n_0}{n_1}\right)x \qquad \dots (3)$$

The parameters used in the code were a p-polarized laser intensity of  $1 \times 10^{14}$  Wcm<sup>-2</sup> incident onto solid quartz with a density of 2.65 g cm<sup>-3</sup> and silica foam with a density of 50 mg cm<sup>-3</sup>.

The contour plot for the electron density and electron temperature at t = 1 ns after the start of the laser pulse are shown in figure 6. It can be seen from the figure 6 that the plasma expansion differs greatly between the two targets with the foam targets creating much larger lower density plasma. It proves that the enhancement is due to a volume effect where the foam target has a much greater volume of emitting plasma which is in consistent with the results obtained by shadowgraphy and the ion collector.



**Fig. 6.** (a-b) Contour plots for solid quartz and  $SiO_2$  foam for electron density. (c-d) for electron temperature after a delay of t = 1 ns with respect to the start of the laser pulse on the target.

## 4.3 Estimation of plasma parameters with K-shell spectra:

The K-shell spectra of silicon in quartz and SiO<sub>2</sub> foam targets are recorded with the help of TAP crystal sepectrometer as shown in Figure 7a and b. The crystal spectrometer is optimised to measure the He- $\alpha$  line (1s<sup>2</sup>-1s2p), the intercombination line (1s<sup>2</sup> <sup>1</sup>S<sub>0</sub>-1s2p <sup>3</sup>P<sub>1</sub>) and the Li-like

satellite of He- $\alpha$  line (1s<sup>2</sup>2p-1s2p<sup>2</sup>). These lines are important for determination of the plasma temperature and density. The plasma temperature and density are estimated by taking into account the ratio of the dielectronic satellite of He- $\alpha$  line (i.e  $1s^22p\text{-}1s2p^2$  ) to its parent resonance line i.e He- $\alpha$  line(1s<sup>2</sup>-1s2p) and intercombination line (1s<sup>2</sup> <sup>1</sup>S<sub>0</sub>-1s2p <sup>3</sup>P<sub>1</sub>) to He- $\alpha$  (1s<sup>2</sup> <sup>1</sup>S<sub>0-</sub>1s2p <sup>1</sup>P<sub>1</sub>) respectively. For determination of temperature and density, simulation is carried out using the FLYCHK software (Chung et al., 2005) which generates a synthetic spectrum which is matched with the experimental data after several iterations for a range of temperatures and densities. The experimental spectra matched with FLYCHK for He-like lines of the Silicon in the quartz target at  $T_c = 180 \text{ eV}$ ,  $T_h = 1000 \text{ eV}$ , f = 0.009,  $n_e = 7 \times 10^{20} \text{ cm}^{-3}$  and for SiO<sub>2</sub> foam at  $T_c = 190 \text{ eV}$ ,  $T_h = 800 \text{ eV}$ ,  $f = 0.01 \text{ and } n_e = 4 \text{ x } 10^{20} \text{ cm}^{-3}$  as shown in the Figure 7a and b, where  $T_c$  and  $T_h$  are the cold and hot electron temperature respectively, f is the hot to cold component fraction and  $n_e$  is electron density. The amplitude of the line emission is lower in the case of the foam target, which is due to a lower plasma density as can be seen from simulation results where the density of the foam plasma is  $4 \times 10^{20}$  cm<sup>-3</sup>. The hot electron temperature is lower and the value of f is higher in the case of foam targets, which indicates lower hard X-ray emission than the solid quartz as shown in Figure 3b.




Fig. 7. Experimental spectrum matched with FLYCHK for He-like lines of the Silicon in the (a) quartz at  $T_c = 180 \text{ eV}$ ,  $T_h = 1000 \text{ eV}$ ,  $f = 0.009 \text{ and } n_e = 7 \times 10^{20} \text{ cm}^{-3}$  (b) SiO<sub>2</sub> foam at  $T_c = 190 \text{ eV}$ ,  $T_h = 800 \text{ eV}$ , f = 0.01 and  $n_e = 4 \times 10^{20} \text{ cm}^{-3}$ .

## **4.4 Conclusions:**

A comparison of soft and hard X-rays flux from quartz and low density  $SiO_2$  foam targets is done. Pure  $SiO_2$  foam with density 50 & 70 mg/cc, and (25% CH<sub>3</sub> + 75% SiO<sub>2</sub>) of densities 60 & 40 mg/cc are used. Two X-ray diodes with different filters are used to examine X-ray emission in soft ((0.9 – 1.56 keV)) and hard X-ray (3.4 - 16 keV) regions. An enhancement of 2.5 times in soft X-ray emission and a decrease of 1.8 times in hard X-ray emission for 50 mg/cc SiO<sub>2</sub> foam is observed compared to the solid quartz. The ion collectors data's show that, the ion flux from the solid quartz is found to be more directional, whereas, from SiO<sub>2</sub> foam, it is nearly isotropic . This behavior was attributed to the volume effect, which has been further verified by shadowgraph profiles of the plasma plume at two different time scales during the plasma evolution (2 ns and 8 ns) and simulation. Simulations with a 2D hydrodynamic code POLLUX supported the indication of volume heating of plasma being the cause for the change in X-ray emission. For determination of the plasma temperature and density, the spectra including He-like resonance line along with satellites and intercombination of Si plasma were matched with synthetic spectrum generated by using FLYCHK for both quartz and 50 mg/cc SiO<sub>2</sub> foam targets. The calculated plasma parameters are  $T_c = 180 \text{ eV}$ ,  $T_h = 1000 \text{ eV}$ , f = 0.009,  $n_e = 7 \times 10^{20} \text{ cm}^{-3}$  and  $T_c = 190 \text{ eV}$ ,  $T_h = 800 \text{ eV}$ , f = 0.01 and  $n_e = 4 \times 10^{20} \text{ cm}^{-3}$  for quartz and SiO<sub>2</sub> foam respectively.

## **References:**

ANDREEV, A.A., LIMPOUCH, J., ISKAKOV, A.B., NAKANO, H. (2002). Enhancement of xray line emission from plasmas produced by short high-intensity laser double pulses. *Physical review E* **65**, 026403.

ANDREW GRANT, AIP, Physics Today, 14th April 2016.

BATANI, D., BALDUCCI, A., NAZAROV, W., LÖWER, T., HALL, T., KOENIG, M., FARAL, B., BENUZZI, A. AND TEMPORAL, M. (2001). Use of low-density foams as pressure amplifiers in equation-of-state experiments with laser-driven shock waves. *Physical Review E*, **63(4)**, 046410.

BORIS, J.P. AND BOOK, D.L. (1976). Flux-corrected transport. III. Minimal-error FCT algorithms. *Journal of Computational Physics* **20(4)**, 397-431.

BORISENKO, N.G., BUGROV, A.E., BURDONSKIY, I.N., FASAKHOV, I.K., GAVRILOV, V.V., GOLTSOV, A.Y., GROMOV, A.I., KHALENKOV, A.M., KOVALSKII, N.G.,

MERKULIEV, Y.A. AND PETRYAKOV, V.M. (2008). Physical processes in laser interaction with porous low-density materials. *Laser and Particle Beams* **26**(04), 537-543.

BORISENKO, N.G., CHAURASIA, S., DHARESHWAR, L.J., GROMOV, A.I., GUPTA, N.K., LESHMA, P., MUNDA, D.S., OREKHOV, A.S., TRIPATHI, S. AND MERKULIEV, Y.A. (2013). Laser study into and explanation of the direct-indirect target concept. *In EPJ Web of Conferences* **59**, 03014. EDP Sciences.

BUGROV, A.E., GUS'KOV, S.Y., ROZANOV, V.B., BURDONSKII, I.N., GAVRILOV, V.V., GOL'TSOV, A.Y., ZHUZHUKALO, E.V., KOVAL'SKII, N.G., PERGAMENT, M.I. AND PETRYAKOV, V.M. (1997). Interaction of a high-power laser beam with low-density porous media. *Journal of Experimental and Theoretical Physics*, **84**(3), 497-505.

CHAKER, M., PÉPIN, H., BAREAU, V., LAFONTAINE, B., TOUBHANS, I., FABBRO, R.

AND AND FARSI, B. (1988). Laser plasma x-ray sources for microlithography. J Appl. Phys.63, 892-899.

CHAURASIA, S., LESHMA, P., MURALI, C.G., BORISENKO, N.G., MUNDA, D.S., OREKHOV, A., GROMOV, A.I., MERKULIEV, Y.A. AND DHARESHWAR, L.J. (2015). Studies on subcritical and overcritical density laser ablated TAC foam targets. *Optics Communications* **343**, 1-5.

CHAURASIA, S., LESHMA, P., TRIPATHI, S., MURALI, C.G., MUNDA, D.S., SHARMA, S.M., KAILAS, S., GUPTA, N.K. AND DHARESHWAR, L.J. (2010). Simultaneous measurement of particle velocity and shock velocity for megabar laser driven shock studies. *BARC Newslett* **317**, 13-21.

CHAURASIA, S., TRIPATHI, S., LESHMA, P., MURALI C. G., PASLEY, J. (2013). Optimization of bremsstrahlung and characteristic line emission from aluminum plasma. *Optics Communications* **308**, 169-174 CHAURASIA, S., TRIPATHI, S., MUNDA, D.S., MISHRA, G., MURALI, C.G., GUPTA, N.K., DHARESHWAR, L.J., ROSSALL, A.K., TALLENTS, G.J., SINGH, R. AND KOHLI, D.K. (2010). Laser interaction with low-density carbon foam. *Pramana* **75**, 1191-1196.

CHUNG, H.K., CHEN, M.H., MORGAN, W.L., RALCHENKO, Y. AND LEE, R.W. (2005). FLYCHK: Generalized population kinetics and spectral model for rapid spectroscopic analysis for all elements. *High energy density physics* **1**(**1**), 3-12.

COURANT, R., ISAACSON, E. AND REES, M. (1952). On the solution of nonlinear hyperbolic differential equations by finite differences. *Communications on Pure and Applied Mathematics* **5**(**3**), 243-255.

DAIDO, H. (2002). Review of soft x-ray laser researches and developments. *Reports on Progress in Physics* **65**(10), 1513.

ELIEZER, S., 2002. The interaction of high-power lasers with plasmas. CRC Press.

FIEDOROWICZ, H., BARTNIK, A., JAROCKI, R., RAKOWSKI, R., SZCZUREK, M. (2000). Enhanced X-ray emission in the 1-keV range from a laser-irradiated gas puff target produced using the double-nozzle setup. *Appl. Phys. B* **70**, 305-308.

FÖRSTERA, E., GÄBEL, K. AND USCHMANNA, I. (1989). X-ray microscopy of laserproduced plasmas with the use of bent crystals. *Laser and Particle Beams* **9**:135-148.

FOURNIER, K.B., CONSTANTIN, C., POCO, J., MILLER, M.C., BACK, C.A., SUTER, L.J., SATCHER, J., DAVIS, J., GRUN J. (2004). Efficient Multi-keV X-Ray Sources from Ti-Doped Aerogel Targets. *Phys. Rev. Lett.* **92**.

FOURNIER, K.B., SATCHER, J.H., MAY, M.J., POCO, J.F., SORCE, C.M., COLVIN, J.D., HANSEN, S.B., MACLAREN, S.A., MOON, S.J., DAVIS, J.F. AND GIRARD, F. (2009). Absolute X-ray yields from laser-irradiated germanium-doped low-density aerogels. *Physics of Plasmas* **16**(**5**), 052703.

HOARTY, D., WILLI, O., BARRINGER, L., VICKERS, C., WATT, R. AND NAZAROV, W. (1999). Observation of ionization fronts in low density foam targets. *Physics of Plasmas* **6**(**5**), 2171-2177.

KAUR, C., CHAURASIA, S., POSWAL, A. K., MUNDA, D.S., ROSSALL, A. K., DEO, M.N., SHARMA, S. M. (2017). K-shell X-ray Spectroscopy of Laser produced Aluminum Plasma. *J. Quant. Spectro.and Radiative Transfer* **187**, 20.

KEITER, P.A., COMELY, A., MORTON, J., TIERNEY, H., WORKMAN, J., TAYLOR M. (2008). Conversion efficiency of high-Z backlighter materials. *Rev. Sci. Instrum.* 79, 10E918.

KRISHNAMURTHY, M., KUNDU, M., BANE, K., LAD, A.D., SINGH, P.K., CHATTERJEE, G., KUMAR, G.R. AND RAY, K. (2015). Enhanced x-ray emission from nano-particle doped bacteria. *Optics express* **23**(14), 17909-17922.

LEWIS, C.L.S., MCGLINCHEY, J. (1984). Quasi-monocromatic, Projection radiography of dense laser driven spherical targets. *Opt. Comm.*, **53**, 179-186.

LIMPOUCH, J., BORISENKO, N.G., DEMCHENKO, N.N., GUS' KOV, S.Y., KASPERCZUK, A., KHALENKOV, A.M., KONDRASHOV, V.N., KROUSKY, E., KUBA, J., MASEK, K., MERKUL'EV, Y.A. (2006). Laser absorption and energy transfer in foams of various pore structures and chemical compositions. *Proc. Journal de Physique* IV **133**, 57-459.

20

LINDL, J. (1995). Development of the indirect-drive approach to inertial confinement fusion and the target physics basis for ignition and gain. *Physics of Plasmas* **2**, 3933-4024.

LOUPIAS, B., PEREZ, F., BENUZZI MOUNAIX, OZAKI, N., RABEC, M., GLOAHEC, L, E. (2009). Highly efficient, easily spectrally tunable X-ray backlighting for the study of extreme matter states. *Laser and Particles beams*. **27**, 601-609.

MAHDIEH, M.H., FAZELI, R. AND TALLENTS, G.J. (2009). Soft x-ray enhancement from a porous nano-layer on metal targets irradiated by long laser pulses. *Journal of Physics B: Atomic, Molecular and Optical Physics* **42(12)**, 125602.

NISHIKAWA, T., NAKANO, H., AHN, H., UESUGI, N., SERIKAWA, T. (1997). X-ray generation enhancement from a laser-produced plasma with a porous silicon target. *Applied physics letters* **70**, 1653-1655.

NISHIKAWA, T., NAKANO, H., OGURI, K., UESUGI, N., NAKAO, M., NISHIO, K., MASUDA, H. (2001). Nanocylinder-array structure greatly increases the soft X-ray intensity generated from femtosecond-laser-produced plasma. *Appl. Phys. B* **73**, 185-188.

O'NEILL, F., TURCU, I.C.E., TALLENTS, G.J., DICKERSON, J., LINDSAY, T., GOODHEAD, D.T., STRETCH, A., WHARTON, C.W., MELDRUM, R.A. (1989). A Repetitive Laser-Plasma X-Ray Source for Radiobiology Research. *Proc. SPIE 1140, X-Ray Instrumentation in Medicine and Biology, Plasma Physics, Astrophysics, and Synchrotron Radiation*, pp. 1232.

PAJONK, G.M., RAO, A.V., SAWANT, B.M. and PARVATHY, N.N. AND SAWANT B. M. (1997). Dependence of monolithicity and physical properties of TMOS silica aerogels on gel aging and drying conditions. *Journal of non-crystalline solids* **209**(1), 40-50.

RAJEEV, P.P., TANEJA, P., AYYUB, P., SANDHU, A.S. AND KUMAR, G.R. (2003). Metal nanoplasmas as bright sources of hard x-ray pulses. *Physical review letters* **90**(11), 115002.

RAO, A.V., BHAGAT, S.D., HIRASHIMA, H. AND PAJONK, G.M. (2006). Synthesis of flexible silica aerogels using methyltrimethoxysilane (MTMS) precursor. *Journal of colloid and interface science* **300**(1), 279-285.

RAO, A.V., KULKARNI, M.M., AMALNERKAR, D.P. AND SETH, T. (2003). Superhydrophobic silica aerogels based on methyltrimethoxysilane precursor. *Journal of Non-Crystalline Solids*, **330**(1), 187-195.

RAO, A.V., PAJONK, G.M., HARANATH, D. and WAGH, P.B. (1998). Effect of sol-gel processing parameters on optical properties of TMOS silica aerogels. *Journal of Materials Synthesis and Processing* **6**(1), 37-48.

RISCHEL, C., ROUSSE, A., USCHMANN, I., ALBOUY, P.A., GEINDRE, J.P., AUDEBERT, P., GAUTHIER, J.C., FRÖSTER, E., MARTIN, J.L. AND ANTONETTI, A. (1997). Femtosecond time-resolved X-ray diffraction from laser-heated organic films. *Nature* **390(6659)**, 490-492.

ROSMEJ, O.N., SUSLOV, N., MARTSOVENKO, D., VERGUNOVA, G., BORISENKO, N., ORLOV, N., RIENECKER, T., KLIR, D., REZACK, K., OREKHOV, A. AND BORISENKO, L. (2015). The hydrodynamic and radiative properties of low-density foams heated by x-rays. *Plasma Physics and Controlled Fusion* **57**(9), 094001.

ROSSALL, A.K., GARTSIDE, L.M.R., CHAURASIA, S., TRIPATHI, S., MUNDA, D.S., GUPTA, N.K., DHARESHWAR, L.J., GAFFNEY, J., ROSE, S.J. AND TALLENTS, G.J. (2010).X-ray back-lighter characterization for iron opacity measurements using laser-produced Aluminium K-alpha emission. *J Phys B At Mol Opt Phys*, **15**, 155403.

SHANG, W., YANGA, J., DONG, Y. (2013). Enhancement of laser to x-ray conversion with a low density gold target. *Appl. Phys. Lett.* **102**, 094105.

SPITZER Jr, L. AND HÄRM, R. (1953). Transport phenomena in a completely ionized gas. *Physical Review* **89(5)**, 977.

THOMPSON, S.L. (1970). Improvements in the chart d radiation-hydrodynamic code i: analytic equations of state (No. SC-RR--70-28). Sandia Labs., Albuquerque, N. Mex.

WATT, R.G., DUKE, J., FONTES, C.J., GOBBY, P.L., HOLLIS, R.V., KOPP, R.A., MASON, R.J., WILSON, D.C., VERDON, C.P., BOEHLY, T.R. AND KNAUER, J.P. (1998). Laser imprint reduction using a low-density foam buffer as a thermal smoothing layer at 351-nm wavelength. *Physical review letters* **81**(21), 4644.

XU, Y., ZHU, T., LI, S. AND YANG, J. (2011). Beneficial effect of CH foam coating on x-ray emission from laser-irradiated high-Z material. *Physics of Plasmas (1994-present)* **18**(5), 053301.