### World Journal of *Gastroenterology*

World J Gastroenterol 2017 June 21; 23(23): 4135-4316





Published by Baishideng Publishing Group Inc

## United Sector of World Journal of Gastroenterology

### Contents

### Weekly Volume 23 Number 23 June 21, 2017

### **EDITORIAL**

- 4135 Attenuated adenomatous polyposis of the large bowel: Present and future Roncucci L, Pedroni M, Mariani F
- 4140 Evolution of associating liver partition and portal vein ligation for staged hepatectomy: Simpler, safer and equally effective methods

Peng SY, Wang XA, Huang CY, Zhang YY, Li JT, Hong DF, Cai XJ

### REVIEW

- 4146 Antioxidant dietary approach in treatment of fatty liver: New insights and updates Ferramosca A, Di Giacomo M, Zara V
- 4158 Helicobacter pylori BabA in adaptation for gastric colonization Ansari S, Yamaoka Y

### **MINIREVIEWS**

Advances in surgical management for locally recurrent rectal cancer: How far have we come? 4170 Lee DJK, Sagar PM, Sadadcharam G, Tan KY

### **ORIGINAL ARTICLE**

### **Basic Study**

4181 Anti-steatotic and anti-fibrotic effects of the KCa3.1 channel inhibitor, Senicapoc, in non-alcoholic liver disease

Paka L, Smith DE, Jung D, McCormack S, Zhou P, Duan B, Li JS, Shi J, Hao YJ, Jiang K, Yamin M, Goldberg ID, Narayan P

4191 Induction of chronic cholestasis without liver cirrhosis - Creation of an animal model Dondorf F, Fahrner R, Ardelt M, Patsenker E, Stickel F, Dahmen U, Settmacher U, Rauchfuß F

4200 Solid lipid nanoparticles delivering anti-inflammatory drugs to treat inflammatory bowel disease: Effects in an *in vivo* model

Dianzani C, Foglietta F, Ferrara B, Rosa AC, Muntoni E, Gasco P, Della Pepa C, Canaparo R, Serpe L

4211 Relevance of proteolysis and proteasome activation in fatty liver graft preservation: An Institut Georges Lopez-1 vs University of Wisconsin appraisal Zaouali MA, Panisello-Roselló A, Lopez A, Castro Benítez C, Folch-Puy E, García-Gil A, Carbonell T, Adam R, Roselló-Catafau J



### Contents

*World Journal of Gastroenterology* Volume 23 Number 23 June 21, 2017

- 4222 Naturally occurring mutations in the reverse transcriptase region of hepatitis B virus polymerase from treatment-naïve Korean patients infected with genotype C2 *Kim JE, Lee SY, Kim H, Kim KJ, Choe WH, Kim BJ*
- 4233 Inhibition of N-methyl-N-nitrosourea-induced gastric tumorigenesis by Liuwei Dihuang Pill in db/db mice *Zhuang S, Jian YM, Sun YN*
- 4243 miR-382 functions as a tumor suppressor against esophageal squamous cell carcinoma Feng J, Qi B, Guo L, Chen LY, Wei XF, Liu YZ, Zhao BS

### **Case Control Study**

4252 Pancreas preserving distal duodenectomy: A versatile operation for a range of infra-papillary pathologies Mitchell WK, Thomas PF, Zaitoun AM, Brooks AJ, Lobo DN

### **Retrospective Study**

4262 Clinical importance of colonoscopy in patients with gastric neoplasm undergoing endoscopic submucosal dissection

Tsuchida C, Yoshitake N, Kino H, Kaneko Y, Nakano M, Tsuchida K, Tominaga K, Sasai T, Masuyama H, Yamagishi H, Imai Y, Hiraishi H

4270 Outcomes of right-lobe and left-lobe living-donor liver transplantations using small-for-size grafts *She WH, Chok KSH, Fung JYY, Chan ACY, Lo CM* 

### **Clinical Trials Study**

4278 Potential application of neogalactosylalbumin in positron emission tomography evaluation of liver function *Du SD, Li SH, Jin B, Zhu ZH, Dang YH, Xing HQ, Li F, Wang XB, Lu X, Sang XT, Yang HY, Zhong SX, Mao YL* 

### **Observational Study**

- **4285** Magnetic resonance imaging may predict deep remission in patients with perianal fistulizing Crohn's disease *Thomassin L, Armengol-Debeir L, Charpentier C, Bridoux V, Koning E, Savoye G, Savoye-Collet C*
- 4293 New totally intracorporeal reconstructive approach after robotic total gastrectomy: Technical details and short-term outcomes

Parisi A, Ricci F, Gemini A, Trastulli S, Cirocchi R, Palazzini G, D'Andrea V, Desiderio J

### **EVIDENCE-BASED MEDICINE**

**4303** Substantial hepatic necrosis is prognostic in fulminant liver failure *Ndekwe P, Ghabril MS, Zang Y, Mann SA, Cummings OW, Lin J* 



### Contents

*World Journal of Gastroenterology* Volume 23 Number 23 June 21, 2017

### **CASE REPORT**

4311 Benefit of everolimus in treatment of an intrahepatic cholangiocarcinoma patient with a *PIK3CA* mutation *Bian JL, Wang MM, Tong EJ, Sun J, Li M, Miao ZB, Li YL, Zhu BH, Xu JJ* 



III

ISSN 2219-2840, DOI: 10.3748) is a peer-re- lished on October 1, 1995. It is published we The $WJG$ Editorial Board consists of 1375 from 68 countries.	ndoscopy, University of the Ryukyus, <i>wenterol, WJG</i> , print ISSN 1007-9327, online wiewed open access journal. <i>WJG</i> was estab- kly on the 7 <sup>th</sup> , 14 <sup>th</sup> , 21 <sup>st</sup> , and 28 <sup>th</sup> each month.	
ISSN 2219-2840, DOI: 10.3748) is a peer-re- lished on October 1, 1995. It is published we The $WJG$ Editorial Board consists of 1375 from 68 countries.	viewed open access journal. $WJG$ was estab- skly on the 7 <sup>th</sup> , 14 <sup>th</sup> , 21 <sup>st</sup> , and 28 <sup>th</sup> each month.	
World Journal of Gastroenterology (World J Gastroenterol, WJG, print ISSN 1007-9327, online ISSN 2219-2840, DOI: 10.3748) is a peer-reviewed open access journal. WJG was established on October 1, 1995. It is published weekly on the 7 <sup>th</sup> , 14 <sup>th</sup> , 21 <sup>st</sup> , and 28 <sup>th</sup> each month. The WJG Editorial Board consists of 1375 experts in gastroenterology and hepatology from 68 countries. The primary task of WJG is to rapidly publish high-quality original articles, reviews, and commentaries in the fields of gastroenterology, hepatology, gastrointestinal endoscopy, gastrointestinal surgery, hepatobiliary surgery, gastrointestinal oncology, gastrointestinal radiation oncology, gastrointestinal imaging, gastrointestinal interventional therapy, gastrointestinal infectious diseases, gastrointestinal pharmacology, gastrointestinal pathophysiology, gastrointestinal laboratory medicine, gastrointestinal molecular biology, gastrointestinal immunology, gastrointestinal microbiology, gastrointestinal translational medicine, gastrointestinal diagnostics, and gastrointestinal therapeutics. WJG is dedicated to become an influential and prestigious journal in gastroenterology and hepatology, to promote the development of above disciplines, and to improve the diagnostic and therapeutic skill and expertise of clinicians.		
<b>DEXING/ABSTRACTING</b> <i>World Journal of Gastroenterology</i> ( <i>WJG</i> ) is now indexed in Current Contents <sup>®</sup> /Clinical Science Citation Index Expanded (also known as SciSearch <sup>®</sup> ), Journal Citation Repor Medicus, MEDLINE, PubMed, PubMed Central and Directory of Open Access Jou 2017 edition of Journal Citation Reports <sup>®</sup> released by Clarivate Analytics (Former Reuters) cites the 2016 impact factor for <i>WJG</i> as 3.365 (5-year impact factor: 3.176 <i>WJG</i> as 29 <sup>th</sup> among 79 journals in gastroenterology and hepatology (quartile in catego		
Editorial Board		
~ 1	e Science Editor: Ze-Mao Gong ditorial Office Director: Jin-Lei Wang	
CA 90822, United States	http://www.wjgnet.com	
www.wjgnet.com/1007-9327/editorialboard.htm EDITORIAL OFFICE Jin-Lei Wang, Director Yuan Qi, Vice Director World Journal of Gastroenterology Baishideng Publishing Group Inc 7901 Stoneridge Drive, Suite 501, Pleasanton, CA 94588, USA Telephone: +1-925-2238243 E-mail: editorialoffice@wjgnet.com Help Desk: http://www.f6publishing.com/helpdesk http://www.wjgnet.com PUBLISHER Baishideng Publishing Group Inc 7901 Stoneridge Drive, Suite 501, Pleasanton, CA 94588, USA Telephone: +1-925-2238243 Telephone: +1-925-2238243 Telephone: +1-925-2238243 Telephone: +1-925-2238243	June 21, 2017 COPYRIGHT © 2017 Baishideng Publishing Group Inc. Articles pub- lished by this Open-Access journal are distributed under the terms of the Creative Commons Attribution Non- commercial License, which permits use, distribution, and reproduction in any medium, provided the original work is properly cited, the use is non commercial and is otherwise in compliance with the license. SPECIAL STATEMENT All articles published in journals owned by the Baishideng Publishing Group (BPG) represent the views and opin- ions of their authors, and not the views, opinions or policies of the BPG, except where otherwise explicitly indicated. INSTRUCTIONS TO AUTHORS Full instructions are available online at http://www. wignet.com/bpg/gerinfo/204 ONLINE SUBMISSION	
	copy, gastrointestinal surgery, hepatobiliary testinal radiation oncology, gastrointestinal i apy, gastrointestinal infectious diseases, gas pathophysiology, gastrointestinal pathology, ogy, pancreatology, gastrointestinal laborator ogy, gastrointestinal translational medicine, gastr therapeutics. <i>WJG</i> is dedicated to become a troenterology and hepatology, to promote th improve the diagnostic and therapeutic skill : <i>World Journal of Gastroenterology (WJG</i> ) is now in Science Citation Index Expanded (also known a Medicus, MEDLINE, PubMed, PubMed Centr 2017 edition of Journal Citation Reports <sup>®</sup> rele Reuters) cites the 2016 impact factor for <i>WJG</i> <i>WJG</i> as 29 <sup>th</sup> among 79 journals in gastroenterolog Editorial Board Editorial Board CA 90822, United States EDITORIAL BOARD MEMBERS All editorial board members resources online at http:// www.wignet.com/1007-9327/editorialboard.htm EDITORIAL OFFICE Jin-Lei Wang, Director Yuan Qi, Vice Director World Journal of Gastroenterology Baishideng Publishing Group Inc 7001 Stoneridge Drive, Suite 501, Pleasanton, CA 94588, USA Telephone: +1-925-2238242 Fax: +1!-925-2238243 E-mail: editorialboard Group Inc 7001 Stoneridge Drive, Suite 501, Pleasanton, CA 94588, USA Telephone: +1-925-2238242 Fax: +1!-925-2238243 Be-mail: editorialboard Group Inc 7001 Stoneridge Drive, Suite 501, Pleasanton, CA 94588, USA Telephone: +1-925-2238242 Fax: +1!-925-2238243 Be-mail: editorialboard Group Inc 7001 Stoneridge Drive, Suite 501, Pleasanton, CA 94588, USA Telephone: +1-925-2238242 Fax: +1!-925-2238243 Be-mail: editorialboard Group Inc 7001 Stoneridge Drive, Suite 501, Pleasanton, CA 94588, USA Telephone: +1-925-2238242 Fax: +1!-925-2238243 Be-mail: editorialboard Group Inc 7001 Stoneridge Drive, Suite 501, Pleasanton, CA 94588, USA Telephone: +1-925-2238242 Fax: +1!-925-2238243 Be-mail: editorialboard factor 501, Pleasanton, CA 94588, USA Telephone: +1-925-2238242 Fax: +1!-925-2238243 Fax: +1!-925-2238243 Fax: +1!-925-2238243 Fax: +1!-925-2238243 Fax: +1!-925-2238243 Fax: +1!-925-2238243 Fax:	





Submit a Manuscript: http://www.f6publishing.com

World J Gastroenterol 2017 June 21; 23(23): 4293-4302

ISSN 1007-9327 (print) ISSN 2219-2840 (online)

DOI: 10.3748/wjg.v23.i23.4293

ORIGINAL ARTICLE

### **Observational Study**

### New totally intracorporeal reconstructive approach after robotic total gastrectomy: Technical details and short-term outcomes

Amilcare Parisi, Francesco Ricci, Alessandro Gemini, Stefano Trastulli, Roberto Cirocchi, Giorgio Palazzini, Vito D'Andrea, Jacopo Desiderio

Amilcare Parisi, Francesco Ricci, Alessandro Gemini, Stefano Trastulli, Roberto Cirocchi, Jacopo Desiderio, Department of Digestive Surgery, St. Mary's Hospital of Terni, University of Perugia, 05100 Terni, Italy

Roberto Cirocchi, Department of General Surgery, St. Mary's Hospital of Terni, University of Perugia, 05100 Terni, Italy

Giorgio Palazzini, Vito D'Andrea, Department of Surgical Science, "La Sapienza" University, 00185 Rome, Italy

Author contributions: Parisi A and Desiderio J were involved in study conception and design; Parisi A, Ricci F, Gemini A, Trastulli S, Cirocchi R, Palazzini G, D'Andrea V and Desiderio J collected data and were involved in critical revision and drafting of the final manuscript.

**Institutional review board statement:** The study was approved by the region ethics committee (CEAS Umbria).

Informed consent statement: Not required for the present study.

**Conflict-of-interest statement:** No benefits in any form have been received or will be received from a commercial party related directly or indirectly to the subject of this article.

Data sharing statement: Technical appendix available from the corresponding author at djdesi85@hotmail.it.

**Open-Access:** This article is an open-access article which was selected by an in-house editor and fully peer-reviewed by external reviewers. It is distributed in accordance with the Creative Commons Attribution Non Commercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited and the use is non-commercial. See: http://creativecommons.org/ licenses/by-nc/4.0/

Manuscript source: Invited manuscript

Correspondence to: Jacopo Desiderio, MD, Department of Digestive Surgery, St. Mary's Hospital of Terni, University of Perugia, Via Tristano di Joannuccio 1, 05100 Terni, Italy. jacopo.desiderio@studenti.unipg.it Telephone: +39-349-7531121 Fax: +39-744-205078

Received: January 25, 2017 Peer-review started: February 1, 2017 First decision: March 3, 2017 Revised: March 31, 2017 Accepted: May 9, 2017 Article in press: May 9, 2017 Published online: June 21, 2017

### Abstract

### AIM

To show outcomes of our series of patients that underwent a total gastrectomy with a robotic approach and highlight the technical details of a proposed solution for the reconstruction phase.

### **METHODS**

Data of gastrectomies performed from May 2014 to October 2016, were extracted and analyzed. Basic characteristics of patients, surgical and clinical outcomes were reported. The technique for reconstruction (Parisi Technique) consists on a loop of bowel shifted up antecolic to directly perform the esophago-enteric anastomosis followed by a second loop, measured up to 40 cm starting from the esojejunostomy, fixed to the biliary limb to create an enteroenteric anastomosis. The continuity between the two anastomoses is interrupted



just firing a linear stapler, so obtaining the Roux-en-Y by avoiding to interrupt the mesentery.

### RESULTS

Fifty-five patients were considered in the present analysis. Estimated blood loss was  $126.55 \pm 73$  mL, no conversions to open surgery occurred, R0 resections were obtained in all cases. Hospital stay was 5 (3-17) d, no anastomotic leakage occurred. Overall, a fast functional recovery was shown with a median of 3 (3-6) d in starting a solid diet.

### CONCLUSION

Robotic surgery and the adoption of a tailored reconstruction technique have increased the feasibility and safety of a minimally invasive approach for total gastrectomy. The present series of patients shows its implementation in a western center with satisfying short-term outcomes.

**Key words:** Esophagojejunal anastomosis; Gastric cancer; Total gastrectomy; Robotic surgery; Minimally invasive surgery

© **The Author(s) 2017.** Published by Baishideng Publishing Group Inc. All rights reserved.

**Core tip:** Minimally invasive surgery is growing interest for gastric cancer. Technology has allowed to increase the safety and feasibility of this approach, even in demanding procedures. Total gastrectomy represents a challenge in this context due to the need to ensure a safe esophagojejunal anastomosis. Leakages can strongly influence the postoperative course of the patient until lead to serious consequences.

Parisi A, Ricci F, Gemini A, Trastulli S, Cirocchi R, Palazzini G, D'Andrea V, Desiderio J. New totally intracorporeal reconstructive approach after robotic total gastrectomy: Technical details and short-term outcomes. *World J Gastroenterol* 2017; 23(23): 4293-4302 Available from: URL: http://www.wjgnet. com/1007-9327/full/v23/i23/4293.htm DOI: http://dx.doi. org/10.3748/wjg.v23.i23.4293

### INTRODUCTION

Minimally invasive surgery for gastric cancer is growing attention due to its potential advantages in enhancing the postoperative recovery of patients and quality of life<sup>[1]</sup>. The main limitations are the proper execution of an extended lymphadenectomy, when required, and a safe approach for reconstruction.

The latter is still the object of controversy and most surgeons are concerned about the possibility to perform a totally intracorporeal procedure after a total gastrectomy.

Recent spread of the robotic systems has modi-

fied the way we perform minimally invasive surgery and has led to the evolution of traditional laparoscopy. This progress allows surgeons to overcome the limits of laparoscopy through a 3D vision, articulated instruments, filtering of physiological tremor and absence of fulcrum effects, thus increasing dexterity and precision in dissection and suturing movements. These are key factors required for complex and technical demanding reconstructions to restore the digestive continuity.

However, nowadays, few studies<sup>[2]</sup> have discussed about reconstruction techniques for minimally invasive gastric surgery even if this issue is the most impacted factor on postoperative outcomes.

Hybrid procedures are common described in the literature, in most of cases an extracorporeal reconstruction approach has been adopted because allows to easily overcome the difficulties of an intracorporeal Roux-en-y procedure.

The main limitations surgeons have in minimally invasive reconstruction after total gastrectomy are: reduced freedom of movements in the pneumoperitoneum space, properly identification of the segment of small bowel for the E-J anastomosis and then the level where perform the Jejunojejunal anastomosis. Moreover, traditional laparoscopic instruments cannot enable a hand-sewn anastomosis, thus surgeons have adopted techniques based on the use of mechanical staplers. However, intrinsic limitations of these methods should be considered when approaching an intracorporeal anastomosis involving the esophagus.

This study aims to show outcomes after adopting a new robot-sewn intracorporeal reconstruction technique after total gastrectomy, conceived at our Institution, that can simplify and make friendly this challenging phase.

### **MATERIALS AND METHODS**

### Type of study

This is a single-institution observational study, evaluating a new reconstruction approach after total gastrectomy. The study was registered at clinical trials. gov with the registration number: NCT02325453.

### Eligibility

Patients with the following characteristics were included: preoperative staging assessment in accordance to international guidelines<sup>[3,4]</sup>, Early Gastric Cancer, Advanced Gastric Cancer, curative surgery, robotic surgical approach. Exclusion criteria were: metastatic disease, palliative resection, synchronous malignancy in other organs, synchronous other major abdominal surgery, high operative risk (ASA > 4).

### Data collection

Data of gastrectomies performed from May 2014 to





Figure 1 Robotic docking.

October 2016, at St. Mary's Hospital of Terni (Italy), were extracted and analyzed.

Data were collected by reviewing medical records and surgeries performed<sup>[5]</sup>. A tailored web-based protected system was used (https://imigastric.logixsoftware.it/).

The present study was planned and developed in accordance with the STROBE guidelines and statement  $^{[6]}$ .

### Reported outcomes

Descriptive information on characteristics of patients, details of procedures and tumor findings were reported.

Operative results, data on the postoperative course and assessment of complications were based on the following primary outcomes: Estimated blood loss (EBL, mL), retrieved lymphnodes (No.), hospital stay (d), resumption of a liquid and solid diet (POD), in-hospital complications (No., Type), 30 d readmission (No.).

Secondary outcomes included: the operative time (min), margin status (No. negative/total) and R assessment (No. R0 resections), intraoperative complications and death (No.), resumption of peristalsis (POD).

### Statistical analysis

IBM SPSS Statistics V.23 was used in this study and an intention to treat analysis was performed. Continuous variables were reported as mean  $\pm$  SD or median and range. Numbers and percentages were used to express dichotomous variables.

### Surgical technique

A 4-arm Da Vinci SI Robotic Surgical System is used during the procedure (Figure 1). The surgical technique can be divided into six phases: (1) coloepiploic mobilization; (2) ligation of the right gastroepiploic artery; (3) ligation of the right gastric artery and section of the duodenum; (4) lymphadenectomy of major vessels; (5) section of the esophagus; and (6) double-loop reconstruction method (Parisi Technique).

The pneumoperitoneum is created with a Veress

needle in the peri-umbilical region. The intra-abdominal pressure is set to 12 mmHg.

The mobilization of the stomach can be performed by either traditional laparoscopy or robotic surgery, depending on patient characteristics and surgeon preferences.

First, a complete coloepiploic mobilization is achieved using the harmonic scalpel from right to left and the epiploon retrocavity is opened. During this phase lymph stations no. 4d, 4sa and 4sb are isolated and removed.

During the second phase the superior right colic vein is identified and the trunk of Henle is found. After this step, the gastroepiploic vein is sectioned at its origin. The right gastroepiploic artery is tied between hem-o-locks at its origin and the lymph nodes in station no. 6 are removed.

The first portion of the duodenum is released and the assistant introduces an articulated linear stapler for its section.

The lymphadenectomy of major vessels begins at the level of the proper hepatic artery.

The right gastric artery is identified and sectioned between hem-o-locks, at its origin, thus removing station no. 5. The lesser omentum is also dissected releasing station no. 3.

All the soft tissue along up to hepatic pedicle is removed including station no. 12a. Station no.8 is removed from the common hepatic artery. The dissection continues to the left of side of the celiac trunk to remove the station no. 9. Station no. 7 is dissected and the left gastric artery is sectioned. The splenic artery is followed and station no. 11p is removed, while the tissue on the proximal part of the artery (11p) is cleared based on the tumor and patient characteristics. Station no. 10 is not routinely dissected, because the high risk of major injuries due to anatomical characteristics of western patients that almost always does not allow a safety dissection of that area.

Finally, the soft tissue representing station no. 1 and no. 2 is dissected, thus releasing the esophagus and the anterior and posterior branches of the Vagus nerve which are sectioned.

In the last phase, the digestive continuity is restored with the Parisi Technique (Figure 2). Two stitches are placed to secure the esophagus to the diaphragm pillars (Figure 3). Then, the assistant temporarily removes the robotic arm no. 2 and changes the robotic trocar (8 mm) with a 12 mm trocar in order to introduce the stapler with the correct angle of section.

The esophagus is thereby sectioned and closed (Figure 3), through the mechanical linear stapler, considering the right distance from the tumor and avoiding tensions.

At the beginning the surgeon at the console detects the angle of Treitz to move the bowel loops above the





Figure 2 Double loop reconstruction method. A: 1 step: E-J anastomosis; B: 2 step: J-J anastomosis using the second loop; C: 3 step: interruption of continuity between the two anastomoses.



**Figure 3 Division of the esophagus.** A: After fixing the esophagus to the diaphragm pillars; B: An articulated mechanical linear stapler is introduced by the assistant through a 12 mm trocar; C and D: The esophagus is sectioned and closed.




Figure 4 A first loop of small bowel is identified and brought antecolic (A), two stiches are placed to pair it with the esophagus (B).

transverse colon close to the sectioned esophagus. The selected portion of jejunum must be free from stretching and twisting, to ensure a successful anastomosis. The selected loop is fixed with two stitches to the posterior wall of the esophagus (Figure 4), placing the biliary




Figure 5 Esophagus and jejunum are opened (A), the posterior layer (B) is first performed followed by the anterior layer (C and D).

side on the esophagus left and the alimentary side on the right. The first loop is prepared. The surgeon performs an end-to-side esophago-jejunal robot-sewn anastomosis (Figure 5). The operator starts performing a first posterior layer with interrupted stitches using a Vicryl 2/0 for each point, joining the jejunal serosal and the muscle layer of the esophagus. Then, both the small intestine and the esophagus are opened. The surgeon performs the internal layer with a running suture, using a 3/0 PDS wire. During each step of the suture both the small intestine wall and the esophageal wall are full-thickness crossed. After this step, the anterior plane is approached. A second running suture joins the posterior one at the anastomosis angles. The anterior plane is completed with interrupted stitches covering the internal layer. The second loop is identified at a distance of about 30 to 40 cm from the E-J anastomosis. This loop is located close to the first anastomosis, on the left side, and it is used to perform the jejunojejunal anastomosis. At this point, the

### Parisi A et al. Parisi technique




Figure 6 Second loop is identified at 40 cm from the E-J anastomosis, along the alimentary limb, and brought up to the first anastomosis on its left side through a mechanical stapler (A), a side to side jejunojejunal anastomosis is created between the second loop and the biliary limb of the first loop (B).




Figure 7 Two anastomoses are easily interrupted by firing the stapler (A and B).

Table 1 Characteristics of pa	atients	
Characteristics		
Sex (male/female), no.	31/24	
Age (yr)	$72.56 \pm 10.67$	
BMI $(kg/m^2)$	$24.42 \pm 72.56$	
Comorbidity, n (%)	35 (66.04)	
ASA score, <i>n</i>		
Ι	8	
П	19	
Ш	28	
IV	0	
Tumor location, n		
Lower third	12	
Middle third	30	
Upper third	13	

surgeon fixes the chosen intestinal segment (second loop) to the biliary limb of the first loop with two seroserosal stitches. The assistant fires the stapler (Figure 6) and then the surgeon at the console closes the entry holes of the stapler with two layers of sutures (the first is a running suture and the second layer is made with interrupted stitches). The operation ends with the interruption of the digestive continuity between the two anastomoses (Figure 7) by firing a linear stapler and thus creating a modified Roux-en-Y.

Table 2 Operative results	
Outcomes	
Overall operative time, min	$354.21 \pm 68.8$
Incision for specimen extraction, n	
Right McBurney incision	55
length of minilaparotomy, cm	5 (4-6)
Intraoperative blood loss, Ml	$126.55 \pm 73$
Intraoperative morbidity, n	0
Intraoperative Mortality, n	0
Conversion, n	0
Extent of lymphadenectomy, n	
D1	0
D1+	5
D2	50

A suction drain is positioned close to the E-J anastomosis, while the naso-enteric tube is not placed. The specimen is removed through a 5 cm Mc Burney incision, in the right iliac fossa.

### RESULTS

Data of 55 consecutive patients underwent the robotic double-loop reconstruction method (called Parisi technique) after performing a robotic total gastrectomy for gastric cancer were considered in the present study. Table 1 reported patients' characteristics. Mean age was 72.56  $\pm$  10.67, 66.04% of patients had one or more comorbidities and the mean BMI was 24.42  $\pm$  72.56. Most tumors were in the middle third of the stomach (54.54%).

If the tumor is localized at the lower third of the stomach, usually we perform a BII subtotal gastrectomy, with a robotic intracorporeal anastomosis. However, in some selected cases we prefer to perform a total gastrectomy.

In 12 of the reported cases, where the tumor was located in between the lower and the middle third of the stomach, we decided, after discussion with the patient, to perform a total than a subtotal gastrectomy for the following reasons: (1) some patients were less than 65 years old and we wanted to reduce the risk of recurrence on the residual limb (5 patients); (2) the lesion appeared to extensively involve the lower two thirds of the stomach (5 patients); and (3) in two cases with diffuse type, there was not only a main prepyloric lesion but also a biopsy proven adenocarcinoma at the upper third.

Total operative time was  $354.21 \pm 68.8$  (Table 2). Intraoperative blood loss was  $126.55 \pm 73$ . No conversion to open surgery or major intraoperative complications occurred. The median number of retrieved lymph nodes was 35 (95%CI: 15-47). All specimens were evaluated as R0 resections. Histopathological characteristics are shown in Table 3.

Table 4 summarizes the postoperative findings.

Baishideng®

WJG | www.wjgnet.com

Table 3 Clinical outcomes du complications	iring hospitalization and
Outcomes	
Time to peristalsis, d	$1(1-3)^{1}$
Time to resume liquid diet, d	$2(2-5)^{1}$
Time to resume solid intake, d	$3(3-6)^{1}$
Length of hospital stay, d	$5(3-17)^{1}$
Postoperative 30-d complications, n	0
Reoperations, n	0
30-d mortality, <i>n</i>	0

<sup>1</sup>Values are expressed as median (range).

Table 4     Histopathological data	
Outcomes	
Diameter of the tumor, cm	$4.25(1-8)^{1}$
Proximal margin, cm	$6 (2-11)^1$
Number of harvested lymph nodes, n	35 (15-47) <sup>1</sup>
TNM staging, n (%)	
Stage 0	0
Stage I A	8 (14.55)
Stage I B	9 (16.37)
Stage II A	12 (21.82)
Stage II B	11 (20.00)
Stage ⅢA	7 (12.72)
Stage ⅢB	6 (10.91)
Stage ⅢC	2 (3.63)
Stage IV	0
Residual tumor, n	
R0	55
R1	0
R2	0

<sup>1</sup>Values are expressed as median (range).

The median hospital stay was 5 d. We observed a fast recovery of different levels of food intake after gastrectomy, enabling patients to go through a liquid diet (Median = 2; 95%CI: 2-5) until starting a solid diet (Median = 3; 95%CI: 3-6). No major complications or death occurred. None of the 55 patients experienced anastomotic leakage.

### DISCUSSION

The restoration of the digestive tract after total gastrectomy is a technically demanding phase.

Minimally invasive surgery has been developed in recent years even for complex oncological procedures thanks to new available devices and increased surgeons experience<sup>[2]</sup>.

In the literature (Table 5), only 22 studies<sup>[5,7-27]</sup> from 16 institutions have reported the use of robotic surgery in gastric cancer including total gastrectomy. Eleven studies are comparative<sup>[9,11-15,17,18,21-23]</sup>, others are case series and personal experiences<sup>[5,7,8,10,16,19,20,24,27]</sup>. Limitations of studies are to provide outcomes including in their analysis different types of gastric resection.

In fact, only 5 studies<sup>[5,17,22,24,27]</sup> reported information on total gastrectomy alone. Others reported data on surgical interventions within a more general analysis including different types of gastric resections as subtotal or proximal gastrectomy. Overall, 466 procedures on total gastrectomy can be detected in the literature. This makes difficult to better understand the real effect of robotic surgery on total gastrectomy that is a different and more complex surgery.

Moreover, Table 6 shows that most of studies reported limited information. Only eight studies showed data on patient and tumor characteristics or operative and clinical results<sup>[2,17,20-24,26]</sup>.

Regarding the technique used, all studies reported the assistance of the robot in the mobilization of the stomach and in lymphadenectomy. Ten authors reported an extracorporeal reconstruction and only eleven studies<sup>[2,8-10,13,16,18,19,23,24,26]</sup> reported a robotic assistance in this phase and an intracorporeal approach.

There are two main issues to consider: the way to perform the Roux-en-y reconstruction and how to perform it.

In the intracorporeal approach, a circular stapler is generally used but other solutions include the Orvil<sup>[16]</sup> or the Overlap technique<sup>[16,23]</sup>. Some authors<sup>[10,25]</sup> described the use of the robot to perform a manual purse-string around the anvil, but only few reports<sup>[5,13,19,24]</sup> in the literature reported its use for a complete hand-sewn anastomosis.

Surgeons are generally afraid to perform the latter, because the high surgical skills required in conventional surgery and the risk for leakage if not well performed.

By the other hand and regardless of the approach, using mechanical staplers has standardize the way to perform the reconstruction after total gastrectomy and apparently give more safety. If this is true in open surgery, this is more challenging when adopting an intracorporeal approach. A mechanical trouble when firing the stapler or a leakage for incomplete closing at the E-J level can lead the patient to serious complications until death.

We decided to develop a new technique to overcome the reported limitations of the intracoproreal approach. Particularly we found a feasible and safe way to perform a complete robotic reconstruction without the need to convert the procedure to open or laparoscopic surgery or using others potentially dangerous techniques.

The accuracy of the robotic system, the microsurgical instruments and particularly the endowrist allow the surgeon to perform movements that are even difficult to reproduce in open surgery.

We believe that this technology should be exploited in complex digestive procedures, as in a total gastrectomy and our study demonstrates the usefulness of the robotic system in performing a safe hand-sewn E-J anastomosis.

WJG | www.wjgnet.com

	Year	Туре	Subject	Country	Institution	Period	No.
Present study	2017	Prospective CS	RTG	Italy	St. Mary's Hospital of Terni	2014-2016	55
Jiang et al <sup>[24]</sup>	2015	Retrospective CS	RAG	China	Nanjing University Medical College	2010-2012	65
Kim et al <sup>[14]</sup>	2012	nonRCT	RAG vs LG vs OG	South	Yonsei University College of	2005-2010	109
Son et al <sup>[15]</sup>	2014	nonRCT	RTG vs LTG	Korea	Medicine	2005-2010	51
Woo <i>et al</i> <sup>[11]</sup>	2011	nonRCT	RAG vs LG			2005-2009	62
Song et al <sup>[7]</sup>	2009	Prospective CS	RAG			2005-2007	33
Park et al <sup>[20]</sup>	2013	Retrospective CS	RAG	South	National Cancer Center	2009-2012	46
Yoon et al <sup>[17]</sup>	2012	nonRCT	RTG vs LTG	Korea		2009-2011	36
Kang et al <sup>[13]</sup>	2012	nonRCT	RAG vs LG	South	Ajou University School of	2008-2011	16
Hur et al <sup>[8]</sup>	2010	Retrospective CS	RAG	Korea	Medicine	2010	2
Hyun et al <sup>[18]</sup>	2013	nonRCT	RAG vs LG	South Korea	Korea University Anam Hospital	2009-2010	9
Son et al <sup>[15]</sup>	2012	nonRCT	RAG vs LG	South Korea	Seoul University Bundang Hospital	2007-2011	1
Junfeng et al <sup>[21]</sup>	2014	nonRCT	RAG vs LG	China	Third Military Medical University	2010-2013	26
Liu et al <sup>[19]</sup>	2013	Prospective CS	RAG	China	Subei People's Hospital of Jiangsu	2011-2013	54
Giulianotti et al <sup>[25]</sup>	2003	Retrospective CS	RAG	Italy	Misericordia Hospital of Grosseto	2000-2002	10
Coratti et al <sup>[26]</sup>	2015	Retrospective CS	RAG	Italy		2000-2014	38
D'Annibale et al <sup>[10]</sup>	2011	Retrospective CS	RAG	Italy	S. Giovanni Addolorata Hospital	2004-2009	11
Caruso et al <sup>[9]</sup>	2011	nonRCT	RAG vs OG	Italy	Hospital of Spoleto	2006-2010	12
Suda et al <sup>[23]</sup>	2014	nonRCT	RAG vs LG	Japan	Fujita Health University	2009-2012	30
Huang et al <sup>[12]</sup>	2012	nonRCT	RAG vs LG vs OG	Taiwan	Taipei Veterans General Hospital	2010-2012	7
Vasilescu <i>et al</i> <sup>[16]</sup>	2012	Retrospective CS	RAG	Romania	Fundeni Clinical Institute	2008-2012	19
Zawadzki et al <sup>[27]</sup>	2014	CR	RAG	Poland	Wroclaw Medical University	2014	1
Parisi <i>et al</i> <sup>[5]</sup> Total <sup>1</sup>	2015	Prospective CS	RTG	Italy	St. Mary's Hospital of Terni	2014-2015	22 466

### Table 5 Literature review on robotic total gastrectomy, overall number of reported cases

<sup>1</sup>Excluding the present study.

Although it may appear more complex than other techniques, during our experience, we have gained some tricks: (1) the esophagus should be fixed to both sides at the diaphragmatic pillars to avoid retraction in the chest; (2) a jejunal loop which can be easily approached to the esophagus is essential; (3) two interrupted stiches can help in pairing the esophagus and the jejunum, delimiting the two ends of the E-J anastomosis. Then other two central stitches are placed to complete the posterior external layer. Vicryl is preferable; (4) only at this point the esophagus and the jejunum wall should be opened, we suggest using monopolar curved scissors; (5) two running sutures for the internal layer, the first posterior and the second one anterior are preferable than an interrupted suturing. At the beginning of our experience we performed this step with interrupted stiches but after few cases we decided to move to a running suture because faster and it gives a feeling of safety and high adherence between the visceral walls; and (6) PDS sutures for the internal layer is best, because the combination of an absorbable suture and an extended anastomotic support. This suture gives fluidity and at the same time tightness,

when the thread is pulled in tension.

The double loop approach is the other innovative element we reported. This technique can speed up the reconstruction and have several relevant advantages: (1) the loop of bowel can be chosen without tension; (2) there is no confusion between biliary and alimentary tract; and (3) it is not necessary to interrupt the mesentery, reducing the risk of bleeding and internal hernias.

In conclusion, the present study is one of the largest series focused on robotic total gastrectomy in the literature and has shown satisfactory outcomes. The innovative technique adopted has demonstrated feasibility and safety when performing both the E-J and the J-J anastomoses with an intracorporeal robotic approach.

Every method for reconstruction has to tackle the functional problems of blind loop syndrome, or of inadequate transition (*e.g.*, weight loss) through the substitute stomach.

The short-term follow-up didn't highlight any functional problems until now, while the evaluation on long term results of our approach is ongoing.

Baishideng®

WJG www.wjgnet.com

LymphadenectomyStomach mobilizationReconstructionPerformedPerformedPerformedNot providedNot providedPerformedPerformedNot providedPerformedPerformedPerformedNot providedPerformedPerfor	Reconstruction Performed Not provided Performed	ux-en-Y EXTRA ux-en-Y INTRA ux-en-Y Not provided ux-en-Y EXTRA ux-en-Y EXTRA ux-en-Y EXTRA ux-en-Y INTRA LAP ux-en-Y INTRA LAP ux-en-Y EXTRA ux-en-Y EXTRA ux-en-Y EXTRA	performance Circular stapler Robot-sewn Not provided Circular stapler Not provided Circular stapler Circular stapler Ot provided	Not provided Not provided Upper midline Left lower port Not provided Upper midline Not provided Upper midline Not provided	<b>clinical data</b> Provided Lack Provided Lack	tumor details
Performed Performed   Performed Performed   Not provided Not provided   Performed Not provided   Performed Not provided   Performed Performed	Performed Not provided Performed		Circular stapler Robot-sewn Not provided Circular stapler Ort provided Not provided Circular stapler Circular stapler Ot provided	Not provided Not provided Not provided Upper midline Left lower port Not provided Upper midline Not provided Upper midline Not provided	Provided Lack Provided Lack	Descided
Performed Not provided Not provided Performed Reformed Not provided Performed Performed Not provided Performed Perfo	Performed Not provided Performed		Robot-sewn Not provided Circular stapler Circular stapler Not provided Circular stapler Not provided Circular stapler	Not provided Not provided Upper midline Left lower port Not provided Upper midline Not provided Upper midline Not provided	Lack Provided Lack	l'roviaea
Not providedNot providedPerformed <t< td=""><td>Not provided</td><td></td><td>Not provided Circular stapler Circular stapler Not provided Circular stapler Circular stapler Not provided Circular stapler</td><td>Not provided Upper midline Left lower port Not provided Upper midline Not provided Upper midline Not provided</td><td>Lack Provided Lack</td><td></td></t<>	Not provided		Not provided Circular stapler Circular stapler Not provided Circular stapler Circular stapler Not provided Circular stapler	Not provided Upper midline Left lower port Not provided Upper midline Not provided Upper midline Not provided	Lack Provided Lack	
Performed Performed	Performed		Circular stapler Circular stapler Not provided Not provided Circular stapler Not provided Circular stapler	Upper midline Left lower port Not provided Upper midline Not provided Upper midline Not provided	Provided Lack	Lack
Performed   Performed	Performed		Circular stapler Not provided Not provided Circular stapler Circular stapler Ot provided Circular stapler	Left lower port Not provided Upper midline Not provided Upper midline Not provided	Lack	Provided
Performed Performed	Performed		Not provided Not provided Circular stapler Circular stapler Not provided Circular stapler	Not provided Not provided Upper midline Not provided Not provided	Lack	
Performed Performed	Performed		Not provided Circular stapler Circular stapler Not provided Circular stapler	Not provided Upper midline Not provided Upper midline Not provided		Lack
Performed Performed	Performed		Circular stapler Circular stapler Not provided Circular stapler	Upper midline Not provided Upper midline Not provided		
Performed Performed	Performed	_	Circular stapler Not provided Circular stapler	Not provided Upper midline Not provided	Lack	Lack
Performed Performed	Performed		Not provided Circular stapler	Upper midline Not provided		
Performed Performed	Performed		Circular stapler	Not provided	Provided	Lack
Performed Performed	Performed		- - ;		Provided	Provided
af <sup>[12]</sup> Performed Performed   Performed Performed Performed			<b>UITCULAT STAPLET</b>	Upper midline	Lack	Lack
Performed Performed		ux-en-Y INTRA	Robot-sewn	Not provided		
Performed Performed   Performed Not provided   Performed Performed	Performed	ux-en-Y INTRA	Robot-sewn	Not provided	Lack	Lack
not provided   Performed Performed		ux-en-Y EXTRA	Circular stapler	Upper midline	Lack	Lack
Performed Performed		ux-en-Y INTRA	Not provided	Umbilical port		
Image: Defformed Performed   Performed Performed		ux-en-Y EXTRA	Not provided	Not provided	Lack	Lack
Performed     Performed		ux-en-Y EXTRA	Circular stapler	Upper midline	Provided	Provided
Il <sup>[23]</sup> Performed Performed Performed I Performed Performed Performed I Performed Performed I Performed Performed I Performed Performed I	Performed		Robot-sewn	Camera port	Lack	Lack
Performed Performed Performed   al <sup>100</sup> Performed Performed   Performed Performed   Performed Performed	Performed	ux-en-Y INTRA	Circular stapler	Not provided	Lack	Lack
al <sup>fug</sup> Performed Performed Performed ] Performed Performed ] Performed Performed ]	Performed	ux-en-Y INTRA	Robot-sewn	Not provided	Provided	Provided
Performed Perfor	Performed	ux-en-Y INTRA	Circular stapler	Suprapubic	Lack	Lack
Performed Performed Performed	Performed	ux-en-Y INTRA	Circular stapler	Upper midline	Lack	Lack
	Performed	ux-en-Y INTRA	Linear stapler	Not provided	Provided	Provided
Huang <i>et al</i> <sup>1/2</sup> Performed Performed Roux-en-Y		ux-en-Y INTRA LAP	Circular stapler	Periumbilical	Lack	Lack
Vasilescu et al <sup>[16]</sup> Performed Performed Roux-en-Y	Performed	ux-en-Y INTRA	Circular stapler	Not provided	Lack	Lack
Parisi et al <sup>[5]</sup> Performed Performed Roux-en-Y	Performed	ux-en-Y INTRA	Robot-sewn	McBurney	Provided	Provided

# COMMENTS

## Background

for cancer and its potential advantages when compared with traditional laparoscopic devices. However, if it has been well evaluated the role of both laparoscopic and robotic surgery for distal or subtotal gastrectomy, particularly in the eastern The development of surgical technology during last decades has allowed surgeons to offer patients new approaches and treatment strategies. Several studies have shown the usefulness of robotic systems when performing a gastrectomy population, there is a big debate on safety and feasibility of intracorporeal procedures for reconstruction of the alimentary tract after a total gastrectomy. The present study has addressed this issue in a western center.

# Research frontiers

Despite the spread of minimally invasive procedures for complex major abdominal surgeries, few studies have been performed on the totally robotic approach for gastric cancer. Current indications are still object of debate. Moreover, only few centers have tried to find solutions for the reconstruction phase after total gastrectomy

# Innovations and breakthroughs

Robotic systems have revolutionized minimally invasive surgery. Surgeons can overcome the limits of traditional laparoscopy through a three-dimensional vision and articulated instruments. This technological progress should be exploited

### Parisi A et al. Parisi technique



### Applications

This study shows the possibility to safely perform a completely intracorporeal anastomosis after a total gastrectomy, considered one of the biggest obstacles in minimally invasive surgery.

### Terminology

Robotic systems are used in minimally invasive surgery and allow the primary surgeon to perform the procedure through a remote console.

### Peer-review

It is a good observational study who reported the outcome of robotic total gastrectomy in one Institution. Total gastrectomy with minimally invasive technique is quite challenging with either laparoscopic technique or robotic technique. With a series of 55 patients who successfully recovered, they can be convinced by the authors and draw such a conclusion that it can be safe.

### REFERENCES

- Marano A, Choi YY, Hyung WJ, Kim YM, Kim J, Noh SH. Robotic versus Laparoscopic versus Open Gastrectomy: A Meta-Analysis. *J Gastric Cancer* 2013; 13: 136-148 [PMID: 24156033 DOI: 10.5230/jgc.2013.13.3.136]
- 2 Parisi A, Nguyen NT, Reim D, Zhang S, Jiang ZW, Brower ST, Azagra JS, Facy O, Alimoglu O, Jackson PG, Tsujimoto H, Kurokawa Y, Zang L, Coburn NG, Yu PW, Zhang B, Qi F, Coratti A, Annecchiarico M, Novotny A, Goergen M, Lequeu JB, Eren T, Leblebici M, Al-Refaie W, Takiguchi S, Ma J, Zhao YL, Liu T, Desiderio J. Current status of minimally invasive surgery for gastric cancer: A literature review to highlight studies limits. *Int J Surg* 2015; 17: 34-40 [PMID: 25758348]
- 3 Japanese Gastric Cancer Association. Japanese gastric cancer treatment guidelines 2010 (ver. 3). Gastric Cancer 2011; 14: 113-123 [PMID: 21573742 DOI: 10.1007/s10120-011-0042-4]
- 4 NCCN. Clinical Practice Guidelines in Oncology: Gastric Cancer. Version I.2014, 2014 Available from: URL: http://wwwnccnorg/ professionals/physician\_gls/pdf/gastricpdf
- 5 Parisi A, Ricci F, Trastulli S, Cirocchi R, Gemini A, Grassi V, Corsi A, Renzi C, De Santis F, Petrina A, Pironi D, D'Andrea V, Santoro A, Desiderio J. Robotic Total Gastrectomy With Intracorporeal Robot-Sewn Anastomosis: A Novel Approach Adopting the Double-Loop Reconstruction Method. *Medicine* (Baltimore) 2015; 94: e1922 [PMID: 26656323 DOI: 10.1097/ MD.0000000000001922]
- 6 von Elm E, Altman DG, Egger M, Pocock SJ, Gøtzsche PC, Vandenbroucke JP. The Strengthening the Reporting of Observational Studies in Epidemiology (STROBE) Statement: guidelines for reporting observational studies. *Int J Surg* 2014; 12: 1495-1499 [PMID: 25046131 DOI: 10.1016/j.ijsu.2014.07.013]
- 7 Song J, Oh SJ, Kang WH, Hyung WJ, Choi SH, Noh SH. Robotassisted gastrectomy with lymph node dissection for gastric cancer: lessons learned from an initial 100 consecutive procedures. *Ann Surg* 2009; 249: 927-932 [PMID: 19474671 DOI: 10.1097/01. sla.0000351688.64999.73]
- 8 Hur H, Kim JY, Cho YK, Han SU. Technical feasibility of robot-sewn anastomosis in robotic surgery for gastric cancer. *J Laparoendosc Adv Surg Tech A* 2010; 20: 693-697 [PMID: 20809816 DOI: 10.1089/lap.2010.0246]
- 9 Caruso S, Patriti A, Marrelli D, Ceccarelli G, Ceribelli C, Roviello F, Casciola L. Open vs robot-assisted laparoscopic gastric resection with D2 lymph node dissection for adenocarcinoma: a case-control study. *Int J Med Robot* 2011; 7: 452-458 [PMID: 21984205 DOI: 10.1002/rcs.416]

- 10 D'Annibale A, Pende V, Pernazza G, Monsellato I, Mazzocchi P, Lucandri G, Morpurgo E, Contardo T, Sovernigo G. Full robotic gastrectomy with extended (D2) lymphadenectomy for gastric cancer: surgical technique and preliminary results. *J Surg Res* 2011; 166: e113-e120 [PMID: 21227455 DOI: 10.1016/j.jss.2010.11.881]
- 11 Woo Y, Hyung WJ, Pak KH, Inaba K, Obama K, Choi SH, Noh SH. Robotic gastrectomy as an oncologically sound alternative to laparoscopic resections for the treatment of early-stage gastric cancers. *Arch Surg* 2011; **146**: 1086-1092 [PMID: 21576595 DOI: 10.1001/archsurg.2011.114]
- 12 Huang KH, Lan YT, Fang WL, Chen JH, Lo SS, Hsieh MC, Li AF, Chiou SH, Wu CW. Initial experience of robotic gastrectomy and comparison with open and laparoscopic gastrectomy for gastric cancer. *J Gastrointest Surg* 2012; 16: 1303-1310 [PMID: 22450954 DOI: 10.1007/s11605-012-1874-x]
- 13 Kang BH, Xuan Y, Hur H, Ahn CW, Cho YK, Han SU. Comparison of Surgical Outcomes between Robotic and Laparoscopic Gastrectomy for Gastric Cancer: The Learning Curve of Robotic Surgery. J Gastric Cancer 2012; 12: 156-163 [PMID: 23094227 DOI: 10.5230/jgc.2012.12.3.156]
- 14 Kim KM, An JY, Kim HI, Cheong JH, Hyung WJ, Noh SH. Major early complications following open, laparoscopic and robotic gastrectomy. *Br J Surg* 2012; **99**: 1681-1687 [PMID: 23034831 DOI: 10.1002/bjs.8924]
- 15 Son SY, Lee CM, Ahn SH, Lee JH, Park DJ, Kim HH. Clinical Outcome of Robotic Gastrectomy in Gastric Cancer in Comparison with Laparoscopic Gastrectomy: A Case-Control Study. *J Minim Invas Surg* 2012; 15: 27-31
- 16 Vasilescu C, Procopiuc L. Robotic surgery of locally advanced gastric cancer: a single-surgeon experience of 41 cases. *Chirurgia* (Bucur) 2012; 107: 510-517 [PMID: 23025119]
- 17 Yoon HM, Kim YW, Lee JH, Ryu KW, Eom BW, Park JY, Choi IJ, Kim CG, Lee JY, Cho SJ, Rho JY. Robot-assisted total gastrectomy is comparable with laparoscopically assisted total gastrectomy for early gastric cancer. *Surg Endosc* 2012; 26: 1377-1381 [PMID: 22083338 DOI: 10.1007/s00464-011-2043-0]
- 18 Hyun MH, Lee CH, Kwon YJ, Cho SI, Jang YJ, Kim DH, Kim JH, Park SH, Mok YJ, Park SS. Robot versus laparoscopic gastrectomy for cancer by an experienced surgeon: comparisons of surgery, complications, and surgical stress. *Ann Surg Oncol* 2013; 20: 1258-1265 [PMID: 23080320 DOI: 10.1245/s10434-012-2679-6]
- 19 Liu XX, Jiang ZW, Chen P, Zhao Y, Pan HF, Li JS. Full robotassisted gastrectomy with intracorporeal robot-sewn anastomosis produces satisfying outcomes. *World J Gastroenterol* 2013; 19: 6427-6437 [PMID: 24151361 DOI: 10.3748/wjg.v19.i38.6427]
- 20 Park JY, Kim YW, Ryu KW, Eom BW, Yoon HM, Reim D. Emerging Role of Robot-assisted Gastrectomy: Analysis of Consecutive 200 Cases. J Gastric Cancer 2013; 13: 255-262 [PMID: 24511422 DOI: 10.5230/jgc.2013.13.4.255]
- 21 Junfeng Z, Yan S, Bo T, Yingxue H, Dongzhu Z, Yongliang Z, Feng Q, Peiwu Y. Robotic gastrectomy versus laparoscopic gastrectomy for gastric cancer: comparison of surgical performance and short-term outcomes. *Surg Endosc* 2014; 28: 1779-1787 [PMID: 24385251 DOI: 10.1007/s00464-013-3385-6]
- 22 Son T, Lee JH, Kim YM, Kim HI, Noh SH, Hyung WJ. Robotic spleen-preserving total gastrectomy for gastric cancer: comparison with conventional laparoscopic procedure. *Surg Endosc* 2014; 28: 2606-2615 [PMID: 24695982 DOI: 10.1007/s00464-014-3511-0]
- 23 Suda K, Man-I M, Ishida Y, Kawamura Y, Satoh S, Uyama I. Potential advantages of robotic radical gastrectomy for gastric adenocarcinoma in comparison with conventional laparoscopic approach: a single institutional retrospective comparative cohort study. *Surg Endosc* 2015; 29: 673-685 [PMID: 25030478 DOI: 10.1007/s00464-014-3718-0]
- 24 Jiang ZW, Liu J, Wang G, Zhao K, Zhang S, Li N, Li JS. Esophagojejunostomy reconstruction using a robot-sewing technique during totally robotic total gastrectomy for gastric cancer. *Hepatogastroenterology* 2015; 62: 323-326 [PMID: 25916057]
- 25 Giulianotti PC, Coratti A, Angelini M, Sbrana F, Cecconi S,

Balestracci T, Caravaglios G. Robotics in general surgery: personal experience in a large community hospital. *Arch Surg* 2003; **138**: 777-784 [PMID: 12860761 DOI: 10.1001/archsurg.138.7.777]

26 Coratti A, Fernandes E, Lombardi A, Di Marino M, Annecchiarico M, Felicioni L, Giulianotti PC. Robot-assisted surgery for gastric carcinoma: Five years follow-up and beyond: A single western

center experience and long-term oncological outcomes. *Eur J Surg Oncol* 2015; **41**: 1106-1113 [PMID: 25796984 DOI: 10.1016/ j.ejso.2015.01.014]

27 Zawadzki M, Witkiewicz W. Laparoscopic robotic total gastrectomy. *Wideochir Inne Tech Maloinwazyjne* 2014; 9: 650-654 [PMID: 25562009 DOI: 10.5114/wiitm.2014.45128]

P- Reviewer: Garcia-Olmo D, Klinge U, Wu AW S- Editor: Qi Y L- Editor: A E- Editor: Zhang FF







### Published by Baishideng Publishing Group Inc

7901 Stoneridge Drive, Suite 501, Pleasanton, CA 94588, USA Telephone: +1-925-223-8242 Fax: +1-925-223-8243 E-mail: bpgoffice@wjgnet.com Help Desk: http://www.f6publishing.com/helpdesk http://www.wjgnet.com



