https://ntrs.nasa.gov/search.jsp?R=19650000363 2020-03-11T17:24:42+00:00Z

December 1965


Brief 65-10366

## NASA TECH BRIEF



NASA Tech Briefs are issued by the Technology Utilization Division to summarize specific technical innovations derived from the space program. Copies are available to the public from the Clearinghouse for Federal Scientific and Technical Information, Springfield, Virginia, 22151.

## Unique Gear Design Provides Self-Lubrication



**The problem:** To provide a reliable automatic means for replenishing gear mechanism lubricants that can be expected to dissipate in the harsh environment of space or through extended operation in an atmospheric environment.

**The solution:** A composite gear configuration in which the center or hub section consists of a porous, oil-impregnated material and the outer or toothed section has radially drilled passages to cause the oil to gradually flow to the surfaces of the gear teeth.

**How it's done:** The hub and web of the gear are made of a porous material that is impregnated with lubricating oil under extreme pressure so that the whole is heavily laden with oil. An outer ring containing the gear teeth is rigidly fastened to the web and all exposed surfaces of the web and hub are sealed with an oil-impervious material. A series of small passages is drilled radially inward through the gear teeth and slots deep enough to achieve a slight penetration of the oil-impregnated web. Rotation of the gear generates centrifugal force that causes oil in the porous hub and web assembly to flow through the drilled passages to the gear tooth surfaces.

## Notes:

1. Rate of flow of the lubricating oil can be regulated by the number and size of the drilled passages. Design can contemplate such things as operating speed and gear loading.

(continued overleaf)

This document was prepared under the sponsorship of the National Aeronautics and Space Administration. Neither the United States Government nor any person acting on behalf of the United States Government assumes any liability resulting from the use of the information contained in this document, or warrants that such use will be free from privately owned rights. 2. Inquiries concerning this innovation may be directed to:

Technology Utilization Officer Jet Propulsion Laboratory 4800 Oak Grove Drive Pasadena, California, 91103 Reference: B65-10366 **Patent status:** NASA encourages commercial use of this innovation. No patent action is contemplated by NASA.

Source: Francis J. Winiarski of Space Technology Laboratories under contract to Jet Propulsion Laboratory (JPL-SC-079)

Categories 03, 05