


NOTICE

The invention disclosed in this document resulted from research in aeronautical and space activities performed under programs of the National Aeronautics and Space Administration. The invention is owned by NASA and is therefore available for licensing in accordance with the NASA Patent Licensing Regulation (14 Code of Federal Regulations 1245.200).

To encourage commercial utilization of NASA-owned inventions, it is NASA policy to grant nonexclusive, royalty-free, revocable licenses to any company or individual desiring to use the invention while the patent application is pending in the U.S. Patent Office and within a specified period, presently two years, after issuance of the patent to NASA. If commercial use of the invention does not occur during this period, NASA may grant a limited exclusive, royalty-free license thereby adding an incentive to further encourage commercial development. Any company desiring to make, use, or sell this invention is encouraged to obtain a royalty-free license from NASA.

Address inquiries and all requests for licenses to Assistant General Counsel for Patent Matters, Code GP-1, National Aeronautics and Space Administration, Washington DC 20546.

FACILITY FORM 802	N69-39897	
	(ACCESSION NUMBER)	(THRU)
	5 (PAGES)	1 (CODE)
	(NASA CR OR TMX OR AD NUMBER)	09 (CATEGORY)



INVENTION ABSTRACT

PROTECTIVE CIRCUIT OF THE SPARK GAP TYPE

The protective circuit arrangement senses an over-voltage condition and removes the supply voltage from the load before the voltage reaches a level at which insulation breakdown of the load occurs. The arrangement provides a fast, positive, response and has a high current handling capacity.

The arrangement comprises a pair of spaced electrodes 20 and 22 connected across a load 10 which is supplied by a high voltage source 12 through contacts 14 of a relay 16. A third electrode 24 is positioned intermediate the electrodes 20 and 22. Upon occurrence of an overvoltage, the gaps 26 and 28 between the electrodes break down for current flow between the electrodes. The control winding 38 of the relay and relay energization source 40 are connected in shunt circuit with the gap 28, whereby the relay energization circuit is completed through the gap 28 upon breakdown for energization of the relay 16 to open the contacts 14. Adjustment of the voltage level at which the spark gap device conducts is made by loosening the nut 34 and sliding the mounting rod 30 along the arcuate slot 36 in the support 32. The slot 36 has a center of radius at the mounting of the electrode 22 to permit adjustment of the gap 26 while maintaining a constant gap 28.

Novelty resides in the inclusion of the relay control winding and relay energization source 40 in shunt with the gap 28, for completion of the relay energization circuit upon breakdown of the gap 28. The large breakdown current does not flow through the relay winding 38. A second feature includes the mounting of the electrodes 20, 22 and 24 which permits adjustment of the level at which the spark gap device conducts while maintaining a fixed gap 28 across which the relay control winding and energization source are connected.

Inventor: Salvador L. Camacho
Employer: NASA-Ames Research Center
Evaluated by: ~~Merrill S. Nease~~

June 17, 1969

S. L. CAMACHO

3,450,946

PROTECTIVE CIRCUIT OF THE SPARK GAP TYPE

Filed April 24, 1967




FIG. 1.




FIG. 2.




FIG. 3.

INVENTOR.
SALVADOR L. CAMACHO

BY
David G. Bradley
ATTORNEYS

1

2

3,450,946

PROTECTIVE CIRCUIT OF THE SPARK GAP TYPE
 Salvador L. Camacho, Cupertino, Calif., assignor to the
 United States of America as represented by the Ad-
 ministrator of the National Aeronautics and Space
 Administration

Filed Apr. 24, 1967, Ser. No. 634,060

Int. Cl. H02h 3/00, 3/28, 1/00

U.S. Cl. 317-16

7 Claims

ABSTRACT OF THE DISCLOSURE

A spark gap type protective circuit including a pair of spaced electrodes and an intermediate electrode. The spaced electrodes are connected across a load to be protected, which load is connected to a high voltage source through the contacts of a high voltage relay. The high voltage relay has a mechanical latch in the open position, in order to prevent hunting. The relay control winding is connected in shunt with a gap between the intermediate electrode and one of the pair of spaced electrodes through a series connected choke coil and a relay control winding energization source. Upon occurrence of an overvoltage of predetermined level at the load, an arc occurs between the pair of spaced electrodes through the intermediate electrode for completion of the energization circuit for the relay control winding through the spark gap without flow of the arc current through the control winding. Upon energization of the relay, the relay contacts are opened to remove the load and the protective circuit from the high voltage source. The arc thereof is extinguished and the relay control winding is deenergized. The mechanical latch on the relay can be reset after the cause of the overvoltage has been determined.

The invention described herein was made by an employee of the United States Government and may be manufactured and used by or for the Government for governmental purposes without the payment of any royalties thereon or therefor.

This invention relates to a protective arrangement to prevent voltage breakdown of a load supplied by a high voltage source, and more particularly to a spark gap type protective arrangement comprising a relay with contacts in the high voltage supply to the load, which relay has a control winding and energization source in shunt with a portion of the spark gap for completion of the relay energization circuit upon occurrence of a spark.

Protective circuits for high voltage use often include a spark gap which breaks down at a predetermined overvoltage. Generally, a relay control winding is included in series circuit with the spark gap for flow of the gap current therethrough and energization of the relay. The relay contacts are included in the high voltage energization circuit for removal of the high voltage source from the load. Such circuits are slow to respond to an overvoltage and are limited by the current carrying capacity of the relay control winding.

An object of this invention is the provision of an improved protective circuit which avoids the disadvantages of many prior art arrangements, including the above-described prior art circuit.

An object of this invention is the provision of a positive, quick response, high current capacity spark gap protective device for protection against overvoltage conditions.

The invention comprises a spark gap device having a pair of spaced electrodes connected across a load which is supplied by a high voltage source through contacts of a relay. A third electrode is included intermediate said pair of spaced electrodes and upon occurrence of an over-

voltage, the gaps between the intermediate electrode and each of the pair of spaced electrodes break down for current flow therebetween.

The control winding of the relay and a relay energization source are connected in shunt circuit with the gap between the intermediate electrode and one of the pair of spaced electrodes. The relay energization circuit is completed through the gap upon breakdown for energization of the relay by said source of relay energization to open the relay contacts in the high voltage source circuit. Adjustment of the voltage level at which the spark gap device conducts is made by simply adjusting the gap between the intermediate electrode and the one, high voltage electrode while maintaining a fixed gap between the intermediate electrode and the other, ground electrode of the spark gap device.

The invention will be better understood from the following description taken in conjunction with the accompanying drawings. In the drawings, wherein like reference characters refer to the same parts in the several views:

FIGURE 1 is a combination diagrammatic and schematic showing of a spark gap protective arrangement embodying this invention,

FIGURE 2 is a fragmentary sectional view taken on line 2-2 of FIGURE 1, and

FIGURE 3 is a graph of arc current versus time illustrating the quick response time of the circuit.

Reference is now made to FIGURE 1 wherein there is shown a load 10 which is connected to a high voltage source 12 through contacts 14 of a high voltage relay 16. The voltage source may be of either the alternating or direct current type. In FIGURE 1 a D-C source is shown with the negative terminal connected to a common or ground terminal 18 and the positive terminal connected to the load. A direct current source of either polarity may be used.

The protective arrangement, described below, is well suited for use with a current controlled D-C power supply 12, in which the level of current is determined by a setting of the power supply only and not by the impedance of the load 10. If, for any reason, the voltage across the load increases to a level where voltage breakdown of the load occurs, extensive damage to the insulation of the load may result since the entire current will flow through the breakdown path. The protective arrangement of this invention eliminates such damage caused by flashover by preventing the voltage supplied to the load from reaching the level at which breakdown occurs.

The load 10 may be of any suitable type, such as a motor, transformer, generator, arc heater or the like. For example only, but not by way of limitation, the load may comprise a high voltage electric arc heater to heat air to a high enthalpy for use in simulating reentry heating rates of space vehicles. Such a heater may comprise, for example, an anode and cathode between which a high voltage is supplied to create an arc therebetween. The arc may be initiated by use of a starting wire or a vacuum. When the arc is formed, the chamber is operated at 10 to 40 atmospheres pressure with a current of 100 to 2400 amperes. It has been found that arc heaters operate most stably if the arc voltage is approximately 1/2 the open circuit voltage of the voltage source. For an arc voltage of 12.5 thousand volts, which is typical for the above-mentioned heaters, an open circuit voltage of approximately 25 thousand volts is desired for arc stability.

Heater insulation which is adequate for the 12.5 kv. source under normal conditions generally is not sufficient to withstand the 25 kv. open circuit voltage without breakdown. To protect the insulation from overvoltage

the protective device must operate at a voltage lower than the insulation breakdown voltage. It must be capable of carrying the current which the power supply is capable of delivery at the current setting, and must remove the high voltage source from the load without substantial delay. Also, the protective device must be operative at all times since an overvoltage may occur during start of the heater, because of insufficient vacuum or a broken starting wire, or may occur during run because of overpressure.

The protective device of this invention which meets the above requirements comprises first and second spaced spherical electrodes 20 and 22, and a third spherical electrode 24 positioned intermediately thereof. The electrodes 20 and 22 are connected directly across the load 10, the one electrode 20 being connected to the high voltage side of the load and the other to the common ground terminal 18. From the high voltage electrode 20 a pair of series-connected gaps 26 and 28 are formed to ground potential, one gap being formed between the high voltage electrode 20 and intermediate electrode 24, and the other gap being formed between the intermediate electrodes 24 and ground electrode 22.

The voltage at which the gaps 26 and 28 break down is dependent upon the sum of the spacing of the gaps 26 and 28. In the novel electrode mounting arrangement the gap spacing 26 is adjustable whereas the gap spacing 28 remains constant. The three electrodes comprise spheres of copper, or other suitable material, mounted on conducting rods 30 (only one of which is seen in FIGURE 2) attached to a plate of dielectric material 32. The electrodes 20 and 22 are fixedly secured to the plate 32, whereas the electrode 24 is movably positioned after loosening of a fastening nut 34 at the inner threaded end of the rod 30. When the nut 34 is loosened, the rod is movable along an arcuate slot 36 in the plate 32, the center of curvature of which slot 36 is located at the axis of the mounting rod for the sphere 22. Consequently, a constant gap 28 (of say 1/2 inch) is maintained between the intermediate and ground spherical electrodes, while the spacing 26 between the intermediate and high voltage electrodes is varied. The voltage at which the gaps break down thereby is readily adjustable.

Also, in accordance with this invention, a circuit which includes the control winding, designated 38 of the high voltage relay 16 and an energization source 40 for the winding, is connected in shunt relation with the spark gap 28 between the electrodes 22 and 24. The winding 38 and source 40, are included in a series circuit which includes also a relatively small value choke coil 42.

Under normal voltage conditions during which no arcing between the spherical electrodes occurs, the energization circuit for the relay control winding 38 is open and the relay contacts 14 are closed. At a predetermined overvoltage level these two gaps 26 and 28 break down and the entire current output from the power supply 12 flows therethrough, it being assumed that the load 10 comprises an arc heater in which the arc, for some reason, is extinguished or not yet initiated. The amount of current will depend upon the current setting of the source 12. The impedance of the choke coil 42 (together with that of the control winding 38) prevents the current from flowing through the shunt circuit when the gap 26 breaks down. Consequently, both gaps 26 and 28 break down substantially simultaneously upon occurrence of the predetermined overvoltage.

When the gap 28 breaks down, the electrode 24 is connected to ground potential through the arc for completion of the energization circuit for the relay control winding 38. The completed control winding circuit may be traced from the ground terminal 18 through the control winding 38, the battery 40, choke coil 42 and back to ground potential through the narrow spark at gap 28. When the relay 16 is energized the contacts 14 are opened to remove the high voltage source 12 from the load 10.

The arcs are thereby extinguished whereupon the relay energization circuit is reopened to restore it to its passive condition. The relay includes a mechanical latch, not shown, for latching the same in the open position. The relay contacts 14 are reclosed upon resetting of the mechanical latching mechanism to restore the voltage to the load. Of course, the cause of the overvoltage is eliminated before resetting. Mechanical latching relay mechanisms are well known and require no additional description.

Compared to the well-known crowbar system, the arrangement of this invention is simple and inexpensive. Also, the apparatus of this invention has a higher current capacity than many other prior art spark gap arrangements since the relay control winding is not included in series with the load to limit the load current. In addition, because of the potential difference between the intermediate and grounded spherical electrodes 24 and 22 provided by the relay energization source 40, more accurate gap spacing is possible since the spacing must be increased to offset the electric field effect of the source 40. The greater spacing improves the accuracy of adjustment.

The rapid response of the arrangement is illustrated in FIGURE 3 wherein there is shown a graph of arc current versus time. Time zero designates the time at which the predetermined overvoltage occurs to initiate breakdown of the spark gaps. (As noted above, the predetermined overvoltage is less than the breakdown voltage of the insulation of the load.) The relay 16 is energized within approximately 200 milliseconds from the time of the occurrence of the predetermined overvoltage for removal of the load 10 from the high voltage source 12. The response time of prior art spark gap type protective systems is much greater. The apparatus is suitable for use with a wide range of current levels of say from 1 to 100,000 amperes, no current value being shown on the graph.

The invention having been described in detail in accordance with the requirements of the patent statutes, various changes and modifications may suggest themselves to those skilled in this art. For example, the spherical electrodes may be located in a chamber of controlled atmosphere, including a partial vacuum, if desired. Also, as suggested above, the apparatus may be used with power generation and distribution equipment, which is presently protected from voltage surges by overinsulating. Installation of this apparatus on such equipment would eliminate the need for the excess insulation thereby resulting in cost savings and/or size reduction.

I claim:

1. A protective arrangement for a load connected to a voltage source through contacts of a relay, which relay includes a control winding, said arrangement comprising:
 - a pair of spaced electrodes connected across said load,
 - a third electrode intermediate said pair of electrodes a spaced distance therefrom to form a first gap between one of the pair of spaced electrodes and the third electrode and a second gap between the third electrode and the other of the pair of spaced electrodes, and
 - a circuit comprising said relay control winding and a relay energization source in shunt with the second gap, the conduction and nonconduction of the circuit being controlled by arcing and nonarcing conditions of the second gap.
2. The protective arrangement as defined in claim 1 wherein said relay control winding and relay energization source are connected in series circuit for completion of the circuit through said second gap upon breakdown of the gap.
3. The protective arrangement as defined in claim 2 wherein said circuit includes a choke coil in series with the relay control winding and relay energization source for substantially simultaneous breakdown of the first

5

and second gaps when the voltage source reaches a predetermined voltage level.

4. The protective arrangement as defined in claim 1 including means for movably mounting said third electrode for adjustment of the spacing of the first gap while maintaining a substantially constant spacing of the second gap. 5

5. The protective arrangement as defined in claim 1 wherein the voltage source is adapted to provide a relatively constant current to the load. 10

6. The protective arrangement as defined in claim 5 wherein the load comprises an arc device adapted to operate with an arc.

7. In a spark gap type protective circuit which includes a pair of spaced electrodes and a third electrode intermediate said pair of electrodes, 15

means for mounting said pair of electrodes a spaced distance apart,

means for mounting said third electrode intermediate said pair of electrodes a spaced distance therefrom to provide first and second gaps between the third electrode and the pair of electrodes, 20

6

said means for mounting the third electrode including means for adjustably positioning said third electrode for adjustment of the length of the first gap while maintaining the length of the second gap substantially constant.

References Cited

UNITED STATES PATENTS

1,477,303	12/1923	Allcutt -----	317—16 X
2,488,454	11/1949	Wallace et al. -----	317—16 X
2,840,766	6/1958	Wouk -----	317—16
3,218,422	11/1965	Billion et al. -----	317—16 X
3,275,891	9/1966	Swanson -----	317—16
3,368,135	2/1968	Schofield et al.	

JOHN F. COUCH, *Primary Examiner.*

J. D. TRAMMELL, *Assistant Examiner.*

U.S. Cl. XR

315—36; 317—31, 69, 71