December 1970

Brief 70-10547

NASA TECH BRIEF



NASA Tech Briefs announce new technology derived from the U.S. space program. They are issued to encourage commercial application. Tech Briefs are available on a subscription basis from the National Technical Information Service, Springfield, Virginia 22151. Requests for individual copies or questions relating to the Tech Brief program may be directed to the Technology Utilization Division, NASA, Code UT, Washington, D.C. 20546.

Adjustable Drill Bar Replaces Complex Jigs



Figure 1. Previous Method

The problem:

To reduce the time and skill requirements for precision drilling on large surfaces. The complex jigs (see Figure 1) used in the past took appreciable time and put a premium on the skill of the setup man.

The solution:

An adjustable drill bar, shown in Figure 2, incorporates a micrometer screw which, when used in conjunction with standard gage blocks, provides a rapid method of drill hole location.

How it's done:

The desired hole pattern is obtained by making a drill plate from an engineering drawing. A three-hole, 90° 10" increment grid is made, and the stationary member is fastened to one side of this grid. The member is held in place by the two hold-downs. The machined ways permit the movable member of the assembly to slide to any desired position within its range. By using an appropriate gage block, the selected drill hole in the movable member can be placed pre-

(continued overleaf)

This document was prepared under the sponsorship of the National Aeronautics and Space Administration. Neither the United States Government nor any person acting on behalf of the United States

Government assumes any liability resulting from the use of the information contained in this document, or warrants that such use will be free from privately owned rights.




Figure 2. Adjustable Drill Bar

Patent status:

cisely on the workpiece using the micrometer screw. Notes:

1. This device is versatile in picking up oddly dimensioned tool hole points and acts as a sine drill bar.

2. No additional documentation is available. Specific questions, however, may be directed to:

Technology Utilization Officer
Manned Spacecraft Center, Code BM7
Houston, Texas 77058
Reference: B70-10547

No patent action is contemplated by NASA.

Source: John H. Coventry of North American Rockwell Corp. under contract to Manned Spacecraft Center (MSC-15624)