




# NASA Lunar Robotics for Science and Exploration

Barbara A. Cohen, Anthony R. Lavoie, Paul A. Gilbert, and **John M. Horack**  
NASA Marshall Space Flight Center  
Huntsville, AL 35812

DGLR International Symposium: "To Moon and beyond"  
15 - 17 September 2008  
Park Hotel Bremen, Germany




# Robotic lunar missions



## RACE TO THE MOON

What started as a contest between the US and the USSR has become the scene of international collaboration



D. Mackenzie, New Scientist, July 11 2008

# Robotic lunar missions at MSFC



- **Lunar Precursor Robotics Program (LPRP)**
  - Robotic missions to gather lunar environmental data to advance U.S. exploration objectives earlier and with less cost
  - LRO and LCROSS
- **Discovery Program**
  - Small PI-led science missions, competed among all science
  - M3 and GRAIL
- **Lunar Science Program**
  - Robotic missions to accomplish key lunar scientific objectives
  - LRO, which will transition after one year of operations to SMD for a 2-year nominal science mission, LADEE, and two landed payloads as part of the International Lunar Network (ILN)


# LRO (2009)




- Lunar Reconnaissance Orbiter (LRO) – initiated in 2004 as the first step back to the Moon in the Vision for Space Exploration
- Exploration Systems Mission Directorate (ESMD) – focus is on datasets to help plan human activities
- Goddard project, managed under LPRP at MSFC







## Objectives:

- Characterization of the lunar radiation environment, biological impacts, and potential mitigation
- High resolution global topography necessary for selecting future landing sites
- Assess resources and environments of lunar polar regions
- High spatial resolution visible imagery




# LRO Instruments




INSTRUMENT	Measurement	Exploration Benefit	Science Benefit
<b>CRaTER</b> (BU+MIT) Cosmic Ray Telescope for the Effects of Radiation 	<i>Tissue equivalent response to radiation</i>	<i>Safe, lighter weight space vehicles that protect humans</i>	<i>Radiation conditions that influence life beyond Earth</i>
<b>Diviner</b> (UCLA) 	<i>300m scale maps of Temperature, surface ice, rocks</i>	<i>Determines conditions for systems operability and water-ice location</i>	<i>Improved understanding of volatiles in the solar system - source, history, migration and deposition</i>
<b>LAMP</b> (SWRI) Lyman-Alpha Mapping Project 	<i>Maps of frosts in permanently shadowed areas, etc.</i>	<i>Locate potential water-ice (as frosts) on the surface</i>	
<b>LEND</b> (Russia) Lunar Exploration Neutron Detector 	<i>Hydrogen content in and neutron radiation maps from upper 1m of Moon at 5km scales, Rad &gt; 10 MeV</i>	<i>Locate potential water-ice in lunar soil and enhanced crew safety</i>	
<b>LOLA</b> (GSFC) Lunar Orbiter Laser Altimeter 	<i>~50m scale polar topography at &lt; 1m vertical, roughness</i>	<i>Safe landing site selection, and enhanced surface navigation (3D)</i>	<i>Geological evolution of the solar system by geodetic topography</i>
<b>LROC</b> (NWU+MSSS) Lunar Recon Orbiter Camera 	<i>1000x of 50cm/pixel images (125km<sup>2</sup>), and entire Moon at 100m in UV, Visible</i>	<i>Safe landing sites through hazard identification; some resource identification</i>	<i>Resource evaluation, impact flux and crustal evolution</i>

# LCROSS (2009)



- Lunar Crater Observation and Sensing Satellite, chosen as a secondary payload on LRO vehicle
- Ames project under LPRP management
- **Objectives:** to reveal the presence & nature of water ice on the Moon
- Shepherding S/C directs the Centaur into a permanently-shadowed crater
- The S-S/C observes the ejecta cloud, and then enters the cloud using several instruments looking for water
- Lunar-orbital and Earth-based assets will also be able to study both clouds (LRO, Chandrayaan-1, HST, etc)



# LCROSS Instruments



## 1 Visible Context Camera:

4 color, 6 degree FOV, <0.5 km resolution at T-10 min to S-S/C impact

## 2 NIR Cameras

1.4  $\mu\text{m}$  water ice band depth maps  
1 km resolution at T-10 min

## 2 mid-IR Cameras

7 and 12.3  $\mu\text{m}$   
< 0.5 km resolution

## 1 Visible Spectrometer


0.25 to 0.8  $\mu\text{m}$ ,  $\sim 0.002 \mu\text{m}$  resolution

## 2 NIR Spectrometers

1.35 to 2.45  $\mu\text{m}$ , 0.012  $\mu\text{m}$  resolution

## 1 Total Visible Luminance Photometer


Broadband from 0.6 – 1.2  $\mu\text{m}$ , sample rate >1000 Hz, < nW NEP @ 1000 Hz



# GRAIL (2011)



- Gravity Recovery and Interior Laboratory, an SMD PI-led mission by Dr. Maria Zuber at MIT, managed by Discovery program
- Based on GRACE on the Earth - twin spacecraft with mutual microwave ranging to very precisely map the moon's gravity field







# Moon Mineralogy Mapper (2008)



- Discovery PI-led instrument by Carle Pieters at Brown University on Chandrayaan-1
- Imaging spectrometer (VIS-NIR) to map the lunar surface at high spatial and spectral resolution
- Objectives: characterize and map the mineral composition of the lunar surface to gain information about the Moon's geologic evolution




# LADEE (2011)



- Lunar Atmosphere, Dust and Environment Explorer, Ames/GSFC project, managed by Lunar Science Program at MSFC
- Instruments: Neutral Mass Spectrometer, UV/VIS spectrometer, Dust counter

- **Goals:**


- Determine the global density, composition, and time variability of the fragile lunar atmosphere before it is perturbed by further human activity
- Determine if the Apollo astronaut sightings of diffuse emission at 10s of km above the surface were Na glow or dust
- Document the dust impactor environment (size-frequency) to help guide design engineering for the outpost and also future robotic missions




# ILN (2014)



- International Lunar Network– a geophysical network to accomplish high priority science, but difficult for any single agency to accomplish on its own
- US and international landed missions, 2-4 US Landers planned, project at MSFC/APL, managed by Lunar Science Program at MSFC
- **Goals:** understand the interior structure and composition of the moon
  - Determine the thickness of the lunar crust (upper and lower)
  - Characterize the chemical/physical stratification in the mantle
  - Determine the size, composition, and state (solid/liquid) of the core of the moon.
  - Characterize the thermal state of the interior



# ILN (2014)



- US Science Definition Team recommended seismometers, heat flow probes, electromagnetic sounding, laser ranging (active or passive)
- International Core Instruments Working Group chartered July 2008 to define core ILN instruments
- International Communications Working Group also chartered July 2008 to coordinate communication and navigation needs to support ILN and beyond, including spectrum, standardized communication protocols standardized data and networking protocols

# Summary



- NASA is undertaking a sustainable yet comprehensive approach to robotic investigation of the moon to support science and exploration objectives
- The lunar flight projects being undertaken by NASA provide a *robust robotic lunar flight program* for the next decade, complement lunar R&A initiatives to *rebuild a lunar science community*, and *increase international participation* in NASA's exploration plans

