



CxP Medical Operations Concept of Operations (CONOPS)

Rick Scheuring, DO, MS, FAAFP Constellation Flight Surgeon NASA-Johnson Space Center

CONSTELLATION





Space Medicine Constellation Team

 Jenn Fogarty, PhD, Tom Hatfield, PhD, Duane Chin, Yamil Garcia, Tara Volpe, Jeff Jones, MD, Pete Bauer, MD, David Alexander, MD, Mike Chandler

Exploration Medical Capability Team

 David Baumann, Sharmi Watkins, MD, Eric Kertsman, MD, Yael Barr, MD, Jimmy Wu


Objectives





Provide insight into the NASA medical operations CONOPS for Constellation

- Medical hardware development
- Telemedicine
- Training
- Risk estimation
- Medical procedure development








- Defines the Crew Health Operations Concept (CHOC) for Exploration Class missions beyond Low Earth Orbit and the Orion to ISS transfer missions.
- Used by the Space Life Sciences Directorate (SLSD) to bound health care for the various missions, using realistic expectations based on risk, experience from past missions, and limitations due to vehicle or habitat.
- Addresses the Constellation
 - launch operations, landing operations (surface operations land and water)
 - transfer missions (Orion for ISS, Orion for Lunar and Orion for Mars)
 - EVA operations
 - rover operations
 - training for crews
 - medical support personnel and off-nominal situations
- Does not include cargo vehicles which could be used to carry crew health equipment and supplies.
- Does not address the rescue of the crews in detail, but it does address the transfer from rescue to medical care facilities.







Our mandate:

- Optimize crew health and performance to ensure mission success
- Return the crew safely to Earth






Prevention, Prevention, Prevention!!!!!

- Strict selection criteria
- Aggressively managed existing medical conditions
- Maximally prepare crew prior to flight
- Health maintenance strategy
 - Health checks
 - Countermeasures
 - Early Warning

Small medical h/w footprint

- "Tenets" of space flight guide capabilities
 - Power
 - Mass
 - Volume
 - Time
 - Money















♦<u>ISS</u>

- 6-24 hours for medical evacuation
- Emphasis on *stabilization*, *medical transport* and *advanced trauma life support capability*

Moon: Sortie to Lunar Outpost

- 6.5-9 days for evacuation (Earth return)
- CMO for initial missions to physician with some autonomous capability
- Telemedicine as augmentation

♦<u>Mars</u>

- 6 to >12 months for evacuation
- Broadly trained physician with complete autonomous capability
- Telemedicine for Tx planning, validation, telesurgery?





• Expected illnesses and problems

- Orthopedic and musculoskeletal problems^{1,2}
- Infectious, hematological, and immune- related diseases
- Dermatological, ophthalmologic, and
- ENT problems

Acute medical emergencies

- Wounds, lacerations, and burns
- Toxic exposure and acute anaphylaxis
- Acute radiation illness
- Dental, ophthalmologic, and psychiatric

Chronic diseases

- Radiation-induced problems
- Responses to dust exposure
- Presentation or acute manifestation
 of nascent illness

¹Scheuring RA, et al. In-flight musculoskeletal injuries in US astronauts. Aviat Space Environ Med, 2009.

²Johnson SL, Campbell M, Scheuring RA. Herniated nucleus pulposis in US astronauts. Aviat Space Environ Med, 2009, (In press).

22-Feb-10




*Concerns based on Delphi, In-flight Medical Conditions Data Collection, Mission Operational Concepts and Occupational Medical Considerations





Lifecycle Phase: Pre-Mission

• Crew selection/retention standards will be used to minimize



Lifecycle Phase: Launch

 Crew launch loads/accelerations are specified to ensure that the crew is not exposed to excessive forces*

³Crew Health Operations Concept for Constellation Missions. JSC-63566, Mar 2009. *E.g. Thrust oscillations





Table-1: Levels of Care is matched to mission duration and destination.

| Level of Care | Mission | Example Capability |
|---------------|---------------------------------------|---|
| Ι | LEO < 8 days | SMS, BLS, First Aid |
| II | LEO <30 day; e.g. STS EDOMP | Level I + Clinical Diagnostics, Ambulatory Care, Private Audio, (+/- Video) Telemedicine |
| III | LEO > 30 day (ISS or Lunar Sortie) | Level II+ Limited Advanced Life Support, Trauma Care, Telemedicine, Minor Surgical and Dental Care |
| IV | Lunar > 30 day (Outpost) | Level III+ Imaging, Sustainable ALS |
| V | Mars Expedition | Level IV+ Autonomous ALS, Basic Surgical Care |

LEO= Low Earth Orbit; STS= Shuttle Transport System; EDOMP= Extended Duration Orbiter Medical Project; SMS= Space Motion Sickness; BLS= Basic Life Support; ALS= Advanced Life Support

⁴NASA-Std-3001.

⁵Scheuring RA, Jones JA, Polk JD. Human Spaceflight Health Systems for the Constellation Project. Aviat Space Environ Med. Vol. 78, No.12 Dec. 2007.



Space Medicine Exploration Medical Condition List⁶




| Condition | (Orion↔ISS) Clinical Priority | (Lunar Sortie) Clinical Priority | (Lunar Outpost) Clinical Priority | (ISS Contingency) Clinical Priority | (Sortie Contingency) Clinical Priority | (Outpost Contingency) Clinical Priority | (144 Hour Depress) Clinical Priority |
|---------------------------------|----------------------------------|-------------------------------------|--------------------------------------|--|---|---|---|
| Nasal Congestion - SAS | 2 - Shall | 2 - Shall | 2 - Shall | 0 - Not Concerned | 0 - Not Concerned | 0 - Not Concerned | 1 - Should |
| Nausea / Vomiting | 2 - Shall | 2 - Shall | 2 - Shall | 2 - Shall | 2 - Shall | 2 - Shall | 2 - Shall |
| Neck Injury | 0 - Not Concerned | 2 - Shall | 2 - Shall | 0 - Not Concerned | 0 - Not Concerned | 0 - Not Concerned | 0 - Not Concerned |
| Neurogenic Shock | 0 - Not Concerned | 0 - Not Concerned | 0 - Not Concerned | 0 - Not Concerned | 0 - Not Concerned | 0 - Not Concerned | 0 - Not Concerned |
| Nosebleed - SAS | 2 - Shall | 2 - Shall | 2 - Shall | 0 - Not Concerned | 0 - Not Concerned | 0 - Not Concerned | 0 - Not Concerned |
| Paresthesias (post-EVA) | 0 - Not Concerned | 1 - Should | 1 - Should | 0 - Not Concerned | 0 - Not Concerned | 0 - Not Concerned | 0 - Not Concerned |
| Radiation Sickness | 0 - Not Concerned | 2 - Shall | 2 - Shall | 0 - Not Concerned | 2 - Shall | 2 - Shall | 0 - Not Concerned |
| Seizure | 0 - Not Concerned | 0 - Not Concerned | 2 - Shall | 2 - Shall | 2 - Shall | 2 - Shall | 2 - Shall |
| Shoulder Dislocation | 0 - Not Concerned | 0 - Not Concerned | 0 - Not Concerned | 0 - Not Concerned | 0 - Not Concerned | 0 - Not Concerned | 0 - Not Concerned |
| Skin Abrasion/Laceration | 2 - Shall | 2 - Shall | 2 - Shall | 0 - Not Concerned | 0 - Not Concerned | 0 - Not Concerned | 0 - Not Concerned |
| Skin Rash | 1 - Should | 2 - Shall | 2 - Shall | 0 - Not Concerned | 0 - Not Concerned | 0 - Not Concerned | 1 - Should |
| Smoke Inhalation | 2 - Shall | 2 - Shall | 2 - Shall | 2 - Shall | 2 - Shall | 2 - Shall | 0 - Not Concerned |
| Space Motion Sickness - SAS | 2 - Shall | 2 - Shall | 2 - Shall | 2 - Shall | 2 - Shall | 2 - Shall | 2 - Shall |
| Sprain/Strain/Overuse Syndromes | 1 - Should | 2 - Shall | 2 - Shall | 0 - Not Concerned | 0 - Not Concerned | 0 - Not Concerned | 1 - Should |
| Sudden Cardiac Arrest | 0 - Not Concerned | 0 - Not Concerned | 1 - Should | 1 - Should | 0 - Not Concerned | 1 - Should | 0 - Not Concerned |
| Toxic Exposure | 2 - Shall | 2 - Shall | 2 - Shall | 2 - Shall | 2 - Shall | 2 - Shall | 2 - Shall |
| Upper Extremity Fracture | 0 - Not Concerned | 0 - Not Concerned | 1 - Should | 0 - Not Concerned | 1 - Should | 1 - Should | 0 - Not Concerned |
| Urinary Incontinence - SAS | 1 - Should | 1 - Should | 1 - Should | 0 - Not Concerned | 0 - Not Concerned | 0 - Not Concerned | 0 - Not Concerned |
| Urinary Retention - SAS | 2 - Shall | 2 - Shall | 2 - Shall | 2 - Shall | 2 - Shall | 2 - Shall | 1 - Should |

⁶Space Medicine Exploration Medical Condition List. NASA-JSC, Jul. 2009.

Summa Foundation 2009








- Diet
- Lack of family contact
- Treatment Treat causes



NASA Launch Vehicle Comparison







A blunt body capsule is the safest, most affordable and fastest approach

- Separate Crew Module and Service Module configuration
- Vehicle designed for ISS transfer and lunar missions with 4 crew
 - Can accommodate up to 6 crew for Mars
- System also has the potential to deliver pressurized and unpressurized cargo to the Space Station if needed

5.0 meter diameter capsule –

(scaled from Apollo)


- Significant increase in volume
- Reduced development time and risk
- Reduced reentry loads, increased landing stability, and better crew visibility





Atmospheric Conditions for Exploration Vehicles⁷









CEV Atmosphere Transition on Earth Ascent





Cabin Volume Percent Oxygen







- NASA will invite industry to offer commercial crew and cargo delivery service to and from the Station (Initial Capability)
- The CEV will be designed for lunar missions but, if needed, can service the International Space Station.



 The CEV will be able to transport crew to and from the Station and stay for 6 months


Current timeline targeted for 2015*

*Pending outcome of the Presidential review of the Augustine Panel report: http://www.nasa.gov/pdf/396093main HSF Cmte FinalReport.pdf



Typical International Space Station (ISS) Reference Mission









Lifecycle Phase: CEV to ISS transfer mission (Initial Capability)

Nominal:


- Minimal medical equipment will be stowed for onboard use for the short mission to/from ISS. {GFE hardware allocation matrix, SRD Table 3-5 mass/volume}
- Two-way private audio/video is required for performing Private Medical Conferences and conferences between the crew and their family {SRD 3.2.2.15.12.1 & 3.3.10, Portable Equipment/Medical I/F Whitepaper}
- The crew will be instructed by the Flight Surgeon in MCC about medication usage and medical prescriptions to manage early flight medical conditions will be communicated to the crew via the CEV comm and data system {SRD 3.4.7.1}
- Off-nominal:
 - In the event of illness or injury onboard the ISS, advanced life support equipment and medical supplies from ISS may be brought over to the CEV with the ill/injured crewmember for the return trip. Oxygen may be required depending on the crewmember's condition. The crew's health would be monitored on the ground by the Flight Surgeon along with the CMO. Power, data, mechanical, and oxygen interfaces will be required {SRD 3.4.7, 3.4.7.1, 3.4.7.2, Portable Equipment/Medical I/F Whitepaper}
 - During contingency EVAs, physiological parameters (i.e. oxygen, carbon dioxide, temperature, etc.) will be monitored by the flight surgeon in MCC.
















Gaining significant experience operating away from Earth's environment

- Space will no longer be a destination visited briefly and tentatively
- "Living off the land"
- Human support systems
- Developing technologies needed for opening the space frontier
 - Crew and cargo launch vehicles (125 metric ton class)
 - Earth ascent/entry system Crew Exploration Vehicle (CEV)
 - Mars ascent and descent propulsion systems (liquid oxygen/ liquid methane)

Conduct fundamental science


 Astronomy, physics, astrobiology, historical geology, exobiology












 Current timeline for lunar return is 2020












- CEV (lunar capability) and Altair launch separately
- CEV docks with Altair in LEO with TLI after docked





- 4 crew to and from the surface
 - Seven days on the surface
 - Lunar outpost crew rotation
- Global access capability*
- Anytime return to Earth**
- Capability to land 21 metric tons of dedicated cargo
- <u>Airlock</u> for surface activities
- Descent stage:
 - Liquid oxygen / liquid hydrogen propulsion
- Ascent stage:
 - Liquid oxygen / liquid methane propulsion



^{*1} of 10 potential landing sites

^{**}Approximately 6.5-9 days for Earth return from polar landing sites





Lifecycle Phase: CEV and Altair to lunar orbit (Lunar Capability; LC)

Nominal:

- Same as Initial Capability CEV but a larger set of equipment/supplies will be stowed in the LC CEV.
- A subset of this equipment will be taken with the crew in the Altair to support surface operations.
- A small exercise device (~0.5 MLE) will be stowed for onboard use.
- The crew will perform exercise in the LC CEV and will require attach points for the exercise device. The details are TBR. (Portable Equipment/Medical I/F Whitepaper}. The operational envelope of the crew/exercise device is currently 90 ft3.

Off-nominal:

 Same as IC CEV but the advanced life support/trauma management equipment will be stowed in the Altair to stabilize crewmembers experiencing lunar surface contingencies and brought into the CEV only in case of a need to transport and ill or injured crewmember.









Lunar Electric Vehicle (LER)













Lifecycle Phase: Surface Operations – Lunar Sortie

Nominal:

- The crew will bring a subset of the CEV medical equipment and the exercise device (TBR) into the Altair to support nominal surface operations
- Advanced life support/trauma management equipment will be stowed in the Altair.
- The flight surgeons in MCC will monitor physiological parameters (i.e. heart rate, oxygen, carbon dioxide, etc.) during surface EVAs via telemetry data down-linked to the ground.
- Flight surgeons will be able to monitor EKG real-time during intravehicular (IVA) operations
- Two-way private audio/video is required for performing Private Medical Conferences especially
 pre/post EVA. The two-way communication will also support Private Family Conferences (PFC)
 at least weekly between the crew and their family, and Private Psychological Conferences (PPC)
 as required.

Off-nominal:

- An EVA Contingency Response Kit will be stowed in the Airlock which will contain a Contamination Kit (brushes, bags, wipes), DCS treatment, fluids, and anti-inflammatory medication for the crew to use.
- The medical equipment brought from the CEV and stowed in the Altair will be used to treat ill/injured crewmembers per instructions from the flight surgeons. Data from the medical monitoring devices will be communicated to the ground for further diagnostic purposes. Power will be required for the medical equipment. Pressurized oxygen may be required for certain medical conditions for the ill/injured crewmember.
- A significant illness or injury will be stabilized using Altair-based medical equipment in preparation for ascent and transfer to CEV.
- Two-way private audio/video is required for performing Private Medical Conferences with the flight surgeon in MCC to ensure optimization of medical care via the Crew Medical Officer.





Table -2: Example hardware and mass/volume allocation for support of lunar missions

| Item for Lunar Sortie | Mass | Size | Development Concept | | |
|---------------------------------|----------|--------------|---------------------------------|--|--|
| Medical Kit | 10 lbs | 10x7x6 in | COTS | | |
| Medical Contingency Kit | 30 lbs | 32x12x16 in | Modified COTS | | |
| EVA Contingency Response Kit | 16 lbs | 16x16x8.5 in | Modified COTS | | |
| Environmental Health Kit | 7.51bs | 7x7x9 in | Modified COTS | | |
| Exercise Equipment | 5-20 lbs | TBD | Technology Development Required | | |

COTS= Commercial Off-The-Shelf

⁴NASA-Std-3001.

⁵Scheuring RA, Jones JA, Polk JD. Human Spaceflight Health Systems for the Constellation Project. Aviat Space Environ Med. Vol. 78, No.12 Dec. 2007.





Lunar Surface EVA issues

- LSS: Oxygen/Carbon Dioxide
- Thermal Loading
- Metabolic Loading
- Wear-ability/Comfort
- Injury Prevention
- Decompression Sickness
- Dust Toxicity
- Radiation Protection*








Were injuries common on the Moon?












Lunar Surface Operations⁸

- Risk factors for injuries identified
 - Limit navigation into craters to
 - < 20-26° slope
 - Rover activities
 - CDR
 - LMP
 - Falling from a height
 - Ladder
 - Rim of a crater



Apollo 17 LMP H. Schmitt near North Massif at Taurus-Littrow

⁸Scheuring RA, et. al. The Apollo Medical Operations Project: Recommendations to Improve Crew Health and Performance for Future Exploration Missions and Lunar Surface Operations. NASA-TM-2007–214755. September, 2007.





Suit Factors:

- Mobility/Agility
- Balanced CG
- Vision

Operational Prevention:

- Lunar Surface Ops Plan/Rules
- Communication






Apollo 16 Astronaut on rim of Plum Crater (30-m), which is on the rim of Flag Crater (300-m in diameter, 50-m deep).










Injury contingency management









Lifecycle Phase: Return transfer mission

- Nominal:
 - The crew will perform daily exercise in the CEV in preparation for return to 1g.
 - Private two-way audio/video communication will allow a Pre-entry PMC.
- Off-nominal:
 - If illness or injury on the lunar surface occurs, the Altair required hardware will be transported back with the crewmember to ensure a stabilized condition is maintained.
 - Two-way private audio/video is required for performing Private Medical Conferences with the flight surgeon in MCC to ensure optimization of medical care via the Crew Medical Officer.



Lunar Outpost- Long duration Habitat



- Concept: Medical h/w and supplies to launch in rack (must meet launch mass constraints) ALS/Trauma stabilization kit
- Portable Imager (U/S)
- Telemedicine Workstation
- Medical procedure/monitoring/treatment kit
 - Laceration repair

Denta


- Extremity splinting devices
- Acute radiation exposure monitoring devices and countermeasures











Concept


- Up to 20 Metric Tonnes to Surface
- Crew launches at later time on separate vehicles
- Lunar habitat functionality checkedout via telemetry
- ? ISRU/Power/LSS support





Lunar Outpost

- Medical Kits
 - Volume 1 ISS ISO rack stowage bin equivalent (approx. 0.5-0.75 M³)
- Exercise
 - Volume 0.5 CTBE (1/2 Shuttle mid-deck locker) approx. 0.01 M³
 - Mass 10 kg (22 lbs.)
 - Use envelope: 2.57 M³ (6.5 x 4.2 x 3.3 ft.)
 - No power or data interface
- Environmental Monitoring
 - Volume TBD 0.5-0.75 CTBE
 - Mass 10-20 kg





Landing Recovery



Nominal recovery

- Water is prime for landing
 - Land is a contingency launch abort scenario
 - Crew will remain in vehicle with two-way communication until SAR forces arrive

Off-nominal recovery

 Crew may be in the ocean up to 24 hours before recovered





Apollo 12 landing, 1970



PORT 1 , 2009



Medical Capabilities Envisioned to Support Exploratory Class Space Flight Implications for the Future



- Small steps needed for diagnostic imaging upgrade/miniaturization
- Still need a giant leap for the autonomous medical system to support Lunar Colonies and Mars Exploration
- Plenty of work for all that are interested in Medical Technology Development
- Medical Suite in Habitat and Rover
- Remote/ Automated Diagnostics
 - Vital Signs
 - Imaging
 - Laboratory
- Non-Invasive monitors/sensors
- Telemedicine
 - Enhanced TIP for consultation to Earth
 - Telerobotics
 - Computer-based diagnostic and treatment algorithms; virtual consultant





Medical Hardware Development Collaborations



- USAARL/US stethoscope
- USAISR/LTM
- GRC/IVGEN
- JSC/IMM
- GRC/IMM modeling
- JSC/Assisted Medical Procedures
- GRC/O2 Concentrator Development
- GRC/Consumables tracking
- GRC/Injectables
- GRC/Medical Imaging Integration
- ARC/Lunar Lab Analysis
- GRC/Reusable Laboratory Capability
- ARC/Biomedical Sensors
- JSC/Guideview







- Concept to have access to a Mars transit vehicle after TMI until Mars descent
- Concept pre-position Mars habitat on surface and conduct check-out
- ISRU/Power/LSS support
- Preventive Medicine station
 - PEx, Labs, Countermeasures
- Contingency Management
 - Portable Imager (U/S)
 - Telemedicine Workstation
 - Medical procedure kit

Mars Surface

- Autonomous Medical Prevention and Care
- ? Surgical Capability







Human Mars Mission Classes

- Even assuming advanced propulsion technology, Mars missions "driven" by orbital mechanics
- "Short-stay" ("Opposition-Class")
 - High-propulsive requirements
 - Venus swing-by or deep-space Maneuvers
 - Close perihelion passage
 - 1½ to 2 year mission duration
 - Majority (90+%) of crew time spent in deep-space environment

"Long-Stay" ("Conjunction-Class")

- Lower-propulsive requirements
- All missions > 1 A.U.
- Short transits separated by long-surface mission
- 2½ year mission duration
- Majority (60+%) of crew time spent on Mars









| Factor | Long Stay Mission Conjunction-class | Short Stay Mission (2037 opportunity) Opposition-class |
|---|---|--|
| Outbound transit to Mars | 6 months | 6 months |
| Inbound transit to Earth | 6 months | 13 months |
| Total transit (deep space) time (% total mission duration) | 12 months (40%) | 19 months (95%) |
| Surface stay time (% total mission duration) | 18 months (60%) | 1 month (5%) (2 months = 10%, 3 months = 15%) |
| Total Mission Time | 30 months | 20 months |
| Closest solar approach Without Venus swing-by With Venus swing-by | ● 1 AU ● n/a | ~0.75 AU ~0.5 AU (3+ months ≤0.75 AU) 2 or 3-month stay: ~0.35 AU (<3 months ≤0.75 AU) AU) |





Long-stay (shorter transits)

 Longer overall mission duration, more exposure to mission risks, including surface trauma; less total radiation exposure due to less time in interplanetary space and to perihelion = 1 AU

Short-stay (longer transits)

 Shorter overall mission duration, less exposure to overall mission risks, including surface trauma; however more acute radiation exposure due to more time in interplanetary space and to perihelion ≤ 0.7 AU

