



National Aeronautics and Space Administration

The UAS ARC Activities and NASA Project Alignment





Agenda



- What is the UAS Aviation Rulemaking Committee (ARC)?
 - o Dr. Waggoner
- What is the relationship between the ARC and the FAA ConOps and Roadmap?
 - Dr. Waggoner
- What is the relationship between the ARC and the JPDO Comprehensive Plan?
 - Dr. Wagoner
- What is the relationship between the Project and the ARC
 - Mr. Johnson



UAS ARC Charter



Objectives and Scope of the Committee

This committee will provide a forum for the U.S. aviation community to discuss, prioritize, and resolve issues. provide direction for U.S. UAS operational criteria, support the NextGen Implementation Plan, and produce U.S. consensus positions for global harmonization

The general objectives and scope are to:

- a. Develop the means to continue integration of UAS with manned NAS operations that address safety, capacity, and efficiency objectives consistent with global aviation
- b. Coordinate the resolution of any comments on related proposed rulemaking
- c. Develop and recommend to the FAA draft advisory circular language and a strategy, process, and schedule for the integration of UAS into the NAS
- d. Develop and recommend to the FAA updated guidance material, notices, handbooks, and other relevant materials for UAS operation
- e. Make recommendations. including rulemaking and additional tasking. to the Administrator through the Associate Administrator for Aviation Safety and the ATO Chief Operating Officer



UAS ARC Procedures



Committee Procedures

- The committee provides advice and recommendations to the Associate Administrator for Aviation Safety and the ATO Chief Operating Officer. The committee acts solely in an advisory capacity.
- The committee will discuss and present information, guidance, and recommendations that the committee considers relevant to disposition issues. Discussion will include, but is not limited to, the following:
 - 1) Operational objectives, recommendations, and requirements
 - 2) Airworthiness criteria and means of compliance to meet the operational objectives
 - 3) Recommendations for rulemaking necessary to meet objectives
 - 4) Guidance material and the implementation processes
 - 5) Global harmonization issues and recommendations
 - 6) Documentation and technical information to support recommendations



UAS ARC Committee Membership



- The committee will consist of approximately 15 members, selected by the FAA, representing aviation associations, industry operators, manufacturers, employee groups or unions, other Government entities, and other aviation industry participants.
- The membership will be balanced in points of view, interests, and knowledge of the objectives and scope of the committee. Each member or participant on the committee should represent an identified part of the aviation community and have the authority to speak for that part. Membership on the committee will be limited to promote discussions. Active participation and commitment by members will be essential for achieving the committee objectives and for continued membership on the committee. The committee may invite additional participants as subject matter experts to support specialized work groups.
- Scott Dann General Atomics (Chair), Jim Williams FAA (FAA Designated Representative)
- Members include FAA, NASA, DoD PBFA, DoD AFRL, DHS, DOJ, MITRE, New Mexico State University, Insitu, General Atomics, Aerovironment, Lockheed Martin, Honeywell, General Electric, Raytheon, AAI Textron, Airlines for America, AOPA, ALPA, NBAA



UAS ARC and FAA ConOps and Roadmap



- The ARC was provided a copy of the FAA UAS ConOps and the FAA Roadmap
- The ARC will continue to monitor and recommend updates to the these documents
- Many of the ARC members believe the assumptions in the ConOps are overly restrictive and limit the ability to fully integrate UAS into the Next Generation Air Transportation System
 - All UAS must file and fly an IFR flight plan
 - All UAS will be required to be equipped with ADS-B (out)
 - The PIC has full control, or override authority to assume control at all times during normal UAS operations – no autonomous operations will be permitted



FAA UAS ConOps Assumptions



The following general requirements and assumptions apply to all UAS operations that are integrated into the NAS. Requirements for integration apply universally, regardless of type of user or operational domain. Subsequent sections discuss each of these requirements and assumptions in more detail. Small UAS (aircraft weighing less than 55 pounds) designed to operate exclusively within visual line-of-sight (VLOS) of the flight crew are not addressed in the concept narrative and are not bound by these requirements for integration.

- 1. UAS operators comply with existing, adapted, and/or new operating rules or procedures as a prerequisite for NAS integration.
- 2. Civil UAS operating in the NAS obtain an appropriate airworthiness certificate while public users retain their responsibility to determine airworthiness.
- 3. All UAS must file and fly an IFR flight plan.
- 4. All UAS are equipped with ADS-B (Out) and transponder with altitudeencoding capability. This requirement is independent of the FAA's rulemaking for ADS-B (Out).
- 5. UAS meet performance and equipage requirements for the environment in which they are operating and adhere to the relevant procedures.



FAA UAS ConOps Assumptions



- 6. Each UAS has a flight crew appropriate to fulfill the operators' responsibilities, and includes a PIC. Each PIC controls only one UA.
- 7. Autonomous operations are not permitted. The PIC has full control, or override authority to assume control at all times during normal UAS operations.
- 8. Communications spectrum is available to support UAS operations.
- 9. NonewclassesortypesofairspacearedesignatedorcreatedspecificallyforUAS operations.
- 10. FAA policy, guidelines, and automation support air traffic decision-makers on assigning priority for individual flights (or flight segments) and providing equitable access to airspace and air traffic services.
- 11. Air traffic separation minima in controlled airspace apply to UA.
- 12. ATC is responsible for separation services as required by class of airspace and type of flight plan for both manned and unmanned aircraft.
- 13. The UAS PIC complies with all ATC instructions and uses standard phraseology per FAA Order (JO) 7110.65 and the Aeronautical Information Manual (AIM).
- 14. ATC has no direct link to the UA for flight control purposes.



UAS ARC and JPDO Comprehensive Plan



- The UAS ARC is providing substantial inputs into the JPDO Comprehensive Plan
- Many of the ARC members are part of the JPDO team responsible for developing the Comprehensive Plan, and are providing inputs based on their organizational positions
- The Implementation Plan Working Group (IPWG) was established under the ARC to develop consensus driven content to populate the milestones associated with the Comprehensive Plan
- The IPWG will identify what needs to be accomplished, when it needs to be accomplished, which organizations are responsible for the specific milestones, and a rough estimate of the costs associated with the JPDO Comprehensive Plan
- The IPWG will consider policy, procedures, technology development, and infrastructure requirements



Project Role in JPDO Roadmap Activities



Significant involvement throughout JPDO activities related to UAS

- Provided subject matter expertise during the development of the "NextGen UAS Research Development and Demonstration (RD&D) Roadmap" due to OMB at the end of FY11. These SMEs continue to provide inputs into the RD&D Roadmap updates.
- Provided subject matter expertise to the "UAS National Goals and Objectives" planning process. This process is ongoing and the SMEs will continue to be involved as long as necessary.
- Provided subject matter expertise to the "UAS Comprehensive Plan" planning process. This process is ongoing and the SMEs will continue to be involved as long as necessary. Ideally, much of the work being conducted through the Aviation Rulemaking Committee will be incorporated into this comprehensive plan.
- The Project will continue to support all UAS related activities as requested by the JPDO.



UAS ARC Implementation Plan Working Group



- Statement of Objective, i.e. what is the problem/requirement: The goal of the Implementation Planning Working Group (IPWG) is to define a master plan for the implementation of the FAA Civil UAS Roadmap.
- Statement of scope of task/activity: The FAA's Civil UAS Roadmap is a guide for the aviation community and stakeholders to understand the goals and challenges for the safe integration of civil UAS into the NAS. The implementation plan will build upon the Roadmap by defining the means, resources, and schedule necessary for the aviation community, stakeholders, and government to safely and expeditiously integrate Civil UAS into the NAS. It is understood that there is no one organization with the charter, breadth of responsibility or aggregate resources to accomplish this goal in isolation. The plan should define a means to coordinate and leverage current and future initiatives necessary to meet the objectives of the Civil UAS Roadmap.



Implementation Plan



At a minimum, the implementation plan shall contain the following sections:

- Executive Summary
- Technical Approach
 - Plan Solution/Approach Summary
 - Summary of current funded efforts and gap analysis
 - Work Break Down (WBS) Structure for implementation plan
 - Master Integrated Schedule for implementation plan
 - List of Major and Mini Milestones tied to WBS Tasks
- Management Plan
 - Governance Structure
 - Coordination Approach
 - List of Roles and Responsibilities by WBS item (i.e. FAA, Industry, NASA, DoD, DHS, etc.)
- Cost Estimate
 - First Order Cost Estimate by WBS
 - First Order Cost Estimate by stakeholder
- First Order Cost Estimate by GFY



Implementation Plan Lays Out a Multi-Year Program & Framework for UAS Integration



- Provides a programmatic framework to achieve civil UAS integration
 - Plan is laid out in 3 over-lapping phases:
 "Accommodate Integrate Evolve"
 - Plan produces specific products needed for System Certification, for Pilot/Crew Qualification and for Operational Approvals
 - Plan uses a proven Management/Governance structure modeled after NextGen
- Leverages the large investment in UAS already made to date



- Coordinates ongoing efforts across government and industry
- Allows U.S. to continue its lead role in UAS development and integration

Provides all applicable stakeholders clear guidance as to how the FAA intends to safely integrate this technology into the NAS



Civil UAS Implementation Plan build upon the FAA's Civil UAS CONOPs & Roadmap



- The FAA's Concept of Operations (CONOPs) and Roadmap establish the vision and define the path forward for safely integrating civil UAS operations into the National Airspace System (NAS)
- The Civil UAS Implementation Plan builds upon the FAA CONOPs and Roadmap by defining:
 - The means, resources and schedule necessary for the aviation community and stakeholders to safely and expeditiously integrate civil UAS into the NAS
 - An overall management/governance structure that will facilitate required public and private activities
 - The activities needed to safely integrate UAS including:
 - The identification of gaps in current UAS technologic regulations, standards, policies or procedures
 - The development of new technologies, regulations, standards, policies and procedures
 - The identification of early enabling activities to advance routine UAS NAS integration
 - The development of guidance material, training, and certification of aircraft, enabling technologies, and airmen






Phases of the Plan



- Phase 1: Accommodate Utilize existing rules and guidelines and apply special mitigations and procedures to expand the limited NAS access currently in place
- Phase 2: Integrate Establish UAS certification criteria, threshold performance requirements and standards to increase NAS access
- Phase 3: Evolve Establish all required policy, regulations, procedures, technologies and training to enable routine NAS access





Major Activities & Resultant Outputs



Resultant Outputs **Major Activities** System Certification Criteria & Methods of Compliance (MOC) Develop UAS Design Criteria Handbooks (Airplane, Rotorcraft, Airship) Conduct Certification Pathfinder activities (Airplane, Rotorcraft, Airship) System Cert. Conduct Restricted Certification Program UAS Criteria & MOCs Design Criteria Develop SAA & C2 Performance Standards Update applicable FARs and develop training courses ATO SMS Hdl AVS SMS Hdb Safety Criteria & Methods of Assessment (MOA) System xx.1309 Develop FAA Policy Paper establishing the vision for UAS safety Safety Criteria Certification Determine UAS Safety Criteria (i.e. Appropriate Levels of Safety & Allocations) Policy Paper & MOAs Determine Safety MOAs (i.e. Methodology for Proving Safety & Tracking Metrics) **UAS Safety** Develop interim safety quidelines and update / develop Safety Criteria & MOAs Security Hdbl Security Criteria & Methods of Assessment (MOA) xx.1309 Adopt/adapt security concepts, & scope work by conducting high-level security assessments Security Criteria Identify security certification strategies, establish scope & approach for UAS security assmts & MOAs Identify security threats, vulnerabilities, hazards, & risk mitigation strategies/solutions Establish essential security requirements to be met throughout the UAS life cycle Pilot / Crew Qualifications Develop crew qualifications and instructor requirements Pilot / Crew Pilot /Crew Develop test standards for pilots, crew and instructors Qualifications Qualifications • Establish medical and simulation certification requirements 14 CFR **Updates** Publish final crew, medical and FTD qualification & certification requirements Airspace Management Policies & Procedures Identify airspace needs based on UAS type Conduct EIP for Group 4/5 UAS in Class A airspace Airspace Mngmt 7210.3x Implement changes to airspace operations, procedures and changes to automation Policies & Proc. Prepare training playbooks and train service providers Operational FIP completed and coordinated Operational and Operator Criteria & MOCs Approval Publish FAA rule and ASTM standards on sUAS and update sUAS operational requirements Expand use of sUAS in Arctic and for DOJ / Law Enforcement Operational Part 119 Criteria & MOCs Establish UAS Operator and Operational requirements Part 107 Part 91 Develop necessary training material and complete all required training Update applicable ACs, Orders, FARs, and AIM

Industry &
Gov't Enabling
Activities

Research & Development (FAA, DoD, NASA, Industry, other)

Current U.S. Public and Civil UAS Operational Experience

International UAS Activities and Experience



Implementation Plan Milestones



									_	NASA	
Fiscal Year	FY13	FY14	FY15	FY16	FY17	FY18	FY19	FY20	FY21	FY	22
Quarter	Q1 Q2 Q3 Q4	Q1 Q2 Q3 Q4	Q1 Q2 Q3 Q4	4 Q1 Q2 Q3 Q4	Q1 Q2 Q3 Q4	Q1 Q2 Q3 Q4	Q1 Q2 Q3 Q4	Q1 Q2 Q3 Q4	Q1 Q2 Q3 Q4	Q1 Q2	Q3 Q4
System Certification Criteria & MOCs	Certification Approach Whitepaper	Airplane R. R. Design D. Criteria Hdbk C. Restricte	otorcraft esign riteria Hdbk Airplane Cert. Pathfinder	Airship A Design Criteria Hdbk Rotorcraft Cert. Pathfinder	Cert. Trai	ining Update FARs Ship Cert.		SAA & C2 Perf Stds all Airspace Classe	for		
Safety Criteria & MOA	UAS Sa Approa Whitepa FAA Safety Policy Paper	Safety Leaper Define Alloca	Tracki	ng Metrics Interim Safety Guidelines Cri	Final Safety teria & MOAs						
Security Criteria & MOA	Security Co White	epaper △		∠\wi	erabilities zard Identification nitepaper Risk Mitigati Strategies &		ments				
Pilot / Crew Qualifications	Pilot/Crew Approach Whitepaper	AS Record ping Rqmts UAS Simulat Design Rqm	UAS Crev Qual. Rqr tor	W UAS II Qual	nstructor A Rqmts		ts TD/QMS book				
Airspace Management Policies & Procedures	Airspace needs Determined Operatio Impact G Analysis	nal A		EIP Carrier Effectiveness Assessment inalize Implooc & Proc	AddI changes to A/S, Ops Proc Changes to Automation		Play	Changes Ops Orde ining, books Provid pared Train	ce ders	FIP Co	ompleted ordinated
Operational & Operator Criteria & MOCs	Operations Approach Whitepaper SUAS NPRM SUA Released Star	DO ME SUAS		UAS Training Completed Use of sUAS in Arctic Expande sUAS Operatic Rqmts Update	∆ ∠ Up ed mal	Rs and AIM dated					
Enabling Activities	∠ Upo		UAS TCRG Maint. / Reliability anges	ABSAA IOO (Due Regar		ort on					
UAS NAS Access Phases:	A	ccommoda	ate		Integrate			Evo	olve		



Milestones & Funding Gaps A Partially Funded or Supported

A Currently Funded or Supported

▲ Unfunded or Not Supported



Fiscal Year	FY13	FY14	FY15	FY16	FY17	FY18	FY19	FY20	FY21	FY22
Quarter	Q1 Q2 Q3 Q4	Q1 Q2 Q3 Q4	Q1 Q2 Q3 Q4	Q1 Q2 Q3 Q4	Q1 Q2 Q3 Q4	Q1 Q2 Q3 Q4	Q1 Q2 Q3 Q4	Q1 Q2 Q3 Q4	Q1 Q2 Q3 Q4	Q1 Q2 Q3 Q4
System Certification Criteria & MOCs	Certification Approach Whitepaper	Airplane Restricte Cert Program	esign D riteria Hdbk C Airplane Cert. Pathfinder	Rotorcraft Cert. Pathfinder	Cert. Trai	ining Update FARs Ship Cert.		SAA & C2 Perf Stds all Airspace Classe	s for	
Safety Criteria & MOA	VAS Sa Approa Whitepa FAA Safety Policy Paper	ch Safety Le	evel Trackin	Cri	inal Safety teria & MOAs					
Security Criteria & MOA	Security Con White	epaper A Se	curity Scope itepaper Security Approac Whitepaper	▲ Wi	erabilities zard Identification itepaper Risk Mitigati Strategies &		ments			
Pilot / Crew Qualifications		S Record ping Rqmts UAS Simulat Design Rqm			structor Rqmts		TD/QMS book			
Airspace Management Policies & Procedures	Airspace needs Determined Operation Impact G Analysis	nal A	in Class A)	EIP Effectiveness Assessment nalize Impl oc & Proc	Addl changes to A/S, Ops Proc Changes to Automation		Play	Changes Ops Orde ning, books Provi Dared Train	ice ders	FIP Completed & Coordinated
Operational & Operator Criteria & MOCs	S NPRM SUA	DOJ/LE sUAS Strategy Impleme S Rule & ASTM dards Published	ented	UAS Training Completed Use of sUAS in Arctic Expande SUAS Operatic Rqmts Update	Up ed nal	Rs and AIM dated				
Enabling Activities	✓ Upo	-HDBK-516		ABSAA IOO (Due Regar		ort on				
UAS NAS Access Phases:	Α	ccommoda	nte		Integrate			Ev	olve	



NASA Project Contributions

Partially Funded or
Supported
by UAS in the NAS Project

Evolve

	_								(%)	
Fiscal Year	FY13	FY14	FY15	FY16	FY17	FY18	FY19	FY20	FY21	FY22
Quarter	Q1 Q2 Q3 Q4	Q1 Q2 Q3 Q4	Q1 Q2 Q3 Q4	Q1 Q2 Q3 Q4	4 Q1 Q2 Q3 Q4	Q1 Q2 Q3 Q4	Q1 Q2 Q3 Q4	Q1 Q2 Q3 Q4	Q1 Q2 Q3 Q4	Q1 Q2 Q3 Q4
System Certification Criteria & MOCs	Certification Approach Whitepaper	Airplane Ro Design De Criteria Hdbk Cr	Airplane Cert. Pathfinder	Pathfinder				SAA & C2 Perf Stds all Airspace Classe	s for s	
Safety Criteria & MOA	UAS Sai Approa Whitepa FAA Safety Policy Paper	ch Safety Le per Define Alloca	vel ATrackii d Safety	Interim Safety Guidelines	Final Safety iteria & MOAs					
Security Criteria & MOA	Security Col White	epaper A Sec		w	nerabilities azard Identification hitepaper ARisk Mitigati Strategies &		ments			
Pilot / Crew Qualifications		S Record ping Rqmts A UAS Simulate Design Rqm	UAS Crew Qual. Rqn	UAS I Qual	nstructor A I. Rqmts		ts TD/QMS_			
Airspace Management Policies & Procedures	Airspace needs Determined Operation Impact G Analysis	nal A		EIP Effectiveness Assessment nalize Impl oc & Proc	Addl changes to A/S, Ops Proc Changes to Automation		Pla		ice ders	FIP Completed
Operational & Operator Criteria & MOCs	Operations Approach Whitepaper SUAS NPRM SUA Released Star	DOJ/LE SUAS Strategy Impleme S Rule & ASTM	nted	UAS Training Completed Use of sUAS in Arctic Expanded SUAS Operation	Oped	Rs and AIM dated				
Enabling Activities	MIL Upo NAS		JAS TCRG Maint. / Reliability	ABSAA IOO (Due Regai		ort on				

Integrate

Note: Acronyms can be found on the Notes Page associated with this slide.

Accommodate

UAS NAS Access Phases:



Benefits of Executing the Proposed Implementation Plan



- National interest program that maintains U.S. competitiveness
- Leverages extensive government and industry investments
- Coordinates ongoing efforts across government and industry
- Allows for civil use of UAS while expediting safe integration of civil UAS into the NAS
- Establishes a basis for obtaining / allocating resources and funding
- Identifies responsibilities of key stakeholders and provides for oversight and accountability
- Provides a mechanism to assess/measure progress
- Facilitates NextGen development


Recommend leadership secure the necessary funding and assign the appropriate organization(s) with the responsibility to execute this plan.





National Aeronautics and Space Administration

Unmanned Aircraft Systems (UAS) Integration in the National Airspace System (NAS) Subproject Integration





Purpose



- Provide a UAS NAS Project briefing on Subproject Integration
- Explain the Project's approach to System Integration relative to systems development



Agenda



- Needs, Goals, Objectives, and Technical Challenges
- Systems Development and Integration
- Subproject Integration
- Stakeholder Coordination



Needs, Goals, Objectives



 There is an increasing need to fly UAS in the NAS to perform missions of vital importance to National Security and Defense, Emergency Management, and Science. There is also an emerging need to enable commercial applications such as cargo transport (e.g. FedEx)

Capitalizing on NASA's unique capabilities, the project will utilize integrated system level tests in a relevant environment to eliminate or reduce critical technical barriers of integrating UAS into the NAS

- The project will develop a body of evidence (validated data, algorithms, analysis, and recommendations) to support key decision makers, establish policies, procedures, standards, and regulations to enable routine UAS access to the NAS
- The project will also provide a methodology for developing airworthiness requirements for UAS, and data to support development of certification standards and regulatory guidance for civil UAS
- The project will support the development of a national UAS access roadmap



Project Technical Challenges



Airspace Integration

 Validate technologies and procedures for unmanned aircraft systems to remain an appropriate distance from other aircraft, and to safely and routinely interoperate with NAS and NextGen Air Traffic Services (ATS)

Standards/Regulations

 Validate minimum system and operational performance standards and certification requirements and procedures for unmanned aircraft systems to safely operate in the NAS

Relevant Test Environment

 Develop an adaptable, scalable, and schedulable relevant test environment for validating concepts and technologies for unmanned aircraft systems to safely operate in the NAS



Subproject Technical Challenge Alignment



Airspace Integration


Validate technologies and procedures for unmanned aircraft systems to remain an appropriate distance from other aircraft, and to safely and routinely interoperate with NAS and NextGen Air Traffic Services

Standards/Regulations

Validate minimum system and operational performance standards and certification requirements and procedures for unmanned aircraft systems to safely operate in the NAS

Relevant Test Environment

Develop an adaptable, scalable, and schedulable relevant test environment for validating concepts and technologies for unmanned aircraft systems to safely operate in the NAS



Communications PE Jim Griner - GRC Separation Assurance/Sense and Avoid Interoperability (SSI) Co-PEs Eric Mueller - ARC

Maria Consiglio - LaRC

Human Systems Integration (HSI) PE Jay Shively -ARC

Certification
PE
Kelly Hayhurst
- LaRC

Integrated Test and
Evaluation
Co-PEs
Jim Murphy - ARC
Sam Kim - DFRC

PE – Project Engineer



Subproject Objectives SSI, HSI, & Communications



SSI

- Assess the interoperability of UAS sense-and-avoid systems with the Air Traffic Control (ATC)
 environment
- Assess the effects of UAS mission and performance characteristics, communications latencies and changes to separation roles and responsibilities on the NAS

HSI

- Develop a research test-bed and database to provide data and proof of concept for Ground Control Station (GCS) operations in the NAS.
- Coordinate with standards organizations to develop human factors guidelines for GCS operation in the NAS

Communications

- Develop data and rationale to obtain appropriate frequency spectrum allocations to enable the safe and efficient operation of UAS in the NAS
- Develop and validate candidate UAS Command Non-Payload Communications (CNPC) system/subsystem test equipment which complies with UAS international/national frequency regulations, International Civil Aviation Organization (ICAO) Standards and Recommended Practices, and FAA/RTCA Minimum Operational Performance Standards/Minimum Aviation System Performance Standards for UAS
- Perform analysis and propose CNPC security recommendations for public and civil UAS operations
- Perform analysis to support recommendations for integration of CNPC and ATC communications to ensure safe and efficient operation of UAS in the NAS



Subproject Objectives Certification & IT&E



Certification

- Methodology for Classification of UAS and Determination of Airworthiness standards for avionics aspects of UAS
- Hazard and risk related data to support development of regulation

IT&E


- Define and develop infrastructure that will create operationally relevant environments that is adaptable and scalable to incorporate the concepts and technologies to be evaluated by the SSI, Communications, HSI, and Certification subprojects
- Employ systems level integrated simulations and flight tests to validate models, assess system interactions, and determine the effectiveness of the concepts and technologies at reducing the technical barriers associated with routine UAS access into the NAS



Systems Development and Integration




- Traditional Systems Integration
 - Requirements definition based on stakeholder need
 - Design and development
 - Operations and maintenance
- UAS NAS Project integration focuses on the first two bullets above using an iterative approach





Subproject Integration and Stakeholder Coordination







Subproject Integration Body of Evidence



Body of evidence integration process follows a modified systems integration approach which relies on integrated test planning

- Objectives Definition
- Test Planning and Interdependencies



Subproject Integration Relevant Environment




Live Virtual Constructive Distributed Environment (LVC-DE) development enables integrated test to occur in a relevant environment to validate the body of evidence follows a modified systems integration approach

- Requirements Definition
- Development and Integration
 - Asset development
 - Simulation capability integration
 - Distributed connectivity
 - Review process
 - Characterization test
 - Bound simulation capabilities
 - Test latency and bandwidth between components
- Enable Integrated Test



Subproject Integration








Objectives Definition



- Stakeholder Expectations
- Objectives Definition
- Operational Concept Development
- Performance Parameters
- Internal Project Activities
 - Stakeholder Expectations
 - Objectives Definition
 - Operational Concept Development
 - Performance Parameters





Test Planning Activities



- Internal subproject tests
 - Preparation and execution tasks identified
- Integrated tests
 - Preparation and execution tasks with networking dependencies identified
 - Integrated test infrastructure initial architecture development/demonstration/characterization; examples:
 - · Ground control station (GCS) connections
 - Air traffic control (ATC) workstation development
 - Infrastructure checkouts/shakedowns
 - Integrated test planning; examples:
 - · Scenario selection and development
 - Airspace adaptation
 - Airspace demonstration/test
 - Test plan matrix

- · Ikhana (UAS) simulation
- Multi aircraft control system (MACS) modification for UAS and SSI algorithms
- Data Analysis Plan
- · Dry runs/shakedowns
- Host Center Reviews (IRT, FRR, AFSRB, Tech Brief)
- Reporting



Examples of Interdependencies



- Communication latency
 - Cross referencing communication data with HSI and SSI requirements to ensure appropriate information is provided
 - Latency distributions are representative of today's communication architecture between ATC and pilot
- Integration of SSI algorithms into HSI ground control stations (GCS) and/or surrogate aircraft
- Incorporation of SSI display aspects into GCS
- Coordinate human role in each phase of separation assurance and collision avoidance
- Coordination of fast time simulations for measured response data (larger distributions will be evaluated in HITL)
- Integrated environment to ensure consistency
 - Simulation facilities, simulation components, and data collection




Example of Integrated Test Planning



Walk through the test planning of the first integrated event

- Goal the Integrated Human in the Loop (IHITL) is to test interoperability of sense and avoid with controller separation assurance in order to evaluate pilot and controller alerting of SAA advisories
 - See and avoid -> sense and avoid
 - Airspace is to be determined (Class A and E likely)
 - Increased scope/fidelity/uncertainty
 - Provide data to validate Communication models
 - Latency and bandwidth requirements





Example of Integrated Test Plan Development



- Test Plan Outline
 - Introduction
 - Purpose, Background, Resources
 - Test Objectives
 - What we are testing
 - Details for each specific objective
 - Test Procedures
 - How we are conducting each data run
 - Test Reporting
 - Description of the expected output
- Stakeholder Coordination
- Project Office Review



Stakeholder Coordination



- FAA and UAS-NAS Project collaboration and coordination
 - Final agreement on products/deliverables
 - Definition of how research will be used by the FAA
 - Alignment of activities with timeframe needed by FAA
- FAA UAS-NAS Project Management Reviews (PMRs) Target quarterly
 - FAA UAS Integration Office Director
 - UAS-NAS Project Manager
 - FAA Coordination Team Leads and UAS-NAS Project Chief System Engineer (CSE)
 - FAA SMEs and UAS-NAS Subproject PEs
- FAA & UAS-NAS Coordination Team Currently weekly
 - FAA Coordination Team Leads and UAS-NAS Project CSE and FAA Liaison
 - Quad chart development
- FAA & UAS-NAS Research Specific Meetings Constant
 - FAA SMEs and UAS-NAS Subproject PEs



Stakeholder Coordination



- RTCA and UAS-NAS Project collaboration and coordination through SC-203 Plenary sessions and Working Group Meetings
 - Definition of subproject objectives and products/deliverables
 - Definition of how research will be used by the SC-203
 - Alignment of activities with timeframe needed by SC-203
 - Current activity to define the methodology to report progress
 - Similar to FAA methodology (Quad Charts)
- JPDO
- Other Government Agencies (DOD, DHS)
- International Community



Summary



- Chief System Engineer oversees systems integration approach
- Understanding interdependencies between subprojects is important to ensure the body of evidence developed by each subproject takes full advantage of the work and knowledge of the other subprojects and the work/data is credible
- Coordination of subproject objectives/deliverables with our external customers important to ensure Body of Evidence contributes to the ability of key decision makers to establish policy, procedures, standards and regulations to enable routine UAS access in the NAS




Backup





Simulation and Flight Schedule





HSI	
SSI	
Communications	
Integrated Tests	



Requirements Definition



- Stakeholder Expectations Definition
 - Meeting of experts
 - NASA Need/Strategic Alignment
 - o FAA
 - o RTCA
 - FAA & RTCA expectations validation process
 - Ongoing series of meetings with FAA & RTCA defining and aligning research needs
 - Validated expectations to be briefed as part of Project Phase 1/Phase 2
 Transition Review



Requirements Definition (continued)



- Operational Concept
 - RTCA Operational Services and Environment Definition (OSED)
 - FAA ConOps To be published
 - Project
 - SSI Concepts of Integration
 - Delegation of separation assurance authority allocations
 - Traffic densities
 - Airspace class
 - UAS scenarios or missions



Requirements Definition (continued)




- Enabling Support Strategies
 - Develop body of evidence from
 - "Non-integrated" analysis, fast-time simulations, part-task human-in-the-loop simulations, and flight tests
 - Non-integrated = individual subproject focused objectives and infrastructure
 - "Integrated" human-in-the-loop and flight tests
 - Integrated = integrated objectives; common test infrastructure (LVC-DE), scenarios, and airspace to maximum degree possible
 - Develop LVC-DE to support validation most relevant NAS representative infrastructure
 - Develop and integrate unique NASA Center infrastructure
 - ARC simulation capabilities
 - DFRC simulation and flight capabilities
 - Collaborate with FAA to provision LVC-DE infrastructure
 - Collaborate with partners to identify potential LVC-DE infrastructure opportunities for Project and partner



Requirements Definition (continued)




- Measures of Effectiveness (MOE)
 - Inform development of performance standards/regulations (the body of evidence)
 - Provide insight into "system" performance (system = UAS operating in the NAS)
- MOEs
 - NAS Safety
 - NAS Efficiency
 - NAS Capacity





Integrated Events Recap





Three primary events

- Each containing multiple sim/flight test series
- Many supporting simulations have integration aspect
- Looking for collaboration areas



Test Planning



- Integrated Master Schedule
 - Internal subproject tests
 - Preparation and execution tasks identified
 - Integrated tests
 - Preparation and execution tasks with networking dependencies identified
 - Integrated test infrastructure initial architecture development/demonstration/characterization; examples:
 - · GCS connections
 - ATC workstation development
 - Ikhana simulation
 - FAA Tech Center Connection
 - Infrastructure checkouts/shakedowns

- Ikhana ADS-B
- · High Desert TRACON feed
- · MACS modification for ERAM
- MACS modification for UAS and SSI algorithms
- ACES modifications
- Integrated test planning; examples:
- Scenario selection and development
- Airspace adaptation
- Airspace demonstration/test
- Test plan matrix
- Data analysis plan
- · Dry runs/shakedowns

- · GCS modifications
- · Aircraft modifications
- ATC controller training
- · Pseudo pilot training
- Host Center Reviews (IRT, FRR, AFSRB, Tech Brief)
- Reporting



Integrated Flight Test 3 and Flight Test 4



Integrated flight test (FT) 3 goal is to expand SAA and GCS display evaluation using live aircraft and real Communication radios

- Airspace is to be determined
- Real-world uncertainties
 - Using prototype Communication systems
 - Added wind/speed/position uncertainties
- Higher fidelity
 - Live aircraft

Integrated flight test (FT) 4 goal is to evaluate SAA and GCS displays with complex scenarios and multiple UAVs

- Airspace is to be determined
- Potential for live intruders (using surrogates)
- Demonstration flight in the NAS (surrogate)