

1996

Packet Loss Correlation in the MBone Multicast Network

Maya Yajnik

University of Massachusetts - Amherst

Jim Kurose

University of Massachusetts - Amherst

Don Towsley

University of Massachusetts - Amherst

Follow this and additional works at: https://scholarworks.umass.edu/cs_faculty_pubs



Part of the [Computer Sciences Commons](#)

Recommended Citation

Yajnik, Maya; Kurose, Jim; and Towsley, Don, "Packet Loss Correlation in the MBone Multicast Network" (1996). *Computer Science Department Faculty Publication Series*. 171.

Retrieved from https://scholarworks.umass.edu/cs_faculty_pubs/171

This Article is brought to you for free and open access by the Computer Science at ScholarWorks@UMass Amherst. It has been accepted for inclusion in Computer Science Department Faculty Publication Series by an authorized administrator of ScholarWorks@UMass Amherst. For more information, please contact scholarworks@library.umass.edu.

Packet Loss Correlation in the MBone Multicast Network¹

Maya Yajnik, Jim Kurose, and Don Towsley
Department of Computer Science
University of Massachusetts at Amherst
Amherst MA 01003
{yajnik,kurose,towsley}@cs.umass.edu

Abstract

The recent success of multicast applications such as Internet teleconferencing illustrates the tremendous potential of applications built upon wide-area multicast communication services. A critical issue for such multicast applications and the higher layer protocols required to support them is the manner in which packet losses occur within the multicast network. In this paper we present and analyze packet loss data collected on multicast-capable hosts at 17 geographically distinct locations in Europe and the US and connected via the MBone. We experimentally and quantitatively examine the *spatial and temporal correlation in packet loss* among participants in a multicast session. Our results show that there is some spatial correlation in loss among the multicast sites. However, the shared loss in the backbone of the MBone is, for the most part, low. We find a fairly significant amount of burst loss (consecutive losses) at most sites. In every dataset, at least one receiver experienced a long loss burst greater than 8 seconds (100 consecutive packets). A predominance of solitary loss was observed in all cases, but periodic losses of length approximately 0.6 seconds and at 30 second intervals were seen by some receivers.

¹This work was supported in part by the Defense Advanced Research Projects Agency under contract F19628-95-C-0146, and the National Science Foundation under grant NCR-9508274

1 Introduction

The recent success of multicast applications such as Internet teleconferencing tools [6, 14] for audio [22, 12, 4], video [11, 3], and whiteboard [13], and distributed interactive simulation illustrates the tremendous potential of applications built upon wide-area multicast communication services. A critical issue for such multicast applications and the higher layer protocols that support them is the manner in which packet losses occur within the multicast network.

In this paper, we present and analyze packet loss data collected simultaneously at up to 12 hosts at geographically distinct locations in Europe and the US. These hosts are connected via the Multicast Backbone (MBone) network [6, 15]. The primary goal of this work is to examine the *spatial and temporal correlation in packet loss* among participants in a multicast session. (Informally, by “spatially” correlated loss, we mean the loss, i.e., lack of reception, of the same packet at many sites; by “temporally” correlated loss, we mean the loss of consecutive packets at a given receiver.) Our results show that:

- For most of the traces, the loss on the backbone links of the MBone multicast network is observed to be small (2% or less), as compared to the average loss seen by a receiver. However, due to occasional outages lasting from few seconds to few minutes, in some backbone links, the spatially correlated loss between receivers does go up to 20%, in a few datasets.
- There is a significant amount of burst loss (consecutive losses) at each site. One or more extremely long loss bursts, lasting from a few seconds up to 3 minutes (around 2000 consecutive packets), occur in almost every trace. Such long loss bursts have been reported in [18] for the case of point-to-point connections.
- Most of the loss bursts consist of isolated single losses, but the few very long loss bursts contribute heavily to the total packet loss.
- Some receivers see periodic packet loss lasting for approximately 0.6sec. (8 consecutive packets) and occurring at 30 sec. intervals. This is possibly due to the routing updates as reported in [9].

The underlying packet loss process is of tremendous importance to error control protocols. This is particularly so with multicast communication, since many of the proposed error control protocols cited below recover from packet loss by having receivers interact with other receivers rather than with the data source itself. Thus, the spatial correlation of loss is of particular importance. Although there has been a considerable amount of research on multicast error control protocols [1, 2, 4, 5, 14, 17, 19, 20, 23, 24], these works have either not examined or considered the underlying loss process, or have assumed that

packet losses are both spatially and temporally independent; the two exceptions are [1, 4]. The work by Bhagwat *et al.* [1] describes a recursive analytic method for computing the probability that a packet is not received at one or more receivers given a specific multicast tree and known, independent loss probabilities on each link. The work by Bolot *et al.* [4] is the work most closely related to our present work. In that work, packet loss measurements are presented from a 10,000-packet trace between Mbone sites in France and England. With respect to temporally-correlated loss, they find that “losses appear to be isolated” – a result somewhat different from ours; they do not address the issue of spatially correlated losses. Interesting experimental observations on routing behavior in the Internet are presented in [18] which discusses a variety of observed routing pathologies and reports outages lasting longer than 30 secs. and up to 5 minutes long, due to changes in routing connectivity.

The remainder of this paper is structured as follows. In the following section we describe the measurement tools we constructed and how the data was collected. In section 3, we examine the spatial correlation of loss in the packet traces. In section 4, we examine the temporal correlation in loss. Section 5 concludes this paper.

2 Data Collection Background

Our measurements were performed by simultaneously monitoring and recording the received multicast packets during audio multicast sessions on the Mbone at the 17 different Mbone sites listed in Table 1. At some sites, two machines were used. Three different audio sources were used: the “World Radio Network” (WRN) transmitting from Washington DC, the “UC Berkeley Multimedia Seminar” (UCB) transmitting from California, and “Radio Free Vat” (RFV) also transmitting from California. These audio sources transmit packets over the Mbone at regular intervals. The WRN source, transmitted packets at $80ms$ intervals each of which contained approximately 5Kbits of audio data within a vat audio packet. The UCB source transmitted at double the rate, at $40ms$ intervals and each packet contained 2.5Kbits worth of audio data. For the Apr 19th, 1996 trace, RFV transmitted at $80ms$. intervals, and for the May 8th, 1996 trace, it transmitted at $40ms$. intervals. By listening to the session multicast address at each site, it is possible to determine which packets arrive and which are lost. Note that while these packets contain audio data, our results are not tied to this specific application. We ignore the actual contents of these packets, essentially considering them as periodic test packets that are sent into the multicast network.

At each receiver, a process was run that listened to the multicast address and recorded and time-stamped the vat headers of the arriving packets. The packet header contained a sequence number which uniquely identified each multicast packet sent by the source. These data collection daemons were re-

Machine Name	Location
alps	Georgia Institute of Technology
anhur, spiff	Swedish Institute of Computer Science, Sweden
artemis, atlas	Institut Blaise Pascal, Paris, France
bagpipe, ocarina	Univ. of Kentucky at Lexington
cedar	Univ. of Texas at Austin
collage, zip	Enterprise Integration Technologies, California
dixie	Univ. of California at Irvine
edgar	Univ. of Washington, Seattle
erlang, trantor	Univ. of Massachusetts at Amherst
excalibur	Univ. of Southern California
float	Univ. of Virginia at Charlottesville
ganef	Univ. of California, Los Angeles
law	Univ. of California at Berkeley
pax	Institut National de Recherche en Informatique et en Automatique (INRIA), France
tove	Univ. of Maryland at College Park
ursa, lupus	GMD Fokus, Berlin, Germany
willow	Univ. of Arizona at Tuscon

Table 1: MBone Sites

motely controlled by commands sent from a central control program to start, stop, and otherwise control them. Once the data was collected, the control program instructed the daemons to send the trace files via ftp to our centralized site.

14 different sets of traces have been collected, each lasting 15 to 99 minutes. Table 2 chronologically lists the datasets giving the source and the lengths of the traces. Not all receivers were able to receive data on a given day, either because the daemon was not set up at that time or because the site was disconnected from the MBone. All data sets can be obtained from our web-site <http://www.cs.umass.edu/~yajnik/datasets.html> or our ftp site <ftp://gaia.cs.umass.edu/pub/yajnik>.

3 Spatial Correlation of Loss

This section discusses the distribution of packet loss in the multicast transmission tree. Subsection 3.1 describes how the loss rates on the different segments of the transmission tree are determined. The backbone loss versus the average loss seen by the receivers for all the datasets is summarized later in the subsection.

We consider two ways of assessing the extent of spatial loss correlation among receivers

	Date	Source	Num. of Receivers	Time	Sampling interval	Number of packets sent by source
1.	Sep 19,1995	WRN	8	23 mins.	80ms.	17,000
2.	Sep 20,1995	UCB	9	13 mins.	40ms.	20,000
3.	Oct 30,1995	WRN	10	76 mins.	80ms.	57,000
4.	Nov 1,1995	WRN	9	55 mins.	80ms.	41,000
5.	Nov 13,1995	WRN	9	53 mins.	80ms.	40,000
6.	Nov 14,1995	WRN	8	40 mins.	80ms.	30,000
7.	Nov 28,1995	WRN	7	27 mins.	80ms.	20,000
8.	Dec 4,1995	WRN	8	60 mins.	80ms.	45,000
9.	Dec 11,1995	WRN	9	93 mins.	80ms.	70,000
10.	Dec 16,1995	WRN	7	45 mins.	80ms.	50,000
11.	Dec 18,1995	WRN	7	92 mins.	80ms.	69,000
12.	Apr 19,1996	RFV	11	60 mins.	80ms.	45,000
13.	Apr 24,1996	UCB	12	62 mins.	40ms.	93,000
14.	May 8,1996	RFV	10	99 mins.	40ms.	148,000

Table 2: Datasets

- In subsection 3.2 we plot the distribution of M , the number of receivers that simultaneously lose a given packet. The measured distribution is compared with three computed distributions, each assuming different transmission topologies.
- The covariance of loss for a pair of receivers gives a measure of the spatial association of loss between them. The average of the covariances over all pairs of receivers is a measure of the overall spatial association for the dataset. Subsection 3.3 describes this method of measuring correlation.

Both analyses show that, for most datasets, the overall spatial association in loss in the network is small and does not have a major impact, *except* for loss occurring close to the source. This follows from our observation that backbone loss in the MBone is generally very low. Occasionally, there are extremely long periods of loss lasting for a few seconds or even a few minutes (as described in section 4) on the shared segments of the transmission tree. These long bursts of loss, when they occur, do contribute heavily to the spatially correlated loss.

3.1 Where Does Loss Occur?

The topology of the MBone is as follows. The MBone is a virtual multicast network built on top of the physical Internet to support routing of IP multicast packets. The design of the MBone is described in




Figure 1: Hierarchical Topology of the MBone

the MBone FAQ [7]. The nodes in the MBone are multicast-capable routers, logically connected to each other via IP routes known as “tunnels”. That is, multicast packets are sent, in encapsulated form, over routers which are not multicast-capable, through point-to-point connections, called tunnels. The MBone has a “mesh-star” topology using two-tiered hierarchical routing as shown in Figure 1. There is a base of backbone multicast routers maintained by the service providers, interconnected by a mesh of tunnels, which forms the higher level of long-distance multicast connectivity (shown by bold lines in the figure). There are alternate routes between the main backbone routers, giving the MBone sufficient robustness to handle network failures. The “backbone router” provides multicast connectivity to its region by a star hierarchy of tunnels which fan out and connect to local multicast routers at organizations that wish to receive MBone packets. These in turn may branch out further to other local routers. Finally, there are multicast routers on the LAN of the intended receivers, each providing multicast connectivity to the machines on its LAN. The three different kinds of multicast routers shown in the figure are the backbone routers, the local multicast routers on the LAN of the intended receivers, and a few intermediate local routers which connect a backbone router to a local router and may also provide multicast connectivity to their own LANs.

Figure 2 provides a *logical* view the multicast transmission tree for the 11 receivers in the dataset of Apr. 19th, 1996, with the estimated probability of loss on each segment. The source of the packets was “Radio Free Vat” in California transmitting a packet every $80ms$. The receivers are shown, as are *selected* MBone routers between the receivers and the source. Every MBone router shown is the

nearest common ancestor of all downstream receivers on the multicast tree. The multicast tree itself was constructed by joining together the multicast paths from each of the receivers to the source. Thus, a single tree segment is a *virtual* link and could include a series of tunnels and multicast connections. The routes taken by the multicast packets were determined by using the “mtrace” utility, the multicast “ping” program (with record-route option) and the “mrinfo” utility.

The bold lines in Figure 2 indicate the connections between the “backbone” routers. These segments form the base of the multicast tree and traverse much of the distance in the tree. The other branches of the tree are on the “edge” of the network. In some cases, these other branches may cross over backbone routers before reaching the local routers.

The data traces contain information that indicates which packets were lost by each of the receivers. For a given packet, examining which receivers received the packet and which did not can provide a valuable clue as to *where* in the multicast tree the packet was lost. For example, looking at Figure 2, if a packet is lost by `spiff`, `ursa`, `float` and `cedar` but received correctly at `erlang` it is likely that it was dropped between the multicast routers A and B. (It should be noted, however, that this need not be the case, as the packet could have been simultaneously and independently lost on the downstream paths from A, although we consider this latter scenario to be much less likely.) That is, the estimated number of packets lost on link from B to A is the difference between the number of packets lost by all receivers downstream from A and the number of packets lost by all receivers downstream from B. Let N_A be the number of packets lost by all receivers downstream from A and let N_B be the number of packets lost by all receivers downstream from B. Then the estimated probability of loss along link AB, p_A , is given by the following formula.

$$p_A = \frac{N_A - N_B}{N - N_B} \quad (1)$$

where N is the total number of packets sent by the source. Using this reasoning, we can determine the approximate percentage of packets lost on each of the links in Figure 2.

It is obvious in Figure 2 that the backbone loss, except for one segment between the USA and France, is rather low, ranging from 0.002% to 0.4%. Also, there is a major bottleneck, very close to the source which contributes 5% packet loss. Once the packets are past this bottleneck in California, there is very little loss, across the continent and even into Sweden and Germany. In general, looking at all datasets collected, we observed low loss rates (2% or less) along the MBone backbone. Occasionally, there are black-out periods or very long loss bursts, on the backbone, as discussed in section 4. However, the base loss rate, excluding extremely long burst loss, has been consistently low. This has important implications in the context of reliable multicast. When a receiver loses a packet, it may be able to recover the packet from a nearby receiver which correctly received it, instead of directly from the sender, as discussed in [10]. Such local recovery from loss would often be possible, due to the low backbone loss.

Another set of measurements we made regarding the spatial locality of loss was to determine whether any packet was being dropped at the receiving hosts themselves. To do so, we monitored the multicast session at two different workstations on the same end local area network at six sites: *anhur* (Sweden), *artemis* (in France), *bagpipe* (in Kentucky), *collage* (in California), *erlang* (in Massachusetts) and *ursa* (in Germany). We measured the percentage of all packets sent by the source that were lost by one receiver and not by the other. Surprisingly, the end-host loss was found to be negligible. It was zero in most cases and never exceeded 0.001%. We conclude that packets are almost never dropped between the network interface on the LAN of the receiver and the receiving daemon.

Table 3 shows the backbone loss rates vs. receiver loss rates for every dataset. The backbone loss rates were, in general, rather low (around 1%). However, some backbone links do occasionally show high loss of up to 20% due to the presence of a small number of extremely long loss periods extending from several seconds to several minutes. These long loss bursts are discussed in detail in section 4. The table gives the number of backbone links in the transmission tree of each dataset and also the number of those links that experience long loss bursts. A long loss burst is defined as a loss burst that affects 100 or more consecutive packets, when the sampling interval is $80ms$. For a sampling interval of $40ms$, the threshold is 200 consecutive packets. The average backbone loss is the average over all the backbone links in the tree, and the average receiver loss is the average of the loss rates seen by each receiver in the dataset. In order to assess the backbone loss excluding these extremely long loss bursts, the table also shows the average “trimmed” backbone loss rates versus the average trimmed receiver loss rates. The trimmed loss rate for a backbone link is determined by computing the loss for the portions of the trace that do not show the long loss bursts. From the results in table 3, we conclude that average backbone loss is less than 2% for most datasets. The average *trimmed* backbone loss rate is always 2% or less in every case.

3.2 Distribution of the number of receivers that simultaneously lose a packet

From the point of view of a reliable multicast protocol, it is important to know the statistics of the number of receivers that simultaneously lose a given packet.

For the dataset described of Apr. 19th 1996, Figure 3 illustrates the distribution of M , the number of receivers that simultaneously lost a given packet. For this dataset, 47% of the packets sent by the source were lost by at least one receiver. In the context of reliable multicast, this implies that retransmission would have been necessary for 47% of the packets. The actual measured distribution is compared to three computed distributions, each based on a different model of the transmission tree. Note that temporal independence of loss is assumed in every model. The models are:




Figure 2: Transmission Tree: for the RFV source on Apr 19, 1996

Dataset			Num. of backbone links	Num. of backbone links with long losses	average backbone loss	average recv. loss	average trimmed backbone loss	average trimmed recv. loss
	Date	Source						
1.	Sep 19,1995	WRN	5	2	6.94%	13.94%	2.07%	5.99%
2.	Sep 20,1995	UCB	5	1	3.74%	18.08%	2.17%	10.87%
3.	Oct 30,1995	WRN	6	1	2.02%	15.06%	1.51%	13.14%
4.	Nov 1,1995	WRN	6	1	5.05%	20.99%	2.02%	14.75%
5.	Nov 13,1995	WRN	5	none	0.29%	9.03%	0.29%	7.50%
6.	Nov 14,1995	WRN	4	none	1.50%	22.50%	1.50%	13.95%
7.	Nov 28,1995	WRN	4	1	5.00%	13.01%	0.95%	6.52%
8.	Dec 4,1995	WRN	5	none	1.31%	13.69%	1.31%	13.52%
9.	Dec 11,1995	WRN	4	1	1.19%	9.97%	0.32%	8.83%
10.	Dec 16,1995	WRN	2	none	0.01%	4.90%	0.01%	4.83%
11.	Dec 18,1995	WRN	2	none	0.12%	9.74%	0.12%	9.42%
12.	Apr 19,1996	RFV	8	none	0.97%	9.28%	0.97%	8.78%
13.	Apr 24,1996	UCB	8	1	1.36%	14.18%	1.06%	12.26%
14.	May 8,1996	RFV	6	2	3.08%	14.61%	1.66%	9.35%

Table 3: Summary of Backbone Loss for all Datasets

1. Star Topology: The packet loss is assumed to be spatially and temporally independent and measured probabilities of loss at the receivers are used to recursively compute the effective distribution of M . That is, the topology is assumed to be a “star” as shown in figure 4.
2. Full Topology: The packet loss is assumed to be spatially correlated as in the transmission tree of figure 2. The estimated probabilities of loss on each link are used to recursively compute the effective distribution of M , in a bottom-up fashion. That is, the distribution of M for a node is calculated using the calculated distributions for the downstream nodes.
3. Modified Star Topology: The distribution of M is computed based on a “modified star” topology shown in Figure 4. The probability of loss on the link from the source to node C is the fraction of packets lost by all the receivers. The rest of the loss is assumed to be spatially independent.

The histograms of Figure 3 show that the computed distribution using the first model based on a “star” topology is significantly different from the actual distribution of M . However, both the distributions computed using the full topology and the modified star topology are close to the original distribution. This means that the topology is effectively that of a modified star, and the spatially correlated loss in the network is low except for the loss next to the source.

In general, for every datasets, the distribution computed using the full topology model with the transmission tree loss rates, is close to the actual distribution. The distribution computed using the modified star topology model is close to the actual distribution for 9 out of the 14 datasets. The exceptions are the 1st, 2nd, 4th, 7th and 14th datasets (refer to table 3).

Table 4 contains a summary of statistics over a range of datasets taken on different days, and for different sources. The percentage of packets lost by more than two receivers ranges from 4.8% to 34.3%.

3.3 Covariance Between Pairs of Receivers

The covariance of loss for a pair of receivers is a measure of the association between them. The average covariance for all pairs of receivers in a dataset gives an overall measure of the spatial association in the dataset as a whole.

Let X_i be a binary random variable taking on the value 1 if the packet is lost at receiver i , and value 0 if the packet is correctly received by receiver i . Let $\overline{X_i}$ be the mean of variable, X_i . The covariance between any two receivers i and j is defined as




Figure 3: Distribution of M: for the RFV source on Apr 19, 1996




Figure 4: The Star and Modified Star Topologies

Date	Source	Num. of Receivers	Perc. lost by 1 or more recs.	Perc. lost by 1 rec.	Perc. lost by 2 recs.	Perc. lost by more than 2 recs.
Sep 19,1995	WRN	8	42.5%	10.8%	10.2%	21.5%
Sep 20,1995	UCB	9	64.3%	31.9%	14.9%	17.5%
Oct 30,1995	WRN	10	72.2%	33.8%	23.7%	14.7%
Nov 1,1995	WRN	9	55.1%	17.0%	3.8%	34.3%
Nov 13,1995	WRN	9	38.1%	27.4%	5.5%	5.2%
Nov 14,1995	WRN	8	69.5%	33.1%	18.1%	18.3%
Nov 28,1995	WRN	7	45.3%	20.3%	18.9%	6.1%
Dec 4,1995	WRN	8	63.2%	46.1%	8.9%	8.2%
Dec 11,1995	WRN	9	38.6%	24.7%	7.2%	6.7%
Dec 16,1995	WRN	7	69.0%	28.9%	4.2%	5.9%
Dec 18,1995	WRN	7	37.9%	29.9%	3.2%	4.8%
Apr 19,1996	RFV	11	46.5%	31.1%	8.7%	6.8%
Apr 24,1996	UCB	12	64.3%	34.1%	15.8%	14.4%
May 8,1996	RFV	10	62.6%	32.4%	11.9%	18.3%

Table 4: Summary of Distribution of M for all Datasets

$$\begin{aligned}
cov(X_i, X_j) &= E[(X_i - \bar{X}_i)(X_j - \bar{X}_j)] \\
&= \frac{S(i, j)}{N - 1} - \bar{X}_i \cdot \bar{X}_j
\end{aligned} \tag{2}$$

where $S(i, j)$ is the number of packets lost at both receivers i and j and N is the number of packets sent by the source. We may interpret $cov(X_i, X_j)$ as follows. Note that $\bar{X}_i \cdot \bar{X}_j$ is the probability that both receivers i and j simultaneously lose a packet, assuming that the loss that they experience occurs as independent events. If X_i and X_j were indeed independent, then $cov(X_i, X_j)$ would be zero. On the other hand, if losses at i are positively correlated to losses at j , $cov(X_i, X_j)$ is greater than zero. A negative value for $cov(X_i, X_j)$ indicates a negative correlation. Thus, the covariance is the difference between the measured probability of shared loss and the computed probability of shared loss assuming independence.

Table 5 shows the average covariance between pairs of receivers for each dataset. The average is taken over all receiver pairs in a dataset. We observed that, as indicated in subsection 3.1, that much of the shared loss occurs on the shared link next to the source. For example, Figure 2 shows that there is a lossy link between the source and node C, and the loss on the other shared links is relatively small. So, in Table 5 we also tabulate the average covariance computed by excluding the loss next to the source, that is, the packets lost by all the receivers.

Dataset		Average Covariance	Average Covariance without loss next to the source
Date	Source		
Sep 19,1995	WRN	0.0316	0.0214
Sep 20,1995	UCB	0.0491	0.0437
Oct 30,1995	WRN	0.0251	0.0029
Nov 1,1995	WRN	0.0776	0.0153
Nov 13,1995	WRN	0.0398	0.0005
Nov 14,1995	WRN	0.0748	0.0080
Nov 28,1995	WRN	0.0328	0.0048
Dec 4,1995	WRN	0.0323	0.0096
Dec 11,1995	WRN	0.0444	0.0013
Dec 16,1995	WRN	0.0118	0.0000
Dec 18,1995	WRN	0.0380	0.0005
Apr 19,1996	RFV	0.0448	0.0018
Apr 24,1996	UCB	0.0427	0.0060
May 8,1996	RFV	0.0320	0.0123

Table 5: Average Covariance between Pairs of Receivers

The average covariance varies from 0.0118 to 0.0776. When the loss that is common to all receivers is deleted from the traces, the average covariance drops by an order of magnitude or more, in most cases. Thus, much of the spatially related loss is due to the loss close to the source. An exception to this, is the dataset of Sep. 20th 1995, for which the average covariance remains greater than 0.04, despite ignoring loss close to the source. This is because of the presence of a lossy backbone link which experienced a long loss burst affecting most but not all the receivers. Similarly, the dataset of Sep 19th, 1995 shows high spatially associated loss due to two lossy backbone links which experienced long loss bursts.

From the results in Table 5 we can conclude that there is, on average, little pair-wise spatially associated loss in almost all datasets, except for the spatial association due to the loss occurring next to the source.

4 Temporal Correlation of Loss at a Single Receiver

This section describes our findings regarding the burstiness of the packet loss. We discuss the extent to which packets are lost consecutively (in long loss bursts) and the extent to which there are solitary losses (a single lost packet preceded and followed by successful reception).

We notice a predominance of solitary losses in the distributions of the loss burst length, as seen by each of the receivers in our traces. It is also apparent that the lengths of the bursts span different

timescales. The distribution of loss burst length can be divided into three regions: lengths of 1 to 6 packets, 7 to 100 packets and greater than 100. Most loss bursts affect just 1 to 6 consecutive packets (equivalent to 0.08 sec. to 0.48 sec.). This is the dominant mode in the distribution. A different mode affecting 7 to 10 packets (around 0.6sec.) is observed at some receivers. And, most significantly, we observe loss periods, 100 to 1000 packets long (equivalent to 8sec. to 3 minutes), at various receivers in every dataset.

First, we discuss the burstiness of loss for a single dataset in detail, describing the patterns observed. Then, we generalize our observations by showing summary statistics for all of the datasets.

Table 6 shows statistics for data collected on Dec 11, 1995. The source was “World Radio Network” which transmitted packets at $80ms$. intervals. The loss rate, number of loss bursts, average loss burst length and coefficient of variation of burst length are given for each of the nine receivers. Burst length is defined as the number of consecutive packets lost. The coefficient of variation of the burst length is defined as

$$c = \frac{\sqrt{E[(b - \bar{b})^2]}}{\bar{b}} \quad (3)$$

where b is the burst length or the number of consecutive losses and \bar{b} is the mean burst length.

Table 6 also partially describes the distributions of the burst length by including the median, the 75 percentile, the 99 percentile and the maximum burst length, for all receivers. The table shows what percentage of the total loss is in bursts of length greater than 100. The median in every case is 1, indicating the predominance of solitary losses. The 99 percentile is low ranging from 2 to 8 consecutive packets. The length of the longest loss burst, on the other hand, is very high for five of the nine receivers. For example, `erlang` shows loss burst consisting of 2518 consecutive packets (equivalent to 3 minutes). There are thus a few extreme outliers, reflected in a coefficient of variation that is very high for some receivers. Receivers `alps`, `float` and `tove` received many duplicate packets. That is, almost half the packets received by each of them were duplicates. The other receivers received no duplicates. Duplication of packets was also noticed in some of the other datasets. In all cases, a packet is assumed to have been correctly received at a receiver if at least one copy of it is received.

Figure 5 displays the loss rates at the receivers as a function of time, for the same dataset. The packet sequence number is plotted on the x axis, and the percentage of packets lost over intervals of 100 samples each (that is, 8sec.) for each receiver is plotted on the y axis. For example, for `erlang` one can see an initial low loss rate and then at around packet number 3000, there is the start of a long loss burst, accompanied by an abrupt increase in loss rate to 100%. This lasts for approximately 2000 packets.

Receiver `law` also experienced a similar long loss burst at the same time. This indicates that `erlang` and `law` most likely share a common link in the transmission tree which “blacked out” for around 3 minutes. The base loss rate varies very little over time. However, the base loss rate is interrupted occasionally by spikes and plateaus. These are the long bursts of losses described earlier, lasting from a few seconds to a few minutes. The extreme outliers, though infrequent, can contribute heavily to the total packet loss. For example, the burst of length 2518 seen by `erlang` accounts for 35% of its total loss.

Figures 6, 7, 8, show the distribution of the loss burst length for the receivers `alps` (in Georgia), `cedar` (in Texas) and `erlang` (in Massachusetts). These figures show the number of bursts with a given burst length. The y axis is a log scale so it is obvious that, in all three cases, the solitary bursts are the most frequent and that the probability drops sharply from burst length 1 to 6, approximately as in a geometric distribution. In figure 6 for receiver `alps` there are stray bursts of length 7, 12, 37, 43, 46 etc. In figure 7 for receiver `erlang` there are stray bursts of length approximately 30 (2.4 secs).

In figure 8 for receiver `cedar` in Texas, there is an additional cluster of loss bursts of length 7 to 10 (around 0.6 sec.). Similar clusters of loss bursts were observed in the burst length distributions of one or more receivers in many datasets. For example, in the data collected on Apr 19, 1996 two receivers in France saw the same concentration of bursts in the distribution, centered at 0.6sec. Upon taking a closer look at the timing of the losses, it becomes clear that this cluster of bursts was due to periodic loss occurring at 30 sec intervals, a phenomenon also discussed in [9]. Figure 9 shows the length of loss bursts for the receiver `cedar` vs. the packet sequence number at which they began, for a window of 5000 samples. A definite periodic nature in the loss for receiver `cedar` is shown. This periodicity also shows up as an abrupt jump at 30 sec., in the autocorrelation function.

Table 7 summarizes the distribution of the length of the loss bursts over all datasets. The median loss burst length, the 75, 95 and 99 percentiles and maximum burst length are shown. For each dataset, the first line gives the median of the statistic over all receivers in the set and the second line gives the maximum value of the statistic and the names of the receivers which saw that maximum value. The first 11 datasets had sampling intervals of 80ms., and the last three datasets had sampling intervals of 40ms.

In all our datasets, at least one receiver experienced a loss period of length greater than 200 (equivalent to 16 sec). In many cases, bursts of length greater than 1000 (equivalent to 1.3 minutes) were seen. Also, the median burst length was almost always 1, which means that a majority of the packet bursts were solitary bursts.

Machine Name	Loss Rate	Number of Bursts	Avg. Length	Coef. of Var.	Median length	75 perc.	99 perc.	Length of longest burst	perc. of loss in long bursts (> 100)
alps	5.93%	3427	1.210	2.912	1	1	3	179	4.3%
anhur	5.15%	3387	1.065	0.253	1	1	2	4	0.0%
cedar	14.22%	7463	1.333	0.826	1	1	8	14	0.0%
collage	9.08%	5508	1.155	2.069	1	1	3	175	2.75%
erlang	10.41%	3793	1.921	21.30	1	1	4	2518	34.6%
float	10.44%	6470	1.129	0.367	1	1	3	7	0.0%
law	12.09%	4983	1.698	21.001	1	1	3	2518	29.8%
pax	16.98%	7633	1.557	19.134	1	1	3	2603	21.9%
tove	5.46%	3486	1.097	0.407	1	1	3	10	0.0%

Table 6: Burstiness of Loss: for the WRN source on Dec 11,1995




Figure 5: Receiver loss rates for the WRN source on Dec 11, 1995




Figure 6: Distribution of the loss burst length for receiver alps in Georgia




Figure 7: Distribution of the loss burst length for receiver erlang in Massachusetts





Figure 8: Distribution of the loss burst length for receiver cedar in Texas



5 Conclusions and Future Work

This paper described the results of measurements of packet loss in the Mbone, a multicast network in widespread use. Measurements were taken for three sources in 14 data sets each collected on a different day. The data was collected simultaneously at up to 12 locations.

We presented a method for estimating the loss rates on the segments of the multicast transmission tree. We also presented two methods of judging the extent of spatial correlation between receivers: first, by plotting the distribution of the number of receivers that simultaneously lose a packet, making different assumptions about independence and topology and secondly, by computing the covariance. It was found that, in most datasets, the loss on the backbone links of the multicast transmission tree was small relative to the total loss seen by the receivers. The spatially related loss was small, on the average, *except* for the loss due to the link next to the source. A negligible number of packets were lost at the receiving hosts themselves.

With respect to temporally correlated losses, we found that a majority of the loss bursts were solitary losses. A few extremely long loss bursts greater than 8 sec. (or 100 packets) were also observed. At least one receiver saw one of these long loss bursts, in every dataset. Periodic bursts of length approximately 0.6sec.(8 consecutive packets) were observed for some receivers in some of the datasets.

A more thorough study of the loss in the different parts of the MBone by recording packets sent by sources in a greater variety of locations would indicate how widespread the loss patterns that we have observed are. The long loss bursts lasting for several seconds and minutes are of particular concern. It would be useful to pinpoint the reasons for such long outages and possibly find ways to remove them. Our traces can also be used directly in a simulation of a multicast network, to assess the performance of reliable multicast protocols. This would indicate which kinds of error-recovery methods are useful and in which situations. It would also show which aspects of the loss, strongly affect the performance of reliable multicast protocols.

6 Acknowledgments

We would like to thank Henning Schulzrinne and Vinay Kumar for their immense help in the data collection, our colleague Sue Bok Moon for her support and encouragement, and to Andres Klemets on whose multicast recording tools, our data collection software is partly based.

We are grateful to Chuck Cranor of Washington Univ., St.Louis, Jon Crowcroft of University College London, Ron Erlich of Columbia Univ., Deborah Estrin of Univ. of Southern California , Serge

Dataset		median length	75 perc. length	95 perc. length	99 perc. length	maximum burst length
Date	Source					
Sep 19,1995	WRN worst	1	1	2 3	3 erlang 757	758 anhur,ursa 1161
Oct 30,1995	WRN worst	1	1 3	2 8	4 ursa 12	203 collage 3697
Nov 1,1995	WRN worst	1	1 2	3 4	4 collage,erlang 12	64 erlang 1963
Nov 13,1995	WRN worst	1	1	2 3	3 ursa 92	9 ursa 877
Nov 14,1995	WRN worst	1 2	1 3	2 6	9 erlang 19	1289 cedar 1333
Nov 28,1995	WRN worst	1	1	2 4	3 anhur,ursa 8	515 anhur,ursa 3342
Dec 4,1995	WRN worst	1 2	1 3	4 9	10 ursa 20	34 ursa 662
Dec 11,1995	WRN worst	1	1	2	3 cedar 8	175 pax 2603
Dec 16,1995	WRN worst	1	1	1 7	2 float 24	5 float 260
Dec 18,1995	WRN worst	1	1 2	2 3	4 cedar 8	10 pax 458
Apr 19,1996	RFV worst	1	1 2	2 3	2 artemis, pax 7	26 edgar 2050
Sep 20,1995	UCB worst	1	1 2	2 5	4 anhur,ursa 16	1648 ursa 3434
Apr 24,1996	UCB worst	1	1 2	2 5	4 excalibur 9	22 erlang 18623
May 8,1996	RFV worst	1 2	2 4	6 14	10 erlang 49	3700 ganef 3704

Table 7: Summary of Burstiness of Loss for all Datasets

Frida of Institut Blaise Pascal, Jay Glicksman of Enterprise Integration Technologies, John Jendro of Portland State, Edward Knightly of Univ. of California at Berkeley, Simon Lam of Univ. of Texas, Jorg Liebeherr of University of Virginia at Charlottesville, Phillippe Nain of INRIA, Stephen Pink of Swedish Institute of Computer Science, Larry Peterson of Univ. of Arizona, Linda Prime of Univ. of Washington, Kishor Trivedi of Duke Univ., Tatsuya Suda of Univ. of California at Irwine, Jon Reid of University of Illinois at Urbana-Champaign, Satish Tripathi of Univ. of Maryland at College Park, Peter Wan of Georgia Institute of Technology, Raj Yavatkar of Univ. of Kentucky at Lexington and Lixia Zhang of Univ. of California, Los Angeles, for providing Mbone-capable computer accounts which allowed us to take the measurements.

References

- [1] P. Bhagwat, P. Misra, S. Tripathi, "Effect of Topology on Performance of Reliable Multicast Communication," *Proc. IEEE Infocom 94*, (Toronto, June 1994), pp. 602 – 609.
- [2] J.C. Bolot, "End-to-End Packet Delay and Loss Behavior in the Internet," *Proc. 1993 ACM SIGCOMM Conf.*, (Sept. 1993, San Francisco), pp. 289-298.
- [3] J. Bolot, T. Turetti, "A Rate Control Scheme for packet video in the Internet," *Proc. IEEE Infocom94*, pp. 1216 - 1223, June 1994.
- [4] J. Bolot, H. Crepin, and A Vega Garcia, "Analysis of Audio Packet Loss in the Internet," *Proc. 1995 Workshop on Network and Operating System Support for Audio and Video*, pp. 163 - 174.
- [5] R. Braudes, S. Zabele, "Requirements for Multicast Protocols," RFC 1458, May 1993.
- [6] S. Casner and S. Deering, "First IETF Internet Audiocast," *ACM Computer Communication Review*, Vol. 22, No. 3 (July 1992), pp. 92 - 97.
- [7] S. Casner "Frequently Asked Questions (FAQ) on the Multicast Backbone (MBONE)" available via ftp from <ftp://ftp.isi.edu:mbone/faq.txt> .
- [8] S.E. Deering and D.R. Cheriton, "Multicast Routing in Datagram Internetworks and Extended LANs", *ACM Trans. on Computer Systems*, 8:85–110, May 1990.
- [9] S. Floyd and V. Jacobson, "The Synchronization of Periodic Routing Messages", *ACM Trans. on Networking*, Vol. 2, No. 2 (April 1994), pp. 122 - 136
- [10] S. Floyd, V. Jacobson and S. McCanne "A Reliable Multicast Framework for Light-weight Sessions and Application Level Framing" *Proc. of ACM SIGCOMM '95*, Vol. 25, No. 4 (October 1995), pp. 342 - 356

- [11] R. Frederick, “nv”, Manual Pages, Xerox Palo Alto Research Center.
- [12] V. Jacobson and S. McCanne, “vat”, Manual Pages, Lawrence Berkeley Laboratory, Berkeley, CA.
- [13] V. Jacobson and S. McCanne, “Using the LBL Network ‘Whiteboard’”, Lawrence Berkeley Laboratory, Berkeley, CA.
- [14] V. Jacobsen, “Multimedia Conferencing on the Internet,” *Tutorial Notes - ACM Sigcomm94*, (London, Sept. 1994).
- [15] M. Macedonia and D. Brutzman, “MBone Provides Audio and Video Across the Internet,” *IEEE Computer Magazine*, April 1994, pp. 30 -35.
- [16] S. McCanne and V. Jacobsen, “VIC: Video Conference,” UC Berkeley and Lawrence Berkeley Lab, Software available via <ftp://ftp.ee.lbl.gov/conferencing/vic>.
- [17] S. Paul, K. Sabnani, D. Kristol, “Multicast Transport Protocols for High-Speed Networks,” *Proc. 1994 IEEE Int. Conf. Network Protocols*, (Boston, Oct. 1994).
- [18] V. Paxson, “End-to-End Routing Behavior in the Internet” *to appear in Proc. 1996 ACM SIGCOMM Conf.*
- [19] S. Pingali, D. Towsley, J. Kurose, “A Comparison of Sender-Initiated and Receiver-Initiated Reliable Multicast Protocols”, *Proc. 1994 ACM SIGMETRICS Conf.*, 221 – 230, May 1994.
- [20] S. Ramakrishnan and B. N. Jain, “A Negative Acknowledgement with Periodic Polling Protocol for Multicast over LANs,” *Proc. IEEE Infocom’87*, pp 502–511, Mar-Apr 1987.
- [21] R. Ramjee, J. Kurose, D. Towsley, “Adaptive Playout Mechanisms for Packetized Audio Applications in Wide-Area Networks,” *Proc. INFOCOM’94*.
- [22] H. Schulzrinne, “Voice Communication Across the Internet: a Network Voice Terminal,” Technical Report, Dept. of Computer Science, U. Massachusetts, Amherst MA, July 1992. (available via anonymous ftp to [gaia.cs.umass.edu](ftp://gaia.cs.umass.edu/pub/nevot/nevot.ps.Z) in `pub/nevot/nevot.ps.Z`)
- [23] R. Yavatkar, L. Manor, “End-to-End Approach to Large Scale Multimedia Dissemination,” *Computer Communications*, Vol. 17, No. 3 (March 1994), pp. 205 – 218.
- [24] R. Yavatkar and L. Manoj, “Optimistic Approaches to Large-Scale Dissemination of Multimedia Information”, *Proc. ACM Multimedia ’93*, August 1993.