

CLOUD SECURITY AND COMPLIANCE - A SEMANTIC APPROACH IN END TO END SECURITY

R.Kalaiprasath¹* R.Elankavi¹ R.Udayakumar³

¹Research Scholar, Bharath University, Chennai, Asst. Professor, Aksheyaa college of Engineering, Chennai.

³Associate Professor, Department of Information Technology, Bharath University, Chennai. Email: koolkalai@gmail.com

Submitted: May 27, 2017 Accepted: June 15, 2017 Published: Sep 1, 2017

Abstract- The Cloud services are becoming an essential part of many organizations. Cloud providers have to adhere to security and privacy policies to ensure their users' data remains confidential and secure. Though there are some ongoing efforts on developing cloud security standards, most cloud providers are implementing a mishmash of security and privacy controls. This has led to confusion among cloud consumers as to what security measures they should expect from the cloud services, and whether these measures would comply with their security and compliance requirements. We have conducted a comprehensive study to review the potential threats faced by cloud consumers and have determined the compliance models and security controls that should be in place to manage the risk. Based on this study, we have developed an ontology describing the cloud security controls, threats and compliances. We have also developed an application that classifies the security threats faced by cloud users and automatically determines the high level security and compliance policy controls that have to be activated for each threat. The application also displays existing cloud providers that support these security policies. Cloud consumers can use our system to formulate their security policies and find compliant providers even if they are not familiar with the underlying technology.

Index terms: Cloud computing, cloud security, Security compliance models, Cloud security models.

R.Kalaiprasath, R.Elankavi and R.Udayakumar

Cloud security and compliance - a semantic approach in end to end security

I. INTRODUCTION

While cloud based solutions are attractive for their cost savings and rapid provisioning/scaling; privacy and security of cloud data remains a concern for most consumers [8] and a key barrier in adoption of the cloud. In recent years, various cloud security standards have been proposed or are being developed by standards bodies like Cloud Security Alliance (CSA) [9][10], International Organization for Standards (ISO) [14][15], National Institute for Standards and Technology (NIST)[18][19][20], etc. Most cloud providers are implementing a mish-mash of security and privacy controls. This has led to confusion and concern among consumers as to what security measures they should expect from the cloud services and what compliance policies to adopt for their enterprise data on the cloud. This work makes three key contributions. First, we have conducted a comprehensive study to review the potential threats faced by cloud consumers and determined the compliance models and security controls that should be in place to manage the risk. We analyzed more than 20 security standards in cloud computing as well as in IT management. We also reviewed the security controls implemented by more than 100 cloud providers by studying the security related whitepapers on their websites. Second, based on this study, we have developed an ontology describing the cloud security controls, threats and compliances which is used to capture and store this information from standards and cloud providers in W3C standard semantic web languages. It provides us the capability in ongoing work to reason over it. Finally, we have developed a web-based application that can be used by consumer organization. It suggests, given the threats an organization faces, appropriate cloud security policies and providers that support them. This application classifies the threats faced by cloud users and determines the security and compliance policy controls that have to be activated for each threat. The application also displays the existing cloud providers that support the security policies. The focus of this paper is on the first and third contributions. In section III of this paper, we present our analysis of the various cloud security control models, compliance models and threats. The ontology we have developed for cloud security compliances and security standards is very briefly covered in section IV, and is not a focus of this paper. We describe our recommendation application in detail in section V and end with conclusions and future work.

II. Related Work

Previous studies [6][7][8][33] [34] have attempted to determine cloud security issues . Popović et al.'s [34] study on cloud security controls and standards has been focused primarily at the provider end and concentrated on cloud engineering. Subashini and Kavitha [6] present a survey of the different security risks to the cloud. This study is specific to the security issues due to the cloud service delivery models. Kamongi et. al. [33] have also developed a risk model for the cloud but haven't tied it with existing compliance standards. How many cloud providers are adapting the cloud security standards in [2], [1] and are capable of handling potential threats remains an open question, and potential source of concerns to consumers who have to select between these providers. NIST's cloud computing reference architecture [2][11] classifies security and privacy policies under the purview of the cloud provider. On the other hand, the security compliance model is applicable across all the roles in the reference architecture. Security controls used to protect a cloud environment are the same for all cloud delivery models. Compliance standards are applied on these security controls. The IT compliance model [3] focuses on electronic data processing, network and IT infrastructure. Compliance models implement rules and regulations across various components of IT to make them work harmoniously. Organizations often adopt a security control based on these compliance models. Transparency amongst the cloud service model, security controls and the compliance model will help consumers and end users achieve reliable cloud data protection. We used the Web Ontology Language (OWL) [32] to develop our ontology for Cloud security controls, threats and compliances, which is described briefly in section IV.

III. Security Threat and Control Models

A. Compliance Standards and cloud security controls.

In this section we discuss the key security controls that affect cloud security. We have referenced the NIST and CSA security documents [20][9][10]. We also co-relate them with compliance standards based on the description of controls.

1. Data encryption, key management: Data encryption and secure key management provides data confidentiality and integrity. Standards: FIPS 140-2 [19], Vaultive [12].

2. Media protection: Media protection includes protection of entertainment content like music, movies and software. Compliance Standards: MPAA [28].

3. Identification, authentication and authorization: Multi-tenancy requires that consumers share common resources in public domain. Identification of correct resources to

484

R.Kalaiprasath, R.Elankavi and R.Udayakumar

Cloud security and compliance - a semantic approach in end to end security

authorized users is an important aspect of this security control. The users should be identified by key management and passwords. Cloud providers should also provide access controls to users, so that they can give rights to other authorized users. Compliance models: STIG [13], FedRAMP [5], Oauth and NIST 800-63. NIST classifies access control as a separate control supported by SOX [22] and Safe Harbor [16].

4. Virtualization and resource abstraction: Virtualization introduces issues like inter virtual machine attacks, hypervisor security etc. Virtual machine setup should include firewall implementation. This security control is only supported by CSA. Compliance standards: DMTF-CADF [25] and PCI-DSS [29].

5. Portability and interoperability: The security standards implemented on cloud system should enable information sharing amongst the other system. Compliance standards: DMTF-CADF [25] and OASIS (SAML) [23]

6. Application security: Application security is overall security of the applications running on the cloud. It includes secured SDLC (software development lifecycle), authentication and authorization. Compliance standards: PCI DSS [29], ISO 27002 [14], SOX [22], HIPAA [17]

7. Security risk assessment and management: Cloud providers should implement the authorization and risk assessment for utilizing shared resources. Standards: STIG [13], ISO27002 [14], FedRAMP [5].

8. Privacy, electronic discovery and other legal issues: This focuses on managing the physical location of data and accessing it confidentially. To achieve this security control, documents, terms of services and privacy policies should be reviewed. Compliance model: EDRM- PSRRM [21].

9. Contingency planning: The consumer should go over the provider's contingency plans and service level agreements and make sure that provider meets their requirements. Compliance standards: HIPAA [17], NIST 800-34

10. Data center operations, maintenance: Security controls for data centers include configuration and personnel background check to allow entry into secured data center location, physical privacy of data center and authentication. Standards: PCI DSS [29], ISO27002 [14], HIPAA [17], NIST 800-16[26] and NIST 800-53 [18].

485

11. Incident response: Cloud providers should develop a response plan in case of any incident like data breaches, data loss etc. Computer forensics has some different tools and techniques for incident response. Compliance standards: NIST 800-61 [30] and ISO 17799 [24].

12. Compliance, audit and accountability: After implementing the required compliances, regular audits should be conducted to ensure data security. Compliance standards: DMTF [25].

13. Awareness and training: Cloud awareness and training programs, about threats and security controls, should be conducted for cloud consumers. Compliance standards: NIST 800-61[30] and ISO 17799 [24].

B. Threats to cloud computing and how to protect from threats by using security compliance models

We analyzed the security threats, identified in [1], [6] and other public documents from standards bodies, to determine the threats faced by cloud consumers. We related them to the security controls and compliance models that protect from these threats (Table 1). The key threats to cloud security include -

1. **Data breaches:** affect the confidentiality of data and eventually the organization. Data encrypted so that even if it is stolen, the attacker cannot use it.

2. **Data loss:** can happen due to hardware failure or malicious attacks on the system. Data backup policies should be implemented to overcome this type of threats.

3. Account or service traffic hijacking: affects the confidentiality and integrity of the users. Hackers can steal users' personal data like bank credentials. Anti-phishing and fraud detection policies should be implemented to reduce these.

4. **Insecure interfaces and APIs:** Users and providers communicate through interfaces and APIs. APIs should be able to encrypt the data and transfer through the interfaces.

5. **Denial of service**: is to prevent valid users from accessing their data. The attacker can change the encryption key or can slow down the system to prevent users from using the service. To prevent this type of attacks, the users and cloud providers should develop a mechanism so that the attackers cannot distinguish the patterns of communications.

Type of	Recommended Security	nkavi and R.Udayakumar semantic approach in end to end security
threat	Compliance Model	
Data	STIG [13], FedRAMP [5],	
breaches	DMTF- CADF[25],	
	ISO-27001[15], FIPS 140-2[19],	
	PCI DSS [29],	
	ISO 27002[14], HIPAA[17],	
	SOX[22]	
	STIG [13], FedRAMP [5],	
Data loss	DMTF- CADF [25],	
	FIPS 140-2 [19], PCI DSS [29],	
	ISO	
	27002[14], HIPAA[17],	
	SOX[22]	
	STIG [13], FedRAMP [5],	
Account or	DMTF-OVF [25],	
	ISO- 27002[14], FIPS 140-	
service	2[19], NIST 800-	
hijacking	61[30], ISO 17799[24]	
	OASIS and OVF, DMTF-CADF	
Insecure	[25], ISO	
interfaces/		
API	27002[14], FIPS 140-2[19]	
	PCI DSS, ISO 27001[15],	
Denial of	HIPAA[17],	

services	SOX[22], NIST 800-61[30], ISO 17799[24]
	ISO 27002[14], FIPS 140-2[19],
Malicious	Vaultive[12],
insiders	FedRAMP[5]
Abuse of	NIST 800-61[30], ISO
cloud	17799[24], NIST 800-
services	50 [27]
Insufficien	
t	EDRM[21], NIST 800-61[30]
due	
diligence	
	ISO 27001[15], FIPS 140-
Shared	2[19],PCI DSS, ISO
	27002[14], HIPAA[17],
technology	SOX[22], MPAA [28]
vulnerabili	
ties	

Table 1: Recommendation of Security compliance model based on security threat

6. Malicious Insiders: are people within the organization who can access and misuse the data. Legal action is advised for this type of threat.

7. Abuse of cloud services: Attackers can misuse the multi-tenancy feature of cloud to hack into other organizational data. Cloud providers should protect against consumers accessing other users' data.

Cloud security and compliance - a semantic approach in end to end security

8.Insufficient due diligence: Currently many organizations are adopting cloud for cost savings without being aware of the other threats. Awareness programs should be developed so cloud consumers can understand cloud technologies.

9.Shared Technology vulnerabilities: Cloud providers deliver their service in scalable way by sharing the resources. This sharing strategy should be implemented in every domain in cloud computing and also for monitoring the system.

IV. Cloud Security And Compliance Ontology

We have developed an OWL ontology [31] to capture the concepts of cloud security, threats and compliance controls. In this section we briefly describe this ontology; but it is outside the scope of this paper. The main classes of the ontology are cloud computing security (further divided into cloud security compliance models, cloud security controls and threats to cloud security) and cloud computing providers.

Figure 1 describes the class cloud security compliances and its relation with security control class. The types of cloud security compliances, explained in section III, are represented in our ontology. The subclasses of the Cloud security control class are the control elements listed in section III A. Each cloud security standard supports a compliance type. The ontology includes the relation between security standards and cloud security compliances listed in Table 1. The threats and its types, detailed in section III, are captured in our ontology. The ontology helped us determine the database design of our recommendation tool.




Figure 1: Ontology describing relationship between Security Controls and security Compliance classes.

V. Cloud Security Policy Recommendation System

We have developed an application that can be used by cloud consumers to determine the cloud security and compliance policies that they want to enforce within their organization. This system helps users identify the cloud threats and the security and compliance models that protect against these threats. The application also lists the existing cloud providers who have implemented the standards in their services.

For this application, we analyzed various security compliances, security policies/standards, and threats affecting cloud security. We next related these controls, standards and threats based on parameters like description of the security standards, the requirements of standard fulfillment, compliance description and also analysis of threats that affects the cloud security. This web-based application has been created by using PHP, HTML and AJAX web technology and MySQL database. Figure 2 shows the database architecture of the application.




Figure 2: Database architecture for the application

Using our application, cloud consumers can get a list of all providers who support a compliance standard. If the consumers are not sure of the compliance standard to adhere to, they can also search on multiple security controls. When the user selects a particular security control, the system will display the recommended security compliance model and then recommended cloud providers in the output. (Figure 3).

re and excurity startd	ands based on Compliances Providers and security standards based on Threats List of	Providers and their security
Addite Response for a lite	standards about	Notice Activities of the
sed on your Secur	ity control selection, we recommend you the following security Compliance mode	915
Security	Security compliance model Desc	
Model Name	Security compliance model beau	
FIPS-140-2	US standard that specifies the cryptographic modules for data protection.	
МРАА	the right for those who create entertainment content like creative arts to entrusing industry. Main chiective of MPAA is to protect the pro-release	
illi on	content and also report piracy.	
Wa alao sacaman	and use the sloud numidear based on show sloud seculty Pompieron models	
Vid also recolum	Provider Name	
-		
	Security Compliance Model Name FIPS-140-2 MPAA	endems i elevel sed on your Security control selection, we recommend you the following security Compliance mode Security Compliance Mode Name FIPS-140-2 US standard that specifies the crystographic modules for data protection. MPA the right for those who create entertrainment content layers at to software industry. Man algobies of MPAA is to proceed the pre-release content and also report pracy. We also recommend you the doub providers based on above chud security Compliance model

Cloud security and compliance - a semantic approach in end to end security

Figure 3: Compliance and providers recommended based on Security Controls selected

This application also allows consumers to find security standards for the corresponding security threats. The system also lists the cloud providers that adhere to the standards, which help users to ensure the data security on cloud (Figure 4). Consumers can also get a list of all security standards supported by a cloud provider selected.

Home Compliance models based on providers	Providers and security compliances based on Security Controls Providers and security controls based on Threats Lat of Providers and the about				
lect a threat :					
		Account or server traffic hisolong 1			
	Based on yo	ur threat . We recommend you to choose the following cloud security policies			
	Security Compliance Model Name	SecurityCompliance Model Desc			
	FedRAMP	FedRAMP enhances the transparency between government and cloud providers. It also reuses the current security assessments which saves significant cost, time and resources. FedRAMP provides uniform approach to rick based maragement.			
	FIPS-140-2	US standard that specifies the cryptographic modules for data protection.			
	ISO 27002	gives advice on how to implement various controls in organization.			
We also reco	mmend you to c	thoose from following cloud providers which supports above cloud security compliance models			
		Broulder Name			
		Provider Name Amazon			

Figure 4: Recommendation of security compliance and Cloud providers based on security threat selected.

VI. Conclusion And Ongoing Work

We have conducted a comprehensive study to review the potential threats faced by cloud consumers and determined the compliance models and security controls that should be in place to manage the risk. We used this study to develop a semantically rich ontology to model the security threats, cloud security policies and controls and express the provider data in it. We have also developed an easy to use cloud security policy recommendation application for consumers who are planning to move their data to the cloud but are hesitant due to security concerns as they may not be aware of the security controls. As part of our ongoing work, we are further analyzing other

IT compliance models that may be applicable in the cloud paradigm and determine if they should be incorporated into our cloud security application. We are also developing rules to reason over the ontology to better match compliant providers.

REFERENCES

[1] Aizat Azmi, Ahmad Amsyar Azman, Sallehuddin Ibrahim, and Mohd Amri Md Yunus, "Techniques In Advancing The Capabilities Of Various Nitrate Detection Methods: A Review", International Journal on Smart Sensing and Intelligent Systems., VOL. 10, NO. 2, June 2017, pp. 223-261.

[2] Tsugunosuke Sakai, Haruya Tamaki, Yosuke Ota, Ryohei Egusa, Shigenori Inagaki, Fusako Kusunoki, Masanori Sugimoto, Hiroshi Mizoguchi, "Eda-Based Estimation Of Visual Attention By Observation Of Eye Blink Frequency", International Journal on Smart Sensing and Intelligent Systems., VOL. 10, NO. 2, June 2017, pp. 296-307.

[3] Ismail Ben Abdallah, Yassine Bouteraa, and Chokri Rekik, "Design And Development Of 3d Printed Myoelctric Robotic Exoskeleton For Hand Rehabilitation", International Journal on Smart Sensing and Intelligent Systems., VOL. 10, NO. 2, June 2017, pp. 341-366.

[4] S. H. Teay, C. Batunlu and A. Albarbar, "Smart Sensing System For Enhanceing The Reliability Of Power Electronic Devices Used In Wind Turbines", International Journal on Smart Sensing and Intelligent Systems., VOL. 10, NO. 2, June 2017, pp. 407- 424

[5] SCihan Gercek, Djilali Kourtiche, Mustapha Nadi, Isabelle Magne, Pierre Schmitt, Martine Souques and Patrice Roth, "An In Vitro Cost-Effective Test Bench For Active Cardiac Implants, Reproducing Human Exposure To Electric Fields 50/60 Hz", International Journal on Smart Sensing and Intelligent Systems., VOL. 10, NO. 1, March 2017, pp. 1-17

[6] P. Visconti, P. Primiceri, R. de Fazio and A. Lay Ekuakille, "A Solar-Powered White Led-Based Uv-Vis Spectrophotometric System Managed By Pc For Air Pollution Detection In Faraway And Unfriendly Locations", International Journal on Smart Sensing and Intelligent Systems., VOL. 10, NO. 1, March 2017, pp. 18-49

[7] Samarendra Nath Sur, Rabindranath Bera and Bansibadan Maji, "Feedback Equalizer For Vehicular Channel", International Journal on Smart Sensing and Intelligent Systems., VOL. 10, NO. 1, March 2017, pp. 50- 68

R.Kalaiprasath, R.Elankavi and R.Udayakumar

Cloud security and compliance - a semantic approach in end to end security

[8] Yen-Hong A. Chen, Kai-Jan Lin and Yu-Chu M. Li, "Assessment To Effectiveness Of The New Early Streamer Emission Lightning Protection System", International Journal on Smart Sensing and Intelligent Systems., VOL. 10, NO. 1, March 2017, pp. 108-123

[9] Iman Heidarpour Shahrezaei, Morteza Kazerooni and Mohsen Fallah, "A Total Quality Assessment Solution For Synthetic Aperture Radar Nlfm Waveform Generation And Evaluation In A Complex Random Media", International Journal on Smart Sensing and Intelligent Systems., VOL. 10, NO. 1, March 2017, pp. 174- 198

[10] P. Visconti ,R.Ferri, M.Pucciarelli and E.Venere, "Development And Characterization Of A Solar-Based Energy Harvesting And Power Management System For A Wsn Node Applied To Optimized Goods Transport And Storage", International Journal on Smart Sensing and Intelligent Systems., VOL. 9, NO. 4, December 2016, pp. 1637-1667

[11] YoumeiSong, Jianbo Li, Chenglong Li, Fushu Wang, "Social Popularity Based Routing In Delay Tolerant Networks", International Journal on Smart Sensing and Intelligent Systems., VOL. 9, NO. 4, December 2016, pp. 1687-1709

[12] Seifeddine Ben Warrad and OlfaBoubaker, "Full Order Unknown Inputs Observer For Multiple Time-Delay Systems", International Journal on Smart Sensing and Intelligent Systems., VOL. 9, NO. 4, December 2016, pp. 1750-1775

[13] Rajesh, M., and J. M. Gnanasekar. "Path observation-based physical routing protocol for wireless ad hoc networks." International Journal of Wireless and Mobile Computing 11.3 (2016): 244-257.

[14] Rajesh, M., and J. M. Gnanasekar. "Path Observation Based Physical Routing Protocol for Wireless Ad Hoc Networks." Wireless Personal Communications: 1-23.

[15] M. Rajesh., Traditional Courses into Online Moving Strategy. The Online Journal of Distance Education and e-Learning 4 (4), 19-63.

[16] Rajesh M and Gnanasekar J.M. Error- Lenient Algorithms for Connectivity Reinstallation in Wireless Adhoc Networks. International Journal of Advanced Engineering Technology; 7(1), pp 270-278, 2016.

[17] M. Rajesh and J.M. Gnanasekar., GCC over Heterogeneous Wireless Ad hoc Networks. Journal of Chemical and Pharmaceutical Sciences, 195-200.

[18] Rajesh, M and J.M. Gnanasekar., "Congestion Controls Using AODV Protocol Scheme For Wireless Ad-Hoc Network." Advances in Computer Science and Engineering 16 (1-2), 19.

[19] Rajesh M, Gnanasekar J. M. Sector Routing Protocol (SRP) in Ad-hoc Networks, Control Network and Complex Systems 5 (7), 1-4, 2015.

[20] Rajesh M, Gnanasekar J. M. Routing and Broadcast Development for Minimizing Transmission Interruption in Multi rate Wireless Mesh Networks using Directional Antennas, Innovative Systems Design and Engineering 6 (7), 30-42.

[19] L. Jamal, M. Shamsujjoha, and H. M. Hasan Babu, "Design of optimal reversible carry lookahead adder with optimal garbage and quantum cost," International Journal of Engineering and Technology, vol. 2, pp. 44–50, 2012.

[20] S. N. Mahammad and K. Veezhinathan, "Constructing online testable circuits using reversible logic," IEEE Transactions on Instrumentation and Measurement, vol. 59, pp. 101–109, 2010.

[21] W. N. N. Hung, X. Song, G. Yang, J. Yang, and M. A. Perkowski, "Optimal synthesis of multiple output boolean functions using a set of quantum gates by symbolic reachability analysis," IEEE Trans. on CAD of Integrated Circuits and Systems, vol. 25, no. 9, pp. 1652–1663, 2006.

[22] F. Sharmin, M. M. A. Polash, M. Shamsujjoha, L. Jamal, and H. M. Hasan Babu, "Design of a compact reversible random access memory," in 4th IEEE International Conference on Computer Science and Information Technology, vol. 10, june 2011, pp. 103–107.

[23] Dr. AntoBennet, M, Sankar Babu G, Suresh R, Mohammed Sulaiman S, Sheriff M, Janakiraman G, Natarajan S, "Design & Testing of Tcam Faults Using T_H Algorithm", Middle-East Journal of Scientific Research 23(08): 1921-1929, August 2015.

[24] Dr. AntoBennet, M "Power Optimization Techniques for sequential elements using pulse triggered flipflops", International Journal of Computer & Modern Technology, Issue 01, Volume01, pp 29-40, June 2015.