

University of Groningen

## BNP and NT-proBNP in heart failure

Hogehuis, Jochem

**IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.**

*Document Version*

Publisher's PDF, also known as Version of record

*Publication date:*

2006

[Link to publication in University of Groningen/UMCG research database](#)

*Citation for published version (APA):*

Hogehuis, J. (2006). BNP and NT-proBNP in heart failure: benefits and limitations for clinical practice Groningen: s.n.

**Copyright**

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

**Take-down policy**

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

# BNP and NT-proBNP in heart failure

Benefits and limitations for clinical practice;  
data from COACH and other studies

Jochem Hogenhuis

Financial support by the Netherlands Heart Foundation and Groningen University Institute for Drug Exploration (GUIDE) for the publication of this thesis is gratefully acknowledged. The study described in this thesis was supported by a grant of the Netherlands Heart Foundation (NHF-2000Z003).

ISBN 9036726239

© Copyright Jochem Hogenhuis, 2006

All rights reserved. No part of this publication may be reproduced, or transmitted in any form or by any means, without permission of the author.

Cover: Roel Meijer

Layout: Helga de Graaf, Studio Eye Candy te Groningen. ([www.proefschrift.info](http://www.proefschrift.info))

Printed by: Ipskamp PrintPartners Enschede, the Netherlands.



RIJKSUNIVERSITEIT GRONINGEN

BNP and NT-proBNP in heart failure

Benefits and limitations for clinical practice;  
data from COACH and other studies

Proefschrift

ter verkrijging van het doctoraat in de  
Medische Wetenschappen  
aan de Rijksuniversiteit Groningen  
op gezag van de  
Rector Magnificus, dr. F. Zwarts,  
in het openbaar te verdedigen op  
woensdag 5 juli 2006  
om 14:45 uur

door

Jochem Hogenhuis  
geboren op 5 december 1976  
te Groningen

Promotores:

Prof. dr. D.J. van Veldhuisen  
Prof. dr. A.W. Hoes

Co-promotores:

Dr. T. Jaarsma  
Dr. A.A. Voors

Beoordelingscommissie:

Prof. dr. F. Zijlstra  
Prof. dr. P.A. de Graeff  
Prof. dr. J.G.P. Tijssen

Paranimfen:

Martje van der Wal  
Marie Louise Luttk

The publication of this thesis was financially supported by Astellas Pharma B.V., AstraZeneca, Biosite Incorporated, Boehringer Ingelheim B.V., Bristol-Meyers Squibb, GlaxoSmithKline, Medtronic Bakken Research Center, Novartis Pharma B.V., sanofi-aventis, Servier Nederland Pharma B.V., St. Jude Medical Nederland B.V., Roche Diagnostics.



# Contents

Chapter 1	Introduction and aims	9
Chapter 2	Design and methodology of the COACH study: a multicenter randomised Coordinating study evaluating Outcomes of Advising and Counselling in Heart failure Eur J Heart Fail 2004;6:227-33	23
Chapter 3	Influence of age on natriuretic peptides in patients with chronic heart failure: a comparison between ANP/NT-ANP and BNP/NT-proBNP Eur J Heart Fail 2005;7:81-6	37
Chapter 4	Anaemia and renal dysfunction are independently associated with B-type Natriuretic Peptide and N-terminal pro B-type Natriuretic Peptide in patients with heart failure Submitted	49
Chapter 5	BNP, functional status and quality of life. § 5.1 Correlates of B-type natriuretic peptide and 6-minute walk in heart failure patients Int J Cardiol 2006;108:63-7 § 5.2 BNP and Functional Status in Heart Failure Cardiovasc Drugs Ther 2004;18:507 (letter to the editor) Author reply letter to the editor Cardiovasc Drugs Ther 2004;18:507	63
Chapter 6	Establishing the discharge diagnosis of patients admitted for suspected heart failure: development of a simple score including BNP or NT-proBNP	81
Chapter 7	Low prevalence of BNP levels < 100 pg/ml in patients with heart failure at hospital discharge Am Heart J 2006;151:1019.e1-5	93
Chapter 8	Discussion and future perspectives	105
	Summary	115
	Nederlandse samenvatting	119
	Dankwoord	125
	Dankwoord COACH betrokkenen	129

