

University of Groningen

## Effect of thermal annealing on exciton diffusion in a diketopyrrolopyrrole derivative

Mikhnenko, Oleksandr V.; Lin, Jason; Shu, Ying; Anthony, John E.; Blom, Paul W. M.; Thuc-Quyen Nguyen, [No Value]; Loi, Maria

*Published in:*  
Physical Chemistry Chemical Physics

*DOI:*  
[10.1039/c2cp41359k](https://doi.org/10.1039/c2cp41359k)

**IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.**

*Document Version*  
Publisher's PDF, also known as Version of record

*Publication date:*  
2012

[Link to publication in University of Groningen/UMCG research database](#)

*Citation for published version (APA):*

Mikhnenko, O. V., Lin, J., Shu, Y., Anthony, J. E., Blom, P. W. M., Thuc-Quyen Nguyen, . N. V., & Loi, M. A. (2012). Effect of thermal annealing on exciton diffusion in a diketopyrrolopyrrole derivative. *Physical Chemistry Chemical Physics*, 14(41), 14196-14201. DOI: 10.1039/c2cp41359k

**Copyright**

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

**Take-down policy**

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.


*Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.*

## Supporting information

### Effect of Thermal Annealing on Exciton Diffusion in a Diketopyrrolopyrrole

#### Derivative

Oleksandr V. Mikhnenko, Jason Lin, Ying Shu, John E. Anthony,  
Paul W. M. Blom, Thuc-Quyen Nguyen, Maria Antonietta Loi



**Figure S1.** Topography images for as spun and annealed films acquired by atomic force microscopy: (a) pristine film of C<sub>6</sub>PT<sub>2</sub>-DPP; (b) 2 wt% blend film of PCBM:C<sub>6</sub>PT<sub>2</sub>-DPP; and (c) 1.4 wt% blend film of diCN-TIPS-Pn:C<sub>6</sub>PT<sub>2</sub>-DPP. All scans are 2 × 2 μm.