

University of Groningen

## Left ventricular dilatation and neurohumoral activation as arrhythmogenic factors in myocardial infarction

Dambrink, Jan Hendrik Everwijn

**IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.**

*Document Version*

Publisher's PDF, also known as Version of record

*Publication date:*

1995

[Link to publication in University of Groningen/UMCG research database](#)

*Citation for published version (APA):*

Dambrink, J. H. E. (1995). Left ventricular dilatation and neurohumoral activation as arrhythmogenic factors in myocardial infarction: results from the Captopril And Thrombolysis Study Groningen: s.n.

### Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

### Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

LEFT VENTRICULAR DILATATION AND NEUROHUMORAL  
ACTIVATION AS ARRHYTHMOGENIC FACTORS  
IN MYOCARDIAL INFARCTION

Results from the Captopril And Thrombolysis Study

ISBN 90-9008889-X

© 1995 J-H.E. Dambrink

All rights are reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, mechanically or by photocopying, recording or otherwise, without the written permission of the author.

Printed by: Drukkerij Elinkwijk B.V., Utrecht.

RIJKSUNIVERSITEIT GRONINGEN

LEFT VENTRICULAR DILATATION AND NEUROHUMORAL  
ACTIVATION AS ARRHYTHMOGENIC FACTORS  
IN MYOCARDIAL INFARCTION

Results from the Captopril And Thrombolysis Study

PROEFSCHRIFT

ter verkrijging van het doctoraat in de Geneeskunde  
aan de Rijksuniversiteit Groningen  
op gezag van de Rector Magnificus Dr F. van der Woude  
in het openbaar te verdedigen op maandag 11 december 1995  
des namiddags te 4.00 uur

door

Jan Hendrik Everwijn Dambrink  
geboren op 23 april 1963 te Utrecht

Promotores: prof. dr K.I. Lie  
prof. dr W.H. van Gilst  
Co-promotor: dr J.H. Kingma

Promotiecommissie: prof. dr M.J. Janse

prof. P.A. Poole-Wilson, MD, FRCP

prof. dr C.A. Visser

Financial support by Bristol-Meyers Squibb B.V. and by the CATS foundation for the publication of this thesis is gratefully acknowledged.

Aan mijn ouders





## CONTENTS

### Chapter 1. Introduction

§ 1. General introduction	1
§ 2. Ventricular arrhythmias after thrombolytic therapy for acute myocardial infarction	
2.1. Early ventricular arrhythmias: role of reperfusion	3
2.2. Late ventricular arrhythmias after thrombolytic therapy	9
§ 3. Left ventricular remodeling and ventricular arrhythmias after myocardial infarction: importance of left ventricular dilatation	
3.1. Left ventricular remodeling after myocardial infarction	12
3.2. Association of left ventricular remodeling with arrhythmogenesis	13
3.3. Mechanisms of arrhythmogenesis in left ventricular dilatation	16
3.4. Effect of thrombolytic therapy on left ventricular dilatation and related ventricular arrhythmias	17
§ 4. Neurohumoral activation as an etiologic factor for early and late ventricular arrhythmias	
4.1. Sympathetic nervous system activity and ventricular arrhythmias after acute myocardial infarction	19
4.2. Renin-angiotensin-aldosterone system activation and ventricular arrhythmias after acute myocardial infarction	22
4.3. Effect of thrombolytic therapy on neurohumoral activation	23
§ 5. Interrelation between neurohumoral activation and left ventricular dilatation	25
§ 6. Rationale for the use of ACE inhibition during thrombolytic therapy	
6.1. Effect on early ventricular arrhythmias	26
6.2. Effect on late ventricular arrhythmias	29
§ 7. Aims of the thesis	37

## Chapter 2

- Left ventricular dilatation and high-grade ventricular arrhythmias in the first year after myocardial infarction 53  
J Cardiac Failure 1994;1:3-11

## Chapter 3

- Association of left ventricular remodeling and nonuniform electrical recovery expressed by nondipolar QRST integral map patterns in survivors of a first anterior myocardial infarction 69  
Eur Heart J 1993;14(suppl):24 (abstract)  
Circulation 1995;92:300-310

## Chapter 4

- Relation between left ventricular dilatation and QRS duration after a first anterior myocardial infarction 97  
Eur Heart J 1994;15(suppl):494 (abstract)  
Submitted

## Chapter 5

- Norepinephrine levels early after thrombolytic therapy: association with angiographic findings and ventricular arrhythmias 105  
Submitted

## Chapter 6

- Association between reduced heart rate variability and left ventricular dilatation in patients with a first anterior myocardial infarction 121  
Circulation 1993;88:I-107 (abstract)  
Br Heart J 1994;72:514-520

## Chapter 7

- Acute intervention with captopril during thrombolysis in patients with first anterior myocardial infarction. Results from the Captopril and Thrombolysis Study (CATS) 139  
Eur Heart J 1994;15:898-907

Chapter 8	
Which patient benefits from early angiotensin-converting enzyme inhibition after myocardial infarction? Results of one-year serial echocardiographical follow-up from the Captopril and Thrombolysis Study (CATS)	161
Circulation 1995;92:1-24 (abstract)	
Submitted	
Chapter 9	
Effects of captopril on early and late arrhythmic events in patients with thrombolytic therapy for a first anterior myocardial infarction	185
Chapter 10	
Summary and concluding remarks	207
Hoofdstuk 11	
Samenvatting en conclusies	215
Dankwoord	223
Appendix	226
Curriculum vitae	229