

University of Groningen

Three-nucleon force effects in proton-deuteron break-up studied with BINA at 135 MeV

Eslami-Kalantari, Mohammad

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:

2009

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Eslami-Kalantari, M. (2009). Three-nucleon force effects in proton-deuteron break-up studied with BINA at 135 MeV Groningen: s.n.

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

RIJKSUNIVERSITEIT GRONINGEN

**Three-nucleon force effects in proton-deuteron
break-up studied with BINA at 135 MeV**

Proefschrift

ter verkrijging van het doctoraat in de
Wiskunde en Natuurwetenschappen
aan de Rijksuniversiteit Groningen
op gezag van de
Rector Magnificus, dr. F. Zwarts,
in het openbaar te verdedigen op
maandag 21 september 2009
om 16.15 uur

door

Mohammad Eslami-Kalantari
geboren op 31 mei 1969
te Teheran, Iran

Promotor:

Prof. dr. N. Kalantar-Nayestanaki

Copromotor:

Dr. J. G. Messchendorp

Beoordelingscommissie:

Prof. dr. T. B. Clegg

Prof. dr. M. N. Harakeh

Prof. dr. U. van Kolck

Druk: Facilitairbedrijf, RuG, Groningen, september 2009.

To my dear wife, *Mehri*
and my dear children,
Amir-Reza and Fatemeh

Contents

1	Introduction	1
1.1	The two-nucleon force	2
1.2	The three-nucleon force	4
1.3	Outline of the thesis	7
2	Theoretical aspects of the break-up reaction	9
2.1	Introduction	9
2.2	The nucleon-nucleon force	9
2.3	Three-nucleon force	12
2.3.1	Tucson-Melbourne potential	13
2.3.2	Urbana-Illinois potential	14
2.3.3	Hannover-Lisbon potential	15
2.3.4	Chiral perturbation theory (χ PT)	15
2.4	Faddeev equations	15
2.5	Observables in the break-up reactions	21
3	Experimental setup	27
3.1	POLarized Ion Source (POLIS)	27
3.2	AGOR and the beam lines	30
3.3	The In-Beam Polarimeter (IBP)	30
3.4	Lamb-Shift Polarimeter (LSP)	33
3.5	BINA	33
3.5.1	Mechanical components of BINA	34
3.5.2	Data acquisition of BINA	43
4	Analysis of the $\vec{p} + d$ break-up reaction	51
4.1	Break-up kinematics and the S -curve	51
4.2	Energy calibration of the E detectors using the break-up reaction	51
4.3	Inefficiency caused by hadronic interactions	53
4.4	The geometrical inefficiency	54
4.5	The MWPC efficiency	56
4.6	Beam-current determination	57
4.7	Background analysis for the break-up reaction	60

4.8	Calculation of the break-up cross section	62
4.9	Calculation of the analyzing power	66
5	Results and discussion	71
5.1	Results of the $\vec{p} + d$ break-up reaction for selected kinematics	71
5.2	Systematic comparison between the data and theoretical calculations	83
5.3	Discussion	85
6	Summary and conclusions	95
	Bibliography	99
	Samenvatting	105