



Discussion Papers

Modeling and Forecasting Implied Volatility – an Econometric Analysis of the VIX Index

Katja Ahoniemi
Helsinki School of Economics, FDPE, and HECER

Discussion Paper No. 129
October 2006

ISSN 1795-0562

HECER – Helsinki Center of Economic Research, P.O. Box 17 (Arkadiankatu 7), FI-00014
University of Helsinki, FINLAND, Tel +358-9-191-28780, Fax +358-9-191-28781,
E-mail info-hecer@helsinki.fi, Internet www.hecer.fi

Modeling and Forecasting Implied Volatility – an Econometric Analysis of the VIX Index*

Abstract

This paper models the implied volatility of the S&P 500 index, with the aim of producing useful forecasts for option traders. Numerous time-series models of the VIX index are estimated, and daily out-of-sample forecasts are calculated from all relevant models. The directional accuracy of the forecasts is evaluated with market-timing tests. Option trades are simulated based on the forecasts, and their profitability is also used to rank the models. The results indicate that an ARIMA(1,1,1) model enhanced with exogenous regressors has predictive power regarding the directional change in the VIX index. GARCH terms are statistically significant, but do not improve forecasts. The best models predict the direction of change correctly for over 60 percent of the trading days. Out-of-sample option trading over a period of fifteen months yields positive returns when the forecasts from the best models are used as the basis for investment decisions.

JEL Classification: C32, C53, G13

Keywords: Implied volatility, Forecasting, Option markets

Katja Ahoniemi

Department of Economics,
Helsinki School of Economics
P.O. Box 1210
00101 Helsinki
FINLAND

e-mail: katja.ahoniemi@hse.fi

*The author wishes to thank Markku Lanne, Pekka Ilmakunnas, and Petri Jylhä for valuable comments. Financial support from the FDPE, the Jenny and Antti Wihuri Foundation, the Okobank Group Research Foundation, the Finnish Foundation for Share Promotion, and the Finnish Foundation for Advancement of Securities Markets is gratefully acknowledged. This paper has been presented at the European Financial Management Association 2006 Annual Meetings, Madrid, Spain, and at the 2006 Econometric Society European Meetings, Vienna, Austria.

1 Introduction

Professional option traders such as hedge funds and banks' proprietary traders are interested primarily in the volatility implied by an option's market price when making buy and sell decisions. If the implied volatility (IV) is assessed to be too high, the option is considered to be overpriced, and vice versa. Returns from volatility positions in options, such as straddles, depend largely on the movements in IV, and the trader does not necessarily need a directional view regarding the price of the option's underlying asset.

The forecast accuracy of IV has been researched extensively, i.e. how well IV forecasts the realized volatility over the life of an option. Christensen and Prabhala (1998) find that the volatility implied by S&P 100 index options predicts the actual volatility in the underlying index, but the forecasts are biased. Blair et al. (2001) find that volatility forecasts provided by the VIX index are unbiased, and they outperform forecasts augmented with GARCH effects and high-frequency observations. Similar results were reported early on by Chiras and Manaster (1978) for individual stock options as well as by Jorion (1995) for foreign exchange options. In summary, most prevailing studies find that IV is most likely the best, although perhaps a biased, predictor of future realized volatility.

A clearly contradictory result comes from Canina and Figlewski (1993), who conclude that the IV of S&P 100 options has virtually no correlation with the future realized volatility. Day and Lewis (1992), who analyze S&P 100 index options, and Lamoureux and Lastrapes (1993), who study stock options, find that IV is biased and inefficient, as historical volatility can improve forecasts based on IV alone.

Relatively little work has been done on modeling IV, compared with the extensive literature on volatility modeling that exists today. Brooks and Oozeer (2002) and Harvey and Whaley (1992) use regression models to forecast implied volatility and trade accordingly. Both studies suggest profits for a market maker, but not for a trader facing transaction costs. Mixon (2002) uses regression models to find that domestic stock returns explain changes in IV well.

Also, few studies explore option trading in connection with IV analysis, and those studies that do simulate trades employ strategies that are not favored among actual market participants. Harvey and Whaley (1992), Brooks and Oozeer (2002) and Corredor et al. (2002) employ simple buy or sell option trading strategies, whereas typical option trades involve various types of spreads, such as the straddle. Noh et al. (1994) simulate straddle trades, and in the trading simulation of Poon and Pope (2000), S&P 100 call options are bought and S&P 500 call options simultaneously sold, or vice versa. Coval and Shumway (2001) focus on pure option trading, calculating returns for long call, long put, and long straddle positions, with no time series analysis or other decision rule in the background.

The objective of this study is to model and forecast implied volatility, with the ultimate aim of producing relevant information for option traders. The goal of the model-building is to find a model that would reliably forecast the future direction of IV, thus providing valuable signals to option traders. The success of the forecasts will be evaluated with their directional accuracy, with a market timing test, and by simulating option trades with true market prices and calculating the profitability of the trades.

An ARIMA(1,1,1) model augmented with the returns of the S&P 500 index and the returns of the MSCI EAFE index is found to be a good fit for a time series of the VIX index. This model specification produces forecasts with a directional accuracy of up

to 62 percent. Option trades simulated on the basis of these forecasts lead to positive returns in a fifteen-month out-of-sample period.

This paper proceeds as follows. Section 2 describes the data used in this study, Section 3 presents the models estimated for the VIX time series, Section 4 contains the analysis of forecasts, and Section 5 discusses the option trading simulations. Section 6 concludes.

2 Data

2.1 Implied volatility

Implied volatility is calculated by solving an option pricing model for the volatility when the prevailing market price for an option is known. Volatility is the only ambiguous input into e.g. the Black-Scholes option pricing formula, which is shown below for a call option:

$$C = SN(d_1) - Xe^{-rT}N(d_2) \quad (1)$$

where

$$d_1 = \frac{\ln(S/X) + (r + \sigma^2/2)T}{\sigma\sqrt{T}}$$

$$d_2 = d_1 - \sigma\sqrt{T}$$

C denotes the price of a European call option, S is the market price of the underlying asset, X is the strike price of the option, r is the risk-free interest rate, T is the time to maturity of the option, N is the cumulative normal distribution function, and σ is the volatility in the returns of the underlying asset during the life of the option.

The Black-Scholes pricing model makes two assumptions that are in contrast with what is observed in actual financial markets. First, the model assumes that the volatility in the price of the underlying asset will remain constant throughout the life of the option. Second, the logarithmic returns of the underlying asset are assumed to follow a normal distribution, whereas financial market returns exhibit both skewness and excess kurtosis. The non-normality of financial returns is manifested in the fact that when IVs are calculated from prevailing market prices with the Black-Scholes model, the so-called volatility smile or volatility skew emerges: IVs vary with the strike price of options, even for options with the same maturity date.

2.2 The VIX index

The core data in this study consists of daily observations of the VIX volatility index calculated by the Chicago Board Options Exchange¹. The VIX, introduced in 1993, is derived from the bid/ask quotes of options on the S&P 500 index. It is widely followed by financial market participants and is considered not only to be the market's expectation of the volatility in the S&P 500 index over the next month, but also to reflect investor sentiment and risk aversion. If investors grow more wary, the demand for above all put

¹see www.cboe.com/micro/vix

options will rise, thus increasing IV and the value of the VIX. Also, e.g. Blair et al. (2001) and Mayhew and Stivers (2003) use the VIX as an indicator of market implied volatility.

The calculation method of the VIX was changed on September 22, 2003 to bring it closer to actual financial industry practises. From that day onwards, the VIX has been based on S&P 500 rather than S&P 100 options: the S&P 500 index is the most commonly used benchmark for the U.S. equity market, and the most popular underlying for U.S. equity derivatives. A wider range of strike prices is included in the calculation, making the new VIX more robust. Also, the Black-Scholes formula is no longer used, but the methodology is independent of a pricing model. In practise, the VIX is calculated directly from option prices rather than solving it out of an option pricing formula. Values for the VIX with the new methodology are available from the CBOE from 2.1.1990. The data set used in this study consists of daily observations covering fifteen years, from 2.1.1990 to 31.12.2004. Public holidays that fall on weekdays, when the CBOE is closed, were omitted from the data set.

The VIX is calculated using the two nearest expiration months of S&P 500 options in order to achieve a 30-calendar-day period². Rollover to the next expiration occurs eight calendar days prior to the expiry of the nearby option. The value of the index is derived from the prices of at-the-money and out-of-the-money calls and puts. The closer the option's strike price to the at-the-money value, the higher the weight its price receives in the calculation. The formula for calculating the VIX index is:

$$\sigma^2 = \frac{2}{T} \sum_i \frac{\Delta K_i}{K_i^2} e^{rT} Q(K_i) - \frac{1}{T} \left[\frac{F}{K_0} - 1 \right]^2 \quad (2)$$

where σ is the value of the VIX divided by 100, T is the time to expiration of the option contract, F is the forward index level derived from option prices, K_i is the strike price of the i^{th} out-of-the-money option (call if $K_t > F$ and put if $K_t < F$), ΔK_i is the interval between strike prices, or $(K_{i+1} - K_{i-1})/2$, K_0 is the first strike below F , r is the risk-free interest rate up to the expiration of the option contract, and $Q(K_i)$ is the midpoint of the bid-ask spread for each option with strike K_i . Calls and puts are included up to the point where there are two consecutive strike prices with a bid price equal to zero.

The use of the VIX index considerably alleviates the problems of measurement errors and model misspecification. The simultaneous measurement of all variables required by an option pricing model is often difficult to achieve. When the underlying asset of an option is a stock index, infrequent trading in one of the component stocks of the index can lead to misvaluation of the index level. Also, there is no correct measure for the volatility required as an input in a pricing model such as Black-Scholes. The chosen option pricing model for IV calculation is critical, as the assumptions of the model can greatly affect the resulting value for IV. If a European option valuation model is used to determine the IV of an American option, an erroneous value will result.

²See www.cboe.com/micro/vix/vixwhite.pdf for details on calculating the new VIX

2.3 Other data

Data on various financial and macroeconomic indicators was also obtained from the Bloomberg Professional service to test whether they could help explain the variations in the VIX. The data set contains the S&P 500 index, the trading volume of the S&P 500 index, the MSCI EAFE (Europe, Australasia, Far East) index, the three-month USD LIBOR interest rate, the 10-year U.S. government bond yield, and the price of crude oil from the next expiring futures contract. Data on the S&P 500 trading volume is available only from 4.1.1993 onwards.

The out-of-sample performance of option trades executed based on the analysis of the VIX time series will be tested with the daily open and close quotes of near-the-money S&P 500 index options, which are quoted on the Chicago Board Options Exchange. The options in the data set were selected on a monthly basis so that all options that were at-the-money at least momentarily during the month in question were included as possibilities. Only the two nearest expirations are considered, as they are overwhelmingly the most liquid³. The S&P 500 option quotes were obtained from the Bloomberg Professional service for the 15-month period of 1.10.2003 to 31.12.2004.

3 Modeling the VIX

The VIX index was relatively stable in the early 1990s, but more volatile from the last quarter of 1997 to the first quarter of 2003. Figure 1 shows the daily level of the VIX for the entire sample. Clear spikes in the value of the VIX coincide with the Asian financial crisis of late 1997, the Russian and LTCM crisis of late 1998, and the 9/11 terrorist attacks. A visual inspection of the VIX first differences points to heteroskedasticity in the data, as can be seen in Figure 2.




Figure 1: VIX index 1.1.1990 - 31.12.2004

³Poon and Pope (2000) analyze S&P 100 and S&P 500 option trading data for a period of 1,160 trading days and find that contracts with 5-30 days of maturity have the highest number of transactions and largest trading volume. At-the-money and slightly out-of-the-money options are most heavily traded.




Figure 2: VIX first differences 1.1.1990 - 31.12.2004

Logarithms of the VIX observations were taken in order to avoid negative forecasts of volatility. The daily logarithmic levels of VIX display high autocorrelation, as shown in Figure 3. The autocorrelations for the differenced time series are also shown in Figure 3.

A unit root is rejected by the augmented Dickey-Fuller (ADF) test for both the level (p-value 0.0006) and differenced (p-value 0.0000) time series at the one-percent level of significance. The lag lengths in the ADF tests are four for the level series and ten for the differenced series, based on selection with the Bayesian Information Criterion.

ARMA and *ARFIMA* models were estimated for the VIX levels, but despite the high persistence in the time series, even the *ARFIMA* models failed to produce useful forecasts (directional accuracy of over 50 percent). Also, the value received for d in the *ARFIMA* modeling exceeded 0.49 when its value was restricted to be less than 0.5, and fell within the non-stationary range of $[0.5, 1]$ when no restrictions were placed on its value. In light of this evidence, the models in this study were built for log VIX first differences rather than levels.

Descriptive statistics for the VIX first differences are provided in Table 1. The VIX is skewed to the right, and it displays excess kurtosis.

	<i>Full sample</i>	<i>In-sample</i>
Maximum	0.416861	0.416861
Minimum	-0.275054	-0.275054
Mean	-0.000069	0.000155
Median	-0.002547	-0.001691
Standard deviation	0.055931	0.057527
Skewness	0.595536	0.607743
Excess kurtosis	3.62725	3.63307

Table 1: Descriptive statistics for VIX first differences. Full sample: 1.1.1990-31.12.2004, in-sample: 1.1.1990-31.12.2002.

Several time periods were used in the model-building phase in order to determine the




Figure 3: Autocorrelations for log VIX (above) and log VIX first differences (below)

robustness of the results and stability of coefficients over time. The time periods are listed in Table 2. Period 1 covers the entire in-sample. The dates chosen for Period 2 reflect the starting point of more volatile behavior in the VIX. Periods 3 and 4 were chosen based on the number of observations. Studies such as Noh et al. (1994) and Blair et al. (2001) use 1,000 observations when calculating forecasts from *GARCH* models. Forecasts were also calculated with only 500 observations to see whether forecast performance would improve with only a short period of observations: conditions in financial markets can change rapidly, and perhaps only the most recent information is relevant for forecasting purposes. The in-sample estimation period ends for all time periods on 31.12.2002, and the first forecasts are calculated for 2.1.2003.

<i>Period</i>	<i>Dates</i>	<i>No. of observations</i>
Period 1	1.1.1990-31.12.2002	3260
Period 2	1.10.1997-31.12.2002	1314
Period 3	4.1.1999-31.12.2002	1000
Period 4	29.12.2000-31.12.2002	500

Table 2: Time periods in coefficient estimation

3.1 Linear models

Based on tests for autocorrelation and the p-values of the coefficients, an *ARIMA*(1, 1, 1) specification was found to be the best fit for the log VIX time series from the family of *ARMA* models. The *ARIMA*(1, 1, 1) model was then augmented with *GARCH* errors and exogenous regressors. Goodness-of-fit was compared primarily with the Bayesian Information Criterion (BIC), and secondly with the coefficient of determination R^2 . Heteroskedasticity-robust standard errors were used throughout the analysis. In all estimation with *GARCH* errors, the estimation method was Gaussian maximum likelihood.

A number of macroeconomic indicators were included in the regressions to see whether they could improve *ARIMA* models of the VIX. These variables were the returns in the S&P 500 index, the one-month, or 22-trading-day, historical volatility of the S&P 500 index and its first difference, the spread between the VIX and the historical volatility of the S&P 500 index and its first difference, the trading volume of the S&P 500 index and its first difference, the returns of the MSCI EAFE (Europe, Australasia, Far East) index, the first difference of the three-month USD LIBOR interest rate, the first difference of the slope of the yield curve proxied by the 10-year rate less the 3-month rate, and the first difference of the price of oil from the next expiring futures contract. Many variables similar to these have been used by e.g. Franks and Schwartz (1991).

Logarithms were used for all variables except the slope of the yield curve. Use of the S&P 500 trading volume, the short-term interest rate, and the slope of the yield curve without differencing was ruled out by the ADF test (see Table 3). The p-values from the ADF test indicate that the null hypothesis of a unit root cannot be rejected at the one-percent level for the above-mentioned time series. Also, returns must naturally be used for the S&P 500 and MSCI EAFE index returns. The returns of the S&P 500 index, its trading volume, and returns in the MSCI EAFE index in particular could be assumed to have some effect on changes in the VIX. High trading volume could be a signal of e.g. panic selling, linked to rising IV.

Positive and negative returns in the S&P 500 index were separated by forming separate variables for each, as negative shocks have a tendency of raising volatility more than positive shocks. Dividend payouts are not taken into account in calculating the returns of the S&P 500 index.

<i>Variable</i>	<i>p-value (level)</i>	<i>p-value (1st difference)</i>
S&P 500 index	0.7269	0.0001
1-month historical volatility of S&P 500 index	0.0080	0.0000
VIX less the historical volatility of S&P 500 index	0.0000	0.0000
Trading volume of S&P 500 index	0.5400	0.0000
MSCI EAFE index	0.5438	0.0000
3-month USD LIBOR interest rate	0.7293	0.0000
10-year interest rate less 3-month rate	0.2770	0.0001
Price of oil	0.0316	0.0000

Table 3: P-values from ADF tests for a unit root in explanatory variables.

The six linear models that were estimated for the differenced VIX time series are listed in Table 4. The regression results indicate that an *ARIMA*(1,1,1) model is the best *ARIMA* specification. The exogenous regressors that were found to improve the fit of the model and have statistically significant coefficients were the returns of the MSCI EAFE index as well as the positive and negative returns of the S&P 500 index. Data on the S&P 500 index trading volume was available for all time periods except Period 1. Its first differences were added to the analysis (Models 5 and 6) in order to check for possible improvements to forecasts, although its coefficient was not statistically significant. The addition of a *GARCH* specification fits the chosen models, with statistically significant coefficients for both the *ARCH* and *GARCH* terms. *GARCH* models were only estimated with a minimum of 1,000 observations, as estimates of conditional heteroskedasticity may be unreliable with a small sample size⁴.

<i>Linear models</i>		
<i>Model</i>	<i>ARIMA / GARCH</i>	<i>Exogenous regressors</i>
Model 1	ARIMA(1,1,1)	-
Model 2	ARIMA(1,1,1) + GARCH(1,1)	-
Model 3	ARIMA(1,1,1)	W P N
Model 4	ARIMA(1,1,1) + GARCH(1,1)	W P N
Model 5	ARIMA(1,1,1)	W P N V
Model 6	ARIMA(1,1,1) + GARCH(1,1)	W P N V

Table 4: Linear models. W=log returns of the MSCI EAFE index, P=positive log returns of the S&P 500 index, N=negative log returns of the S&P 500 index, V=first differences of log S&P 500 trading volume.

In practise, the estimated linear equation is:

$$VIXR_t = c + \beta_1 VIXR_{t-1} + \beta_2 \epsilon_{t-1} + \beta_3 W_t + \beta_4 P_{t-1} + \beta_5 N_{t-1} + \beta_6 V_{t-1} + \epsilon_t \quad (3)$$

⁴This is the minimum number of observations used by e.g. Blair et al. (2001) and Noh et al. (1994) when calculating volatility forecasts from *GARCH* models. Engle et al. (1993) calculate variance forecasts for an equity portfolio and find that *ARCH* models using 1,000 observations perform better than models with 300 or 5,000 observations.

where $VIXR$ =first differences of the logarithms of the VIX index, W =log returns of the MSCI EAFE index, P =positive log returns of the S&P 500 index, N =negative log returns of the S&P 500 index, V =log first differences of S&P 500 trading volume. As in the models of e.g. Davidson et al. (2001) and Simon (2003), P is equal to the return of the S&P 500 index when the return is positive, and zero otherwise. Likewise for N , it is equal to the return of the S&P 500 index when the return is negative, and zero otherwise. The time indexing of W differs from the other variables, as its value is known to traders in the U.S. markets before the local market opens for trading: W is calculated from the returns of Asian and European markets. Therefore, W_t can be used to explain $VIXR_t$, and information that is as up-to-date as possible is utilized.

In Models 2, 4, and 6, $GARCH(1,1)$ errors with a Gaussian distribution are used. $GARCH$ models are based on the autoregressive conditional heteroskedasticity model introduced by Engle (1982) and generalized by Bollerslev (1986). In the $GARCH(1,1)$ model, ϵ is defined as:

$$\epsilon_t = z_t h_t^{1/2}$$

where z_t is a sequence of *i.i.d.* $\sim (0,1)$ random variables and

$$h_t = \alpha_0 + \alpha_1 \epsilon_{t-1}^2 + \beta_1 h_{t-1}$$

The coefficients and their p-values for all six models are presented in Table 5 for Periods 1 and 2 and in Table 6 for Periods 3 and 4. The $AR(1)$ and $MA(1)$ terms are statistically significant at the one-percent level throughout, and the returns of the MSCI EAFE index and the S&P 500 index are significant at the five-percent level.

The changes in S&P 500 trading volume are not statistically significant, but the possible improvement V will provide to forecasts will be evaluated in Section 4. $GARCH$ terms are significant at the five-percent level throughout, with the exception of Models 4 and 6 in Period 3, or when the number of observations in $GARCH$ estimation is smallest. The coefficients in the models evolve over time, as was to be expected based on the visual analysis of the VIX time series. In Period 4, with only 500 observations, the impacts of MSCI EAFE and S&P 500 returns are largest.

The coefficients of N are larger in absolute value than the coefficients of P for all the linear models. In other words, negative returns impact the VIX more than positive returns, which is consistent with earlier findings about the larger effect of negative shocks in financial markets. This finding has been reported by e.g. Fleming et al. (1995) for the VIX index and by Simon (2003) for the VXN, or the Nasdaq 100 Volatility Index. They estimated negative coefficients for contemporaneous positive and negative returns in the underlying index. Thus, positive contemporaneous returns lower the VIX, but negative contemporaneous returns raise IV and thus the index level.

In this study, S&P 500 index returns are not contemporaneous, but lagged. The option trader opens her positions at the start of the day, without knowing how the stock market will develop during the day. Therefore, the best available information comes from day $T - 1$. The positive coefficients in this study can be interpreted as a reflection of mean reversion: a positive S&P 500 return may have lowered the VIX during day T , so in day $T + 1$, the VIX rises. Similarly for negative returns, a rise in the VIX in day T is followed by a fall in day $T + 1$. On the other hand, the negative coefficient for the MSCI EAFE index is in line with the results of Fleming et al. (1995) and Simon (2003). The foreign stock market return is contemporaneous, so a negative coefficient leads to

a drop in the VIX if the return in foreign markets has been positive, and vice versa for negative foreign market returns.

The residuals for Model 3 in Period 1 are shown in Figure 4 and the conditional variances for Model 4 in Period 1 are shown in Figure 5. The clustering in the residuals and the spikes in the conditional variances again point to the conditional heteroskedasticity in the time series of VIX first differences. These figures are provided as representative examples, and the equivalent figures from other pairs of models with and without *GARCH* errors are similar.




Figure 4: Residuals for Model 3, period 1

Goodness-of-fit measures and test statistics are given in Table 7. The *BIC* and R^2 measures reveal that the goodness-of-fit of the models improves clearly with the addition of exogenous regressors. However, the addition of V to the set of regressors (Models 5 and 6) no longer improves the goodness-of-fit. Based on the *BIC*, Model 3 is the best specification in all periods except Period 1, where it is outperformed by Model 4.

GARCH errors make a pronounced change to the test results for the models in Periods 1 and 2. After adding *GARCH* errors to the models, the null hypotheses of tests for neglected *ARCH* and heteroskedasticity are rejected at the five-percent level. According to the tests, Models 3 and 5 are free of neglected *ARCH* and heteroskedasticity in Periods 3 and 4, but this may be due to weaker power of the tests with a small number of observations used in the estimation. The Breusch-Godfrey test for autocorrelation indicates that the null hypothesis of no autocorrelation cannot be rejected for any of the considered models in any of the time periods.

3.2 Probit models

As the focus in this study is on obtaining the correct direction of change in the VIX index (up or down) rather than the correct magnitude, binary probit models were also

Panel A - Period 1

	<i>Model 1</i>	<i>Model 2</i>	<i>Model 3</i>	<i>Model 4</i>	<i>Model 5</i>	<i>Model 6</i>
c	0.00006 (0.904)	-0.00032 (0.513)	0.00167 (0.23)	0.00193 (0.191)	-	-
$AR(1)$	0.78007** (0)	0.81778** (0)	0.69054** (0)	0.70546** (0)	-	-
$MA(1)$	0.88433** (0)	0.91241** (0)	0.80254** (0)	0.80236** (0)	-	-
W	-	-	-1.67649** (0)	-1.60998** (0)	-	-
P	-	-	0.25862** (0.004)	0.27492** (0.001)	-	-
N	-	-	0.42792** (0)	0.49155** (0)	-	-
V	-	-	-	-	-	-
α_0	-	0.04495	-	0.04507	-	-
α_1	-	0.08065** (0.002)	-	0.08678** (0.005)	-	-
β_1	-	0.78585** (0)	-	0.72635** (0)	-	-

Panel B - Period 2

	<i>Model 1</i>	<i>Model 2</i>	<i>Model 3</i>	<i>Model 4</i>	<i>Model 5</i>	<i>Model 6</i>
c	0.00016 (0.872)	-0.0009 (0.37)	0.00426 (0.14)	0.00368 (0.193)	0.00441 (0.123)	0.0039 (0.161)
$AR(1)$	0.79614** (0)	0.78849** (0)	0.56189** (0)	0.58745** (0)	0.54067** (0)	0.56886** (0)
$MA(1)$	0.87117** (0)	0.86875** (0)	0.65435** (0)	0.67827** (0)	0.62844** (0)	0.65587** (0)
W	-	-	-2.38305** (0)	-2.31763** (0)	-2.39542** (0)	-2.3293** (0)
P	-	-	0.40256* (0.011)	0.38945** (0.004)	0.41195* (0.016)	0.39562** (0.006)
N	-	-	0.8074** (0.001)	0.76877** (0)	0.83005** (0.001)	0.79118** (0)
V	-	-	-	-	-0.01162 (0.182)	-0.01129 (0.173)
α_0	-	0.04154	-	0.04208	-	0.04221
α_1	-	0.05749** (0.003)	-	0.0317* (0.027)	-	0.03183* (0.027)
β_1	-	0.88295** (0)	-	0.91038** (0)	-	0.90864** (0)

Table 5: Coefficients from linear model estimation (Periods 1 and 2). P-values in parentheses. (**) denotes statistical significance at the 1% level, and (*) at the 5% level.

Panel A - Period 3

	<i>Model 1</i>	<i>Model 2</i>	<i>Model 3</i>	<i>Model 4</i>	<i>Model 5</i>	<i>Model 6</i>
c	0.00015 (0.877)	-0.00063 (0.572)	0.00638 (0.034)	0.00542 (0.088)	0.00652 (0.029)	0.00556 (0.077)
$AR(1)$	0.75053** (0)	0.72521** (0)	0.59257** (0)	0.59504** (0)	0.58931** (0)	0.5922** (0)
$MA(1)$	0.85265** (0)	0.8365** (0)	0.70476** (0)	0.70401** (0)	0.69988** (0)	0.69991** (0)
W	-	-	-2.32019** (0)	-2.29166** (0)	-2.32275** (0)	-2.29324** (0)
P	-	-	0.33108* (0.014)	0.35548** (0.009)	0.3275* (0.016)	0.35192** (0.01)
N	-	-	0.84622** (0)	0.82678** (0)	0.84569** (0)	0.82648** (0)
V	-	-	-	-	-0.0074 (0.374)	-0.00688 (0.407)
α_0	-	0.04126	-	0.04225	-	0.04241
α_1	-	0.04381* (0.027)	-	0.02 (0.193)	-	0.01992 (0.2)
β_1	-	0.90216** (0)	-	0.93261** (0)	-	0.9316** (0)

Panel B - Period 4

	<i>Model 1</i>	<i>Model 2</i>	<i>Model 3</i>	<i>Model 4</i>	<i>Model 5</i>	<i>Model 6</i>
c	0.00011 (0.946)	-	0.00342 (0.404)	-	0.00336 (0.411)	-
$AR(1)$	0.79601** (0)	-	0.48044** (0)	-	0.45008** (0.008)	-
$MA(1)$	0.85692** (0)	-	0.54115** (0)	-	0.50425** (0.008)	-
W	-	-	-2.52352** (0)	-	-2.53129** (0)	-
P	-	-	0.57528** (0.005)	-	0.59944** (0.008)	-
N	-	-	0.95194** (0.001)	-	0.98057** (0.001)	-
V	-	-	-	-	-0.0085 (0.549)	-
α_0	-	-	-	-	-	-
α_1	-	-	-	-	-	-
β_1	-	-	-	-	-	-

Table 6: Coefficients from linear model estimation (Periods 3 and 4). P-values in parentheses. (**) denotes statistical significance at the 1% level, and (*) at the 5% level.

<i>Panel A - Period 1</i>						
	<i>Model 1</i>	<i>Model 2</i>	<i>Model 3</i>	<i>Model 4</i>	<i>Model 5</i>	<i>Model 6</i>
<i>BIC</i>	-4716.05	-4764.08	-4840.91	-4878.03	-	-
<i>R</i> ²	0.0281	0.0278	0.1065	0.1062	-	-
<i>Test for Autocorrelation</i>	0.900	0.771	0.634	0.457	-	-
<i>Test for Neglected ARCH</i>	0.000	0.86	0.000	0.836	-	-
<i>Test for Heteroskedasticity</i>	0.000	0.418	0.000	0.496	-	-

<i>Panel B - Period 2</i>						
	<i>Model 1</i>	<i>Model 2</i>	<i>Model 3</i>	<i>Model 4</i>	<i>Model 5</i>	<i>Model 6</i>
<i>BIC</i>	-1871.22	-1876.04	-1993.02	-1988.48	-1990.4	-1985.86
<i>R</i> ²	0.0151	0.0151	0.1951	0.1949	0.1962	0.1961
<i>Test for Autocorrelation</i>	0.481	0.680	0.722	0.592	0.652	0.558
<i>Test for Neglected ARCH</i>	0.000	0.185	0.000	0.410	0.000	0.424
<i>Test for Heteroskedasticity</i>	0.000	0.729	0.006	0.630	0.003	0.618

<i>Panel C - Period 3</i>						
	<i>Model 1</i>	<i>Model 2</i>	<i>Model 3</i>	<i>Model 4</i>	<i>Model 5</i>	<i>Model 6</i>
<i>BIC</i>	-1463.39	-1459.36	-1546.55	-1537.99	-1543.44	-1534.84
<i>R</i> ²	0.0233	0.0232	0.1899	0.1898	0.1904	0.1904
<i>Test for Autocorrelation</i>	0.442	0.382	0.506	0.482	0.509	0.482
<i>Test for Neglected ARCH</i>	0.020	0.400	0.575	0.801	0.575	0.803
<i>Test for Heteroskedasticity</i>	0.004	0.638	0.430	0.459	0.469	0.457

<i>Panel D - Period 4</i>						
	<i>Model 1</i>	<i>Model 2</i>	<i>Model 3</i>	<i>Model 4</i>	<i>Model 5</i>	<i>Model 6</i>
<i>BIC</i>	-725.595	-	-787.59	-	-784.692	-
<i>R</i> ²	0.01	-	0.2557	-	0.2563	-
<i>Test for Autocorrelation</i>	0.630	-	0.664	-	0.716	-
<i>Test for Neglected ARCH</i>	0.318	-	0.842	-	0.846	-
<i>Test for Heteroskedasticity</i>	0.052	-	0.546	-	0.558	-

Table 7: Statistics and tests for linear models. The tests are Lagrange multiplier tests, with p-values provided. Five lags are used in the tests for autocorrelation and neglected *ARCH*. The test for autocorrelation is the Breusch-Godfrey LM test statistic. The test for neglected *ARCH* is Engle's LM test statistic, computed from a regression of squared residuals on lagged squared residuals. The test for heteroskedasticity is computed from a regression of squared residuals on squared fitted values. The asymptotic distribution of all the test statistics is χ^2 .




Figure 5: Conditional variances for Model 4, period 1

estimated. This will enable a check of whether the linear models, which are estimated with more precise information, provide added value to the forecasts, even though the focus is on the direction of change. With probit models, a move upwards was marked 1 and a change downwards as 0:

$$y_t = \mathbf{1}[VIXR_t > 0], \quad t = 1, 2, \dots, T$$

where $\mathbf{1}[\cdot]$ is an indicator function.

The same explanatory variables that were used in linear models were found to be significant in probit models as well. In addition, the lagged binary variable was also included as a regressor in two of the four models (see Table 8). The explanatory power of the lagged binary variable is not likely to be very good, however, as the VIX is a mean reverting time series. Models 3 and 4 were not estimated from Period 1, as data on the S&P 500 index trading volume is only available from the beginning of 1993.

<i>Probit models</i>		
<i>Model</i>	<i>Lagged binary variable</i>	<i>Exogenous regressors</i>
Model 1	-	<i>W P N</i>
Model 2	✓	<i>W P N</i>
Model 3	-	<i>W P N V</i>
Model 4	✓	<i>W P N V</i>

Table 8: Probit models. W=log returns of the MSCI EAFE index, P=positive log returns of the S&P 500 index, N=negative log returns of the S&P 500 index, V=first differences of log S&P 500 trading volume.

The probit model specifies the conditional probability:

$$p = F(Z) = \int_{-\infty}^Z f(Z)dZ \quad (4)$$

where $F(\cdot)$ is the cumulative standardized normal distribution. The equation for Z that is estimated in this study is given in Equation 5:

$$BIN_{t+1} = c + \beta_1 W_{t+1} + \beta_2 P_t + \beta_3 N_t + \beta_4 V_t + \beta_5 BIN_t + \epsilon_{t+1} \quad (5)$$

where BIN is a binary variable that receives the value 1 when the VIX index rises, and the value 0 when the VIX index falls.

The coefficients from the probit estimation are given in Table 9. The lagged binary variables and V are not statistically significant, but W , P , and N are all significant at the five-percent level. Similar to the linear models, the impact of negative S&P 500 returns is larger than the impact of positive returns (with the exception of Model 3 in Period 4). The signs of the coefficients in the probit models are the same as the signs in the linear models.

	<i>Panel A - Period 1</i>				<i>Panel B - Period 2</i>			
	<i>Model 1</i>	<i>Model 2</i>	<i>Model 3</i>	<i>Model 4</i>	<i>Model 1</i>	<i>Model 2</i>	<i>Model 3</i>	<i>Model 4</i>
c	0.008 (0.802)	-0.0131 (0.743)	-	-	-0.0006 (0.99)	-0.0889 (0.196)	-0.0079 (0.882)	-0.0964 (0.163)
W	-28.830** (0)	-28.848** (0)	-	-	-43.911** (0)	-44.378** (0)	-44.214** (0)	-44.683** (0)
P	8.2160* (0.03)	9.2004* (0.02)	-	-	14.051** (0.004)	18.131** (0)	15.011** (0.002)	19.094** (0)
N	20.102** (0)	21.264** (0)	-	-	24.174** (0)	28.938** (0)	23.243** (0)	28.010** (0)
V	-	-	-	-	-	-	-0.2599 (0.167)	-0.2616 (0.165)
BIN	-	0.0433 (0.403)	-	-	-	0.1884* (0.039)	-	0.1888* (0.039)
	<i>Panel C - Period 3</i>				<i>Panel D - Period 4</i>			
	<i>Model 1</i>	<i>Model 2</i>	<i>Model 3</i>	<i>Model 4</i>	<i>Model 1</i>	<i>Model 2</i>	<i>Model 3</i>	<i>Model 4</i>
c	0.0327 (0.591)	-0.0461 (0.55)	0.0283 (0.643)	-0.0480 (0.526)	-0.0621 (0.479)	-0.1561 (0.155)	-0.071 (0.422)	-0.164 (0.135)
W	-45.634** (0)	-46.259** (0)	-45.830** (0)	-46.438** (0)	-57.854** (0)	-58.305** (0)	-58.238** (0)	-58.67** (0)
P	13.220* (0.014)	16.844** (0.004)	13.773* (0.011)	17.288** (0.003)	22.571** (0.001)	26.594** (0)	23.831** (0.001)	27.785** (0)
N	27.372** (0)	32.036** (0)	26.824** (0)	31.456** (0)	24.420** (0.002)	30.000** (0)	23.604** (0.003)	29.126** (0.001)
V	-	-	-0.1788 (0.417)	-0.1657 (0.454)	-	-	-0.3911 (0.202)	-0.3851 (0.211)
BIN	-	0.1735 (0.094)	-	0.1707 (0.1)	-	0.2168 (0.157)	-	0.2140 (0.165)

Table 9: Coefficients from probit estimation. P-values in parentheses. (**) denotes statistical significance at the 1% level, and (*) at the 5% level.

Measures of goodness-of-fit and p-values from tests for autocorrelation and heteroskedasticity are provided in Table 10. The addition of the changes in S&P 500

trading volume does not improve the goodness-of-fit of the models, and neither does the inclusion of the lagged binary variable. The BIC indicates that Model 1 outperforms the other models in all periods. Coefficients of determination are clearly best for models estimated in Period 4, or with 500 observations.

The LM test for autocorrelation rejects the null hypothesis at the five-percent level for nine of the fourteen probit models. Heteroskedasticity is rejected at the five-percent level only for the models in Period 2. The rejections in Periods 3 and 4 may again be due to weaker power with smaller numbers of observations, however.

<i>Panel A - Period 1</i>				
	<i>Model 1</i>	<i>Model 2</i>	<i>Model 3</i>	<i>Model 4</i>
<i>BIC</i>	2204.08	2207.77	-	-
<i>R</i> ²	0.042	0.042	-	-
<i>Test for Autocorrelation</i>	0.002	0.002	-	-
<i>Test for Heteroskedasticity</i>	0.052	0.078	-	-

<i>Panel B - Period 2</i>				
	<i>Model 1</i>	<i>Model 2</i>	<i>Model 3</i>	<i>Model 4</i>
<i>BIC</i>	853.484	854.889	856.164	857.561
<i>R</i> ²	0.1012	0.1041	0.1028	0.1057
<i>Test for Autocorrelation</i>	0.022	0.073	0.032	0.091
<i>Test for Heteroskedasticity</i>	0.005	0.008	0.010	0.020

<i>Panel C - Period 3</i>				
	<i>Model 1</i>	<i>Model 2</i>	<i>Model 3</i>	<i>Model 4</i>
<i>BIC</i>	653.111	655.172	656.249	658.356
<i>R</i> ²	0.1005	0.1029	0.1014	0.1037
<i>Test for Autocorrelation</i>	0.008	0.007	0.011	0.008
<i>Test for Heteroskedasticity</i>	0.286	0.376	0.406	0.540

<i>Panel D - Period 4</i>				
	<i>Model 1</i>	<i>Model 2</i>	<i>Model 3</i>	<i>Model 4</i>
<i>BIC</i>	310.726	312.831	313.04	315.173
<i>R</i> ²	0.1744	0.1785	0.1782	0.1821
<i>Test for Autocorrelation</i>	0.058	0.043	0.080	0.062
<i>Test for Heteroskedasticity</i>	0.104	0.139	0.174	0.261

Table 10: Statistics and tests for probit models. Five lags are used in the LM tests for autocorrelation and heteroskedasticity, whose p-values are provided. The R^2 is the squared correlation between the predictions from the normal CDF and the binary actuals.

4 Forecasts

The next step in the analysis is to obtain forecasts from the models described in Section 3. Out-of-sample, one-step-ahead forecasts were calculated for the VIX first differences. In practise, the predicted direction of change was calculated on a daily basis.

Forecasts were calculated from all models presented above, estimated with numbers of observations equal to those used in the four time periods. Therefore, the first series of forecasts is estimated with 3,260 observations, the second series with 1,314 observations, the third series with 1,000 observations, and the fourth series with 500 observations.

The forecasts were calculated from rolling samples, keeping the sample size constant each day. In other words, after calculating each forecast, the furthest observations are dropped, the observations for the most recent day are added to the sample, and the model is re-estimated. For comparison, Model 3 was also estimated with an incremental (growing) sample size starting with 3,260 and 1,314 observations, i.e. by adding the newest observations to the sample each day, but dropping no observations⁵. This introduces a seventh linear model into the analysis, Model 3I.

Once each model is estimated up to day T , the values of the regressors for day T are plugged in to obtain the forecast for the change in the VIX from day T to day $T + 1$. Again, the only variable that is treated differently is the MSCI EAFE index, whose value for $T + 1$ is used when calculating the forecasts.

Successful forecasting of IV from an option trader's point of view involves forecasting the direction of IV correctly; a correct magnitude for the change is not as relevant. This is because positions such as the straddle will generate a profit if the IV moves in the correct direction, *ceteris paribus* (the size of the profit is affected by the magnitude of change, however). The forecasting accuracy of the various models is evaluated based on sign: how many times does the sign of the change in the VIX correspond to the direction forecasted by the model.

The first forecast is calculated for 2.1.2003, and the last for 31.12.2004. This amounts to 501 days of forecasts. Table 11 shows the forecast performance of the various models, measured with the correct direction of change. The linear and probit models succeed in predicting the direction of change correctly for 52-62 percent of the trading days. This performance is in line with the results of e.g. Pesaran and Timmermann (1995) and Gençay (1998).

For linear models, the addition of exogenous regressors clearly improves the forecast performance, but improvements from adding *GARCH* errors are negligible. The number of observations used in the model estimation affects the accuracy of the sign predictions hardly at all. The best accuracy, or 310 correct signs out of 501 days, comes from both Model 6 with 1,000 observations and Model 3 with 500 observations. No clear conclusion can be drawn on whether or not it is beneficial to include V as a regressor.

With probit models, the forecasts are probabilities that the outcome will be 1. All forecasts over 50 percent were interpreted as a move upwards, and forecasts below 50 percent were taken as a forecast of the value of the VIX falling. The best performer is Model 4 with 1,000 observations, which produces 299 correct directional forecasts. However, the share of correct signs is close to equal for all the probit models. The addition of the lagged binary variable both improves and weakens the forecasting performance, depending on the model and number of observations. Thus, the number of observations and exact model specification from among the four alternatives seem to hold little relevance. It can be noted that all linear models, with the exception of Models 1 and 2, provide better forecasts than the best probit model.

In the spirit of the particular nature of this study, the predictive ability of the models was tested using the market timing test for predictive accuracy developed by Pesaran and Timmermann (1992). The Pesaran-Timmermann test (henceforth PT test) was originally developed with the idea that an investor switches between stocks and bonds depending on the returns expected from each asset class.

The PT test is calculated with the help of a contingency table (Table 12). The

⁵E.g. Lamoureux and Lastrapes (1993) use both rolling and incremental sample size in their variance forecasts.

Panel A - linear

	3260 observations			1314 observations			1000 observations			500 observations		
	Corr. sign	%	MSE	Corr. sign	%	MSE	Corr. sign	%	MSE	Corr. sign	%	MSE
Model 1	271	54.1%	0.00196	270	53.9%	0.00192	266	53.1%	0.00193	263	52.5%	0.00192
Model 2	277	55.3%	0.00191	274	54.7%	0.00192	272	54.3%	0.00193	-	-	-
Model 3	305	60.9%	0.00169	305	60.9%	0.00170	307	61.3%	0.00170	310	61.9%	0.00171
Model 4	308	61.5%	0.00169	304	60.7%	0.00169	309	61.7%	0.00170	-	-	-
Model 5	-	-	-	306	61.1%	0.00170	306	61.1%	0.00171	305	60.9%	0.00174
Model 6	-	-	-	305	60.9%	0.00170	310	61.9%	0.0017	-	-	-
Model 3I	309	61.7%	0.00169	305	60.9%	0.00170	-	-	-	-	-	-

Panel B - probit

	3260 observations			1314 observations			1000 observations			500 observations		
	Corr. sign	%	MSE	Corr. sign	%	MSE	Corr. sign	%	MSE	Corr. sign	%	MSE
Model 1	293	58.5%	-	291	58.1%	-	290	57.9%	-	294	58.7%	-
Model 2	296	59.1%	-	297	59.3%	-	297	59.3%	-	291	58.1%	-
Model 3	-	-	-	296	59.1%	-	291	58.1%	-	292	58.3%	-
Model 4	-	-	-	293	58.5%	-	299	59.7%	-	291	58.1%	-

Table 11: Correct sign predictions (out of 501 trading days) and mean squared errors

		<i>Actual outcome</i>	
		<i>UP</i>	<i>DOWN</i>
<i>Forecast</i>	<i>UP</i>	N_{uu}	N_{ud}
	<i>DOWN</i>	N_{du}	N_{dd}

Table 12: 2x2 contingency table for forecast evaluation

contingency table shows how many times the actual outcome was up if the forecast was up (N_{uu}), and likewise for the other combinations. The formula for the PT test is given in Equation 6. This version of the test statistic is provided by Granger and Pesaran (2000).

$$PT = \frac{\sqrt{N}KS}{\left(\frac{\hat{\pi}_f(1-\hat{\pi}_f)}{\hat{\pi}_a(1-\hat{\pi}_a)}\right)^{1/2}} \quad (6)$$

where

$$KS = \frac{N_{uu}}{N_{uu}+N_{du}} - \frac{N_{ud}}{N_{ud}+N_{dd}}$$

$$\hat{\pi}_a = \frac{N_{uu}+N_{du}}{N}$$

$$\hat{\pi}_f = \frac{N_{uu}+N_{ud}}{N}$$

KS is the Kuiper score, commonly used in meteorological forecasting, $\hat{\pi}_a$ is the probability that actual outcomes are up, and $\hat{\pi}_f$ is the probability that outcomes are forecast to be up. The limiting distribution of PT is $N(0, 1)$ when the null hypothesis is true.

The PT test confirms that the estimated models do possess market timing ability, i.e. the directional forecasts are statistically significant (see Table 13). The forecasting ability of the models is statistically significant for all models except linear Model 1 with 500 observations. In the contingency tables, both linear and probit models receive a higher value for N_{dd} than for N_{uu} , i.e. the directional accuracy of the models is better for moves downward. Linear models are more likely to forecast up too often, i.e. $N_{ud} > N_{du}$. For probit models, negative forecasts lead to more mistakes, i.e. $N_{du} > N_{ud}$.

The mean squared errors for the forecasts from the linear models are also provided in Table 11. This type of traditional measure of forecast performance is not extremely relevant in the context of this study, as the direction of change determines the option trading returns. However, MSE (Equation 7) was used to establish that the forecasts outperform a random walk, where the predicted value for day $T + 1$ is equal to the value of day T , i.e. the forecasted change is zero. If the forecasts have no value over a prediction for zero change, they are useless for option traders, who require an indication of change in order to take a position in the market.

$$MSE = \frac{1}{N} \sum_N (\widehat{VIXR}_t - VIXR_t)^2 \quad (7)$$

Panel A - linear

	3260 obs.		1314 obs.		1000 obs.		500 obs.	
	PT statistic	p-value	PT statistic	p-value	PT statistic	p-value	PT statistic	p-value
Model 1	2.591**	0.00479	2.139*	0.01620	1.882*	0.02992	1.353	0.08799
Model 2	2.973**	0.00147	2.106*	0.01759	1.890*	0.02936	-	-
Model 3	4.795**	0.00000	4.956**	0.00000	5.026**	0.00000	5.497**	0.00000
Model 4	5.025**	0.00000	4.765**	0.00000	5.155**	0.00000	-	-
Model 5	-	-	5.018**	0.00000	4.945**	0.00000	4.956**	0.00000
Model 6	-	-	4.882**	0.00000	5.253**	0.00000	-	-
Model 3I	5.205**	0.00000	4.829**	0.00000	-	-	-	-

Panel B - probit

	3260 obs.		1314 obs.		1000 obs.		500 obs.	
	PT statistic	p-value	PT statistic	p-value	PT statistic	p-value	PT statistic	p-value
Model 1	3.472**	0.00026	3.318**	0.00045	3.192**	0.00071	3.626**	0.00014
Model 2	3.766**	0.00008	3.905**	0.00005	3.864**	0.00006	3.332**	0.00043
Model 3	-	-	3.808**	0.00007	3.304**	0.00048	3.490**	0.00024
Model 4	-	-	3.572**	0.00018	4.033**	0.00003	3.376**	0.00037

Table 13: Pesaran-Timmermann test statistics and their p-values for linear and probit models. (**) denotes statistical significance at the 1% level, and (*) at the 5% level.

The test for superior predictive ability (SPA) developed by Hansen (2005) was used for this purpose. The SPA test of Hansen allows for the simultaneous comparison of m series of forecasts, in contrast to e.g. the forecast accuracy test of Diebold and Mariano (1995), which evaluates two series at a time. Hansen defines relative performance variables as:

$$d_{k,t} \equiv L(\xi_t, \delta_{0,t-h}) - L(\xi_t, \delta_{k,t-h})$$

or equivalently

$$d_{k,t} \equiv L(Y_t, \hat{Y}_{0,t}) - L(Y_t, \hat{Y}_{k,t})$$

where $d_{k,t}$ denotes the relative performance of model k compared to the benchmark ($k = 0$) at time t , L is the loss function, δ_k is a decision rule, h shows how many periods in advance the decision must be made, ξ_t is a random variable, Y_t is the actual realization, and $\hat{Y}_{k,t}$ is the prediction from model k . When

$$\mu_k \equiv E(d_{k,t})$$

the null hypothesis can be stated as:

$$H_0 : \mu_k \leq 0 \tag{8}$$

Model k is better than the benchmark only if $E(d_{k,t}) > 0$. The studentized test statistic itself is provided in Equation 9. This test statistic should decrease the influence of poor, irrelevant series of forecasts. The null distribution is sample-dependent, which also helps to identify the relevant series of forecasts.

$$T_n^{SPA} \equiv \max \left[\max_{k=1, \dots, m} \frac{n^{1/2} \bar{d}_k}{\hat{\omega}_k}, 0 \right] \tag{9}$$

$\hat{\omega}_k^2$ is a consistent estimator of $\omega_k^2 \equiv \text{var}(n^{1/2} \bar{d}_k)$, and

$$\bar{d}_k = \frac{1}{n} \sum_n d_{k,t}$$

In the SPA test, one series of forecasts is defined to be the benchmark; in this case, it is the random walk. The other series of forecasts are provided by the models described above. The loss function used to evaluate the models is the mean squared error. The p-values for each respective number of observations are given in Table 14. The p-values are calculated with 1,000 bootstrap resamples. The null hypothesis of the test is that the benchmark is not inferior to the alternative forecasts, and it is thus rejected for all four time periods. In other words, the at least one series of forecasts from the evaluated models is more accurate than a random walk.

5 Option trading

The purpose of the VIX forecasts is to provide useful information for option traders. The forecasts from the models presented above were used to simulate option trades with S&P 500 option market prices. The trades that were simulated were straddles, which are spreads that involve buying or selling an equal amount of call and put options.

<i># of obs.</i>	<i>p-value</i>
3260	0.00100
1314	0.00100
1000	0.00200
500	0.00300
All alternatives	0.00100

Table 14: P-values from SPA test against the benchmark of a random walk (linear models). 1,000 bootstrap resamples. The p-value for all alternatives is from a SPA test using all series of forecasts, i.e. forecasts with 3,260, 1,314, 1,000 and 500 observations.

Straddles are so-called volatility trades that are commonly used in practise by professional option traders. Their use in this simulation should be more realistic than the buy-or-sell strategies simulated by Brooks and Oozer (2002) and Harvey and Whaley (1992). Straddles are employed in a trading simulation by e.g. Noh et al. (1994). A long straddle, i.e. an equal number of bought call and put options, yields a profit if IV rises. A short straddle, which involves selling call and put options, profits when IV falls.




Figure 6: Payoff graphs of long (above) and short straddles (below) upon option expiration. The price of the underlying asset is on the x-axis. The solid line is the total payoff, the dashed line (- - -) is the payoff from a call option, and the dotted line (· · ·) is the payoff from a put option.

The classic payoff graphs of both straddle types are shown in Figure 6. This figure relates the payoffs of straddles to the value of the underlying asset upon option maturity. The relation between straddle price and volatility, much more relevant for this study, is depicted in Figure 7. Both figures show that the sold straddle is the riskier strategy, as

the losses from this position are unlimited in theory.




Figure 7: The prices of long (upper line) and short straddles (lower line). The volatility used to price the options is on the x-axis. The straddle prices are calculated from the Black-Scholes formula for hypothetical options with $S = 100$, $X = 100$, $r = 0.04$, $T = 1/12$, and σ varying between 5% and 65%. The options are thus at-the-money, and the time to maturity mimics the 30-day maturity of the VIX. All other values except σ are held constant.

The prices for call and put options on the S&P 500 index were obtained for 1.10.2003-31.12.2004, a period of fifteen months, or 313 trading days. The fifteen-month period is equal to that analyzed by Brooks and Oozer (2002), whose sign predictions were correct for the IV of options on long gilt futures for 52.5 percent of trading days. Daily straddle positions were simulated with this data by utilizing the out-of-sample forecasts from the linear and probit models.

The option positions are opened with the open quotes and closed with the closing quotes of the same day. This strategy allows for using options that are as close-to-the-money as possible on each given day. The strike price was chosen so that the absolute gap between the actual closing quote of the S&P 500 index from the previous day and the option's strike price was the smallest available. In practise, the moneyness (S/X) of the options that were traded varied between 0.994 and 1.010 when the trades were opened. Options with the nearest expiration date were used, up to ten trading days prior to the expiration of the nearby option, when trading was rolled over to the next expiration date. This is necessary as the IV of an option close to maturity may behave erratically. This analysis does not incorporate transaction costs, as the main purpose of the exercise is not to obtain accurate estimates of actual profits, but to use the trading profits and losses to rank the forecast models.

The option positions are technically not delta neutral, which means that the trading returns are sensitive to large changes in the value of the options' underlying asset, or the S&P 500 index, during the course of the day. However, this problem was not deemed critical for this analysis. The deltas of at-the-money call and put options offset each other⁶, so that the positions are close to delta neutral when they are opened at the start of each day. The deviation from delta neutrality in this study comes from the fact that strike prices are only available at certain fixed intervals, so the straddles may

⁶see Noh et al. (1994)

not be exactly delta neutral even at the moment they are entered into. The positions are updated daily, so the strike price used can be changed each day. Also, Engle and Rosenberg (2000) note that straddles are sensitive to changes in volatility but insensitive to changes in the price of the options' underlying asset.

Although the straddle is a volatility trade, its returns are naturally not completely dependent on the changes in IV. Even a trader with perfect foresight would lose on her straddle position on 119 days out of the 313 days analyzed, or on 38 percent of the days.

In practise, if the forecasted direction of the VIX was up, near-the-money calls and near-the-money puts were bought. Equivalently, if the forecast was for the VIX to fall, near-the-money calls and near-the-money puts were sold. The exact amounts to be bought or sold were calculated separately for each day so that 100 units (dollars) were invested in buying the options each day, or a revenue of 100 was received from selling the options. This same approach of fixing the investment outlay was used by Harvey and Whaley (1992) and Noh et al. (1994).

The average price of the calls and puts was used to determine the exact share of each to be traded. The return from a long straddle was calculated as in Equation 10, and the return from a short straddle is shown in Equation 11. In this analysis, the proceeds from selling a straddle are not invested during the day, but held with zero interest.

$$R_l = \frac{100}{C_o + P_o}(-C_o - P_o + C_c + P_c) \quad (10)$$

$$R_s = \frac{100}{C_o + P_o}(C_o + P_o - C_c - P_c) \quad (11)$$

C_o is the open quote of a near-the-money call option, P_o is the open quote of a near-the-money put option, and C_c and P_c are the respective closing quotes of the same options at the end of the same trading day.

Although the emphasis is on directional accuracy, filters have also been used in the option trading simulations. These filters leave out the weakest signals, i.e. signals that predict the smallest absolute or percentage changes, as they may not be as reliable in the directional sense. This use of filters is in the spirit of Hartzmark (1991), who investigated separately whether traders predict large changes with better accuracy. Harvey and Whaley (1992) and Noh et al. (1994) employ two filters to leave out the smallest predictions of changes, and Poon and Pope (2000) use three filters in order to take transaction costs into account.

The filters employed are provided in Table 15. Filter I for linear models considers the absolute value of the predicted change, and Filters II-V leave out the smallest predicted percentage changes. For probit models, the five filters eliminate signals that are close to 50 percent.

The returns from trading options on all days, and when employing a filter, are presented in Table 16 for linear models and Table 17 for probit models. No trading signals are left for linear Models 1 and 2 with Filter V (with the exception of two trades for Model 1 with 3,260 observations). The theoretical return with perfect foresight would be 464.4 units. For the linear models, Model 3 yields the best return when trading on all days with the exception of 3,260 observations. The effect the number of observations

<i>Linear models</i>		<i>Probit models</i>	
<i>Filter</i>	<i>Rule</i>	<i>Filter</i>	<i>Rule</i>
Filter I	$ \widehat{VIXR} < 0.001$	Filter I	$49.5\% < \hat{p} < 50.5\%$
Filter II	$ \widehat{VIXR}_{t+1}/VIX_t < 0.1\%$	Filter II	$49.0\% < \hat{p} < 51.0\%$
Filter III	$ \widehat{VIXR}_{t+1}/VIX_t < 0.2\%$	Filter III	$47.5\% < \hat{p} < 52.5\%$
Filter IV	$ \widehat{VIXR}_{t+1}/VIX_t < 0.5\%$	Filter IV	$45.0\% < \hat{p} < 55.0\%$
Filter V	$ \widehat{VIXR}_{t+1}/VIX_t < 1.0\%$	Filter V	$40.0\% < \hat{p} < 60.0\%$

Table 15: Filters used in simulated option trading

has on the option trading returns is not obvious. The largest profits in absolute value are generated by models with 3,260 or 1,314 observations.

For most models, profits improve when refraining from trading on days when the forecasted change in the VIX is very small. Filter II performs best overall for the linear models. The largest absolute return is generated by using Filter III with Model 2 with 3,260 observations, but in light of the analysis from previous sections, this result is most likely a coincidence: *ARIMA*(1, 1, 1) models are outperformed by models with exogenous regressors. In light of all the above analysis, the recommendation would be to trade based on the forecasts of Model 3 with Filter I or II.

Filters IV and V are never optimal for linear models, but for probit models, it is often best to leave out all signals between 40 and 60 percent, or use Filter V. In fact, the use of no filter or Filter II would lead to negative returns in all of the 14 probit cases evaluated, and Filter I leads to positive returns in only one case. Filter V performs best for 7 of the 14 cases. As even Filters IV and V generate negative returns for a part of the probit models, and earlier analysis failed to find a clear ranking for the models, it would seem that linear modeling provides more reliable results for option traders. Therefore, the conclusion is drawn that trading should not be based on the forecasts from probit models.

The statistical significance of the option trading returns using linear model forecasts was evaluated with the Hansen SPA test. Only linear models were considered at this stage, as they were deemed more reliable in predicting the changes in the VIX index and in producing positive option trading returns. The opposite numbers of trading returns were used as the loss function in the test. The filters used in this study can be thought of as the trading rules described in Hansen (2005): these trading rules tell the investor how to react to a binary signal of the directional change expected for the next day.

In Panel A of Table 18, the returns from trading on all days are first compared. The benchmark is the model that generates the best returns when using no filters. The test does not reject for any period, indicating that there is little evidence against the null hypothesis that the benchmark is the best model. In Panel B, all possible returns are included in the analysis, i.e. all models and all filters are considered for each period. The best return is again chosen as the benchmark. The high p-values show that the null hypothesis cannot be rejected⁷.

The SPA tests were also run for one model at a time, in order to determine the

⁷The absolute difference in returns between the 3,260 observation benchmark (Model 2, Filter III) and Model 3, Filter I and Model 3I with no filter is very small. As discussed above, the returns for Model 2 are most likely a coincidence. The SPA test with M3, FI or M3I, no filter as the benchmark also fails to reject these models as the best trading rule.

<i>Panel A - 3260 observations</i>						
	<i>Trading P/L</i>	<i>Filter I</i>	<i>Filter II</i>	<i>Filter III</i>	<i>Filter IV</i>	<i>Filter V</i>
Model 1	-18.5	-3.1 (282)	-28.7 (240)	21.0 (165)	-15.8 (12)	-10.2 (2)
Model 2	45.9	27.6 (279)	41.5 (236)	96.4 (146)	23.2 (9)	0.0 (0)
Model 3	64.6	94.6 (284)	58.7 (251)	42.2 (219)	-12.2 (102)	17.6 (15)
Model 4	79.7	74.1 (285)	52.7 (252)	33.9 (200)	-28.0 (98)	21.1 (13)
Model 5	-	-	-	-	-	-
Model 6	-	-	-	-	-	-
Model 3I	93.4	74.8 (283)	42.2 (244)	21.3 (208)	-6.1 (93)	8.0 (13)

<i>Panel B - 1314 observations</i>						
	<i>Trading P/L</i>	<i>Filter I</i>	<i>Filter II</i>	<i>Filter III</i>	<i>Filter IV</i>	<i>Filter V</i>
Model 1	18.0	-12.8 (272)	0.3 (219)	90.7 (132)	14.2 (7)	0.0 (0)
Model 2	19.9	-22.3 (277)	28.3 (213)	33.4 (120)	9.4 (10)	0.0 (0)
Model 3	66.0	82.8 (291)	66.3 (262)	40.4 (216)	31.9 (127)	14.3 (27)
Model 4	42.9	47.2 (291)	58.3 (259)	56.4 (229)	23.0 (121)	34.0 (22)
Model 5	59.1	18.4 (292)	60.1 (273)	37.1 (217)	2.1 (129)	-5.4 (25)
Model 6	-6.8	32.4 (290)	36.4 (258)	69.0 (218)	22.5 (121)	29.6 (23)
Model 3I	30.9	57.6 (289)	71.0 (261)	73.0 (223)	-9.3 (125)	22.2 (27)

<i>Panel C - 1000 observations</i>						
	<i>Trading P/L</i>	<i>Filter I</i>	<i>Filter II</i>	<i>Filter III</i>	<i>Filter IV</i>	<i>Filter V</i>
Model 1	-4.5	-5.0 (267)	34.7 (195)	24.7 (81)	12.7 (2)	0.0 (0)
Model 2	-26.4	7.1 (279)	15.4 (200)	-1.9 (92)	14.2 (7)	0.0 (0)
Model 3	52.9	16.8 (293)	77.7 (267)	70.8 (229)	15.9 (120)	-12.0 (28)
Model 4	4.3	31.6 (289)	60.8 (266)	50.6 (220)	24.5 (117)	-0.1 (23)
Model 5	23.5	21.6 (295)	64.6 (264)	68.9 (226)	0.0 (120)	-17.4 (27)
Model 6	24.9	25.1 (287)	59.7 (266)	27.6 (218)	23.9 (118)	5.5 (25)
Model 3I	-	-	-	-	-	-

<i>Panel D - 500 observations</i>						
	<i>Trading P/L</i>	<i>Filter I</i>	<i>Filter II</i>	<i>Filter III</i>	<i>Filter IV</i>	<i>Filter V</i>
Model 1	-57.7	6.1 (261)	-19.7 (191)	-20.2 (72)	-9.8 (4)	0.0 (0)
Model 2	-	-	-	-	-	-
Model 3	38.4	37.8 (284)	53.0 (261)	48.7 (225)	16.3 (126)	2.2 (26)
Model 4	-	-	-	-	-	-
Model 5	20.7	16.2 (287)	79.4 (263)	32.6 (223)	-1.8 (126)	20.7 (26)
Model 6	-	-	-	-	-	-
Model 3I	-	-	-	-	-	-

Table 16: Option trading returns from linear models (number of days traded out of 313 in parentheses). Best return for each model in boldface.

<i>Panel A - 3260 observations</i>						
	<i>Trading P/L</i>	<i>Filter I</i>	<i>Filter II</i>	<i>Filter III</i>	<i>Filter IV</i>	<i>Filter V</i>
Model 1	-88.7	-71.5 (294)	-36.2 (276)	18.2 (243)	-7.2 (173)	33.3 (84)
Model 2	-60.4	3.1 (295)	-15.2 (286)	-25.5 (235)	1.5 (169)	15.2 (85)
Model 3	-	-	-	-	-	-
Model 4	-	-	-	-	-	-

<i>Panel B - 1314 observations</i>						
	<i>Trading P/L</i>	<i>Filter I</i>	<i>Filter II</i>	<i>Filter III</i>	<i>Filter IV</i>	<i>Filter V</i>
Model 1	-72.2	-77.2 (298)	-63.5 (288)	28.8 (256)	-26.4 (210)	31.5 (125)
Model 2	-87.7	-42.7 (298)	-25.0 (285)	-51.0 (248)	21.0 (206)	7.4 (124)
Model 3	-70.0	-66.6 (299)	-66.9 (289)	49.9 (253)	-44.4 (203)	-7.1 (129)
Model 4	-40.4	-58.7 (295)	-10.7 (284)	-54.4 (252)	25.8 (202)	21.8 (126)

<i>Panel C - 1000 observations</i>						
	<i>Trading P/L</i>	<i>Filter I</i>	<i>Filter II</i>	<i>Filter III</i>	<i>Filter IV</i>	<i>Filter V</i>
Model 1	-85.2	-65.9 (299)	-67.7 (290)	24.9 (261)	17.5 (222)	3.3 (135)
Model 2	-15.6	-16.6 (298)	-25.8 (289)	-45.5 (257)	-21.6 (229)	14.8 (134)
Model 3	-49.1	-51.7 (297)	-63.3 (291)	-55.5 (262)	13.0 (217)	11.3 (137)
Model 4	-35.3	-11.2 (295)	-8.5 (284)	-54.4 (254)	19.8 (218)	16.1 (134)

<i>Panel D - 500 observations</i>						
	<i>Trading P/L</i>	<i>Filter I</i>	<i>Filter II</i>	<i>Filter III</i>	<i>Filter IV</i>	<i>Filter V</i>
Model 1	-58.6	-54.8 (297)	-21.3 (285)	3.7 (258)	-22.5 (213)	42.7 (133)
Model 2	-88.2	-81.1 (297)	-82.7 (289)	7.2 (262)	-25.8 (216)	20.6 (133)
Model 3	-76.9	-54.4 (298)	-34.4 (286)	17.7 (253)	-8.1 (209)	25.8 (135)
Model 4	-70.4	-74.9 (299)	-74.6 (288)	24.0 (261)	-14.0 (210)	22.4 (136)

Table 17: Option trading returns from probit models (number of days traded out of 313 in parentheses). Best return for each model in boldface.

<i>Panel A: Trading on all days</i>				
<i># of obs.</i>	<i>No. of models</i>	<i>Benchmark</i>	<i>p-value</i>	
3260	5	Model 3I	0.934	
1314	7	Model 3	0.922	
1000	6	Model 3	0.948	
500	3	Model 3	0.89	

<i>Panel B: Trading on all days; all filters</i>				
<i># of obs.</i>	<i>No. of models</i>	<i>Benchmark</i>	<i>p-value</i>	
3260	30	M2, F III	0.947	
1314	42	M1, F III	0.956	
1000	36	M3, F II	0.998	
500	18	M5, F II	0.998	

Table 18: P-values from SPA test for option trading returns

significance of the filter choice once the model selection has been made. Table 19 provides the p-values from this analysis. Again, the test does not reject the null hypothesis that the model with the highest absolute return provides the best trading rule.

<i>Panel A - 3260 obs.</i>			<i>Panel B - 1314 obs.</i>		
<i>Model</i>	<i>Benchmark</i>	<i>p-value</i>	<i>Model</i>	<i>Benchmark</i>	<i>p-value</i>
Model 1	Filter III	0.921	Model 1	Filter III	0.981
Model 2	Filter III	0.965	Model 2	Filter III	0.846
Model 3	Filter I	0.983	Model 3	Filter I	0.979
Model 4	No filter	0.863	Model 4	Filter II	0.931
Model 5	-	-	Model 5	Filter II	0.931
Model 6	-	-	Model 6	Filter III	0.965
Model 3I	No filter	0.965	Model 3I	Filter III	0.916

<i>Panel C - 1000 obs.</i>			<i>Panel D - 500 obs.</i>		
<i>Model</i>	<i>Benchmark</i>	<i>p-value</i>	<i>Model</i>	<i>Benchmark</i>	<i>p-value</i>
Model 1	Filter II	0.912	Model 1	Filter I	0.878
Model 2	Filter II	0.842	Model 2	-	-
Model 3	Filter II	0.954	Model 3	Filter II	0.937
Model 4	Filter II	0.959	Model 4	-	-
Model 5	Filter III	0.919	Model 5	Filter II	0.985
Model 6	Filter II	0.98	Model 6	-	-
Model 3I	-	-	Model 3I	-	-

Table 19: P-values from SPA test for option trading returns, model-by-model analysis

6 Conclusions

This paper has sought to find well-fitting linear and probit models for the VIX index, to analyze their predictive ability, and to calculate the returns from an option trading simulation based on forecasts from the models. The positive and negative returns of the S&P 500 index and foreign stock market returns, measured by the first differences of the MSCI EAFE index, are statistically significant explanatory variables for the first differences of the VIX. Despite the high persistence in the time series of the VIX index, *ARFIMA* models do not fit the data.

GARCH terms are statistically significant in *ARIMA*(1, 1, 1) models, but *GARCH* errors do not improve the forecast accuracy of the various models considered. The best models forecast the direction of change of the VIX correctly on 62 percent of the trading days in the 501-day out-of-sample period, with the linear models outperforming probit models. The Pesaran-Timmermann test confirms that the forecast accuracy of the best models is statistically significant.

Different amounts of observations are used in estimating the models in order to capture the effect of a possible structural shift in the behavior of the VIX in 1997, and to account for the possibility that only the most recent observations are relevant when operating in financial markets. However, based on the results obtained, the significance of the number of observations is limited.

In the option trading application, straddle trades based on forecasts from the best

linear models yield positive profits. The use of a filter to leave out the signals for a very small change in the VIX improves the results in most cases. Trading based on the forecasts from probit models leads to heavy losses with many of the models and filter strategies considered. Therefore, *ARIMA* models outperform probit models when both forecast accuracy and option trading returns are considered.

Based on the results, there seems to be a certain degree of predictability in the direction of change of the VIX index that can be exploited profitably by option traders, at least for certain periods of time. Given the nature of financial markets, it may not be possible to replicate the results in e.g. more volatile market conditions.

REFERENCES

- Blair, B.J., Poon, S-H. & Taylor, S.J. (2001), 'Forecasting S&P 100 volatility: the incremental information content of implied volatilities and high-frequency index returns', *Journal of Econometrics*, 105
- Bollerslev, T. (1986), 'Generalized autoregressive conditional heteroskedasticity', *Journal of Econometrics*, 31
- Brooks, C. & Oozer, M.C. (2002), 'Modeling the Implied Volatility of Options on Long Gilt Futures', *Journal of Business Finance & Accounting*, 29(1) & (2)
- Canina, L. & Figlewski, S. (1993), 'The Informational Content of Implied Volatility', *The Review of Financial Studies*, 6:3
- Chiras, D.P., & Manaster, S. (1978), 'The information content of option prices and a test of market efficiency', *Journal of Financial Economics*, 6
- Christensen, B.J., & Prabhala, N.R. (1998), 'The relation between implied and realized volatility', *Journal of Financial Economics*, 50
- Corredor, P., Lechón, P. & Santamaría, R. (2002), 'Is it possible to obtain profits using naïve volatility models?', *Derivatives Use, Trading & Regulation*, 8:1
- Coval, J.D. & Shumway, T. (2001), 'Expected Option Returns', *The Journal of Finance*, 56:3
- Davidson, W.D., Kim, J.K., Ors, E. & Szakmary, A. (2001), 'Using implied volatility on options to measure the relation between asset returns and variability', *Journal of Banking & Finance*, 25
- Day, T.E. & Lewis, C.M. (1992), 'Stock market volatility and the information content of stock index options', *Journal of Econometrics*, 52
- Diebold, F.X. & Mariano, R.S. (1995), 'Comparing Predictive Accuracy', *Journal of Business & Economic Statistics*, 13:3
- Engle, R.F. (1982), 'Autoregressive conditional heteroskedasticity with estimates of the variance of United Kingdom inflation', *Econometrica*, 50
- Engle, R.F., Hong, C-H., Kane, A. & Noh, J. (1993), 'Arbitrage valuation of variance forecasts with simulated options', in Chance, D.M. and Trippi, R.R. (eds.), *Advances in Futures and Options Research*, JAI Press (Greenwich, Conn.)
- Engle, R.F. & Rosenberg, J.V. (2000), 'Testing the Volatility Term Structure Using Option Hedging Criteria', *The Journal of Derivatives*, 8:1
- Fleming, J., Ostdiek, B. & Whaley, R.E. (1995), 'Predicting stock market volatility: a new measure', *The Journal of Futures Markets*, 15:3
- Franks, J.R. & Schwartz, E.S. (1991), 'The stochastic behaviour of market variance implied in the prices of index options', *The Economic Journal*, 101
- Gençay, R. (1998), 'Optimization of technical trading strategies and the profitability in securities markets', *Economics Letters*, 59

- Granger, C.W.J & Pesaran, M.H. (2000), 'Economic and Statistical Measures of Forecast Accuracy', *Journal of Forecasting*, 19
- Hartzmark, M.L. (1991), 'Luck versus Forecast Ability: Determinants of Trader Performance in Futures Markets', *The Journal of Business*, 64
- Harvey, C.R. & Whaley, R.E. (1992), 'Market volatility prediction and the efficiency of the S&P 100 index option market', *Journal of Financial Economics*, 31
- Hansen, P.R. (2005), 'A Test for Superior Predictive Ability', *Journal of Business & Economic Statistics*, 23
- Jorion, P. (1995), 'Predicting Volatility in the Foreign Exchange Market', *The Journal of Finance*, 50:2
- Lamoureux, C.G. & Lastrapes, W.D. (1993), 'Forecasting Stock-Return Variance: Toward an Understanding of Stochastic Implied Volatilities', *The Review of Financial Studies*, 6:2
- Mayhew, S. & Stivers, C. (2003), 'Stock return dynamics, option volume, and the information content of implied volatility', *The Journal of Futures Markets*, 23:7
- Mixon, S. (2002), 'Factors explaining movements in the implied volatility surface', *The Journal of Futures Markets*, 22:10
- Noh, J., Engle, R.F. & Kane, A. (1994), 'Forecasting Volatility and Option Prices of the S&P 500 Index', *The Journal of Derivatives*, 2
- Pesaran, M.H. & Timmermann, A.G. (1992), 'A simple non-parametric test of predictive performance', *Journal of Business & Economic Statistics*, 10
- Pesaran, M.H. & Timmermann, A.G. (1994), 'A generalization of the non-parametric Henriksson-Merton test of market timing', *Economics Letters*, 44
- Pesaran, M.H. & Timmermann, A.G. (1995), 'Predictability of Stock Returns: Robustness and Economic Significance', *The Journal of Finance*, 50:4
- Poon, S-H. & Pope, P.F. (2000), 'Trading volatility spreads: a test of index option market efficiency', *European Financial Management*, 6:2
- Simon, D.P. (2003), 'The Nasdaq Volatility Index During and After the Bubble', *The Journal of Derivatives*, 11:2