

Durham Research Online

Deposited in DRO:

16 March 2011

Version of attached file:

Other

Peer-review status of attached file:

Peer-reviewed

Citation for published item:

Mathias, S.A. (2011) 'Step-drawdown tests and the Forchheimer equation.', Novel multi-scale methods for porous media flow II. International Centre for Mathematical Sciences (ICMS), Edinburgh, 14-16 February 2011.

Further information on publisher's website:

<http://www.icms.org.uk/workshops/mediaflow11>

Publisher's copyright statement:

Additional information:

Use policy

The full-text may be used and/or reproduced, and given to third parties in any format or medium, without prior permission or charge, for personal research or study, educational, or not-for-profit purposes provided that:

- a full bibliographic reference is made to the original source
- a [link](#) is made to the metadata record in DRO
- the full-text is not changed in any way

The full-text must not be sold in any format or medium without the formal permission of the copyright holders.

Please consult the [full DRO policy](#) for further details.

Step-drawdown tests and the Forchheimer equation

Simon A. Mathias

Department of Earth Sciences, Durham University (Email: s.a.mathias@durham.ac.uk)

Is groundwater flow ever turbulent?




Figure 1: Results from a permeability experiment on a quarry carbonate rock (after Moutsopoulos et al., 2009). Darcy's law (q linearly proportional to J) is known to work badly for high velocities.

Forchheimer equation

By consideration of data such as shown in Figure 1, Forchheimer (1901) suggested the quadratic alternative to Darcy's Law:

$$\frac{\mu q}{k} + \rho b q^2 + \frac{dP}{dx} = 0$$

where

- k [L^2] is permeability
- μ [$ML^{-1}T^{-1}$] is dynamic viscosity
- P [$ML^{-1}T^{-2}$] is fluid pressure
- x [L] is distance
- ρ [ML^{-3}] is fluid density
- b [L^{-1}] is the Forchheimer parameter

From a dimensional analysis Ward (1964) established that

$$b = f(k^{-1/2})$$

From an empirical analysis Geertsma (1974) proposed that

$$b = 0.005\phi^{-5.5}k^{-0.5}$$

where ϕ [-] is porosity.




Figure 4: Permeability data that supports the Geertsma correlation. Note that Geertsma only used his own data and that of Cornell and Katz for the linear regression.




Figure 2: Friction factor against Reynolds number, Re , for a variety of porous media (after Chilton and Colburn, 1931). For pipe flow, turbulent flow occurs when $Re > 2000$. For porous media people say $Re > 40$.

Step drawdown tests

A common way to test a well is to pump at sequentially increasing rates; a step drawdown test. After a certain amount of time, drawdown in the well, s_w , reaches a quasi-steady value. These drawdowns are plotted against pumping rate, Q_w , and a quadratic is fitted (the Jacob Method):

$$s_w = A Q_w + B Q_w^2$$

where A and B are known as the formation loss and well loss factors, respectively. Comparison with the large-time solution for Forchheimer flow to a well (Mathias et al., 2008)

$$s_w \approx \frac{Q_w}{4\pi T} \left[\ln \left(\frac{4Tt}{S r_w^2} \right) - 0.5772 \right] + \frac{b Q_w^2}{(2\pi H)^2 r_w g}$$

where

- H [L] is formation thickness
- t [T] is time
- $T = Hk\rho g/\mu$ [L^2T^{-1}] is transmissivity
- $S = H\phi(c_r + c_w)\rho g$ [$-$] is storativity
- r_w [L] is well radius
- g [LT^{-2}] is gravity
- c_r, c_w [$M^{-1}LT^2$] are rock and fluid compressibility

suggests that $B = \frac{b}{(2\pi H)^2 r_w g}$

so field-scale estimates of b can be obtained from values of B .




Figure 5: Plot of quasi-steady drawdown, s_w , against corresponding pumping rate, Q_w , for the step drawdown test data shown in Figure 6.




Figure 3: A simple example showing that when one considers a scheme when water is produced from a single fracture, Re becomes independent of fracture aperture, a . The example illustrates one of many problems with applying Re to understanding groundwater flow.




Figure 6: Step drawdown test in a confined sandstone aquifer after Clark (1977).




Figure 7: Step drawdown test in a fractured sandstone aquifer (after van Tonder, 2001).

Further reading

- Mathias, SA & Todman, LC 2010. Step-drawdown tests and the Forchheimer equation. *Water Resources Research* 46: W07514.
- Mathias, SA, Butler, AP & Zhan, HB 2008. Approximate solutions for Forchheimer flow to a well. *Journal of Hydraulic Engineering - ASCE* 134(9): 1318-1325.