48

CORE

A Research on Wireless Power Transmission using Distinguished Methodologies

Author(s): Elavarasan S¹, Balakumar N², Boselin Prabhu S R³

^{1,2} Assistant Professor, Department of Electrical and Electronics Engineering, Tamilnadu College of Engineering,

Coimbatore

³Assistant Professor, Department of Electronics and Communication Engineering, SVS College of Engineering, Coimbatore

Abstract—Flat screen TV's and picture frames that suspend on the wall-without needing a cable and plug up for power. Industrial structures and medical machines can be made more trustworthy by eradicating difficulty prone wiring and disposable batteries. The method takes the advantage of straightforward physics and could be used to indict a variety of electronic tools over numerous meters. The arrangement could substitute the miles of costly power cables and billions of throwaway batteries. There is rather like 40 billion throw-away batteries built each year for power that is employed within a petite inches or feet of where there is extremely low-cost power. If this knowledge is acknowledged in prospect it will make daily products additional expedient, consistent, and environmentally welcoming. This document includes the methods of transmitting power with no usage of wires with improved efficiency, due to which it does not influence the atmospheric surrounding.

Keywords—Wireless power transfer, inductive coupling, transformer, wireless electricity, energy transfer.

1. INTRODUCTION

Originally cordless phones were habituated, wireless internet was found out. The subsequent step in making our lives really mobile is receiving free of the tangles of power cables prowling in all our homes. Except you are chiefly planned and first-class with tie wrap, you probably have a small grimy power cord tangles all round your home. You might have even had to pursue one meticulous cord through it sounds as if unfeasible sneer to the passage, hopeful that the plug you draw will be the accurate one. Moreover a immense worry has been voiced in current years over the widespread exercise of energy, the incomplete quantity of resources and the contamination of the surroundings from the exploit of current.



Figure 1: An articulation of wireless power transfer

energy renovation methodologies. Electrical power accounts for greatly of the energy developed. A great deal of this power is unemployed during transmission from power plant manufacturers to the customers. The resistances of the wire used in the electrical grid distribution arrangement cause a thrashing of 26-30% of the energy produced. This hammering infers that our current structure of electrical distribution is simply 70% competent. A scheme of power supplies with minute or merely no failure would preserve energy. It would reduce pollution and costs ensuing from the necessary to produce power to conquer and recompense for losses in the nearby grid scheme. For these causes, scientists have attempted to build up techniques of wireless power transmission that might slash the disarray or escort to clean sources of electricity. Nikola Tesla exhausted much of his creative life testing with wireless power [1]. The recognizable tesla coils are really a resonant wireless power transmitter [2]. Figure 1 illustrates the vital expression of wireless power transfer mechanism, by which the usage of cables is evaded.

II. THE CONCEPT OF WITRICITY

WiTricity is nonentity but wireless electricity. Transmission of electrical energy from one object to an added without the use of cables is entitled as WiTricity. WiTricity will make certain that the cellphones, laptops, iPods and supplementary power eager devices get charged on their personal, eradicating the must of plugging them in the scheme is exposed in Figure 4. Even enhanced, since WiTricity several devices need not necessitate batteries to function. Wireless electricity or witricity is the procedure that takes position in any scheme where electrical energy is transmitted from a power source to electrical load without combination of wires. We can moreover call it as Wireless energy transfer or wireless power transmission. This knowledge avoids the use 40 billion offhand batteries built each year for power that is used inside a few inches or feet of where there is very reasonably priced power. The characteristic battery is exposed in figure 2. and the figure 3 shows that the proportion removal of lead-acid batteries for a range of materials.



Figure 2: Discarding of dry batteries



Figure 3: Proportion disposal of lead-acid batteries

III. THE PRINCIPLE BEHIND WIRELESS ELECTRICITY The standard following the wireless electricity is referred as Coupled Resonance. Magnetic coupling happens when two objects swap energy during their unreliable or changeable magnetic fields. Resonant coupling makes sure when the ordinary frequencies of two objects are approximately similar. WiTricity power sources and imprison devices are particularly designed magnetic resonators that is capable to transport power over great distances via the magnetic nearfield. These proprietary source/device designs and the electronic systems that normalize them carry competent energy transfer over distances that are numerous times the size of the sources or devices themselves.



Figure 4: The conception of witricity

Think about two self-resonating copper coils of alike resonating frequency with diameter 20 inches every one. One copper coil is associated to the power source, whereas the additional copper coil is connected to apparatus. The notion following the arrangement is shown in figure 5. Moreover a capacitance plate which grasps charges is closed to each end of the coil to perks up the range of transmission. The resonant frequency is a numerous of the inductance of coil and the capacitance of plates, consequently the variety of transmission gets increased [3].



Figure 5: Two idealized resonant magnetic coils

The electric power from power source reasons the copper coil connected to it to establish fluctuating at a particular (MHz) frequency. Afterward, the space about the copper coil gets entirely fiilled with nonmagnetic radiations. This generated magnetic field additionally transfers the power to the additional copper coil connected to the receiver. Because this coil is moreover of the same frequency, it starts fluctuating at the comparable frequency as the first coil. This is identified as coupled resonance and is the principle following WiTricity. There are varieties of systems to transmit power with no wires. Omni-directional radiative antennas are one of the majority widely used technologies, because they can function in all directions and do not necessitate a line of sight to the receiver, they are extremely incompetent. Only a modest piece of the radiated power in the course of the receiver is really picked up, because the enormous preponderance of the radiation is misplaced in all the additional directions. The employment of a extremely directional antenna, such as a microwave-beam antenna, in standard solves this difficulty and attains a elevated effectiveness in power transmission still over long distances is exposed in figure 6.



Figure 6: Wireless power transmitting antenna

On the other hand, this kind of antenna does need an continuous line of sight, which in itself requires a tricky device-tracking and beam-steering method [4-7]. Also, highpower focused beams may establish a safety hazard. another loom to antennas is the custom of an inductive transformer, a tool normally used in power circuits and electromechanical motors. The variety of types of inductive coupling arrangement is shown in figure 7. [14-16].



Figure 7: Inductive coupling

A transformer naturally operates up to mid-kHz frequencies [8-10]. It essentially transfers electrical energy from solitary circuit to alternate via induction, the timevarying magnetic flux fashioned by a chief coil crosses a secondary coil and engenders a voltage. The primary and the secondary coils are not in reality connected, therefore the scheme is wireless. Transformers can be especially proficient but the distance amid the coils ought to be exceptionally miniature. For distances a little times the mass of the coils, the competence falls radically [11-13]. Fraction of primary physics for the majority of the straight approaches for the wireless transfer of electricity is the indispensable opinion of resonance the property of definite physical systems to rise and fall with maximum amplitudes at convinced frequencies. Based on scientist Nicola Tesla planned theories of wireless power transmission, researchers have recognized more than a few techniques for moving electricity over lengthy distances lacking wires. This system of transferring electric power is based on the standard of Inductive coupling. Normal electrical connections could also authorize water to seep into the toothbrush, damaging its components. Since of this, maximum toothbrushes recharge from side to side inductive coupling, which works in the identical principle of Transformer. One more example for present day WiTricity is the splatter power recharging mat and Edison Electric's Power desk both employ coils to produce a magnetic field. Electronic devices employ corresponding built-in or plug-in receivers to recharge whilst resting on the mat. These receivers hold compatible coils and the circuitry needed to transport electricity to devices' batteries.

IV. MEDICAL APPLICATIONS OF WITRICITY

Millions of people just about the world profit from having artificial pacemakers embedded into their chests, to assist reinstate a standard heartbeat is exposed in figure 7.Yet pacemakers are not devoid of problems [17, 18].



Figure 7: Pacemaker inside the human body

The mass of the device-which contains its battery and electronic control systems usually, sits just beneath the wearer's skin. From this box thin, supple leads are threaded through a vein and into the appropriate part of the heart. These leads detect the heart's electrical activity [14]. Suitable the body of an false pacemaker is simply easier. Fitting the leads, although, can be tricky; tricky, even, in a number of patients. And if the leads fail, eradicating them might necessitate chief surgery. They also fetch risk of infection. As a explanation to that. Medtronic is using microelectronics to construct a pacemaker so diminutive it can be introduced. It is said to be the extent of a tic-tac barely. Medtronic is making the device safer as well as lesser. At just a portion of the dimension of current devices, the narrative pacemaker might be injected using a catheter and a tiny incision. No more required to slice unlock the upper chest and create a pocket to clasp the pacemaker. No more necessary to run leads down veins into the heart. A solitary incision, a single implantation of a little device, and Medtronic's future patients would be complete.

V. conclusion

The preponderance of the device which contains its battery and electronic organize systems typically sits just under the wearer's skin. From this box thin, flexible leads are threaded through a vein and into the appropriate fraction of the heart. These leads recognize the heart's electrical movement. There are hundreds of thousands of community with pacers in the world, tens of thousands with brain implants, millions total who have remedial implants of various variety. Looking past this pacemaker, we belief that there are even slighter and more competent devices on our horizon. Wireless Electricity may be the answer to additional well-organized and novel ideas for the prospect. Envisage cellphones, laptops, digital camera's getting self-charged, if complete profitable will absolutely alter the way we live. Millions of populace approximately the world advantage from having artificial pacemakers inserted into their chests, to assist restores a usual heartbeat.

References

[1] Hiroshi Matsumoto, "Microwave Power Transmission from Space and Related Nonlinear Plasma Effects" Space and Radio Science Symposium: 75th Anniversary of URSI, 26-27 April 1995, Brussels, Belgium, pp. 155-190.

[2] W.C. Brown, "Experiments Involving a Microwave Beam to Power and Position a Helicopter", IEEE Transactions on Aerospace Electronic Systems. Vol. AES-5, no. 5, pp 692-702

[3] W.C. Brown, IEEE Transactions on Microwave Theory and Techniques, vol. MTT-32, 1230 (1984).

[4] Boselin Prabhu, SR & Sophia, S, 2013, 'Variable power energy efficient clustering for wireless sensor networks', Australian Journal of Basic and Applied Sciences, vol. 7, no. 7, pp. 423-434, ISSN : 1991-8178.

[5] Boselin Prabhu, SR & Sophia, S, 2015, 'Distributed clustering using enhanced hierarchical methodology for dense WSN fields', International Journal of Applied Engineering Research, vol. 10, no. 06, pp. 15581-15591, ISSN : 0973-4562.

[6] Boselin Prabhu, SR & Sophia, S, 2015, 'Issues in environmental pollution monitoring using distributed wireless sensor network', Pollution Research Journal, vol. 34, no. 1, pp. 51-57, ISSN: 0257-8050.

[7] Boselin Prabhu, SR & Sophia, S, 2012, 'A research on decentralized clustering algorithms for dense wireless sensor networks', International Journal of Computer Applications, vol. 57, no. 20, pp. 35-40, ISSN : 0975- 8887.

[8] Boselin Prabhu, SR 2012, 'A novel delay-tolerant and power-efficient technique in wireless sensor networks', The Technology World Quarterly Journal, vol. 3, no. 3, pp. 24-31, ISSN : 2180-1614.

[9] Boselin Prabhu, SR & Sophia, S, 2013, 'Mobility assisted dynamic routing for mobile wireless sensor networks', International Journal of Advanced Information Technology, vol. 3, no. 3, pp. 09-19, ISSN : 2231-1548.

[10] Boselin Prabhu, SR & Sophia, S, 2013, 'A review of energy efficient clustering algorithm for connecting wireless sensor network fields', International Journal of Engineering Research and Technology, vol. 2, no. 4, pp. 477-481, ISSN : 2278-0181.