

Corrigendum to

“Modelling basin-wide variations in Amazon forest productivity – Part 1: Model calibration, evaluation and upscaling functions for canopy photosynthesis” published in Biogeosciences, 6, 1247–1272, 2009

L. M. Mercado^{1,2}, J. Lloyd³, A. J. Dolman⁴, S. Sitch⁵, and S. Patiño^{2,3,6}

¹Centre for Ecology and Hydrology, Wallingford, Oxon, OX10 8BB, UK

²Max Planck Institute for Biogeochemistry, 07745 Jena, Germany

³School of Geography, University of Leeds, LS2 9JT, UK

⁴Free University of Amsterdam, 1081 HV Amsterdam, The Netherlands

⁵Met Office Hadley Centre, JCHMR, Wallingford, Oxon, OX10 8BB, UK

⁶Instituto de Investigación de Recursos Biológicos Alexander von Humboldt, Diagonal 27 No. 15-09, Bogotá D.C, Colombia

In the above mentioned manuscript, sites names in Figs. 2, 3 and 4 were missing. The new figures can be found on the following pages.

The service charges for this open access publication have been covered by the Max Planck Society.



Correspondence to: L. M. Mercado
(lmm@ceh.ac.uk)




Fig. 2. Light response of observed (black) and simulated (grey) values of G_p during the seasons tested.




Fig. 3. Diurnal cycle of observed (black) and simulated (grey) G_p .




Fig. 4. Mean diurnal cycle of observed (black) and simulated (grey) evaporative fraction.