

An Update on GPM and TRMM Data Services at NASA GES DISC

Z. Liu^{1,2}, B. Vollmer¹, A. Savtchenko^{1,3}, D. Ostrenga^{1,3}, B. DeShong^{1,3}, F. Fang^{1,3}, M. Greene^{1,4}, P. Huwe^{1,3}, A. Albayrak^{1,3}, J. Su^{1,3}, C.-L. Shie^{1,5}, J. Acker^{1,3}, A. Li¹, W. Teng^{1,3}, J. Wei¹, G.-D. Lei^{1,3}, J. Alfred^{1,3} and D. Meyer¹

¹GES DISC

²CSISS, George Mason University

³ADNET Systems, Inc.

⁴Telophase Corp

⁵Univ. of Maryland at Baltimore County

AMS 99th Annual Meeting, Session: Themed Joint Session 23 Data Stewardship: Finding, Accessing, and Using Data Online. Part II





Outline

- Introduction
- GPM, TRMM, and other (global, regional) precipitation data products at GES DISC
- Data services
- Giovanni
- Summary






Introduction

- Precipitation is a key environmental variable. An example: in agriculture, precipitation, temperature, water (soil moisture), solar radiation, and vegetation cover are key variables.
- Rainfed agriculture major farming practices that rely on rainfall for water.
- Rainfed agriculture: >95% of farmed land (sub-Saharan Africa); 90% (Latin America); 75% (Near East and North Africa); 65% (East Asia); 60% (South Asia).
- Droughts and floods can cause severe crop loss.
- The Goddard Earth Sciences (GES) Data and Information Services Center (DISC), one of 12 NASA data centers, is located in Greenbelt, Maryland, USA.
- The NASA GES DISC is a major data archive center for global precipitation, water & energy cycles, atmospheric composition, and climate variability.



In Kenya 2016 http://venturesafrica.com/kenya-battles-drought/




In the U.S. https://www.scientificamerican.com/article/heat-droughtcontinues-threaten-us-corn-crops/






- NASA/JAXA mission (Nov. 1997 – Apr. 2015) to monitor and study tropical rainfall
- Precipitation related instruments (TMI, PR, LIS, VIRS)
- Orbital and gridded datasets
- Single sensor, multi-sensor, multi-satellite datasets.





GPM (Global Precipitation Measurement)

- NASA/JAXA mission (Feb. 2014 present) to monitor and study global precipitation (rain and snow)
- Quantify rainfall rates from 0.22 mm h⁻¹ to 110 mm h⁻¹ (60 mm h⁻¹ for microwave imager) and detect falling snow at instrument footprint scales (from Walter Petersen)
- Precipitation related instruments (GMI, PR)
- GPM constellation of international satellites
- Orbital and gridded datasets; single sensor, multi-sensor, multi-satellite datasets.







- GPM (Global Precipitation Measurement)
- TRMM (Tropical Rainfall Measuring Mission)
- GPCP (Global Precipitation Climatology Project) of MEaSUREs
- MERRA-2 (Modern Era Retrospective-analysis for Research and Applications, Version 2)
- NLDAS (North America Land Data Assimilation System)
- FLDAS (Famine Early Warning System Network Land Data Assimilation System)
- GLDAS (Global Land Data Assimilation System).





Global Precipitation Products (more details)

- Single sensor (microwave, radar, and combined instrument) products from TRMM (1997 2015; 40° N-S) and GPM (2014 present; 65° N-S): orbital and gridded
- TRMM Multi-satellite Precipitation Analysis (TMPA, 0.25-deg. 3-hr, monthly, 1998 present; 50° (60° NRT) N-S)
- Integrated Multi-satellitE Retrievals for GPM (IMERG, NRT and research, 0.1-deg., 0.5-hr, monthly, 2014 – present), Version 05. Retrospective processing (back to the TRMM era, available soon).
- GPCP (Global Precipitation Climatology Project) Version 3 is coming soon.
- GLDAS (Global Land Data Assimilation System, 0.25-deg., 3-hourly and 1-deg., monthly, 1948-2010 (v 2.0), 2000-present (v 2.1))
- NLDAS (North America Land Data Assimilation System, 0.125-deg., hourly and monthly, 1979 present)
- FLDAS (Famine Early Warning System Network Land Data Assimilation System, 0.1 deg., daily, monthly, 1982 present)
- MERRA-2 (Modern Era Retrospective-analysis for Research and Applications, Version 2, 0.5 x 0.625 deg. hourly, 3-hourly, monthly, 1980-present)





TRMM Version 8 Status

- Beginning with TRMM Version 8 (V8) reprocessing, TRMM and constellation data became part of the GPM data suite, with GPM algorithms used for reprocessing. The TRMM data format, as well as the file naming conventions, are now consistent with those of GPM.
- Thus, the TRMM data is now fully incorporated into the Global Precipitation Measurement (GPM) data processing stream. Products are exclusively in GPM <u>HDF5</u> format.
- The mapping between the New and Legacy TRMM data products is available.





- TMPA (PMW, IR, GPCC, etc.)
- IMERG (PMW, IR, GPCC, etc.)
- GPCC (gauges only, sampling)
- GPCP (PMW, IR, GPCC, etc.)
- GLDAS (TMPA, PERSIANN, CMAP, CMORPH, NRL, GTS)
- MERRA-2 (CMAP, GPCP)






- Over oceans, passive microwave (PMW) retrievals are found to rival radar retrievals. Over land, it is more difficult (variations of the surface emissivity, in particular over snow and ice)
- IR techniques relate cloud top temperatures to surface rainfall (underestimation of warm rain, false alarms for anvils and thick cirrus clouds with cloud brightness temperatures)
- Precipitation radar: Attenuation correction, complex terrain and minimum detectable signals (snow, light rain, etc.)
- Algorithm changes; multi-satellite, multi-sensor, multi-algorithms, etc.
- Complex terrains, orographic effect, snow and ice surface, lacking gauges and radars, light rain, blowing snow, etc.
- Lack of ground observations for bias correction
- A challenge to capture and document data quality information
- Effective communication with users




Data Services (How to find data?)



GES – DISC Goddard Earth Sciences Data Information Services Center



- TRMM, GPM, NLDAS, GLDAS, MERRA-2
- precipitation, soil moisture, temperature, etc.





is an airborne multi-wave

Data Services (cont.)

Explore...

Data Collections -

ions - TRMM

Browse Data by Category -

Subject
Measurement
Source
Processing Level
Project
Temporal Resolution
Spatial Resolution

Aerosols Air Quality Altitude Atmospheric Chemistry Atmospheric Phenomena Atmospheric Pressure Atmospheric Radiation Atmospheric Temperature Atmospheric Water Vapor Atmospheric Winds Atmospheric/Ocean Indicators Clouds Cryospheric Indicators **Ecological Dynamics** Ecosystems Frozen Ground Glaciers/Ice Sheets Ground Water

Infrared Wavelengths lonosphere/Magnetosphere Dynamics Land Surface/Agriculture Indicators Land Use/Land Cover Microwave Natural Hazards Ocean Chemistry Ocean Heat Budget Ocean Optics Ocean Pressure Ocean Temperature Ocean Winds Paleoclimate Indicators Platform Characteristics Precipitation Protists Radar

Sea Ice Sea Surface Topography Sensor Characteristics Snow/Ice Soils Solar Activity

Q

Ê

Solar Energetic Particle Flux Solar Energetic Particle Properties Solid Precipitation Sun-Earth Interactions Surface Radiative Properties Surface Thermal Properties Surface Water Topography Ultraviolet Wavelengths Vegetation Visible Wavelengths

Radio O

GES – DISC Goddard Earth Sciences Data Information Services Center



Data Services (cont.)

GES DISC

■ Data Collections - trmm



Atmospheric Composition, Water & Energy Cycles and Climate Variability

Data Collections Showing 1 - 25 of 71 datasets associated with trmm

Refine By	Image	Dataset \$	Source ≑	Temporal Resolution \$	Spatial Resolution \$	Process Level \$	Begin Date 🕏	End Date ≑
Subject Sort - Aerosols (1) Air Quality (1) Atmospheric Radiation (11) Atmospheric Temperature (9) Atmospheric Water Vapor (8) More	Hover	GPM PR on TRMM Spectral Latent Heating Profiles L2 1.5 hours 5 km V06 (GPM_2HSLH_TRMM.06) - Atmospheric Temperature, Atmospheric Winds, Precipitation ▼	TRMM PR	90 minutes	5 km x 5 km	3	1997-12-07	2015-04-01
Measurement Sort → 24 Hour Precipitation Amount (1) Atmospheric Heating (10) Attitude Characteristics (8) Brightness Temperature (2)	Hover	GPM TMI on TRMM (GPROF) Climate-based Radiometer Precipitation Profiling L3 1 month 0.25 degree x 0.25 degree V05 (GPM_3GPROFTRMMTMI_CLIM.05) - Atmospheric Water Vapor, Precipitation	TRMM TMI	1 month	0.25 ° x 0.25 °	3	1997-12-01	2015-04-08
Cloud Liquid Water/Ice (8) More Source Sort → Aqua AMSR-E (4) DMSP 5D-2/F13 SSM/I (1) DMSP 5D-2/F14 SSM/I (1)	Hover	GPM TMI on TRMM (GPROF) Climate-based Radiometer Precipitation Profiling L3 1 day 0.25 degree x 0.25 degree V05 (GPM_3GPROFTRMMTMI_DAY_CLIM.05) - Atmospheric Water Vapor, Precipitation ▲ Get Data	TRMM TMI	1 day	0.25 ° x 0.25 °	3	1997-12-08	2015-04-08
 DMSP 5D-2/F15 SSM/I (1) DMSP 5D-3/F16 SSMIS (1) More Processing Level Sort → 1 (7) 1A (4) 1B (6) 	Hover	GPM PR on TRMM Gridded Orbital Spectral Latent Heating Profiles L3 1.5 hours 0.5x0.5 degree V06 (GPM_3GSLH_TRMM.06) - Atmospheric Temperature, Atmospheric Winds, Precipitation ended data collections +	TRMM PR	1.5 hours	0.5 ° x 0.5 °	3	1997-12-07	2015-04-01




GES DISC
Data Collections - 3b43

Atmospheric Composition, Water & Energy Cycles

and Climate Variability

Go to Search Results

TRMM_3B43: TRMM (TMPA/3B43) Rainfall Estimate L3 1 month 0.25 degree x 0.25 degree V7



The 3B43 dataset is the monthly version of the 3B42 dataset.

This product is created using TRMM-adjusted merged microwave-infrared precipitation rate (in mm/hr) and root-mean-square (RMS) precipitation-error estimates.

It provides a ?best? precipitation estimate in a latitude band covering 500 N to 500 S, an expansion of the TRMM region, from all global data sources, namely high-quality microwave data, infrared data, and analyses of rain gauges. The granule size is one month.



Product Summary	Data Citation	Documentation	
		Shortname:	TRMM_3B43
		Longname:	TRMM (TMPA/3B43) Rainfall Estimate L3 1 month 0.25 degree x 0.25 degree V7
		DOI:	10.5067/TRMM/TMPA/MONTH/7
		Version:	7
		Format:	HDF
	s	patial Coverage:	-180.0,-50.0,180.0,50.0
	Terr	nporal Coverage:	1998-01-01 to 2018-07-31
		File Size:	4.9 MB per file
		Data Resolution	
		Spatial:	0.25 ° x 0.25 °
		Temporal:	1 month





- Dataset and information search
- Subsetting (spatial and parameter)
- Format conversion (NetCDF, ASCII)
- Time series (Data Rods)
- Machine to machine (OPeNDAP, https, THREDDS, GDS)
- GIS support (in-house GIS specialists)
- Online visualization and analysis (explore and evaluate datasets without downloading software and data)





Projects & Missions

Cloud Absorption Radiometer (CAR)

The Cloud Absorption Radiometer (CAR) is an airborne multi-wavelength scanning radiometer that can perform several functions including: d...

MEaSUREs

MEaSUREs: Making Earth System Data Records for Use in Research Environments, is a NASA project, solicited through Research Opportunities in ...

SSBU

The Shuttle Solar Backscatter Ultraviolet (SSBUV), nearly identical to Nimbus-7 SBUV and NOAA SBUV/2 instruments flown on eight space shuttl...

lew All Projects & Missions

Featured Gallery Images

Lake Oroville Precipitation, February 1-10, 2017

00000000

News



Release of GPS Radio Occultation Boundary Layer Depth Products Oct 25, 2018



OCO-2 Releases Lite product V9r Oct 17, 2018



New Version 01 TSIS-1 Level 3 Products Released to Public Oct 5, 2018

View All News

Monitor

Console

NASA Official: Long Pham Web Curator: M. Hegde

Science Focus Areas

Atmospheric Composition Water & Energy Cycles Climate Variability


loois
Giovanni
MERRA Subsetter
Data Rods for Hydrology
DQViz
AIRS NRT Viewer
OGC Web Map Service
OPeNDAP and GDS

Resources HowTo Glossary FAQ News Gallery Alerts About Us Who We Are Citing Our Data Contact Us User Working Group

> GES – DISC Goddard Earth Sciences Data Information Services Center



• New: Level-2 GPM DPR subsetting service



Tropical Storm Yutu in the South China Sea near the Philippines on Oct. 31, 2018 (<u>https://pmm.nasa.gov</u>)





• Level-2 GPM DPR subsetting service

		🗎 disc.gsfo	c.nasa.gov		C			₫
Access Launchpad: Landing	Project Proposal - Google Docs	Weekly Report for DAAC Managers	Abstract for NASA Goddard V	/orks GPN	1 in Level 2 Subsetting	Service	GI	IS DISC
EARTH DATA Find a D.	AC +							
GES DISC	S Data Collections - 2adp	r		Q		1	Feedback	Help v Logi
	r & Energy Cycles and Climate Va	<u>ariability</u>	أحديثه ويشاكر الم					
Data Collec	tions Showing 1 - 1 of 1 dat	asets associated with 2adpr						
Refine By	Image Dataset \$		Source \$	Temporal Resolution \$	Spatial Resolution \$	Process Level \$	Begin Date \$	End Date A
Subject Sort -								
Atmospheric Water Vapor (1)		Precipitation Profile L2A 1.5 hours 5 km V06 PR.06) - Atmospheric Water Vapor, Precipitation,		1.5 hours	5 km x 5 km	2	2014-03-08	2018-12-19
Precipitation (1) Redex (1)	Subset	/ Get Data						
Radar (1)	Hover							
Source Sort - GPM DPR (1)								
🕹 Get GPN	1 DPR Precipitation Profile L2/	1.5 hours 5 km V06 data			×			
Estimate	d size of results							
1,748 days	s, 27,619 links, 422.47 GB							
Refine S	earch ⑦							
		14-03-08 to 2018-12-19			Reset			
► Refin	e Date Range: 20	14-03-08 to 2018-12-19 8070. 180. 70		C	Reset			
► Refin	e Date Range: 20	14-03-08 to 2018-12-19 80, -70, 180, 70		6	Reset Reset			
 Refin Refin	e Date Range: 20			0				
 Refin Refin Subset 0 	e Date Range: 20 e Spatial Region: -1 Options ⑦							

Reset All

Get Data

SC

Goddard Earth Sciences Data Information Services Center




• Level-2 GPM DPR subsetting service

Refine Search ③

m	1					
2018	018-10-31					
aila	ble R	lange	e: 201	4-03	-08 t	0 2018
<		Oct	ober 2	2018		>
Sun	Mon	Tue	Wed	Thu	Fri	Sat
30	01	02	03	04	05	06
07	08	09	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31	01	02	03
~~~	05	06	07	08	09	10

#### Subset Options ⑦



<ul> <li>Variables:</li> </ul>	<ul> <li>1 variable(s) selected</li> </ul>	Reset
NOTE: By default, ALL variable	es are sent in the subset request.	
Expand Tree		
<ul> <li>AlgorithmRuntimeInfo</li> <li>HS</li> </ul>		
🕀 🗆 MS		
😑 🖃 NS		
🕀 🗆 CSF		
🗄 🗌 DSD		
🕀 🗌 Experimental		
🗄 🗌 FLG		
🕀 🗌 navigation		
🕀 🗆 PRE		
🕀 🗌 scanStatus		
🗄 🗌 ScanTime		
😑 🖃 SLV		
binEchoBott	tom	
epsilon		
flagSLV		
paramDSD		
paramNUBF		
phaseNearS	urface	
piaFinal		
precipRate		
precipRateA precipRateE		
precipitate		
<ul> <li>precipitateri</li> <li>precipWateri</li> </ul>		
qualitySLV	intogratou	
sigmaZeroCe	orrected	
zFactorCorre		
zFactorCorre	ectedESurface	
zFactorCorre	ectedNearSurface	
🕀 🗆 SRT		
🕀 🗆 VER		

Reset All Get Data






## • Level-2 GPM DPR subsetting service

Data File Links for GPM DPR Precipitation Profile L2A 1.5 hours 5 km V06

Results (found 4 links in range from 2018-07-23 to 2018-07-23):

Download links list (This list is valid for 2 days) | Instructions for downloading

README Document ALGORITHM THEORETICAL BASIS DOCUMENT (ATBD) 2A.GPM.DPR.V8-20180723.20181031-S005717-E022950.026546.V06A.SUB.HDF5 2A.GPM.DPR.V8-20180723.20181031-S145027-E162300.026555.V06A.SUB.HDF5



Subset Vs. Full (everything)





28

Create Plot Combine Plot Open Dataset

# **Data Services (cont.)**

## • Level-2 GPM DPR subsetting service

Datasets Catalogs Boo	okmarks	
Name	Long Name	Туре
😂 2A.GPM.DPR.V8-20	2A.GPM.DPR.V8	Local File
ᅌ nray_idx	Original index v	1D
🔻 🔛 NS	NS	-
🗢 Latitude	Latitude	Geo2D
🗢 Longitude	Longitude	Geo2D
🕨 💟 navigation	NS/navigation	-
🗢 nscan_idx	Original index v	1D
🔻 🔛 SLV	NS/SLV	-
👻 precipRate	precipRateNear	Geo2D


0

#### Variable "precipRateNearSurface"

In file "2A.GPM.DPR.V8-20180723.20181031-S005717-E022950.026546.V06A.SUB(6).HDF5"

Var full name: NS/SLV/precipRateNearSurface

float precipRateNearSurface(236, 49); :DimensionNames = "nscan,nray"; :Units = "mm/hr"; :_nits = "mm/hr"; :_FillValue = -9999.9f; // float :CodeMissingValue = "-9999.9"; :_ChunkSizes = 118U, 25U; // uint



### Visualized in NASA GISS Panoply





- FAQs, How-To (recipes), Glossary, etc.
- Social media (Twitter, YouTube, User Forum)
- User forum (2019)
- Help desk (phone, email, online feedback)
- Training materials (ARSET => Applied Remote Sensing Training)





### Giovanni (<u>https://giovanni.gsfc.nasa.gov</u>) - Data visualization

and analysis without downloading data and software

RS Project recommends not to use		Iumn CO and CH4 [1 of 1 messages] R	ead More							
Select Plot										
● Maps: Time Averaged Map ▼	Compari	isons: Select • O Vertical: Select •	O Time Series:	Select	O Misce	llaneous:	Select 🗸			
Select Date Range (UTC) YYYY-MM-DD HH:mm		Select Region (Bour Format: West, South, Ea		oe)						
<b>(1)</b> 00 : 00 to	-	- 🛍 23 : 59			۵ ۵	<b>≰</b> ×				
Valid Range: 1948-01-01 to 2018-10-26 ease specify a start date. Select Variables V Disciplines		er of matching Variables: 119 of 1932 Tota	l Variable(s) included	in Plot: 0						
Atmospheric Dynamics (17)		e select at least 1 variable ord : precipitation		Se	earch Clear					
Cryosphere (1)	i teym	Variable	Units	Source -	Temp.Res.	Spat.Res.	Begin Date	End Date	Vert. Slice	
□ Water and Energy Cycle (90)		Cloud Ice (TRMM_3A12 v7)	g/m^3	TRMM	Monthly	0.5 °	1997-12-01	2015-03-31	0.5 ∨ km	
Measurements     Atmospheric Moisture (1)		Rain Rate (TRMM 3A12 v7)	mm/hr	TRMM	Monthly	0.5 °	1997-12-01	2015-03-31	-	
Cloud Properties (1)		Precipitation Rate (TRMM_3A12 v7)	mm/hr	TRMM	Monthly	0.5 °	1997-12-01	2015-03-31	-	
Precipitation Anomaly (3)		Precipitation (Snow) (TRMM 3A12 v7)	a/m^3	TRMM	Monthly	0.5 °	1997-12-01	2015-03-31	0.5 v km	
□ Precipitation (107) □ Snow/Ice Anomaly (1)		Precipitation (Rain) (TRMM 3A12 v7)	g/m^3	TRMM	Monthly	0.5 °	1997-12-01	2015-03-31	0.5 v km	
Snow/Ice (10)		Graupel (TRMM 3A12 v7)	g/m^3	TRMM	Monthly	0.5 °	1997-12-01	2015-03-31	0.5 v km	
Platform / Instrument		Precipitation (TRMM 3B42 v7)	g/m 5	TRMM	3-hourly	0.25 °	1997-12-31	2018-07-31	0.3 • Kill	
Spatial Resolutions		<u>Near-Real-Time Precipitation</u> Rate (TRMM 3B42RT Daily v7)	mm/day ~	TRMM	Daily	0.25 °	2000-03-01	2018-10-26	-	
<ul> <li>Temporal Resolutions</li> <li>Wavelengths</li> </ul>		Precipitation Rate (TRMM_3B42_Daily v7)	mm/day	TRMM	Daily	0.25 °	1998-01-01	2018-07-31	-	
U U		Precipitation Rate (TRMM_3B43 v7)	mm/hr v	TRMM	Monthly	0.25 °	1998-01-01	2018-07-31	-	
Special Features     Portal		Surface Convective Precipitation Rate (TRMM_3A12 v7)	mm/hr	TRMM	Monthly	0.5 °	1997-12-01	2015-03-31	-	
		Near-Real-Time Precipitation Rate (TRMM_3B42RT v7)	mm/hr v	TRMM	3-hourly	0.25 °	2003-03-01	2018-10-26	-	
		<u>Snow water-equivalent</u> (accumulated) <b>(</b> NLDAS NOAH0125 H	ka/m^2	NLDAS	Hourly	0.125 °	1979-01-02	2018-10-21		
Responsible NASA Official: Angela	Li Powe	ered By ▲ Contact Us					Reset		Plot Data	



### Giovanni (cont.)

Select Date Range (UTC) YYYY-MM-DD HH:mm		Select Region (Bounding Box or Select Region (Bounding Box or Select Region) Format: West, South, East, North	nape)					
🛍 00:00 to	-	- 🛍 )[23:59]		D ·	≰ ×			
Valid Range: 2014-03-12 to 2018-10-25	i							
lease specify a start date. Select Variables								
V Disciplines	Numb	er of matching Variables: 11 of 1932 Total Variable(s) include	d in Plot: 1					
Hydrology (11)	Keyw	ord : imerg		Search Clear				
▼ Measurements		Variable	Units	Source	Temp.Res+	Spat.Res.	Begin Date	End Date
Precipitation (11) Platform / Instrument		Multi-satellite precipitation estimate with gauge calibration - <u>Final Run (recommended for general</u> use) (GPM 3IMERGHH v05)	mm/hr	∽ GPM	Half- Hourly	0.1 °	2014-03-12	2018-06-30
<ul> <li>Spatial Resolutions</li> <li>Temporal Resolutions</li> </ul>		Random error for gauge-calibrated multi-satellite precipitation <u>- Final Run</u> (GPM_3IMERGHH v05)	mm/hr	GPM	Half- Hourly	0.1 °	2014-03-12	2018-06-30
<ul> <li>Portal</li> </ul>		Multi-satellite precipitation estimate with climatological gauge calibration - Early Run (GPM_3IMERGHHE v05)	mm/hr	∽ GPM	Half- Hourly	0.1 °	2014-03-12	2018-10-26
		Multi-satellite precipitation estimate with climatological gauge calibration - Late Run (GPM_3IMERGHHL v05)	mm/hr	GPM	Half- Hourly	0.1 °	2014-03-12	2018-10-26
		Random Error for multi-satellite precipitation with climatological gauge calibration - Late Run (GPM_3IMERGHHL v05)	mm/hi	GPM	Half- Hourly	0.1 °	2014-03-12	2018-10-26
		Random Error for multi-satellite precipitation with climatological gauge calibration - Early Run (GPM_3IMERGHHE v05)	mm/hi	r GPM	Half- Hourly	0.1 °	2014-03-12	2018-10-26
		Daily accumulated precipitation (combined microwave-IR) estimate - Final Run (CPM_3IMERGDF v05)	mm	GPM	Daily	0.1 °	2014-03-12	2018-06-30
		Daily accumulated precipitation (combined microwave-IR) estimate - Early Run (GPM_3IMERGDE v05)	mm	GPM	Daily	0.1 °	2014-03-12	2018-10-25
		Daily accumulated precipitation (combined microwave-IR) estimate - Late Run (GPM_3IMERGDL v05)	mm	GPM	Daily	0.1 °	2014-03-12	2018-10-25
		Random error for merged satellite-gauge precipitation - Final Run (GPM_3IMERGM v05)	mm/hr	r GPM	Monthly	0.1 °	2014-04-01	2018-06-30
		Merged satellite-gauge precipitation estimate - Final Run (recommended for general use) (GPM 3IMERGM v05)	mm/hr	~ GPM	Monthly	0.1 °	2014-04-01	2018-06-30

C



## **Example (Hurricane Maria)**





Source: NASA Worldview

Total IMERG-Final rainfall map (in mm) in Puerto Rico (top right) and difference maps (in mm) between IMERG-Early and IMERG-Final (middle) and between IMERG-Early and IMERG-Late (bottom) on September 20, 2017. Time Averaged Map of Daily accumulated precipitation (combined microwave-IR) estimate - Final Run daily 0.1 deg. [GPM GPM_3IMERGDF v05] mm over 2017-09-20, Region 67.4341W, 17.8235N, 65.5444W, 18.6365N



Map, Dilference of Time Averaged over 2017-09-20, Region 87:431411, 7782354, 85:5444W, 18.6365N Daily accumulated precipitation (combined microwave-IP) estimate - Early Run daily 0.1 deg. [GPM GPM 3MERGDE v05] mm Daily accumulated precipitation (combined microwave-IP) estimate - Final Run daily 0.1 deg. [GPM GPM 3MERGDF v05] mm







Data Information Services Center



## **Example (California Droughts)**





### NLDAS Total Precipitation Anomaly in Giovanni





# Summary

- Global and regional precipitation datasets (satellite-based and data assimilation)
- Other datasets are available (temperature, wind, soil moisture, etc.)
- Data services (search, subsetting, format conversion, GIS, etc.)
- Giovanni (online tool for visualization, analysis, and evaluation)
- User services





- Data information and services: <u>https://disc.gsfc.nasa.gov/</u> Search for: TRMM (GPM, TRMM, IMERG, NLDAS, GLDAS, MERRA)
- Giovanni: <u>https://giovanni.gsfc.nasa.gov</u> or Google search "NASA giovanni" Search for "GPM", "TRMM", "MERRA", "GLDAS"
- Comments and suggestions: <u>gsfc-help-</u> <u>disc@lists.nasa.gov</u>

