

Research Article

A Genetic Algorithm and Fuzzy Logic Approach for Video Shot Boundary Detection

**Dalton Meitei Thounaojam,^{1,2} Thongam Khelchandra,³
Kh. Manglem Singh,³ and Sudipta Roy²**

¹CSE Department, National Institute of Technology Silchar, Assam, India

²CSE Department, Assam University Silchar, Assam, India

³CSE Department, National Institute of Technology Manipur, Manipur, India

Correspondence should be addressed to Dalton Meitei Thounaojam; dalton.meitei@gmail.com

Received 20 November 2015; Revised 1 February 2016; Accepted 9 February 2016

Academic Editor: Carlos Alberto Cruz-Villar

Copyright © 2016 Dalton Meitei Thounaojam et al. This is an open access article distributed under the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

This paper proposed a shot boundary detection approach using Genetic Algorithm and Fuzzy Logic. In this, the membership functions of the fuzzy system are calculated using Genetic Algorithm by taking preobserved actual values for shot boundaries. The classification of the types of shot transitions is done by the fuzzy system. Experimental results show that the accuracy of the shot boundary detection increases with the increase in iterations or generations of the GA optimization process. The proposed system is compared to latest techniques and yields better result in terms of *F1* score parameter.

1. Introduction

With the growth of the Internet, the generation of multimedia contents is also increasing. This leads to the problem of effective utilizing and managing the video data. Effective utilizing and managing of the multimedia contents need effective indexing and retrieval system. This is much more difficult in the case of video. For an effective video retrieval system, the content of the video should be understood so that proper indexing system can be created for better video retrieval. The content of the video can be taken by first performing the video segmentation, dividing the video into meaningful shots, and analyzing each feature of the segments (shots) which is the key feature of each segment. A scene is a combination of more than one shot with different camera angles or a combination of similar shots.

In video segmentation (shot boundary detection), the video is divided into meaningful scenes so that each scene can be analyzed for finding the key feature(s). Shot boundary detection mainly consists of finding the two types of transitions abrupt transition and gradual transition [1, 2]. Abrupt transition (also known as hard cut) is the sudden change of

the consecutive frames in a video which marks the scene change due to sudden release of the camera rolling. Gradual transition (also known as soft cut) is of four types: fade-in, fade-out, dissolve, and wipe transitions. All these gradual transitions are a result of the editing effect in a video. Fade-in and fade-out are caused by the lightness value. In fade-in, a picture appears slowly from a darker (usually black) empty frame. In fade-out, a picture slowly diminishes to an empty frame (usually black frame). Dissolve and wipe transition is an effect due to overlapping of the current scene and the future scene. In dissolve, the overlapping is done in such a way that the current scene starts disappearing and the future scene starts appearing simultaneously. In wipe, the overlapping is done in such a way that the future scene grows over the current scene until the future scene appears completely.

2. Related Works

Many researchers [1–3] have tried to detect the transitions (known as shot boundary detection or temporal video segmentation) in a video in compressed and uncompressed

domain. MPEG (Motion Picture Expert Group) provides video formats which provide a large area of analyzing frame features in the compressed domain using motion vectors [4], Discrete Cosine Transform coefficients [5], and so forth. The frame feature extraction can be globally and locally. Global feature extraction considers the whole feature of the frame such as the pixel value [6]. Local feature extraction considers some regions of the frame and the features in that region are only taken or in other senses the necessary/important features of the whole frame are considered. MSER [7], SURF [8], and so forth are some of the popular local feature descriptor used for shot boundary detection. These features are extracted from each frame of the video and calculate the differences between consecutive frames to find out the transitions. The gradual transitions are rather difficult than the abrupt transition as it may have the same effect with large object motion and camera motion [1]. Thus, it is necessary to extract features which give less/no effect with large object motion, camera motion, or lighting effect.

Intensity histogram and Color Histogram Difference are of the effective, simple, and widely used methods for shot boundary detection in the uncompressed domain which is not sensitive to motion [6]. In [10, 11], SVD is applied to frame histogram matrix and a similarity measure is applied to find out the abrupt and gradual transitions. In [10], n consecutive frames between two frames are skipped for analysis, which reduces the computational time drastically. In [9], HSV color histogram and an adaptive threshold are used for shot boundary detection and also the algorithm can detect flashes. In [8], entropy and SURF features are used to find the cut and gradual transitions where the intensity histogram is used to calculate the entropy of a frame.

Genetic Algorithm [12, 13] and Fuzzy Logic [6, 14, 15] have been used for shot boundary detection. In [16], color histogram is generated using Fuzzy Logic for abrupt and gradual transition detection. In [17], an Adaptive Fuzzy Clustering/Segmentation (AFCS) algorithm is proposed and the fuzzy clustering algorithm is used for image segmentation where it takes into account the inherent image properties like the nonstationarity and the high interpixel correlation. A Multiresolution Spatially Constrained Adaptive Fuzzy Membership Function is used for tuning the AFCS. In [18], Genetic Algorithm is used to generate the membership function of the fuzzy system for image segmentation.

In this paper, we introduced a method of shot boundary detection using Fuzzy Logic system optimized by GA. Fuzzy system is used to classify the video frames into different types of transitions (cut and gradual) using normalized Color Histogram Difference. GA is used as optimizer to find the optimal range of values of the fuzzy membership functions. The result shows that the combination of this feature is efficient and the accuracy increases with increase in iterations/generations of GA.

The paper is organized as follows. Section 3 explains the feature extraction of the system. A detail explanation of the GA optimized fuzzy system to find out that the range of values of the membership functions is given in Section 4. Experimental Results and Discussion and Conclusion are given in Sections 5 and 6, respectively.

3. Feature Extraction

This section discussed the feature extraction used in our proposed system.

3.1. Color Histogram Difference. Color histogram is a global feature extraction technique which is one of the simplest and widely used image feature extractions for shot boundary detection [19]. It is nonsensitive to motion [6, 14]. In [6], the normalized color histogram between two frames, say i th and $(i + 1)$ th frames, in a video is defined as follows:

$$HD_i = 1 - \left(\frac{1}{3n} \right) \left[\sum_{j=1}^{256} \min(I_{rj}^i, I_{rj}^{i+1}) + \sum_{j=1}^{256} \min(I_{gj}^i, I_{gj}^{i+1}) + \sum_{j=1}^{256} \min(I_{bj}^i, I_{bj}^{i+1}) \right], \quad (1)$$

where n is the number of pixels in a frame, I_{rj}^i is the number of red pixels of i th frame in j th bin, and vice versa. r , g , and b represent red, green, and blue components of a frame. It is observed that (1) yields a value with an interval $[0, 1]$. HD_i yields a value 0 when the i th and $(i + 1)$ th frames are same and the HD_i value goes on increasing as the similarity between i th and $(i + 1)$ th frames decreases.

4. Fuzzy Logic System with GA Optimization for Finding the Value Range of the Membership Function

Genetic Algorithm (GA) is used as optimizer to find optimal values of the membership functions of the Fuzzy Logic system [20, 21]. The steps are shown as follows.

4.1. Fuzzification. First we define the input and output variables of the fuzzy system.

The input variables are

- (a) HD_i is with linguistic values negligible (N), small (S), significant (Sig), large (L), and huge (H);

Variable HD_i is the histogram difference value which is the difference between i th and $(i + 1)$ th frames and is computed using normalized histogram intersection;

- (b) HD_{i-1} is with linguistic values negligible (N), small (S), significant (Sig), large (L), and huge (H);

Variable HD_{i-1} is the histogram difference value which is the difference between $(i - 1)$ th and i th frames;

- (c) HD_{i+1} is with linguistic values negligible (N), small (S), significant (Sig), large (L), and huge (H);

Variable HD_{i+1} is the histogram difference value which is the difference between $(i + 1)$ th and $(i + 2)$ th frames.

TABLE 1: Rules for detecting no transition.

Sl. number	Rules for detecting no transition
1	if(HD_i is negligible) then $B(i)$ is no
2	if(HD_i is small) then $B(i)$ is no

TABLE 2: Rules for detecting gradual transition.

Sl. number	Rules for detecting gradual transition
1	if(HD_i is significant) and (HD_{i-1} is significant) then $B(i)$ is gradual
2	if(HD_i is significant) and (HD_{i-1} is large) then $B(i)$ is gradual
3	if(HD_i is significant) and (HD_{i-1} is huge) then $B(i)$ is gradual
4	if(HD_i is significant) and (HD_{i+1} is significant) then $B(i)$ is gradual
5	if(HD_i is significant) and (HD_{i+1} is large) then $B(i)$ is gradual
6	if(HD_i is significant) and (HD_{i+1} is huge) then $B(i)$ is gradual
7	if(HD_i is large) and (HD_{i-1} is significant) then $B(i)$ is gradual
8	if(HD_i is large) and (HD_{i-1} is large) then $B(i)$ is gradual
9	if(HD_i is large) and (HD_{i-1} is huge) then $B(i)$ is gradual
10	if(HD_i is large) and (HD_{i+1} is significant) then $B(i)$ is gradual
11	if(HD_i is large) and (HD_{i+1} is large) then $B(i)$ is gradual
12	if(HD_i is large) and (HD_{i+1} is huge) then $B(i)$ is gradual
13	if(HD_i is huge) and (HD_{i-1} is significant) then $B(i)$ is gradual
14	if(HD_i is huge) and (HD_{i-1} is large) then $B(i)$ is gradual
15	if(HD_i is huge) and (HD_{i-1} is huge) then $B(i)$ is gradual
16	if(HD_i is huge) and (HD_{i+1} is significant) then $B(i)$ is gradual
17	if(HD_i is huge) and (HD_{i+1} is large) then $B(i)$ is gradual
18	if(HD_i is huge) and (HD_{i+1} is huge) then $B(i)$ is gradual

The output variable is

- (a) transition with linguistic values no (NO), abrupt (AB), and gradual (GR).

Variable transition is the type of transition that can occur from one frame to another. no represents the frame where there is no transition.

The rule base consists of 28 rules of the form as in [6]. In Table 1, rules for detecting no transition (frame without any transition) are given. For detecting gradual transition and abrupt transitions, the rules are provided in Tables 2 and 3, respectively.

4.2. Optimization with Genetic Algorithm. GA will be used to find the range of values of the membership function. We use the triangular membership function. The values of the input variables HD_i , HD_{i-1} , and HD_{i+1} range from 0 to 10. The

TABLE 3: Rules for detecting abrupt transition.

Sl. number	Rules for detecting abrupt transition
1	if(HD_i is huge) and (HD_{i-1} is negligible) and (HD_{i+1} is negligible) then $B(i)$ is abrupt
2	if(HD_i is huge) and (HD_{i-1} is negligible) and (HD_{i+1} is small) then $B(i)$ is abrupt
3	if(HD_i is huge) and (HD_{i-1} is small) and (HD_{i+1} is negligible) then $B(i)$ is abrupt
4	if(HD_i is huge) and (HD_{i-1} is small) and (HD_{i+1} is small) then $B(i)$ is abrupt
5	if(HD_i is large) and (HD_{i-1} is negligible) and (HD_{i+1} is negligible) then $B(i)$ is abrupt
6	if(HD_i is large) and (HD_{i-1} is negligible) and (HD_{i+1} is small) then $B(i)$ is abrupt
7	if(HD_i is large) and (HD_{i-1} is small) and (HD_{i+1} is negligible) then $B(i)$ is abrupt
8	if(HD_i is large) and (HD_{i-1} is small) and (HD_{i+1} is small) then $B(i)$ is abrupt

values of the output variable are 0, 5, and 10 for no transition, gradual transition, and abrupt transition, respectively.

4.2.1. Initialization. The unknown variables in this problem are the lengths of the bases of the five membership functions negligible, small, significant, large, and huge which will be same for the three input variables HD_i , HD_{i-1} , and HD_{i+1} .

We will use 6-bit binary string to define the base of each five membership functions. The five strings, each of 6 bits, are then concatenated to form a 30-bit string which will be a solution for the population.

4.2.2. Evaluation. The strings are mapped/encoded to values representing the lengths of the bases of the membership functions. This mapping process is computed using the following equation:

$$\text{base}^{(i)} = C_{\min}^{(i)} + \frac{d}{2^L - 1} (C_{\max}^{(i)} - C_{\min}^{(i)}), \quad (2)$$

where $C_{\min}^{(i)}$ and $C_{\max}^{(i)}$ are user-defined constants and they are usually chosen as the minimum and the maximum value of the variable. d is the decimal value of each substring, L is the number of bits in each substring, and $\text{base}^{(i)}$ is the i th base of the membership functions.

In the beginning, the GA randomly creates a population of 10 strings. For a string, the five bases of the five membership functions are calculated using (2).

Using the bases, we then find the initial, middle, and the final value (i.e., a , middle, and b) of the triangular membership functions of the linguistic values as given in Table 4.

a , middle, and b are the initial, middle, and the final value of the triangular membership functions of the linguistic values. xd is the fuzziness index which is a constant.

TABLE 4: Membership function calculation for GA.

Membership	Range
Negligible	$a_{\text{neg}} = 0$
	$\text{middle}_{\text{neg}} = \frac{a_{\text{neg}} + b_{\text{neg}}}{2}$
	$b_{\text{neg}} = \text{base}(\text{neg})$
Small	$a_{\text{small}} = b_{\text{neg}} - xd$
	$\text{middle}_{\text{small}} = \frac{a_{\text{small}} + b_{\text{small}}}{2}$
	$b_{\text{small}} = a_{\text{small}} + \text{base}(\text{small})$
Significant	$a_{\text{sig}} = b_{\text{small}} - xd$
	$\text{middle}_{\text{sig}} = \frac{a_{\text{sig}} + b_{\text{sig}}}{2}$
	$b_{\text{sig}} = a_{\text{sig}} + \text{base}(\text{sig})$
Large	$a_{\text{large}} = b_{\text{sig}} - xd$
	$\text{middle}_{\text{large}} = \frac{a_{\text{large}} + b_{\text{large}}}{2}$
	$b_{\text{large}} = a_{\text{large}} + \text{base}(\text{large})$
Huge	$a_{\text{huge}} = 10 - \text{base}$
	$\text{middle}_{\text{huge}} = \frac{a_{\text{huge}} + b_{\text{huge}}}{2}$
	$b_{\text{huge}} = a_{\text{huge}} + \text{base}(\text{huge})$

We then find the degree of the membership of the values in Table 6 using the rules. Using the degree of membership of the values in a rule, we then find the weight of the rule.

We have the following rule:

if(HD_i is huge) and (HD_{i-1} is negligible) and (HD_{i+1} is negligible) then $B(i)$ is abrupt.

We find the degree of membership of the values contained in the rule as follows:

$$\text{deg of mem for } \text{HD}_i = \text{huge}(\text{input1}, a_{\text{huge}}, b_{\text{huge}}, \text{middle}_{\text{huge}});$$

$$\text{deg of mem for } \text{HD}_{i-1} = \text{negligible}(\text{input2}, a_{\text{neg}}, b_{\text{neg}}, \text{middle}_{\text{neg}});$$

$$\text{deg of mem for } \text{HD}_{i+1} = \text{negligible}(\text{input3}, a_{\text{neg}}, b_{\text{neg}}, \text{middle}_{\text{neg}}).$$

We then find the weight of rule i as follows:

$$\begin{aligned} \text{weight}_i &= (\text{deg of mem for } \text{HD}_i) \\ &* (\text{deg of mem for } \text{HD}_{i-1}) \\ &* (\text{deg of mem for } \text{HD}_{i+1}). \end{aligned} \quad (3)$$




FIGURE 1: Fuzzy categories.

In this way, we then find the weight of all the 28 rules. Using the weights, we then compute the crisp output for row i input values in Table 6 for a string/solution:

crisp output $_i$

$$= \frac{(\text{weight}_1 * v_1) + (\text{weight}_2 * v_2) + \dots + (\text{weight}_{28} * v_{28})}{(\text{weight}_1 + \text{weight}_2 + \text{weight}_3 + \dots + \text{weight}_{28})}, \quad (4)$$

where $v_1, v_2, v_3, \dots, v_{28}$ are preset values determined by us which is either 0, 5, or 10.

The sum of the squares of the above difference between crisp output $_i$ and actual output $_i$ for all the values in Table 6 becomes the fitness equation. The equation is shown as follows:

$$\text{fitness} = \sum_{i=1}^n (\text{crisp output}_i - \text{actual output}_i)^2. \quad (5)$$

The fitness is subtracted from 1000 to convert the function from minimization to a maximization problem.

The above processes are repeated for all the strings/solutions of the population to find the fitness of all the strings.

4.2.3. Selection. We then choose a set of strings whose fitness value is greater than some specific number.

4.2.4. Reproduction. The population is modified using operators, namely, crossover and mutation.

These whole processes (evaluation, selection, and reproduction) are repeated for many generations and finally we then choose the bit string with largest fitness value.

This string with the largest fitness value will give the most optimal range of values for all the membership functions of the linguistic values.

After the GA finds the optimal values for the membership functions of the Fuzzy Logic system, the rule evaluation and the defuzzification procedure of the fuzzy system will start.

4.3. Rule Evaluation. We need to find the degree of membership of the linguistic values of the input variables of the fuzzy system in the range of 0 to 1. We used the triangular membership function to find the degree of membership for the input variables. As shown in Figure 1, a_1 to a_5 and b_1 to b_5 are the range of values for a variable of a particular linguistic value.

TABLE 5: Description of TRECVID 2001 test data.

Videos	Frames	Transitions			Sources
		Abrupt	Gradual	Total	
D2	16586	42	31	73	NASA 25th Anniversary
D3	12304	39	64	103	
D4	31389	98	55	153	
D5	12508	45	26	71	Airline Safety
D6	13648	40	45	85	Perseus Global Watcher

TABLE 6: Observed actual input output data.

Sl. number	HD_i	HD_{i-1}	HD_{i+1}	Output
1	8.647	0.3216	1.107	10
2	7.746	1.716	0.8082	10
3	6.751	0.646	1.445	10
4	1.845	0.2521	0.7028	10
5	2.536	0.2865	0.7282	10
6	4.57	0.5302	0.939	10
7	5.54	0.2618	1.19	10
8	3.974	0.1552	1.333	10
9	0.5401	—	—	0
10	0.3632	—	—	0
11	0.6088	—	—	0
12	0.7728	—	—	0
13	2.49	—	4.654	5
14	1.537	—	1.859	5
15	2.926	2.14	—	5
16	3.293	1.39	—	5
17	3.305	—	2.089	5
18	1.741	—	1.026	5
19	4.654	2.49	—	5
20	7.048	—	6.441	5
21	3.621	—	2.462	5
22	4.522	1.928	—	5

4.4. Defuzzification. To find the crisp or actual output which is either no transition, gradual, or abrupt, we calculate the weights of the set of rules of the fuzzy system using the degree of membership.

Finally, we can calculate the crisp output by using (4).

5. Experimental Results and Discussion

5.1. Dataset. TRECVID 2001 video dataset for shot boundary detection is used for experimental results. TRECVID provides a set of video test data in MPEG compressed for video segmentation. TRECVID 2001 test video data is available on the Open Video Project. The details of the videos are given in Table 5.

5.2. Discussion. For discussion of the proposed system, two videos from the TRECVID 2001, namely, Airline Safety (D5) and Perseus Global Watcher (D6), are used. Table 7 shows the




FIGURE 2: It shows result for shot boundary detection for the video “Airline Safety and Economy” for different iterations.




FIGURE 3: It shows result for shot boundary detection for the video “Perseus Global Watcher” for different iterations.

strings of the first generation GA operation with their decimal values, base values, value range of the membership function, and the fitness value. The strings are sorted according to their fitness value. The fitness is calculated as a difference between the actual outputs of some input data as shown in Table 6 and

TABLE 7: Continued.

Sl. number	String	Decimal value					Base value					Membership function value range			Fitness value		
		d1	d2	d3	d4	d5	b1	b2	b3	b4	b5	Negligible	Small	Significant		Large	Huge
9	111001																
	111010																
	101011	57	58	43	18	60	4.714286	4.761905	4.047619	2.857143	4.857143	0.000000	3.714286 to	6.976190	9.523810	5.142857	
	010010											to	8.476190	to	to	to	59.725061
	111100											4.714286		11.023810	12.380952	10.000000	
10	110110																
	111001																
	000100	54	57	4	29	7	4.571429	4.714286	2.190476	3.380952	2.333333	0.000000	3.571429 to	6.785714 to	7.476190	7.666667	
	011101											to	8.285714	8.976190	to	to	51.660022
	000111											to	10.857143	10.857143	10.000000		

TABLE 8: String with highest fitness of five generations.

Sl. Number	String	Generation	Membership function value range					Fitness value
			Negligible	Small	Significant	Large	Huge	
1	000010	1000	0.000000 to 2.095238	1.095238 to 3.142857	1.642857 to 3.642857	2.142857 to 7.095238	7.238095 to 10.000000	252.181591
	000001							
	000000							
	111110							
	010000							
2	000000	10000	0.000000 to 1.500000	0.500000 to 2.507937	1.007937 to 3.079365	1.579365 to 6.761905	5.515873 to 10.000000	263.203823
	001000							
	001001							
	111010							
	101111							
3	000010	20000	0.000000 to 1.126984	0.126984 to 1.444444	0.055556 to 4.690476	3.190476 to 7.873016	8.619048 to 10.000000	282.889190
	000101							
	111011							
	111010							
	000110							
4	000000	40000	0.000000 to 1.000000	0.000000 to 1.825397	0.325397 to 2.468254	0.968254 to 5.015873	4.619048 to 10.000000	333.609281
	001101							
	010010							
	110000							
	000110							
5	000000	50000	0.000000 to 1.000000	0.000000 to 1.825397	0.325397 to 3.039683	1.539683 to 5.587302	5.019048 to 10.000000	364.744095
	001101							
	011011							
	110000							
	000110							

TABLE 9: Comparison of the SBD using color feature [9] with the proposed system.

Videos	SBD using color feature [9]				Proposed system			
	Time (sec)	Recall	Precision	F1score	Time (sec)	Recall	Precision	F1score
D2	1310	0.928	0.951	0.939	30	0.952	0.889	0.919
D3	900	0.821	0.864	0.842	21	0.846	0.805	0.825
D4	2467	0.826	0.900	0.861	318	0.878	0.935	0.906
D5	1160	0.844	0.844	0.844	22	0.978	0.917	0.946
D6	2042	0.925	0.973	0.948	24	1.000	0.889	0.941
Average	1575	0.868	0.906	0.886	83	0.931	0.887	0.907

TABLE 10: Computation time of the proposed system.

Methods	Computation time (in secs approximately)
Proposed method with 1K iteration	491
Proposed method with 10K iteration	895
Proposed method with 20K iteration	1598
Proposed method with 40K iteration	2388
Proposed method with 50K iteration	3023
Average	1679

the crisp output of the same input data calculated using the membership function optimized by GA. Table 8 shows the string with largest fitness value in different generations. We can see from the table, as the generation increases, that the fitness also increases.

Figures 2 and 3 show the graph of shot boundary detection of two videos by our Fuzzy-GA system. The x -axis represents the iteration/generation of the GA operations. The y -axis represents the gradual and abrupt transitions of the video frames by our Fuzzy-GA application. We can see from the graph, as the iteration/generation increases, that the detection of the transition of the frames also increases.

TABLE 11: Comparison of the SBD using SVD and pattern matching [10] with the proposed system.

Videos	SBD using SVD and pattern matching [10]						Proposed system					
	Abrupt			Gradual			Abrupt			Gradual		
	<i>R</i>	<i>P</i>	<i>F1</i>	<i>R</i>	<i>P</i>	<i>F1</i>	<i>R</i>	<i>P</i>	<i>F1</i>	<i>R</i>	<i>P</i>	<i>F1</i>
<i>D2</i>	0.905	0.905	0.905	0.935	0.725	0.817	0.952	0.889	0.919	0.806	0.833	0.819
<i>D3</i>	0.667	0.867	0.754	0.734	0.940	0.824	0.846	0.805	0.825	0.764	0.942	0.844
<i>D4</i>	0.888	0.897	0.892	0.727	0.741	0.734	0.878	0.935	0.906	0.727	0.816	0.769
<i>D6</i>	0.950	0.974	0.962	0.844	0.927	0.884	1.000	0.889	0.941	0.844	0.864	0.854
Average	0.853	0.912	0.877	0.810	0.833	0.814	0.919	0.880	0.898	0.785	0.864	0.822




FIGURE 6: Showing gradual transition.




FIGURE 7: Fuzzy membership functions for input and output.

0, 0, 0, 0, 0. Finally, using the weights, we calculate the crisp output. crisp output = $3.4359/0.6872 = 5.00$, which indicates a gradual transition.

A pictorial representation of the fuzzy membership functions for inputs and output using the bases of 40K iterations or generations of the Genetic Algorithm is shown in Figure 7.

5.3. *Evaluation.* Recall, precision, and *F1score* parameters are used for evaluation of the proposed system which is given in

$$\begin{aligned}
 \text{Recall} &= \frac{N_C}{N_C + N_M}, \\
 \text{Precision} &= \frac{N_C}{N_C + N_F}, \\
 \text{F1score} &= \frac{2 * \text{Recall} * \text{Precision}}{\text{Recall} + \text{Precision}}.
 \end{aligned} \tag{6}$$

The proposed system is compared with the latest techniques SBD using SVD and pattern matching [10] and SBD using Color Feature [9] and shows better performance in terms of *F1score* parameter. A comparison of the computational time is also provided in Table 9.

The computational time of the proposed system for all the videos in Table 5 is provided in Table 10. For each iteration/generation, the computational time includes the approximate time taken in seconds by the GA process, feature extraction, and the shot detection of the proposed system for all the videos.

In Table 11, recall, precision and *F1score* are represented by *R*, *P*, and *F1*, respectively.

6. Conclusion

This paper proposed a shot boundary detection using Genetic Algorithm and Fuzzy Logic. In this proposed system, GA






is used as an optimizer for the fuzzy system. The GA system uses a preobserved actual input output values of shot boundaries for some videos for calculating the range of fuzzy membership values for the fuzzy system. The fuzzy system is used as a classifier which classifies the frames into abrupt and gradual transitions by using GA as optimizer. Normalized Color Histogram Difference is used for feature extraction and for finding the differences between two consecutive frames in a video. From the experimental result, it is observed that the detection of shot boundaries increases with increase in iteration or generation of the GA optimization process. Experimental results show that the proposed system yields better results and low computational time as compared with the latest techniques.

Conflict of Interests

The authors declare that there is no conflict of interests regarding the publication of this paper.

References

- [1] I. Koprinska and S. Carrato, "Temporal video segmentation: a survey," *Signal Processing: Image Communication*, vol. 16, no. 5, pp. 477–500, 2001.
- [2] D. M. Thounaojam, A. Trivedi, K. Manglem Singh, and S. Roy, "A survey on video segmentation," in *Intelligent Computing, Networking, and Informatics: Proceedings of the International Conference on Advanced Computing, Networking, and Informatics, India, June 2013*, D. P. Mohapatra, S. Patnaik, and D. P. Mohapatra, Eds., vol. 243 of *Advances in Intelligent Systems and Computing*, pp. 903–912, Springer, Berlin, Germany, 2014.
- [3] A. F. Smeaton, P. Over, and A. R. Doherty, "Video shot boundary detection: seven years of TRECVID activity," *Computer Vision and Image Understanding*, vol. 114, no. 4, pp. 411–418, 2010.
- [4] X. Wang, S. Wang, and H. Chen, "A fast algorithm for MPEG video segmentation based on macroblock," in *Proceedings of the 4th International Conference on Fuzzy Systems and Knowledge Discovery (FSKD '07)*, vol. 2, pp. 715–718, Haikou, China, August 2007.
- [5] T. D. C. Little, G. Ahanger, R. J. Folz et al., "A digital on-demand video service supporting content-based queries," in *Proceedings of the 1st ACM International Conference on Multimedia (MULTIMEDIA '93)*, pp. 427–436, ACM, Anaheim, Calif, USA, August 1993.
- [6] R. S. Jadon, S. Chaudhury, and K. K. Biswas, "A fuzzy theoretic approach for video segmentation using syntactic features," *Pattern Recognition Letters*, vol. 22, no. 13, pp. 1359–1369, 2001.
- [7] A. Anjulan and N. Canagarajah, "Object based video retrieval with local region tracking," *Signal Processing: Image Communication*, vol. 22, no. 7-8, pp. 607–621, 2007.
- [8] J. Baber, N. Afzulpurkar, and S. Satoh, "A framework for video segmentation using global and local features," *International Journal of Pattern Recognition and Artificial Intelligence*, vol. 27, no. 5, Article ID 1355007, 2013.
- [9] H. Zhang, R. Hu, and L. Song, "A shot boundary detection method based on color feature," in *Proceedings of the International Conference on Computer Science and Network Technology (ICCSNT '11)*, pp. 2541–2544, Harbin, China, December 2011.
- [10] Z.-M. Lu and Y. Shi, "Fast video shot boundary detection based on SVD and pattern matching," *IEEE Transactions on Image Processing*, vol. 22, no. 12, pp. 5136–5145, 2013.
- [11] Y. Gong and X. Liu, "Video shot segmentation and classification," in *Proceedings of the International Conference on Pattern Recognition*, vol. 1, pp. 860–863, Barcelona, Spain, September 2000.
- [12] X. Sun, L. Zhao, and M. Zhang, "A novel shot boundary detection method based on genetic algorithm-support vector machine," in *Proceedings of the 3rd International Conference on Intelligent Human-Machine Systems and Cybernetics (IHMSC '11)*, vol. 1, pp. 144–147, IEEE, Zhejiang, China, August 2011.
- [13] C. Chan and A. Wong, "Shot boundary detection using genetic algorithm optimization," in *Proceedings of the IEEE International Symposium on Multimedia (ISM '11)*, pp. 327–332, IEEE, Dana Point, Calif, USA, December 2011.
- [14] H. Fang, J. Jiang, and Y. Feng, "A fuzzy logic approach for detection of video shot boundaries," *Pattern Recognition*, vol. 39, no. 11, pp. 2092–2100, 2006.
- [15] X.-B. Gao, B. Han, and H.-B. Ji, "A shot boundary detection method for news video based on rough sets and fuzzy clustering," in *Image Analysis and Recognition*, M. Kamel and A. Campilho, Eds., vol. 3656 of *Lecture Notes in Computer Science*, pp. 231–238, Springer, Berlin, Germany, 2005.
- [16] O. Küçükünç, U. Güdükbay, and Ö. Ulusoy, "Fuzzy color histogram-based video segmentation," *Computer Vision and Image Understanding*, vol. 114, no. 1, pp. 125–134, 2010.
- [17] Y. A. Talias and S. M. Panas, "Image segmentation by a fuzzy clustering algorithm using adaptive spatially constrained membership functions," *IEEE Transactions on Systems, Man, and Cybernetics—Part A: Systems and Humans*, vol. 28, no. 3, pp. 359–369, 1998.
- [18] M. Abdulghafour, "Image segmentation using fuzzy logic and genetic algorithms," *Journal of WSCG*, vol. 11, no. 1, 2003.
- [19] G. Pal, D. Rudrapaul, S. Acharjee, R. Ray, S. Chakraborty, and N. Dey, "Video shot boundary detection: a review," in *Emerging ICT for Bridging the Future—Proceedings of the 49th Annual Convention of the Computer Society of India CSI Volume 2*, S. C. Satapathy, A. Govardhan, K. S. Raju, and J. K. Mandal, Eds., vol. 338 of *Advances in Intelligent Systems and Computing*, pp. 119–127, Springer, 2015.
- [20] D. E. Goldberg and J. H. Holland, "Genetic algorithms and machine learning," *Machine Learning*, vol. 3, no. 2-3, pp. 95–99, 1988.
- [21] D. E. Goldberg, *Genetic Algorithms in Search, Optimization and Machine Learning*, Addison-Wesley Longman Publishing, Boston, Mass, USA, 1st edition, 1989.



Hindawi

Submit your manuscripts at
<http://www.hindawi.com>

