

## THIRD SUPPLEMENT TO "A CATALOG OF THE MOSQUITOES OF THE WORLD" (DIPTERA: CULICIDAE)

RONALD A. WARD<sup>1,2</sup>

*Department of Entomology, Walter Reed Army Institute of Research, Washington, DC  
20307-5100*

**ABSTRACT.** Additions and changes in the taxonomic status of mosquitoes from January 1984 through January 1992 are enumerated with the pertinent literature citations. Through this eight-year period, there were described nine new subgenera, 128 new species and one new subspecies. One subgenus, 25 species and 16 subspecies or varieties were removed from synonymy. The status of 66 taxa, including synonyms, were changed by transfers in generic or subgeneric status. Since 1984 there has been a net change of 145 species added to the world mosquito fauna, resulting in a total of 3,209 valid species.

### INTRODUCTION

Eight years have passed since the publication of the second supplement to the world catalog of mosquitoes (Ward 1984). Since there are no plans for a revision of the world catalog of Knight and Stone (1977) in the near future, this supplement has been compiled to cover the systematic literature from January 1, 1984 through January 31, 1992.

The arrangement of this supplement is similar to that of the second supplement (Ward 1984) except that additional information is provided concerning the sex or stage of the holotype, changes in the deposition of type material and 24 Taxonomic Notes.

All publications containing descriptions of new taxa, revisions and catalogs have been examined with one exception, Lei 1989. In cases where further clarification was required, correspondence with an author or collection manager usually provided the necessary information. Such material is discussed in the Taxonomic Notes.

Valid taxa are indicated by italicized type

while synonyms are underlined and in roman type. The life history stages described in the original paper are indicated by the symbols: ♂ (male), ♀ (female), P (pupa), L (larva), E (egg), Pe (pupal exuviae) and Le (larval exuviae). An asterisk (\*) to the right of a symbol indicates an accompanying illustration of at least a portion of the stage described. Type depositories are referenced by a three- or four-letter abbreviation. With the exception of 11 depositories cited at the end of this paper, the full locations for types are listed in Knight and Stone (1977), Knight (1978) and Ward (1984).

A change has been made for dating papers published in the calendar year following the date printed on the cover of the periodical. To simplify bibliographies, such a paper is listed as: Smith, J. 1990. A new species of . . . (Diptera: Culicidae). *J. Mosq. Res.* (1989) 23:391-397, rather than: Smith, J. 1989 (1990), etc. Complete citations for references given in the synonymies may be found in Knight and Stone (1977), Knight (1978) and Ward (1984).

A number of new synonyms were cited in the Culicidae chapter (Minar 1991) of the Palaearctic Diptera catalog. Since no indication was given for a reference substantiating the new synonymy, and a letter to J. Minar elicited no response, these synonymies are not mentioned in this supplement.

<sup>1</sup> The views of the author do not purport to reflect the position of the Department of the Army or of the Department of Defense.

<sup>2</sup> Reprint requests: Walter Reed Biosystematics Unit, Museum Support Center, MRC 534, Smithsonian Institution, Washington, DC 20560.

I wish to acknowledge the constructive criticism of R.E. Harbach, E.L. Peyton, J.F. Reinert and R.C. Wilkerson, who reviewed various drafts of the manuscript. Conversations with E.L. Peyton and R.E. Harbach on taxonomic problems were most fruitful. Thomas F. Gaffigan's careful curation of the U.S. National Mosquito Collection unearthed a 'lost' holotype and furnished additional data on a

number of species. The Smithsonian Institution Libraries were extremely helpful in obtaining many of the Chinese references.

A special acknowledgment is due my daughter, Katherine B. Ward, for cheerfully processing the numerous drafts of this manuscript. The final preparation of the diskette was accomplished by J.E. Pecor, who always does a superb job.

**Family Culicidae**  
**Subfamily Anophelinae**  
**Genus *Anopheles* Meigen**  
**Subgenus *Anopheles* Meigen**

*anthropophagus* Xu and Feng

Ma 1981:60 (from subspecies of *lesteri*).

*atratipes* Skuse

Lee et al. 1988a:16 (holotype ♀; change MM to ANIC).

*baezai* Gater

Lee et al. 1988a:20 (erroneous publication date, change 1933 to 1934).

*baileyi* Edwards

Harrison et al. 1991:209 (from variety of *gigas*).

*barbumbrosus* Strickland and Chowdhury

pallidus Swellengrebel, 1919. Townsend 1990:116 (?syntype ♂; change NE to BM).

*calderoni* Wilkerson

1991: 25 (♂\*, ♀\*, P\*, L\*). Type loc.: Salitral, Department of Piura, Peru (holotype ♀; USNM).

*changfus* Ma

1981:65 (♂\*, ♀\*, E). Type loc.: Emei, Sichuan Prov., P.R. China (holotype ♀; IZ).

*chiriquiensis* Komp

Wilkerson 1990a:179 (from synonymy with *parapunctipennis*).

*claviger* (Meigen)

griseescens Stephens, 1828. Townsend 1990:80 (2 syntypes; change LU to BM).

*colledgei* Marks

Townsend 1990:62 (holotype ♂; change UQ to ANIC).

*corethroides* Theobald

Marks 1976:118 (listed as species). Lee et al. 1988a:54 (verification as species from synonymy of *stigmaticus*). (Note 1).

*coustani* Laveran

similis Theobald, 1901. Townsend 1990:134 (unavailable name; Article 11e, ICZN 1985).

*cucphuongensis* Phan, Manh, Hinh and Vien

1991:145 (♂\*, ♀\*, P\*, L\*). Type loc.: Cuc-Phuong, Ha-Nam-Ninh Prov., Vietnam (holotype ♀; USNM).

*dazhais* Ma

1981:65 (♂\*, ♀\*, E\*). Type loc.: Sichuan Prov., P.R. China (holotype ♀; IZ).

*fragilis* (Theobald)

Townsend 1990:75 (2 syntypes; change NE to BM).

*franciscanus* McCracken

Arnaud 1979:57 (lectotype ♂; change LACM to CAS).

*gigas* Giles

var. *simlensis* (James, 1911). Townsend 1990:134 (3 syntypes; change LU to BM).

ssp. *pantjarbatu* Waktoedi, 1954 (authorship changed from Koesoemawinangoen to Waktoedi). (Note 2).

*heiheensis* Ma

1981:66 (♂\*, ♀\*, E). Type loc.: Aihui, Heilungjiang Prov., P.R. China (holotype ♀; IZ).

*hermsi* Barr and Guptavanij

1989:353 (♂, ♀, P, L, E). Type loc.: Malibu Canyon at Pacific Coast Hwy., Los Angeles County, California, USA (holotype ♀ & Pe,Le; USNM).

*kunmingensis* Dong and Wang

1985:117 (♂\*, ♀\*, P\*, L\*, E\*). Type loc.: Long-tan Ba, Kunming, Yunnan Prov., P.R. China (holotype ♀; YIM).

*liangshanensis* Kang, Tan, Cao, Cheng, Yang and Huang

1984:11 (♂\*, ♀\*, P, L\*, E\*). Type loc.: Zhaojiao County, Sichuan Prov., China (holotype ♀, SIP).

*malefactor* Dyar and Knab

Wilkerson 1990b:235 (from synonymy with *punctimacula*).

*marteri* Senevet and Prunelle

Townsend 1990:101 (4 syntypes; add BM).

sogdianus Keshishian, 1938. Ribeiro et al. 1987:108 (synonymy).

*mediopunctatus* (Theobald)

rockefelleri Peryassu, 1923. Townsend 1990:128 (?syntype; change LU to BM).

*namibiensis* Coetzee

1984:2 (♂, ♀\*, P\*, L\*, E). Type loc.: Mahongo, Kavango, Namibia (holotype ♀; USNM).

*nigerrimus* Giles

indiensis Theobald, 1901. Townsend 1990:86 (change BM to NE).

*nilgiricus* Christophers

Harrison et al. 1991:199 (from subspecies of *lindesayi*).

*paraliae* Sandosham

Harrison et al. 1991:208 (from subspecies of *lesteri*).

*parapunctipennis* Martini

Wilkerson 1990a:180 (neotype ♂ desig.).

ssp. *guatemalensis* De Leon, 1938. Wilkerson 1990a:181 (from variety to subspecies; lectotype ♀ desig.).

*petragnani* Del Vecchio

portucaliensis Figueiredo, 1904. Ribeiro et al. 1988:235 (from variety of *bifurcatus* auct. to synonymy with *petragnani*).

*peytoni* Kulasekera, Harrison and Amerasinghe

1989:303 (♂\*, ♀, P\*, L\*). Type loc.: Kanneliya, Galle District, Sri Lanka (holotype ♂ & Pe,Le; USNM).

*stigmaticus* Skuse

Lee et al. 1988a:95 (2 syntypes; change MM to ANIC).

*subalpinus* Hackett and Lewis

Ribeiro et al. 1988:234 (from subspecies of *melanoon*).

*xiaokuanus* Ma

1981:67 (♂\*, ♀\*, E\*). Type loc.: Mudangjiang, Heilungjiang Prov., P.R. China (holotype ♀; IZ).

### Subgenus *Cellia* Theobald

*annularis* Van der Wulp

fuliginosus Giles, 1900. Townsend 1990:76 (2 syntypes; change NE to BM).

*annulatus* Haga

Lee et al. 1988a:133 (lectotype ♂ desig.; BM). Townsend 1990:43 (2 syntypes; improper attribution).

*annulipes* Walker

musivus Skuse, 1889. Lee et al. 1988a:136 (type ♀; change MM to ANIC).

mastersi Skuse, 1889. Lee et al. 1988a:136 (3 syntypes; change MM to ANIC).

perplexus Taylor, 1943. Lee et al. 1988a:136 (lectotype ♂ desig.; change US to ANIC).

persimilis Taylor, 1943. Lee et al. 1988a:136 (type ♀; change US to ANIC).

derricki Taylor, 1943. Lee et al. 1988a:136 (lectotype ♂ desig.; change US to ANIC).

*apoci* Marsh

Townsend 1990:44 (2 syntypes; change LU to BM).

*arabiensis* Patton

quadriannulatus davidsoni Ribeiro, Cunha Ramos, Pires and Capela, 1979. Cambournac et al. 1982:266 (synonymy).

*argenteolobatus* (Gough)

pseudosquamosa Newstead and Carter, 1911. Townsend 1990:124 (holotype; change LSTM to BM).

*buxtoni* Service

Townsend 1990:55 (lectotype ♂ desig.; BM).

*bwambae* White

1985:506 (♂\*, ♀\*, P\*, L\*, E\*). Type loc.: Mongiro, Semliki Forest, Bwamba County, Uganda (holotype ♀; BM).

*cameroni* de Meillon and Evans

Townsend 1990:57 (holotype; change SAIM to BM).

*carteri* Evans and de Meillon

Townsend 1990:58 (6 syntypes; change LSTM to BM).

*cinereus* Theobald

*ssp. hispaniola* (Theobald, 1903). Ribeiro et al. 1980:132 (from species to subspecies).

*cydippis* de Meillon

Segerman 1990:53 (holotype; from SAIM to LU).

*dancalicus* Corradetti

Townsend 1990:65 (3 syntypes; add BM).

*daudi* Coluzzi

Townsend 1990:65 (syntype; add BM).

*dispar* Rattanakul and Harbach

1991:176 (♂\*, ♀, P\*, L\*). Type loc.: Subic Bay, Pastolan, Bataan Prov., Luzon, Philippines (holotype ♀; USNM).

- dravidicus* Christophers  
Rattanarithikul and Green 1987:261 (from synonymy of *maculatus*; lectotype ♀ desig.; BM).
- elegans* James  
Townsend 1990:70 (improper "type" desig.; BM).
- erepens* Gillies  
Gillies and Coetzee 1987:95 (from subspecies of *wellcomei*).
- ethiopicus* Gillies and Coetzee  
1987:76 (♀\*). Type loc.: Gambela, Illubabor Prov., Ethiopia (holotype ♀; BM).
- fluviatilis* James  
*arabica* Christophers and Chand, 1915. Townsend 1990:45 (?2 syntypes; change LU to BM).
- finestus* Giles  
*anisochloros* Theobald, 1903. Townsend 1990:43 (syntype; change NE to BM).  
*subumbrosa* Theobald, 1903. Townsend 1990:138 (syntype; change LSTM to BM).  
*umbrosa* Theobald, 1903 (*non umbrosus* Theobald 1903:87). Townsend 1990:145 (syntype; change NE to BM).
- greeni* Rattanarithikul and Harbach  
1991:170 (♂, ♀\*, P\*, L\*). Type loc.: Wawa, Montalban, Rizal Prov., Luzon, Philippines (holotype ♀; USNM).
- indefinitus* (Ludlow)  
*formosaensis* II Tsuzuki, 1902. Townsend 1990:74 (syntype ♂; change LU to BM).
- introlatus* Colless  
Hii et al. 1988:43 (from subspecies of *balabacensis*).
- jeyporiensis* James  
Harrison 1980:69 (change BM to LU).
- kochi* Doenitz  
Townsend 1990:91 (syntype; add BM).  
*ocellatus* Theobald, 1901. Townsend 1990:114 (unavailable name; Article 11e, ICZN 1985).
- kosiensis* Coetzee, Segerman and Hunt  
1987:26 (♀, P, L, E\*, X-chromosome\*). Type loc.: Kosi Bay, northern Zululand, South Africa (holotype ♀ & Pe,Le; SAIM).
- leucosphyrus* Doenitz  
Townsend 1990:94 (2 syntypes; add BM).
- lounibosi* Gillies and Coetzee  
1987:73 (♀, L\*). Type loc.: Kombeni River, Rabai, Kilifi Dist., Kenya (holotype L; BM). (Note 3).
- ludlowae* (Theobald)  
ssp. *torakala* Stoker and Waktoedi, 1949 (authorship changed from Koesoemawiwangoen to Waktoedi). (Note 2).
- macarthuri* Colless  
Hii et al. 1988:43 (from subspecies of *riparis*).
- maculatus* Theobald  
Rattanarithikul and Green 1987:252 (lectotype ♂ desig.; BM).
- majidi* Young and Majid  
Townsend 1990:100 (5 syntypes; add BM).

*mangyanus* (Banks)

McCabe and Johnson 1980:28 (syntype ♀; change NE to NY).

*nemophilous* Peyton and Ramalingam

1988:276 (♂\*, ♀\*, P\*, L\*). Type loc.: Ban Bang Ra Ko, Phangnga Prov., Thailand (holotype ♀ & Pe,Le; USNM).

*notanandai* Rattanaarithikul and Green

1987:259 (♂, ♀\*, E\*). Type loc.: Ban Tah Cha Lao, Tha Yang, Phetchaburi Prov., Thailand (holotype ♀ & Pe,Le; USNM).

*paltrinierii* Shidrawi and Gillies

1988:202 (♂\*, ♀, P, L\*). Type loc.: Dank River and Nizra River, Oman (holotype ♀; BM).

*pauliani* Grjebine

Townsend 1990:118 (add L syntype; BM).

*pharoensis* Theobald

bozasi Neveu-Lemaire, 1905. Rodhain and Boutonnier 1985:273 (2 syntypes; change FMP to PIP).

*pseudojamesi* Strickland and Chowdhury

ramsayi Covell, 1927. Nurul Huda and Harrison 1985:49 (synonymy).

*pseudowillmori* (Theobald)

Rattanaarithikul and Green 1987:252 (from synonymy with *maculatus*).

*punctulatus* Doenitz

Townsend 1990:125 (add 3 syntypes; BM).

*ranci* Grjebine

Townsend 1990:127 (add 2 syntypes; BM).

*salbairi* Maffi and Coluzzi

Townsend 1990:130 (add 40 syntypes; BM).

*sawadwongporni* Rattanaarithikul and Green

1987:256 (♂, ♀\*, E\*). Type loc.: Ban Thung Khua Mu, Rong Kwang, Phrae Prov., Thailand (holotype ♀ & Pe, Le; USNM).

*somalicus* Rivola and Holstein

Townsend 1990:135 (add 2 L syntypes; BM).

*squamosus* Theobald

tanariviensis Ventrillon, 1906. Townsend 1990:140 (add ?syntype; BM).

*stephensi* Liston

Townsend 1990:136 (2 syntypes; change LU to BM).

*sulawesi* Waktoedi

Hii et al. 1988:43 (authorship changed from Koesoemawinangoen to Waktoedi).

*tchekedii* de Meillon and Leeson

Segerman 1990:53 (change BM and SAIM to BM).

*tessellatus* Theobald

ssp. kalawara Stoker and Waktoedi, 1949 (authorship changed from Koesoemawinangoen to Waktoedi). (Note 2).

*theileri* Edwards

albipes Theobald, 1911. Townsend 1990:39 (add 2 ♀ syntypes; BM).

*turkhudi* Liston

amutis De Burca, 1943. Townsend 1990:42 (lectotype ♂ desig.; BM).

*vagus* Doenitz

- albino Stoker and Waktoedi, 1949 (authorship changed from Koesoemawinagoen to Waktoedi). (Note 2).
- vaneedeni* Gillies and Coetzee  
1987:81 (♂\*, ♀\*, P, L). Type loc.: Pusela, Tzaneen, South Africa (holotype ♀; BM). (Note 4).
- varuna* Iyengar  
Townsend 1990:147 (specimens not syntypes; type loc. India, not Sri Lanka, see Iyengar 1924:25). (Note 5).
- vinckei* de Meillon  
Segerman 1990:53 (holotype; change SAIM to LU).
- willmori* (James)  
Rattanarithikul and Green 1987:254 (emend. from willmorei to original spelling; from variety of *maculatus*; lectotype ♀ desig., BM).  
dudgeonii Theobald, 1907. Townsend 1990:69 (erroneous attribution of lectotype desig. to Rattanarithikul and Green 1987:256).
- maculosa* James and Liston, 1911. Rattanarithikul and Green 1987:256 (lectotype ♀ desig.; BM).

### Subgenus *Nyssorhynchus* Blanchard

- albitarsis* Lynch Arribalzaga  
Rosa-Freitas and Deane 1989:289 (neotype ♀ desig.; IOC).
- deaneorum* Rosa-Freitas  
1989:535 (♂\*, ♀\*, P, L\*, E). Type loc.: Guajara-Mirim, Palheta, Rondonia State, Brazil (holotype ♀; IOC).
- marajoara* Galvao and Damasceno  
Linthicum 1988:198 (from synonymy with *albitarsis*; holotype in FMSP).  
domesticus Galvao and Damasceno, 1944. Linthicum 1988:198 (synonymy).
- nigritarsis* (Chagas)  
Townsend 1990:110 (? syntype ♀; change LU to BM).
- sawyeri* Causey, Deane, Deane and Sampaio  
Linthicum 1988:155 (from subspecies of *argyritarsis*).

### Genus *Bironella* Theobald

#### Subgenus *Brugella* Edwards

- hollandi* Taylor  
Lee et al. 1988d:47 (holotype ♂; change US to ANIC).

### Subgenus *Neobironella* Tenorio

- derooki* Soesilo and Slooten  
Evenhuis and Gon 1989:194 (from synonymy of soesiloi).  
soesiloi Strickland and Chowdhury, 1931. Evenhuis and Gon 1989:194 (synonymy).

**Subfamily Culicinae****Tribe Aedini****Genus *Aedes* Meigen****Subgenus *Aedes* Meigen***dahuricus* Danilov

1987b:41 (♂\*, ♀\*, L\*). Type loc.: Kubukhai, Onan District, Chita Prov., USSR (holotype ♀ & Le; IMP).

*mubiensis* Luh and Shih

1958:226 (♂\*, ♀). Type loc.: Mubien, Guanxi Autonomous Region, China (AMC).

**Subgenus *Aedimorphus* Theobald***aerarius* McIntosh

Segerman 1990:53 (holotype from SAIM to NIV).

*albodorsalis* Fontenille and Brunhes

1985:151 (♀\*). Type loc.: Fenerive, Tamatave Prov., Madagascar (holotype ♀; MNHP).

*bambiotai* Geoffroy

1987:101 (♂\*, ♀\*, E\*). Type loc.: Andiopodoume forest, Ivory Coast (holotype ♂; USNM). (Note 6).

*bancoi* Geoffroy

1987:103 (♂\*). Type loc.: Banco forest, near Abijan, Ivory Coast (holotype ♂; USNM).

*masoalensis* Fontenille and Brunhes

1985:153 (♀\*). Type loc.: Onive Valley, Masola, Diego-Suarez Prov., Madagascar (holotype ♀; MNHP).

*mathioti* Fontenille and Brunhes

1985:154 (♀\*). Type loc.: Onive Valley, Masola, Diego-Suarez Prov., Madagascar (holotype ♀; MNHP).

*pallidostriatatus* (Theobald)

*parascelos* Theobald, 1910. Townsend 1990:118 (syntype ♀; BM).

*taeniorhynchoides* (Christophers)

Townsend 1990:140 (change BM to LU).

*tarsalis* (Newstead)

*biannulata* Theobald, 1907. Townsend 1990:52 (lectotype ♂ desig.; BM).

*veeniae* McIntosh

Segerman 1990:53 (holotype from SAIM to NIV).

*vittatus* (Bigot)

*brumpti* Neveu-Lemaire, 1905. Rodhain and Boutonnier 1985:275 (holotype ♀; change NE to PIP).

**Subgenus *Alanstonea* Mattingly***treubi* (De Meijere)

Townsend 1990:143 (syntype ♀; BM).

**Subgenus *Albuginosus* Reinert**

*Albuginosus* Reinert, 1987:308. Type species: *Stegomyia marshallii* Theobald.



*capensis* Edwards

Reinert 1987:307 (from subgenus *Aedimorphus*).

*gilliesi* Van Someren

Reinert 1987:307 (from subgenus *Aedimorphus*).

*haworthi* Edwards

Reinert 1987:307 (from subgenus *Aedimorphus*).

*kapretwae* Edwards

Reinert 1987:307 (from subgenus *Aedimorphus*).

*kennethi* Muspratt

Reinert 1987:307 (from subgenus *Aedimorphus*).

*marshallii* (Theobald)

Reinert 1987:307 (from subgenus *Aedimorphus*).

*ngong* Van Someren

Reinert 1987:307 (from subgenus *Aedimorphus*).

*stokesi* Evans

Reinert 1987:307 (from subgenus *Aedimorphus*).

*teesdalei* Van Someren

Reinert 1987:307 (from subgenus *Aedimorphus*).

### Subgenus *Diceromyia* Theobald

*cordellieri* Huang

1986a:636 (♂\*, ♀\*, P\*, L\*). Type loc.: Dezidougou, M'Bahiakro, Centre Departement, Ivory Coast (holotype ♂ & Pe,Le; USNM).

### Subgenus *Edwardsaedes* Belkin

*pingpaensis* Chang

antuensis Su, Wang and Li, 1978. Danilov 1985:380 (synonymy).

### Subgenus *Finlaya* Theobald

*albotaeniatus* (Leicester)

mikiranus Edwards, 1922. Harrison et al. 1991:211 (synonymy).

*aureostriatus* (Doleschall)

leucopleurus Rozeboom, 1946. Reinert 1990b:51 (synonymy).

*auridorsum* Edwards

Townsend 1990:48 (change BM to LU).

*axitiosus* Kulasekera, Knight and Harbach

1990:26 (♂\*, ♀, P\*, L\*). Type loc.: Rayoh, Tenom, Sabah, Malaysia (holotype ♂ & Pe,Le; USNM).

*formosensis* Yamada

Rattanarithikul and Harrison 1988:82 (lectotype ♀ desig.: IID).

khassiana Barraud, 1923. Rattanarithikul and Harrison 1988:83 (lectotype ♀ desig.; BM).

*gilcolladoi* Sanchez-Covisa V., Rodriguez R. and Guillen L.

1985:441 (L\*). Type loc.: Spain (no additional data). (Note 7).

*gonguoensis* Gong and Lu

1986:1 (♂\*, ♀, L\*). Type loc.: Gonguo, Yunnan Prov., P.R. China (holotype ♀; YIE).

*greenii* (Theobald)

Harrison et al. 1991:211 (from subspecies of *aureostriatus*).

*kanaranus* Barraud, 1924. Townsend 1990:90 (2 syntypes; change LU to BM).

Harrison et al. 1991:212 (transferred synonymy from var. of *aureostriatus*).

*horotoi* Taylor

Lee et al. 1982:166 (change BBM to LU).

*kochi* (Doenitz)

Townsend 1990:91 (syntype ♀; BM).

*leonis* Colless

Harrison et al. 1991:199 (from subspecies of *niveus*).

*macfarlanei* (Edwards)

*hegneri* Causey, 1937. Harrison et al. 1991:212 (synonymy).

*mallochi* Taylor

Townsend 1990:100 (syntype ♀; BM, may invalidate neotype of Knight and Marks 1952:558). (Note 8).

*mikrokopion* Knight and Harrison

1988:215 (♂\*, ♀\*, P\*, L\*). Type loc.: Sangkhla Buri, Kanchanaburi Prov., Thailand (holotype ♂ & Pe,Le; USNM).

*pecuniosus* Edwards

Reinert 1988:59 (♀\*; from synonymy of *purpureus*).

*reinerti* Rattananarithikul and Harrison

1988:78 (♂\*, ♀\*, P\*, L\*). Type loc.: Doi Inthanon, Chiang Mai Prov., Thailand (holotype ♂ & Pe,Le; USNM).

### Subgenus *Geoskusea* Edwards

*lunulatus* King and Hoogstraal

Marks in Lee et al. 1984:13 (from subgenus *Pseudoskusea*).

### Subgenus *Halaedes* Belkin

*Caenocephalus* Taylor, 1914 (*non Caenocephalus* Van der Wulp, 1898). Lee et al. 1984:241 (transferred synonymy from subgenus *Pseudoskusea*).

*ashworthi* Edwards

Marks in Lee et al. 1984:19 (from synonymy of *australis*).

*australis* (Erichson)

*concolor* Taylor, 1914. Townsend 1990:62 (6 syntypes; BM).

### Subgenus *Kenknightsia* Reinert

*Kenknightsia* Reinert, 1990b:4. Type species: *Stegomyia dissimilis* Leicester.

*dissimilis* (Leicester)

Reinert 1990b:18 (from subgenus *Finlaya*; lectotype ♂ desig.; BM).

*gaffigani* Reinert

1990b:24 (♀\*, P\*, L\*). Type loc.: Pensiangan, Sabah, Malaysia (holotype ♀ & Pe,Le; USNM).

*harbachi* Reinert

1990b:27 (♂\*, ♀\*, P\*, L\*). Type loc.: Doi Suthep, Ban Choeng, Chiang Mai Prov., Thailand (holotype ♂ & Pe,Le; USNM).

*karwari* (Barraud)

Reinert 1990b:32 (from variety of *dissimilis* to species status, from subgenus *Finlaya*; lectotype ♀ desig.; BM).

*lerozeboomi* Reinert

1990b:33 (♂\*, ♀\*, P\*, L\*). Type loc.: Calso, Dalton Pass, Nueva Viscaya, Philippines (holotype ♂ & Pe,Le; USNM).

*leucomeres* (Giles)

Reinert 1990b:37 (from subgenus *Finlaya*).

*litwakae* Reinert

1990b:39 (♂\*, ♀\*, P\*, L\*). Type loc.: Caburan, Davao, Mindanao, Philippines (holotype ♂ & Pe,Le; USNM).

*luzonensis* Rozeboom

Reinert 1990b:43 (from subgenus *Finlaya*).

*paradissimilis* Rozeboom

Reinert 1990b:47 (from subgenus *Finlaya*).

*pecori* Reinert

1990b:52 (♂\*, ♀\*, P\*, L\*). Type loc.: Gunong Jasar, Cameron Highlands, Penang, Malaysia (holotype ♀ & Pe,Le; USNM).

*wilkersoni* Reinert

1990b:56 (♂\*, ♀\*, P\*, L\*). Type loc.: Ulu Gombak, Selangor, Malaysia (holotype ♂ & Pe,Le; USNM).

### Subgenus *Levua* Stone and Bohart

*geoskusea* Amos

Lee et al. 1984:44 (unjustified synonymy with *suvae*). (Note 9).

### Subgenus *Neomelaniconion* Newstead

*luridus* McIntosh

Segerman 1990:53 (holotype; change SAIM to NIV).

*mcintoshii* Huang

1987:109 (♂\*, ♀\*). Type loc.: Onderstepoort, Transvaal, South Africa (holotype ♂; USNM).

*unidentatus* McIntosh

Segerman 1990:53 (holotype; from SAIM to NIV).

### Subgenus *Ochlerotatus* Lynch Arribalzaga

*albineus* Seguy

Townsend 1990:39 (2 syntypes; BM).

*camptorhynchus* (Thomson)

*annulipes* Taylor, 1914. Townsend 1990:42 (?3 syntypes; BM).

*detritus* (Haliday)

*maculosa* Theobald, 1905. Townsend 1990:99 (syntype ♀; BM).

*eidsvoldensis* Mackerras

Lee et al. 1984:145 (from subspecies of *theobaldi*).

*excrucians* (Walker)

*abfitchii* Felt, 1904. McCabe and Johnson 1980:27 (lectotype L desig. by D.M. Wood; NY).

*flavescens* (Mueller)

Townsend 1990:73 (syntype ♀; change O to BM).

flavescens Theobald, 1901. Townsend 1990:73 (syntype ♀; change O to BM).

*imperfectus* Dobrotworsky

Lee et al. 1984:154 (holotype ♂ & Pe,Le; change USNM (error in Knight and Stone 1977:134) to NMM).

*implicatus* Vockeroth

Ward 1987:95 (from synonymy of *leucomelas*).

*intermedius* Danilov and Gornostaeva

1987:612 (♂\*, ♀\*, L\*). Type loc.: Abakan, Khakas Autonomous Prov., Krasnoyarsk Territory, USSR (holotype ♂ & Le; IMP).

*juppi* McIntosh

Knight and Stone 1977:135 (type in SAIM). (Note 10; change SAIM to NIV).

*lasaensis* Meng

ssp. *gyirongensis* Ma

1982:162 (♂\*, ♀). Type loc.: Gyirong, Xizang Autonomous Region, P.R. China (holotype ♂; IZ).

*longifilamentus* Su and Zhang

1988:11 (♂\*, ♀). Type loc.: Yumin, Xinjiang Uygur Autonomous Region, P.R. China (holotype ♂; AMC).

*normanensis* (Taylor)

Townsend 1990:112 (?2 syntypes; BM).

*pulcritarsis* (Rondoni)

Snow 1986:361 (corrected specific epithet from pulchritarsis, Article 32b, ICZN 1985).

*pullatus* (Coquillett)

seguyi Apfelbeck, 1929. Townsend 1990:132 (4 syntypes; change LU to BM).

*quasirusticus* Torres Canamares

Townsend 1990:126 (3 syntypes; change ?BM to BM).

*rhyacophilus* Da Costa Lima

Sallum et al. 1988:67 (from synonymy with *scapularis*; lectotype ♀ desig.; IOC).

*riparioides* Su and Zhang

1987:450 (♂\*, ♀, L\*). Type loc.: Jingpeng, Keshiketeng Banner, Inner Mongolia Autonomous Region, P.R. China (holotype ♀; BMC).

*sagax* (Skuse)

wilsoni Taylor, 1919. Townsend 1990:151 (add 10 syntypes; BM).

*sedaensis* Lei

1989:6 (♂, ♀, L). Type loc.: Seda and Songpan counties, Sichuan Prov., P.R. China (holotype ♀; SIP).

*simanini* Gutsevich

Ward 1987:95 (from synonymy of niphadopsis).

*sticticus* (Meigen)

paradianteus Apfelbeck, 1929. Townsend 1990:118 (syntype ♂; change LU to BM).

*stramineus* Dubitzky

Ward 1987:95 (from synonymy of albineus).

*tahoensis* Dyar

Brust and Munstermann 1992:2 (from synonymy with *communis*).

### Subgenus *Rhinokusea* Edwards

*portonovoensis* Tewari and Hiriyan

1992:123 (♂\*, ♀\*, P\*, L\*). Type loc.: Pichavaram mangrove swamp, South Arcot District, India (holotype ♂ & Pe,Le; USNM).

### Subgenus *Rusticoidus* Shevchenko and Prudkina

*krymmontanus* Alekseev

1989:173 (♂\*, ♀\*, L\*). Type loc.: southern slope of Crimean Mountains, Crimea, USSR; (holotype adult; A). (Note 11).

*refiki* Medschid

Townsend 1990:128 (3 syntypes; change LU to BM).

### Subgenus *Scutomyia* Theobald

*Scutomyia* Theobald, 1904. Reinert 1985:121 (from synonymy with *Stegomyia*). Type species: *Scutomyia albolineata* Theobald.

*albolineatus* (Theobald)

Reinert 1985:121 (from subgenus *Stegomyia*).

*arboricola* Knight and Rozeboom

Reinert 1985:121 (from subgenus *Stegomyia*).

*bambusicola* Knight and Rozeboom

Reinert 1985:121 (from subgenus *Stegomyia*).

*boharti* Knight and Rozeboom

Reinert 1985:121 (from subgenus *Stegomyia*).

*hoogstraali* Knight and Rozeboom

Reinert 1985:121 (from subgenus *Stegomyia*).

*impatibilis* (Walker)

Reinert 1985:121 (from subgenus *Stegomyia*).

*laffooni* Knight and Rozeboom

Reinert 1985:121 (from subgenus *Stegomyia*).

*platylepidus* Knight and Hull

Reinert 1985:121 (from subgenus *Stegomyia*).

*pseudalbolineatus* Brug

Reinert 1985:121 (from subgenus *Stegomyia*).

### Subgenus *Sinoedes* Gong and Lu

*Sinoedes* Gong and Lu, 1991:55. Type species: *Aedes occidentayunnanus* Gong and Lu.

*occidentayunnanus* Gong and Lu

1991:55 (♂\*, ♀\*, L\*). Type loc.: Longchuan County, Yunnan Prov., P.R. China (holotype ♂; YIE).

### Subgenus *Skusea* Theobald

*lambrechtii* Van Someren

Townsend 1990:92 (change BM to NE).

### Subgenus *Stegomyia* Theobald

*aegypti* (Linnaeus)

lamberti Ventrillon, 1904. Rodhain and Boutonnier 1985:275 (from synonymy of *albopictus*, 2 syntypes; PIP). Townsend 1990:92 (8 syntypes; change LU to BM).

queenslandensis Theobald, 1901. Lee et al. 1987:14 (synonymy).

*africanus* (Theobald)

Huang 1990:16 (lectotype ♂ desig.; BM).

*apicoargenteus* (Theobald)

Townsend 1990:44 (lectotype ♀ desig.; BM).

ssp. *denderensis* Wolfs, 1949. Townsend 1990:66 (add 6 syntypes; BM).

*calceatus* Edwards

Edwards 1924:197 [Townsend 1990:56 (erroneously attributed to Edwards (1941:142) by Knight and Stone (1977:158)]. (Note 12).

*chaussieri* Edwards

Rodhain and Boutonnier 1985:275 (syntype ♀; PIP).

*corneti* Huang

1986b:765 (♂\*, ♀\*, P\*, L\*). Type loc.: Tiwai Island (Moa River), Potoro, Southern Prov., Sierra Leone (holotype ♂ & Pe,Le; USNM).

*edwardsi* (Barraud)

Townsend 1990:70 (9 syntypes; BM).

*galloisiodes* Liu and Lu

1984:76 (♂\*, ♀, L\*). Type loc.: Kuming, Yunnan Prov., P.R. China (holotype ♀; KIM).

*josihae* Huang

1988a:155 (♂\*, ♀\*). Type loc.: 60–70 km s Ifakara, Tanzania (holotype ♂; VBDK).

*katherinensis* Woodhill

Lee et al. 1987:124 (from subspecies of *scutellaris*).

*luteocephalus* (Newstead)

Huang 1990:27 (lectotype ♀ desig.; BM).

*maxgermaini* Huang

1990:31 (♀\*). Type loc.: Mamfe, West Cameroon, Cameroon (holotype ♀; USNM).

*mickevichae* Huang

1988b:6 (♀\*). Type loc.: Kaunro, Kenya (holotype ♀; BM).

*saimedres* Huang

1988b:10 (♀\*). Type loc.: Okokara, Namibia (holotype ♀; BM).

*soleatus* Edwards

1924:198 [Townsend 1990:135 (erroneously attributed to Edwards (1941:142) by Knight and Stone (1977:165)]. (Note 12).

*strelitziae* Muspratt

Segerman 1990:54 (holotype; change ?SAIM to SAIM).

*tabu* Ramalingam and Belkin

Lee et al. 1987:229 (from subspecies of *tongae*).

### Subgenus *Verrallina* Theobald

Reinert 1984:3 (redescription).

*azureosquamatus* Bonne-Wepster

Lee et al. 1987:259 (holotype ♀; change LM to ITH).

*cunninghami* Taylor

Reinert 1974:17 (from subgenus *Aedes*).

*lugubris* Barraud

Reinert 1984:39 (lectotype ♀ desig.; BM).

*pseudomediofasciatus* (Theobald)

Reinert 1984:45 (lectotype ♂ desig.; BM).

*spermathecus* Wijesundara

Reinert 1974:17 (from subgenus *Aedes*). Townsend 1990:136 (syntype ♀; change MRI to BM).

*uniformis* (Theobald)

Reinert 1974:17 (from subgenus *Aedes*).

*varietas* (Leicester)

Townsend 1990:147 (erroneous lectotype desig.). (Note 13).

### Subgenus uncertain

*daliensis* (Taylor)

Lee et al. 1984:46 (?near subgenus *Levua* from subgenus *Geoskusea*).

### Genus *Armigeres* Theobald

#### Subgenus *Armigeres* Theobald

*breinli* (Taylor)

Lee et al. 1988d:6 (lectotype ♀; change US to ANIC).

*denbesteni* Brug

spatulatus Brug, 1939. Townsend 1990:136 (?holotype ♂; BM).

*durhami* Edwards

javanensis Brug, 1939. Ramalingam 1987:64 (from variety of *kuchingensis* to synonymy of *durhami*).

*kesseli* Ramalingam

1987:56 (♂\*, ♀\*, P\*, L\*). Type loc.: Ulu Gombak, Selangor, Malaysia (holotype ♂ & Pe,Le; USNM).

*malayi* (Theobald)

fusca Theobald, 1903. Townsend 1990:77 (unjustified removal from synonymy). (Note 14).

*milnensis* Lee

ventralis Walker, 1865 (*Culex*), (*non* Walker, 1860). Marks in Lee et al. 1988d:19 (from *nomen dubium* of genus *Culex* to synonymy; syntype ♀; change NE to NMM).

*obturbans* (Walker)

Lee et al. 1988d (holotype ♀; change NE to NMM, from *nomen dubium*).

*sexicoxitus* Luh and Li

1981:188 (♂\*, ♀). Type loc.: Guangxi Autonomous Region, P.R. China (holotype ♀; AMC).

### Subgenus *Leicesteria* Theobald

*magnus* (Theobald)

Townsend 1990:100 (syntype ♂; BM).

### Genus *Eretmapodites* Theobald

*mortiauxi* Cunha Ramos and Ribeiro

1990:139 (♂\*). Type loc.: Dundo (Carisso Park), Angola (holotype ♂; IHMT).

*silvestris* Ingram and de Meillon

Townsend 1990:133 (lectotype ♀ desig.; BM).

### Genus *Haemagogus* Williston

#### Subgenus *Haemagogus* Williston

*anastasionis* Dyar

dominguezi Duret, 1971. Harbach et al. 1991:193 (holotype ♂; change A to USNM).

*capricornii* Lutz

Xavier and da Silva Mattos 1989:50 (neotype ♀ & Pe,Le; CPRR).

*lucifer* (Howard, Dyar and Knab)

Townsend 1990:96 [invalid syntype ♀; see lectotype ♂ desig., Dyar 1921:107 (Article 73b(ii) ICZN 1985)].

### Genus *Heizmannia* Ludlow

#### Subgenus *Heizmannia* Ludlow

*greenii* (Theobald)

Amerasinghe 1989:86 (lectotype ♂ desig.; BM).

*heterospina* Gong and Lu

Lu and Gong 1986:183 (♂\*). Type loc.: Xianguan, Yunnan Prov., P.R. China (holotype ♂; YIE).

*lii* Wu

Townsend 1990:44 (add 6 syntypes; BM).

*menglianensis* Lu and Gong

1986:184 (♂\*, ♀\*, L). Type loc.: Menglian, Yunnan Prov., P.R. China (holotype ♀; YIE).

### Genus *Psorophora* Robineau-Desvoidy

#### Subgenus *Janthinosoma* Lynch Arribalzaga

*lutzii* (Theobald)

chaquensis Paterson and Shannon, 1927. Knight and Stone 1977:190 (holotype ♀; change NE to USNM). (Note 15).

*pilosus* Duret

Harbach et al. 1991:194 (holotype ♂; change A to USNM).

*pseudoalbipes* Duret

Harbach et al. 1991:194 (holotype ♂; change A to USNM).

*varipes* (Coquillett)

ferraroj Duret, 1971. Harbach et al. 1991:193 (holotype ♂; change A to USNM).

### Genus *Udaya* Thurman

*subsimilis* (Barraud)

Reinert 1990a:207 (from genus *Aedes*, subgenus *Finlaya*).



## Tribe Culicini

### Genus *Culex* Linnaeus

#### Subgenus *Afrocullex* Danilov

*Afrocullex* Danilov, 1989:790. Type species: *Pseudohowardina lineata* Theobald.  
*lineata* (Theobald)

Danilov 1989:790 (from subgenus *Maillotia*).

*pulchrithorax* Edwards, 1914. Danilov 1989:790 (from subgenus *Maillotia*; synonymy).

#### Subgenus *Allimanta* Casal and Garcia

*tramazayguesi* Duret

Harbach et al. 1991:194 (holotype ♂; change A to USNM).

#### Subgenus *Anoedioporpa* Dyar

*belemensis* Duret and Damasceno

Harbach et al. 1991:192 (holotype ♂; change A to USNM).

*damascenoi* Duret

Harbach et al. 1991:193 (holotype ♂; change A to USNM).

*quasioriginator* Duret

Harbach et al. 1991:194 (holotype ♂; change A to USNM).

#### Subgenus *Culex* Linnaeus

*annulioris consimilis* Newstead

*pseudoannulioris* Theobald, 1909. Townsend 1990:123 (lectotype ♀ desig.; BM).

*annulirostris* Skuse

Lee et al. 1989a:36 (holotype ♀; change MM to ANIC).

*somerseti* Taylor, 1912. Lee et al. 1989a:36 (holotype ♀; change US to ANIC).

*consimilis* Taylor, 1913. Lee et al. 1989a:36 (holotype ♀; change US to ANIC).

*simplex* Taylor, 1914. Lee et al. 1989a:36 (holotype ♀; change US to ANIC).

*antennatus* (Becker)

*laurenti* Newstead, 1907. Harbach 1988:48 (lectotype ♂ desig.; BM).

*aquarius* Strickman

1990:150 (♂\*, ♀\*, P\*, L\*). Type loc.: San Isidro de Coronada, San Jose Prov., Costa Rica (holotype ♂ & Pe,Le; USNM).

*argenteopunctatus* (Ventrillon)

Townsend 1990:45 (add 2 syntypes; BM).

*bitaeniorhynchus* Giles

Harbach 1988:105 (neotype ♂ desig.; BM).

*ager* Giles, 1901. Townsend 1990:38 (neotype ♂ desig.; BM—same specimen as neotype of *bitaeniorhynchus*).

*ethiopicus* Edwards, 1912. Harbach 1988:101 (synonymy).

*brumpti* Gaillard

Townsend 1990:55 (lectotype ♀ desig.; change LU to BM).

*chitae* Duret

Harbach et al. 1991:193 (holotype ♂; change A to USNM).

*crinicauda* Edwards

parvus Taylor, 1912. Townsend 1990:118 (? add ♂ syntype; BM).

*cuyanus* Duret

Harbach et al. 1991:193 (holotype ♂; change A to USNM).

*decens* Theobald

Harbach 1988:44 (lectotype ♂ desig.; BM).

masculus Theobald, 1901. Harbach 1988:44 (lectotype ♂ desig.; BM).

minutus Theobald, 1905. Harbach 1988:44 (lectotype ♂ desig.; BM).

nigrocostalis Theobald, 1909. Harbach 1988:44 (lectotype ♂ desig.; BM).

lividocostalis Graham, 1910. Harbach 1988:45 (lectotype ♂ desig.; BM).

*duttoni* Theobald

Harbach 1988:82 (lectotype ♀ desig.; BM).

dissimilis Theobald, 1901. Harbach 1988:82 (lectotype ♂ desig.; BM).

hirsutipalpis Theobald, 1901. Harbach 1988:82 (lectotype ♂ desig.; BM).

bifoliata Theobald, 1905. Harbach 1988:82 (lectotype ♂ desig.; BM).

albovirgatus Graham, 1910. Harbach 1988:82 (lectotype ♂ desig.; BM).

*edwardsi* Barraud

Lee et al. 1989a:117 (change BM to LU).

*fuscocephala* Theobald

fuscitarsis Barraud, 1924. Bram 1967:188 (lectotype ♂ desig.; BM).

*grahamii* Theobald

var. *farakoensis* Hamon, 1955. Townsend 1990:72 (add 2 ♂ syntypes; BM).

*guizhouensis* Chen and Zhao

1985:265 (♂\*, ♀\*, P\*, L\*). Type loc.: Guiyang, Guizhou Prov., P.R. China (syntypes 20 ♂, 25 ♀, 17 Pe, 50 Le; GMC).

*interfor* Dyar

Harbach et al. 1986:141 (from synonymy of *bidens*).

*invidiosus* Theobald

chloroventer Theobald, 1909. Townsend 1990:59 (add 2 syntypes; change ?BM to BM).

*jacksoni* Edwards

fuscifurcatus Edwards, 1934. Townsend 1990:77 (holotype ♂; BM—invalidates lectotype desig. by Sirivanakarn 1976:151). (Note 16).

*lactator* Dyar and Knab

Strickman and Pratt 1989:562 (from synonymy of *corniger*).

*litwakae* Harbach

1985b:255 (♂\*, ♀, P\*, L\*). Type loc.: Mazeras, Mambasa District, Coast Region, Kenya (holotype ♂ & Pe, Le; USNM).

*mimulus* Edwards

Sirivanakarn 1976:159 (lectotype ♂ desig.; BM). Townsend 1990:105 (invalidates lectotype desig. by Sirivanakarn 1976). (Note 17).

mossmani Taylor, 1915. Lee et al. 1989a:138 (2 syntypes; change US to ANIC).

*palpalis* Taylor

Marks in Lee et al. 1989a:151 (holotype ♀; change US to ANIC, from synonymy of *annulirostris*).

*paramaxi* Duret

Harbach et al. 1991:194 (holotype ♂; change A to USNM).

*pipiens* Linnaeus

Harbach et al. 1985:9 (neotype ♂ & Pe,Le desig.; USNM).

*bifurcatus* Linnaeus, 1758. Harbach et al. 1985:7 (lectotype ♂ desig.).

*molestus* Forskal 1775. Harbach et al. 1984:573 (synonymy; neotype ♂ & Pe,Le desig.; USNM). Lee et al. 1989a:143 (improper desig. as species).

*domesticus* Germar, 1817. Harbach 1988:229 (from synonymy of *molestus*).

*agilis* Bigot, 1889. Townsend 1990:38 (add ♀ syntype; BM).

*haematophagus* Ficalbi, 1893. Harbach 1988:230 (from synonymy of *molestus*).

*quasimodestus* Theobald, 1905. Harbach 1988:230 (from synonymy of *molestus*).

*autogenicus* Roubaud, 1935. Harbach 1988:230 (from synonymy of *molestus*).

*bebericus* Roubaud, 1935. Harbach 1988:230 (from synonymy of *molestus*).

*sternopallidus* Roubaud, 1945. Harbach 1988:231 (from synonymy of *molestus*).

*sternopunctatus* Roubaud, 1945. Harbach 1988:231 (from synonymy of *molestus*).

*calloti* Rioux and Pech, 1959. Harbach 1988:230 (synonymy).

*erectus* Iglisch, 1977. Harbach 1988:231 (synonymy).

*torridus* Iglisch, 1977. Harbach 1988:231 (synonymy).

*poicilipes* (Theobald)

*quasigelidus* Theobald, 1903. Harbach 1988:92 (lectotype ♀ desig.; BM).

*madagascariensis* Ventrillon, 1905. Harbach 1988:92 (lectotype ♀ desig.; MNHP).

*auritaenia* Enderlein, 1920. Harbach 1988:92 (lectotype ♀ desig.; BM).

*pruina* Theobald

ssp. *eschirasi* Galliard, 1931. Townsend 1990:71 (12 syntypes; change LU to BM).

*pseudostigmatosoma* Strickman

1990:144 (♂\*, ♀\*, P\*, L\*). Type loc.: Llano Guagololo, La Paz Department, Honduras (holotype ♂ & Pe,Le; USNM).

*quinquefasciatus* Say

*macleayi* Skuse, 1889. Lee et al. 1989a:166 (holotype ♀; change MM to ANIC).

*cartroni* Ventrillon, 1905. Harbach 1988:31 (lectotype ♀ desig.; MNHP).

*riojanus* Duret

Harbach et al. 1991:194 (holotype ♂; change A to USNM).

*simpsoni* Theobald

Harbach 1988:75 (lectotype ♂ desig.; BM).

*richteri* Ingram and de Meillon, 1927. Harbach 1988:75 (lectotype ♂ desig.; BM).

*mauritanicus* Callot, 1940. Harbach 1988:75 (synonymy).

*sinaiticus* Kirkpatrick

Townsend 1990:135 (add 9 syntypes; BM).

*sitiens* Wiedemann

*salus* Theobald, 1908. Harbach 1988:87 (lectotype ♂ desig.; BM).

*bancrofti* Theobald, 1901. Marks in Lee et al. 1989a:225 (from synonymy of *annulirostris*).

*saibaii* Taylor, 1912. Lee et al. 1989a:225 (holotype ♀; change US to ANIC).

*paludis* Taylor, 1913. Lee et al. 1989a:225 (holotype ♀; change US to ANIC).

*annulata* Taylor, 1914. Lee et al. 1989a:225 (2 syntypes; change US to ANIC).

*milni* Taylor, 1914. Lee et al. 1989a:225 (2 syntypes; change US to ANIC).

*spinus* Lutz

Lourenco de Oliveira and Townsend 1989:431 (neotype ♂ & Pe,Le desig.; FSP).

*squamosus* (Taylor)

Lee et al. 1989a:245 (holotype ♀; change US to ANIC).

- annulirostris Taylor, 1914 (Leucomyia). Lee et al. 1989a:245 (2 syntypes; change US to ANIC).
- stigmatosoma* Dyar  
Strickman 1988:490 (from synonymy of peus); Eldridge and Harbach 1989:247 (conservation of name *stigmatosoma*); International Commission on Zoological Nomenclature 1991:179 (validation of name *stigmatosoma*).
- eumimetes Dyar and Knab, 1908. Strickman 1988:490 (synonymy).
- telesilla* de Meillon and Lavoipierre  
Townsend 1990:141 (2 syntypes; add BM). Segerman 1990:54 (invalid holotype ♂). (Note 18).
- theileri* Theobald  
pettigrewii Theobald, 1910. Townsend 1990:120 (holotype ♀; change ?BM to BM).  
onderstepoortensis Theobald, 1911. Townsend 1990:115 (6 syntypes; change ?BM to BM).  
alpha Seguy, 1924. Harbach 1988:61 (synonymy, lectotype L illustration desig.; specimen NE?).
- thriambus* Dyar  
Strickman 1988:490 (from synonymy of peus); Eldridge and Harbach 1989:247 (conservation of name *thriambus*); International Commission on Zoological Nomenclature 1991:179 (validation of name *thriambus*).
- affinis Adams, 1903. Strickman 1988:490 (synonymy).
- univittatus* Theobald  
montforti Ventrillon, 1905. Townsend 1990:106 (lectotype ♂; change MNHP to BM).
- verutus* Harbach  
1987:216 (♂\*, ♀, P\*, L\*). Type loc.: Kasawe Forest Reserve, Moyamba District, Southern Prov., Sierra Leone (holotype ♂ & Pe,Le; USNM).
- vicinus* (Taylor)  
Lee et al. 1989a:265 (2 syntypes; change US to ANIC).  
annulata Taylor, 1914 (Leucomyia). Lee et al. 1989a:265 (2 syntypes; change US to ANIC).
- whitmorei* (Giles)  
Townsend 1990:151 (lectotype ♀ desig.; BM).
- vojoae* Strickman  
1990:148 (♂\*, ♀\*, P\*, L\*). Type loc.: La Joya, Cortes Department, Honduras (holotype ♂ & Pe,Le; USNM).

### Subgenus *Culiciomyia* Blanchard

- Thaiomyia Bram, 1966. Harrison 1987:111 (synonymy).
- azurini* Toma, Miyagi and Cabrera  
1984:172 (♂\*, ♀\*, P\*, L\*). Type loc.: White Beach, Puerto Princesa, Palawan Is., Philippines (holotype ♂ & Pe,Le; NMST).
- dispectus* Bram  
Harrison 1987:113 (from subgenus Thaiomyia).
- hainanensis* Chen  
Harrison 1987:113 (from subgenus Thaiomyia).
- nebulosus* Theobald  
Townsend 1990:108 (change BM to LU).  
nirochaetae Theobald, 1901. Townsend 1990:111 [add 2 syntypes; change ?NE to BM].

Knight and Stone (1977:292) erroneously placed syntype ♂ of nigrochaetae as synonym of Coquillettidia metallica (Theobald)].

*papuensis* (Taylor)

Lee et al. 1989b:21 (holotype ♀; change US to ANIC).

*rajah* Tsukamoto

1989:216 (♂, ♀, P\*, L\*). Type loc.: Mt. Kinabalu, Sabah, Malaysia (holotype ♂; NMST).

*spathifurca* (Edwards)

stylifurcatus Carter and Wijesundara, 1948. Townsend 1990:137 (lectotype ♂ desig., BM).

*spiculostylus* Chen

1989:86 (♂\*, ♀\*, L\*). Type loc.: Mengla Xian, Xishuangbanna, Yunnan Prov., P.R. China (holotype ♂; GMC).

### Subgenus *Eumelanomyia* Theobald

*castor* de Meillon and Lavoipierre

Segerman 1990:54 (holotype ♂; change IERT to SAIM).

*foliatus* Brug

Townsend 1990:74 (lectotype ♂ desig.; BM).

*hackeri* Edwards

Townsend 1990:81 (holotype ♂; BM—invalidates lectotype desig. by Sirivanakarn 1972:52). (Note 19).

*hayashii* Yamada

Townsend 1990:82 (12 syntypes; change IID to BM).

*oresbius* Harbach and Rattanaarithikul

1988:69 (♂\*, ♀, P\*, L\*). Type loc.: Doi Inthanon, Chom Thong, Chiang Mai Prov., Thailand (holotype ♂ & Pe; USNM).

*richardgarciai* Jeffery, Oothuman and Rudnick

1987:140 (♂\*). Type loc.: Pasoh Forest Reserve, Negeri Sembilan, Malaysia (holotype ♂; USNM).

*rima* Theobald

koumbai Gaillard, 1931. Townsend 1990:91 (3 syntypes; change LU to BM).

*rubinotus* Theobald

Townsend 1990:129 (lectotype ♀ desig.; BM).

*wansoni* Wolfs

Townsend 1990:149 (add 2 syntypes; BM).

### Subgenus *Kitzmilleria* Danilov

*Kitzmilleria* Danilov, 1989:792. Type species: *Culex moucheti* Evans.

*moucheti* Evans

Danilov 1989:792 (from subgenus *Culex*).

### Subgenus *Lasiosiphon* Kirkpatrick

*adairi* Kirkpatrick

pluvialis Kirkpatrick, 1925. Harbach et al. 1989:320 (syntypes; change LU to DAC and ESE); Townsend 1990:122 (add 8 syntypes; BM).

### Subgenus *Lophoceraomyia* Theobald

*bengalensis* Barraud

Townsend 1990:51 (lectotype ♂ desig.; change LU to BM).

*cubiculi* Marks

Marks in Lee et al. 1989b:94 (*nomen novum* for *Lophoceratomyia annulata* Taylor, 1916 (*non* Schrank, 1776), from synonymy of *fraudatrix*; 4 syntypes; change US to ANIC).

Townsend 1990:43 (syntype ♂; change LU to BM).

*fraudatrix* (Theobald)

Lee et al. 1989b:105 [invalid lectotype desig. by Sirivanakarn (1968:156)]. (Note 20).

*gagnei* Evenhuis

Evenhuis and Gon 1989:209 (*nomen novum* for *ornatus* Theobald, 1905, preoccupied by *ornatus* Meigen, 1818).

*hewitti* (Edwards)

Townsend 1990:82 (holotype ♂; BM—invalidates lectotype desig. of Sirivanakarn 1977:132). (Note 21).

*insequens* Marks

Marks in Lee et al. 1989b:120 (*nomen novum* for *cairnsensis* Taylor, 1919:837 (*non cairnsensis* Taylor, 1919:829), from synonymy of *fraudatrix* (2 syntypes; change US to ANIC).

*pseudorubithoracis* Sirivanakarn

1968:178 (holotype ♂; change BBM to LU). (Note 22).

*quadripalpis* (Edwards)

*sylvestris* Leicester, 1908. Townsend 1990:139 (lectotype ♂; change NE to BM).

*sangenluoensis* Wang

1984:217 (♂\*, ♀\*, L\*). Type loc.: Wanning, Hainan, Sangenluo Commune, P.R. China (holotype ♂; TMMC).

### Subgenus *Lutzia* Theobald

*tigripes* De Grandpre and De Charmoy

Townsend 1990:142 (add 2 syntypes; BM).

### Subgenus *Maillotia* Theobald

*deserticola* Kirkpatrick

Harbach 1985a:84 (from subgenus *Neoculex*); Harbach et al. 1989:320 (syntypes; change LU to DAC and ESE); Townsend 1990:67 (add 6 syntypes; BM).

*hortensis* Ficalbi

Townsend 1990:84 (12 syntypes; change LU to BM).

*pulchrithorax* Edwards

*lineata* Theobald, 1912. Townsend 1990:94 (add 3 syntypes; BM).

*salisburyensis* Theobald

*bostocki* Theobald, 1905. Townsend 1990:53 (holotype ♀; change NE to BM).

### Subgenus *Melanoconion* Theobald

*aliciae* Duret

Harbach et al. 1991:192 (holotype ♂; change A to USNM).

- alvarezi* Sutil Oramas, Pulido F. and Amarista M.  
1987:83 (♂\*). Type loc.: Chircola, Apure State, Venezuela (holotype ♂; DERM).
- anoplicitus* Forattini and Sallum  
1989a:1 (♂\*). Type loc.: Vilarinho, Itapitangui, Sao Paulo State, Brazil; (holotype ♂, FSP).
- bahiensis* Duret  
Harbach et al. 1991:192 (holotype ♂; change A to USNM).
- bejaranoi* Duret  
Harbach et al. 1991:192 (holotype ♂; change A to USNM).
- cedecei* Stone and Hair  
Cupp in Weaver et al. 1986:619 (from synonymy of *taeniopus*).
- contei* Duret  
Harbach et al. 1991:193 (holotype ♂; change A to USNM).
- crisovaoi* Duret  
Harbach et al. 1991:193 (holotype ♂; change A to USNM).
- delpontei* Duret  
Harbach et al. 1991:193 (holotype ♂; change A to USNM).
- ernanii* Duret  
Harbach et al. 1991:193 (holotype ♂; change A to USNM).
- faurani* Duret  
Harbach et al. 1991:193 (holotype ♂; change A to USNM).
- ferreri* Duret  
Harbach et al. 1991:193 (holotype ♂; change A to USNM).
- flochi* Duret  
Harbach et al. 1991:193 (holotype ♂; change A to USNM).
- galvaoi* Duret  
Harbach et al. 1991:193 (holotype ♂; change A to USNM).
- garcesi* Duret  
Harbach et al. 1991:193 (holotype ♂; change A to USNM).
- glyptosalpinx* Harbach, Peyton and Harrison  
1984:186 (♂\*, ♀\*, P\*, L\*). Type loc.: Rincon Del Tigre, Sandoval Prov., Santa Cruz Dept., Bolivia (holotype ♂ & Pe,Le; USNM).
- guedesi* Mattos and Xavier  
1991:193 (♂\*). Type loc.: Lagoa dos Mares, Lagoa Santa, Minas Gerais State, Brazil (holotype ♂; FSP).
- herrerae* Sutil Oramas, Pulido F. and Amarista M.  
1987:81 (♂\*). Type loc.: Jabilla, Quesedas del Medio, Apure State, Venezuela (holotype ♂; DERM).
- isabelae* Duret  
Harbach et al. 1991:194 (holotype ♂; change A to USNM).
- johnnyi* Duret  
Harbach et al. 1991:194 (holotype ♂; change A to USNM).
- milwardi* Xavier and da Silva Mattos  
Forattini et al. 1988:535 (holotype ♂; change A to FSP).
- misionensis* Duret  
Harbach et al. 1991:194 (holotype ♂; change A to USNM).

*nicaroensis* Duret

Harbach et al. 1991:194 (holotype ♂; change A to USNM).

*ocellatus* Theobald

Townsend 1990:114 (change BM to LU).

*orfilai* Duret

Harbach et al. 1991:194 (holotype ♂; change A to USNM).

*palaciosi* Duret

Harbach et al. 1991:194 (holotype ♂; change A to USNM).

*pereyrai* Duret

Harbach et al. 1991:194 (holotype ♂; change A to USNM).

*phlabistus* Dyar

kerri Duret, 1968. Harbach et al. 1991:194 (holotype ♂; change A to USNM).

*rabelloi* Forattini and Sallum

1987a:130 (♂\*, ♀\*, P\*, L\*). Type loc.: Pariquera-Mirim, Pariquera-Acu County, Sao Paulo State, Brazil (holotype ♂ & Pe,Le; FSP).

*rachoui* Duret

Harbach et al. 1991:194 (holotype ♂; change A to USNM).

*ribeirensis* Forattini and Sallum

1985:171 (♂\*, ♀\*, P\*, L\*). Type loc.: Experimental Station of Ribeira Valley, Sao Paulo State, Brazil (holotype ♀ & Pe,Le; FSP).

*silvai* Duret

Harbach et al. 1991:194 (holotype ♂; change A to USNM).

*spathulatus* Forattini and Sallum

1987b:167 (♂\*). Type loc.: Santa Helena Farm, Sao Jao de Boa Vista County, Sao Paulo State, Brazil (holotype ♂; FSP).

*theobaldi* (Lutz)

Townsend 1990:142 (change BM, ?IOC to BM).

chrysonotum Dyar and Knab, 1908. Forattini and Sallum 1989b:201 (synonymy).

chrysothorax Newstead and Thomas, 1910. Townsend 1990:60 (change BM, ?IOC to BM).

### Subgenus *Microculex* Theobald

*davisi* Kumm

Townsend 1990:65 (26 syntypes; change LU to BM).

*siphanulatus* Lourenco de Oliveira and da Silva

1987:101 (♂\*, ♀\*, P\*, L\*). Type loc.: Granjas Calabria, Jacarepagua, Rio de Janeiro, Brazil (holotype ♂ & Pe,Le; IOC).

### Subgenus *Neoculex* Dyar

*douglasi* Dobrotworsky

Lee et al. 1988b:24 (holotype ♂; change CSIR to NMM).

*fergusoni* (Taylor)

Lee et al. 1988b:26 (type ♀; change US to ANIC).

### Subgenus *Tinolestes* Coquillett

*breviculus* Senevet and Abonnenc

mojuensis Duret and Damasceno, 1955. Harbach et al. 1991:194 (holotype ♂; change A to USNM).



**Subgenus uncertain***cairnsensis* (Taylor)

Lee et al. 1988b:41 (holotype ♀; change US to ANIC).

*inornata* (Theobald)Townsend 1990:86 (improper transfer to subgenus *Melanoconion* from "subgenus uncertain" of Knight and Stone 1977:272).***Nomen Dubium****novaeguineae* EvenhuisEvenhuis and Gon 1989:210 (*nomen novum* for ventralis Walker, 1865; preoccupied by *ventralis* Walker, 1860).**Tribe Culisetini****Genus *Culiseta* Felt****Subgenus *Austrotheobaldia* Dobrotworsky***litteri* (Taylor)

Lee et al. 1988b:47 (holotype ♀; change US to ANIC).

**Subgenus *Culicella* Felt***fumipennis* (Stephens)

Townsend 1990:76 (lectotype ♀ desig.; BM).

*setivalva* (Monchadskii, 1936). Danilov 1984:313 (synonymy).*weindorferi* (Edwards)

Lee et al. 1988b:66 (holotype ♂; change LU to ANIC).

**Subgenus *Culiseta* Felt***atlantica* (Edwards)

Townsend 1990:47 (lectotype ♀ desig.; BM).

*bergrothi* (Edwards)

Townsend 1990:51 (syntype ♀; change BM, SM &amp; HM? to BM).

**Tribe Ficalbiini****Genus *Ficalbia* Theobald***minima* (Theobald)

Townsend 1990:105 (lectotype ♂ desig.; BM).

**Genus *Mimomyia* Theobald****Subgenus *Etorleptiomyia* Theobald***elegans* (Taylor)

Lee et al. 1988c:12 [holotype ♀; change US to ANIC; invalid neotype desig. by Taylor (1929:271)].

*martinei* (Doucet)Service 1990:106 (from subgenus *Ingramia*).

### Subgenus *Ingramia* Edwards

Ward 1984:246 (erroneous citation as genus).

*brygooi* Grjebine

1986:119 (♂\*, P\*, L\*). Type loc.: Manakara, Fianarantsoa, Madagascar (holotype L; SSC).

*collessi* Grjebine

1986:124 (♂\*, ♀\*, P\*, L\*). Type loc.: Manakara, East Coast, Madagascar (holotype ♂, Pe; SSC).

*levicastilloi* Grjebine

1986:145 (P\*, L\*). Type loc.: Manakara, Fianarantsoa, Madagascar (holotype L; SSC).

*longicornis* Grjebine

1986:149 (♂\*, ♀\*, P\*, L\*). Type loc.: Ambodiriana (forest), Tamatave Prov., Madagascar (holotype ♂ & Pe,Le; SSC).

*marksae* Grjebine

1986:154 (♂\*, ♀\*, P\*, L\*). Type loc.: Manakara, Fianarantsoa Prov., Madagascar (holotype L; SSC).

*mattinglyi* Grjebine

1986:158 (♂, P\*, L\*). Type loc.: Analamazaotra (forest), Perinet, Tamatave Prov., Madagascar (holotype L; SSC).

*milloti* Grjebine

1986:163 (♂\*, ♀\*, P\*, L\*). Type loc.: Manombo, km. 745, route Tananarive-Tulear, Madagascar (holotype ♂ & Pe,Le; SSC).

*ramalai* Grjebine

1986:169 (♀\*, P\*, L\*). Type loc.: La Mandraka, Tananarive Prov., Madagascar (holotype ♀ & Pe,Le; SSC).

*stellata* Grjebine

1986:192 (♂\*, ♀, P\*, L\*). Type loc.: Perinet (forest), Moramanga region, Madagascar (holotype L; SSC).

*vansomerena*e Grjebine

1986:199 (L\*). Type loc.: Lokobe reserve, Nosy Be Is., Madagascar (holotype L; SSC).

### Subgenus *Mimomyia* Theobald

*chamberlaini clavipalpus* (Theobald)

Townsend 1990:61 (add syntype ♂; BM, unjustified elevation to species). (Note 14).

*chamberlaini metallica* (Leicester)

Lee et al. 1988c:23 (from variety to subspecies).

### Tribe Hodgesiini

#### Genus *Hodgesia* Theobald

*cairnsensis* Taylor

Lee et al. 1988b:90 (holotype ♀; change US to ANIC).

*quasisanguinae* Leicester

*triangulatus* Taylor, 1914. Lee et al. 1988b:94 (holotype ♀; change US to ANIC).

*sanguinae* Theobald

Townsend 1990:130 (lectotype ♀ desig.; BM).

*spoliata* Edwards

Lee et al. 1988b:100 (add syntype ♀; ANIC).

**Tribe Mansoniiini**

**Genus *Coquillettidia* Dyar**

**Subgenus *Coquillettidia* Dyar**

*fuscopteron* (Theobald)

Marks in Lee et al. 1988d:80 (from synonymy of *crassipes*).

*giblini* (Taylor)

Lee et al. 1988d:92 (4 syntypes; change US to ANIC).

*linealis* (Skuse)

Lee et al. 1988d:97 (holotype ♀; change MM to ANIC).

*memorans* (Bonne-Wepster)

Townsend 1990:103 (holotype ♀; change GLB to BM).

*nigrochracea* (Bonne-Wepster)

Lee et al. 1988d:107 (6 syntypes; change GLB to LM and ITH).

*nigrosignata* (Edwards)

Townsend 1990:111 (syntype ♀; change LU to BM).

**Genus *Mansonia* Blanchard**

**Subgenus *Mansonioides* Theobald**

*papuensis* (Taylor)

Lee et al. 1988b:133 (invalid holotype ♀; change US to ANIC); Townsend 1990:118 (syntype ♀; BM). (Note 23).

*septempunctata* Theobald

bonnewepsterae van den Assem, 1958. Marks in Lee et al. 1988b:137 (synonymy).

**Tribe Orthopodomyiini**

**Genus *Orthopodomyia* Theobald**

*andamanensis* Barraud

Zavortink 1968:141 (lectotype desig.; BM).

*antanosyorum* Rodhain and Boutonnier

1984:220 (♂\*, ♀\*, P, L). Type loc.: Andaka plain, near Fort-Dauphin, Madagascar (holotype ♀; PIP).

*madecassorum* Rodhain and Boutonnier

1984:228 (♀). Type loc.: Perinet forest, Madagascar (holotype ♀; PIP).

*pulcripalpis* (Rondoni)

Snow 1986:361 (corrected specific epithet from pulchripalpis, Article 32b, ICZN 1985). albionensis MacGregor, 1919. Townsend 1990:39 (lectotype ♂; change ?BM to BM).

**Tribe Sabethini**

**Genus *Limatus* Theobald**

*durhami* Theobald

curvirostris Laveran, 1902. Townsend 1990:65 (syntype ♂; change ?BM to BM).

### Genus *Phoniomyia* Theobald

*deanei* Lourenco de Oliviera

1983:501 (♂\*, ♀\*). Type loc.: Granjas Calabria, Jacarepagua, Rio de Janeiro, Brazil (holotype ♂ & Pe,Le; IOC).

### Genus *Sabethes* Robineau-Desvoidy

#### Subgenus *Davismyia* Lane and Cerqueira

*Davismyia* Lane and Cerqueira, 1942. Harbach and Peyton 1991:149 (from genus *Wyeomyia*).  
*petrocchiaie* (Shannon and del Ponte)

Harbach and Peyton 1991:157 (from genus *Wyeomyia*, holotype; change USNM to NE).

#### Subgenus *Peytonulus* Harbach

*Peytonulus* Harbach 1991:1. Type species: *Sabethinus aurescens* Lutz.  
*aurescens* (Lutz)

Harbach 1991:1 (from subgenus *Sabethinus*).

*fabricii* Lane and Cerqueira

Harbach 1991:1 (from subgenus *Sabethinus*).

*gorgasi* Duret

Harbach et al. 1991:193 (holotype ♂; change A to USNM). Harbach 1991:1 (from subgenus *Sabethinus*).

*identicus* Dyar and Knab

Harbach 1991:1 (from subgenus *Sabethinus*).

*soperi* Lane and Cerqueira

Harbach 1991:1 (from subgenus *Sabethinus*).

*undosus* (Coquillett)

Harbach 1991:1 (from subgenus *Sabethinus*).

*whitmani* Lane and Cerqueira

Harbach 1991:1 (from subgenus *Sabethinus*).

### Genus *Topomyia* Leicester

#### Subgenus *Suaymyia* Thurman

*mengi* Dong, Wang and Lu

1990:64 (♂\*). Type loc.: Mengla County, Yunnan Prov., P.R. China (holotype ♂; YIM).

*spathulirostris* Edwards

Miyagi, Toma, Ramakrishna and Ramalingam 1989:41 (from subgenus *Topomyia*).

*suchariti* Miyagi and Toma

1989:16 (♂\*, P\*, L\*). Type loc.: Trak Nong, Chanthaburi Prov., Thailand (holotype ♂ & Pe,Le; USNM).

*tumetarsalis* Chen and Zhang

1988:213 (♂\*, ♀\*, P\*, L\*). Type loc.: Luo-tian County, Guizhou Prov., P.R. China (holotype ♂; GMC).

#### Subgenus *Topomyia* Leicester

*angkoris* Klein

Ward 1984:251 (ankoris, spelling error).

*baolini* Gong

1989b:220 (♂\*, ♀\*). Type loc.: Yingjiang County, Yunnan Prov., P.R. China (holotype ♀; YIE).

*danaraji* Ramalingam

1988:245 (♂\*, P\*). Type loc.: The Gap, Selangor, Peninsular Malaysia (holotype ♂ & Pe; USNM).

*hardini* Miyagi, Toma and Ramalingam

1989:91 (♂\*, ♀, P\*, L\*). Type loc.: Mt. Serapi, Kaman, Kuching, Sarawak, Malaysia (holotype ♂ & Pe,Le; USNM).

*hirtusa* Gong

1989a:90 (♂\*). Type loc.: Yunnan, P.R. China (holotype ♂; YIE).

*malaysiensis* Ramalingam and Banu

1987:119 (♂\*, ♀\*, P\*, L\*). Type loc.: Tambunan, Sabah, Malaysia (holotype ♂; USNM).

*sabahensis* Ramalingam and Ramakrishna

1988:34 (♂\*, ♀\*, P\*, L\*). Type loc.: Semporna, Sabah, Malaysia (holotype ♂ & Pe,Le; USNM).

*sylvatica* Lu, Dong and Wang

1986:406 (♂\*). Type loc.: Mengla, Yunnan Prov., P.R. China (holotype ♂; YIM).

*yongi* Miyagi, Toma and Ramalingam

1991:185 (♂\*, ♀, P\*, L\*). Type loc.: Hulu Gombak Forest Reserve, Selangor, Darul Ehsan, Malaysia (holotype ♂; USNM).

*zhangii* Gong

1991:228 (♂\*, ♀, L\*). Type loc.: Dulong River, Gongshan County, Yunnan Prov., P.R. China (holotype ♀; YIE).

### Genus *Trichoprosopon* Theobald

*compressum* Lutz

Townsend 1990:62 (add 2 syntypes; BM).

*palliventer* (Lutz)

Townsend 1990:116 (lectotype ♂; change BM, ?IOC and FMP to BM).

### Genus *Tripteroides* Giles

#### Subgenus *Polylepidomyia* Theobald

*altivallis* Bonne-Wepster

Lee et al. 1989c:25 (holotype ♀; change LM to ITH).

*apicotriangulatus* (Theobald)

Lee et al. 1989c:26 (from synonymy of *atripes*).

*atripes* (Skuse)

Lee et al. 1989c:33 (holotype ♀; change MM to ANIC).

#### Subgenus *Rachionotomyia* Theobald

*aranoides* (Theobald)

*inornata* Theobald, 1910. Townsend 1990:87 (holotype ♂; change IM to BM).

*nepenthis* (Edwards)

Townsend 1990:109 (lectotype ♂ desig.; BM).

### Subgenus *Rachisoura* Theobald

*adentata* van den Assem

Lee et al. 1989c:78 (holotype ♂ & Le; change LM to ITH).

*concinus* Lee

Lee et al. 1989c:84 (from subgenus uncertain).

*cuttsi* van den Assem

Lee et al. 1989c:87 (holotype ♂ & Le; change LM to ITH).

*exnebulis* Bonne-Wepster

Lee et al. 1989c:88 (holotype ♀; change LM to ITH).

*felicritatus* Bonne-Wepster

Lee et al. 1989c:89 (holotype ♀; change LM to ITH).

*filipes* (Walker)

papua Brug 1934. Marks in Lee et al. 1989c:90 (synonymy).

*flabelliger* Bonne-Wepster

Lee et al. 1989c:96 (holotype ♀; change LM to ITH).

*obscurus* Brug

subobscurus Lee, 1946. Marks in Lee et al. 1989c:111 (synonymy).

*plumiger* Bonne-Wepster

Lee et al. 1989c:116 (holotype ♀; change LM to ITH).

*subnudipennis* (Edwards)

Lee et al. 1989c:121 (from subgenus uncertain).

*sylvestris* (Theobald)

hilli (Taylor, 1914). Lee et al. 1989c:122 (from synonymy of *filipes*).

### Subgenus *Tripteroides* Giles

*bambusa* (Yamada)

Townsend 1990:50 (add 11 syntypes; BM).

*bimaculipes* (Theobald)

Townsend 1990:52 (lectotype ♀ desig.; BM).

ornata Taylor 1914. Lee et al. 1989c:130 (holotype ♀; change US to ANIC).

*indicus* (Barraud)

Townsend 1990:85 (add 4 syntypes; BM).

*latispinus* Gong and Ji

1989:482 (♂\*, ♀). Type loc.: Dehong Zhou, Yunnan Prov., P.R. China (holotype ♂; YIE).

*plumosus* (Brug)

Townsend 1990:122 (add 2 syntypes; change ?ITH to BM).

*quasiornatus* (Taylor)

Lee et al. 1989c:168 (holotype ♀; change US to ANIC).

### Genus *Wyeomyia* Theobald

#### Subgenus *Caenomyiella* Harbach and Peyton

*Caenomyiella* Harbach and Peyton, 1990:16. Type species: *Sabethes fernandezyepezi* Cova Garcia, Sutil Oramas and Pulido F.

*fernandezyepezi* Cova Garcia, Sutil Oramas and Pulido F.

Harbach and Peyton 1990:16 (from genus *Sabethes*).

### Subgenus *Dendromyia* Theobald

*forcipenis* Lourenco de Oliveira and da Silva

1985:321 (♂\*, ♀, P\*, L\*). Type loc.: Granjas Calabria, Jacarepagua, Rio de Janeiro, Brazil (holotype ♂ & Pe,Le; IOC).

*gutierrezzi* Duret

Harbach et al. 1991:194 (holotype ♂; from A to USNM).

*sirivanakarni* Duret

Harbach et al. 1991:194 (holotype ♂; from A to USNM).

### Subgenus *Exallomyia* Harbach and Peyton

*Exallomyia* Harbach and Peyton, 1992:92. Type species: *Wyeomyia tarsata* Lane and Cerqueira.

*arborea* Galindo, Carpenter and Trapido

Harbach and Peyton 1992:103 (from genus *Wyeomyia*, subgenus *Davismyia*).

*carrilloi* (Sutil O. and Pulido F.)

Harbach and Peyton 1992:96 (from genus and subgenus *Sabethes*).

*tarsata* Lane and Cerqueira

Harbach and Peyton 1992:92 (from subgenus *Dendromyia*).

### Subgenus *Wyeomyia* Theobald

*oblita* (Lutz)

Townsend 1990:113 (add syntype ♀; BM).

### Subgenus *Zinzala* Zavortink

*Zinzala* Zavortink, 1986:46. Type species: *zinzala* Zavortink.

*fishi* Zavortink

1986:55 (♂\*, ♀, P\*, L\*). Type loc.: km. 146, Santa Elena Road, Estado Bolivar, Venezuela (holotype ♂; CAS).

*zinzala* Zavortink

1986:50 (♂\*, ♀, P\*, L\*). Type loc.: Mount Roraima summit, Estado Bolivar, Venezuela (holotype ♂; CAS).

### Subgenus uncertain

*ininicola* Fauran and Pajot

Harbach and Peyton 1991:150 (from subgenus *Davismyia*).

*schmusei* (Martini)

Harbach and Peyton 1991:150 (from subgenus *Davismyia*).

### Tribe Uranotaeniini

#### Genus *Uranotaenia* Lynch Arribalzaga

#### Subgenus *Pseudoficalbia* Theobald

*ascidiicola* de Meijere

Townsend 1990:46 (erroneous syntype ♂; BM). Peyton 1977:68 (holotype ♂; AM).

*atra* Theobald

*nigerrima* Taylor, 1914. Lee et al. 1989c:192 (add 3 syntypes; change LU to ANIC);  
Townsend 1990:109 (add 2 ♀ syntypes; BM).

*combesi* Doucet

Townsend 1990:62 (?syntype L; BM).

*mengi* Chen, Wang and Zhao

1989:224 (♂\*, ♀\*, P\*, L\*). Type loc.: Chishui County, Guizhou Prov., P.R. China (holotype ♀; GMC).

### Subgenus *Uranotaenia* Lynch Arribalzaga

*albescens* Taylor

Lee et al. 1989c:223 (add 2 types; change LU to ANIC).

*angolensis* Cunha Ramos

1985:74 (♂\*, ♀\*). Type loc.: Dundo, Angola (holotype ♂; IHMT).

*antennalis* Taylor

Lee et al. 1989c:233 (holotype ♀; change US to ANIC).

*bricenoi* Cova Garcia, Pulido, Escalante de Ugueto, Amarista and Mora R.

1987c:65 (♂\*, P\*, L\*). Type loc.: Cata public beach, Ocurare de las Costa municipality, Venezuela (holotype ♂ & Pe,Le; DERM).

*falcipes* Banks

Townsend 1990:72 (syntype ♂; from NE to BM).

*gabaldoni* Cova Garcia, Pulido F., Escalante de Ugueto and Mora R.

1987b:94 (♂\*, P\*, L\*). Type loc.: Capital (Caicara River), Apure State, Venezuela (holotype ♂ & Pe,Le; DERM).

*iriartei* Cova Garcia, Pulido F., Escalante de Ugueto and Mora R.

1987a:45 (♂\*, P\*, L\*). Type loc.: El Yaguel and Mantecal, Apure State, Venezuela (holotype ♂; DERM).

*lateralis* Ludlow

*propria* Taylor, 1914. Lee et al. 1989c:252 (holotype ♀; change US to ANIC).

*cairnsensis* Taylor, 1919. Lee et al. 1989c:252 (holotype ♀; change LU to ANIC).

*machadoi* Cunha Ramos

1986:110 (♂\*, ♀, P\*, L\*). Type loc.: Dundo, Angola (holotype ♂; NML).

*philonuxia* Philip

Arnaud 1979:58 (add syntype ♂; CAS).

*riverai* Duret

Harbach et al. 1991:194 (holotype ♂; change A to USNM).

*tibialis* Taylor

Lee et al. 1989c:290 (2 syntypes; change to ANIC).

### Subfamily Toxorhynchitinae

#### Genus *Toxorhynchites* Theobald

#### Subgenus *Toxorhynchites* Theobald

*angustiplatus* Evenhuis and Steffan

1986:548 (♂\*, ♀, P\*, L\*). Type loc.: Pacific Tin, Berjuntai, Batang, Selangor, Malaysia (holotype ♂ & Le; USNM).



*bengalensis* Rosenberg and Evenhuis

1985:36 (♂\*, P\*). Type loc.: Chunaraghat, Sylhet District, Bangladesh (holotype ♂ & Pe,Le; USNM).

*brevipalpis* Theobaldssp. *abyssinicus* Ribeiro

1991:43 (♂\*). Type loc.: Keffa Prov., Ethiopia (holotype ♂; BM).

*camaronis* Ribeiro

1991:50 (♂\*, ♀). Type loc.: Ototomo, Cameroun (holotype ♂; SSC).

*christophi* (Portschinsky)

*changbaiensis* Su and Wang, 1981. Danilov 1987a:152 (synonymy).

ssp. *aurifluus* (Edwards, 1921). Danilov 1987a:154 (from species to subspecies).

*dundo* Ribeiro

1991:50 (♂\*, ♀). Type loc.: Dundo, Angola (holotype ♂; IHMT).

*indicus* Evenhuis and Steffan

1986:558 (♂\*, ♀). Type loc.: Kuching, Sarawak, Malaysia (holotype ♂; BM).

*lewisi* Ribeiro

1991:53 (♂\*, ♀). Type loc.: Farangbaia, Sierra Leone (holotype ♂; BM).

*okinawensis* Toma, Miyagi and Tanaka

1990:345 (♂\*, ♀, P\*, L\*). Type loc.: Ada, Okinawajima, Japan (holotype ♀ & Pe,Le; HUJ).

*rajah* Tsukamoto

1989:221 (♂, ♀, P\*, L\*). Type loc.: Mt. Kinabalu, Sabah, Malaysia (holotype ♂; NMST).

*ramalingami* Evenhuis and Steffan

1986:566 (♂\*, ♀, P\*, L\*). Type loc.: Bukit Puan Forest Reserve, Belait Dist., Brunei (holotype ♂ & Pe,Le; USNM).

*rickenbachi* Ribeiro

1991:54 (♂\*, ♀). Type loc.: Elouden, Cameroun (holotype ♂; SSC).

*rodhaini* Ribeiro

1991:57 (♀\*). Type loc.: Tai Forest, Ivory Coast (holotype ♀; PIP).

*speciosus* (Skuse)

Lee et al. 1988c:90 (holotype ♂; change MM to ANIC).

## Fossil Species

### Genus *Asioculicus* Hong

*Asioculicus* Hong, 1976 (in Anonymous 1976:86). Type species: *damiaoensis* Hong.

*damiaoensis* Hong (Late Jurassic—Early Cretaceous)

1976 (in Anonymous 1976:86) (adult). Type loc.: Inner Mongolia and Liao Ning, P.R. China (LU).

*longipodus* Hong and Wang (? Lower Cretaceous)

1976 (in Anonymous 1976:87) (♀\*). Type loc.: Zhuo Zi Xian, Fu Sheng Gong, She, Hong Tu Wang, Inner Mongolia, P.R. China (LU).

### Genus *Culex* Linnaeus

*erikae* Szadziewski and Szadziewska (Upper Eocene)

1985:515 (♀\*). Baltic amber (holotype ♀; MNB).

### Rejected Name

peus Speiser, *Culex*. United States.

1904:148. International Commission on Zoological Nomenclature. 1991:179 (suppression by Opinion 1644).

### *Nomina nuda*

ainshamsi Gad, El Said, Hassan and Shoukry, *Anopheles*  
1987:214.

allopha (Lutz and Peryassu), *Anopheles*

Lourenco de Oliveira and Deane 1984:509.

melanotarsis Director General Medical Services, *Anopheles*, *Cellia*

1943:8. Lee et al. 1988a:314 (not validly published).

moenensis Iyengar, *Aedes*

1955:30. Unavailable name; Article 12a(i), ICZN 1985.

nigra Christophers, *Anopheles*

1924:45. Townsend 1990:109 (unavailable name; articles 11e and 12a, ICZN 1985).

papuensis De Rook, *Anopheles*

1935:25. Lee et al. 1988a:314 (probably a *Bironella* species).

solomonensis Cumpston, *Anopheles*

1924:1402. Unavailable name; Article 12a(i), ICZN 1985.

subcomplosa Del Ponte, *Wyeomyia* (*Dendromyia*)

1939:541. (Note 24).

### TYPE DEPOSITORIES

ESE Entomological Society of Egypt, Cairo, Egypt.

FSP Faculdade de Saude Publica, Universidade de Sao Paulo, Sao Paulo, Brazil.

HUJ Entomological Institute, Hokkaido University, Hokkaido, Japan.

IZ Institute of Zoology, Academia Sinica, Beijing, P.R. China.

KIM Kuming Institute of Medical Research, Kuming, P.R. China.

MNB Paleontologisches Museum, Museum fur Naturkunde, Berlin, Germany.

NIV National Institute for Virology, Sandringham, South Africa.

SIP Sichuan Institute of Parasitic Disease Control, Chengdu, P.R. China.

TMMC Department of Parasitology, Third Military Medical College, Chongqing, P.R. China.

VBDK Division of Vector Borne Diseases, Ministry of Health, Nairobi, Kenya.

YIE Yunnan Institute of Epidemiology, Xiaguan, P.R. China.

YIM Yunnan Institute of Malaria Control, Simao, P.R. China.

### TAXONOMIC NOTES

1. Marks (1976) removed *Anopheles corethroides* from synonymy with *An. stigmaticus* Skuse through publication of the name in a list of the Culicidae of the Blackdown Tableland, Australia. Although she did not provide an explanation for the removal of *An. coreth-*

*roides* from synonymy, such a justification verifying the specific status of *An. corethroides* was provided in Lee et al. (1988a:54).

2. Hii et al. (1988) discussed the surname of the author of *Anopheles sulawesi* and pointed out that it should be Waktoedi rather than

Koesoemawinangoen as used by Knight and Stone (1977). According to Indonesian custom, the surname precedes the first name of an individual. Therefore, species described or coauthored by Waktoedi Koesoemawinangoen should have Waktoedi designated as the author. The following taxa listed with Koesoemawinangoen as sole or junior author need to be attributed to Waktoedi: *Anopheles (Anopheles) gigas pantjarbatu* Waktoedi, *Anopheles (Cellia) ludlowae torakala* Stoker and Waktoedi, *Anopheles (Cellia) sulawesi* Waktoedi [prior attribution by Hii et al. (1988)], *Anopheles (Cellia) tessellatus kalawara* Stoker and Waktoedi and *Anopheles (Cellia) albino* Stoker and Waktoedi (= *An. vagus*).

3. Gillies and Coetzee (1987) did not designate a type specimen nor the type depository in their original description of *Anopheles (Cellia) lounibosi*. Townsend (1990:96) suggested that the holotype might be in the ORSTOM collection at Bondy, France. In a 1991 letter, M.T. Gillies stated that the holotype was a 4th instar larva which was deposited in the Natural History Museum, London, with the following label: *Anopheles rabaiensis*, 28.vi.1977, coll. L.P. Lounibos in Pandanus rabaiensis, Kombeni R., Rabai, Kilifi Dist., KENYA.

4. Gillies and Coetzee (1987) did not mention the sex of the adult type specimen when they described *Anopheles (Cellia) vaneedeni*. Townsend (1990:146) stated that the holotype was a male. However, M.T. Gillies stated in a 1991 letter that he visited the Natural History Museum and examined the holotype which was a female. The specimen label reads: Pusela, Tzaneen, resting outside. det. M. Coetzee.

5. Townsend (1990:147) stated that the Natural History Museum collection contained nine syntypes of *Anopheles (Cellia) varuna* from Sri Lanka. These specimens cannot be syntypes as Iyengar (1924:25) stated: "Described from a type female and many co-type females from the vicinity of Calcutta, collected by me." Iyengar does mention an unspecified number of specimens of *An. varuna*

collected by R. Senior-White at Matale, Ceylon, but in no way could these specimens be construed as syntypes. The current location of Iyengar's type and cotypes is unknown (Harrison 1980).

6. The original description of *Aedes (Aedimorphus) bambiotai* did not mention the type locality other than give the country. Thomas F. Gaffigan examined the holotype male in the USNM and observed the following information upon the specimen labels: Ivory Coast:/Andiopodoume forest/RF 1-No. 1/-23.06.86/Ae bambiotai/B. Geoffroy Rec Det.//Holotype/Ae. (Adm.)/bambiotai/Geoffroy.

7. *Aedes (Finlaya) gilcolladoi* was described by Sanchez-Covisa V. et al. (1985) from an unspecified number of larvae (more than 50) with neither a type designation nor a specified type locality other than "Espana Peninsular." The above specimens must be considered syntypes according to the ICZN 1985, Article 73b. Attempted correspondence to the authors did not produce a reply.

8. Knight and Marks (1952) designated a neotype female for *Aedes (Finlaya) mallochi* Taylor since they could find no specimens from the type series. In 1990, Townsend mentioned the presence of a syntype female in the Natural History Museum (BM) collection. Since this constitutes the rediscovery of a name-bearing type, this situation should be referred to the ICZN to rule whether the neotype of Knight and Marks is or is not to be retained as the name-bearing type (ICZN 1985, Article 75h).

9. The validity of the species name *Aedes (Levua) geoskusea* was discussed in detail by Lee et al. (1984:44), who contend that *Ae. suvae* Stone and Bohart, 1944 was the first validly published name for this species. I concur with the interpretation of Knight and Stone (1977) that *Ae. geoskusea* is a valid name on the basis of publication and priority (ICZN 1985, Articles 11a, 11b, 13a(i) and 23a).

10. The National Institute for Virology (NIV) maintained a number of type specimens after it became independent from the South Afri-

can Institute for Medical Research (SAIM). The primary types remaining at both institutes were listed by Segerman (1990). The disposition of the holotype of *Aedes* (*Ochlerotatus*) *juppi* was not mentioned in Segerman's paper. In a 1991 letter, J. Segerman stated: "I have checked with Dr. Peter Jupp at the National Institute for Virology and he tells me that the Holotype and Allotype of *Aedes* (*Ocherotatus*) *juppi* are both still housed there."

11. The original description of *Aedes* (*Rusticoidus*) *krymmontanus* omitted the exact type locality, sex of the holotype and type depository. A letter from E. V. Alekseev (1992) only mentioned the "southern and northern mountainsides of Crimean mountains . . . in the neighborhoods of Simferopol, Bachisaray, Alushta, Yalta and Pheodosia" and that the holotype was in the author's collection.

12. Stone et al. (1959) and Knight and Stone (1977) were usually quite accurate in their listings of the original descriptions of Culicidae in their catalogs. In the instance of two Afrotropical *Aedes* species, *Aedes* (*Stegomyia*) *calceatus* and *Aedes* (*Stegomyia*) *soleatus*, they erred by 17 years. They evidently missed the description of these two species by Edwards in 1924 in an appendix to a paper by W.E. Haworth and attributed both species to Edwards (1941). Townsend (1990) provided the correct citations.

13. A lectotype for *Aedes* (*Verrallina*) *varietas* was designated by Knight and Hull (1953:474) for the single male specimen from the type series in the BM. The identity of the specimen was subsequently confirmed by both Delfinado (1968:40) and Reinert (1974:92) even though the specimen lacked a lectotype label. Townsend (1990:147) affixed a label to the specimen and stated: "LECTO-TYPE male . . . here designated." Although Recommendation 72E of the ICZN (1985) recommends that name-bearing types should be labeled in such a manner that will unmistakably denote their status, the previous descriptions of the Knight and Hull lectotype were such that no confusion could occur con-

cerning the status of the specimen. Thus, the subsequent designation by Townsend (1990) was unjustified.

14. Townsend (1990:77) changed the status of *fuscus* from a synonym of *Armigeres* (*Armigeres*) *malayi* to a valid species. Since no justification was provided for this changed status, it should be considered as an unjustified action. A similar situation exists in respect to the improper elevation of *clavipalpus* from a subspecies of *Mimomyia* (*Mimomyia*) *chamberlaini* (Townsend 1990:61).

15. Belkin et al. (1968:13) indicated that the type of *Psorophora* (*Janthinosoma*) *chaquensis* was not present in the Instituto Nacional de Microbiologia, Buenos Aires, according to O.H. Casal. An acknowledgment was given to Alan Stone for examining material in the USNM so it may be assumed that Stone too did not find the type. While curating the USNM mosquito collection in 1992, T.V. Gaffigan found an adult female in a tray containing *Psorophora lutzii* which conformed to the description of the single female type described by Paterson and Shannon (1927:9) from Tres Pozos, Embarcacion, Salta. The specimen bears four labels in hand-printed letters, reading from top to bottom: 1) Tres Pozos/Embarcacion/Salta, 20-4-27/E. S. Shannon; 2) Type/Psorophora/chacoensis [*sic*]/Paterson &/Shannon; 3) Psorophora/lutzii/Theob.; and 4) Psorophora/albipes Th. This specimen is undoubtedly the missing holotype.

16. Sirivanakarn (1976:151) designated a lectotype for *Culex* (*Culex*) *fuscifurcatus*. This was an invalid selection as Townsend (1990:77) stated that the holotype male of *fuscifurcatus* was deposited in the Natural History Museum.

17. Sirivanakarn (1976:159) designated a lectotype for *Culex* (*Culex*) *mimulus* from one of the two syntypes of this species from Kuching, Sarawak. However, Townsend (1990:105) said that Sirivanakarn did not label the lectotype specimen nor did he provide an indication in his paper which individual should be the lectotype. Since insufficient

data were presented for the recognition of the lectotype, this selection was invalid (ICZN 1985, Article 74b, Recommendation 74C).

18. *Culex (Culex) telesilla* was described from seven larval and seven pupal exuviae without designation of a type (de Meillon et al. 1945:91). The adult male and female of *Cx. telesilla* were later described by de Meillon (1947) with the statement: "The description of the larva of this species (De Meillon et al, Bull. ent. Res., 36, 91, 1945) was quoted from a manuscript by De Meillon and Lavoipierre. Mention of this was unfortunately omitted." De Meillon also stated that the types were deposited in the SAIM. Although de Meillon may have intended that an adult male be designated the holotype, the name *Cx. telesilla* must be based upon the specimens mentioned in the 1945 publication. These specimens should be considered syntypes; from which a lectotype can be designated.

19. Sirivanakarn (1972:52) designated a lectotype for *Culex (Culex) hackeri*. Townsend (1990:81) indicated that this was an invalid designation as Edwards labeled and designated a holotype male in his original publication.

20. Lee et al. (1989b:105) stated that the lectotype male of *Culex (Lophoceraomyia) fraudatrix* which was designated by Sirivanakarn (1968:156) was the same specimen which Colless (1960:256) used for the lectotype of *fraudatrix*. Since Sirivanakarn's designation of a lectotype (1968) occurred eight years after Colless' designation (1960), the later designation has no validity (ICZN 1985, Article 74a).

21. Sirivanakarn (1977:132) designated a lectotype for *Culex (Lophoceraomyia) hewitti*. This was deemed unnecessary by Townsend (1990:82), who said that Edwards plainly indicate one of the males from the type series as the holotype.

22. Neil L. Evenhuis (1990 letter) was unable to find the holotype of *Culex (Lophoceraomyia) pseudorubithoracis* at the Bishop Museum where it was presumably deposited by the author. A search for the type in the USNM

by T.F. Gaffigan did not reveal it either. At present the status of the type may be considered as location unknown.

23. Taylor (1914:201) described *Mansonia (Mansonioides) papuensis* from four females, but did not designate a type. Lee et al. (1988b:133) said the holotype of *Mn. papuensis* was in the ANIC. This specimen can only be considered a syntype which is of equal status to the syntype in the Natural History Museum (Townsend 1990:118) since no subsequent author designated a lectotype.

24. Del Ponte (1939:541) published the name *Wyeomyia (Dendromyia) subcomplosa* as a new species in a table enumerating 5 character states for the identification of adult female Sabethini. In the table, both *subcomplosa* and *Wyeomyia (Dendromyia) complosa* were listed as possessing the same five character states. Since Del Ponte did not provide a means of differentiating this taxon, the name *subcomplosa* is not available (ICZN 1985, Article 13a(i)) and may be considered as a *nomen nudum*.

## REFERENCES CITED

- Alekseev, E.V. 1989. Bloodsucking mosquito *Aedes (Rusticooides) krymmontanus* Alekseev, sp. n., a relic of the entomofauna of the Crimea. (In Russian). *Parazitologija (Leningr.)* 23:173-178.
- Amerasinghe, F.P. 1989. Redescription of *Heizmannia (Heizmannia) greeni* Theobald from Sri Lanka (Diptera: Culicidae). *Mosq. Syst.* 21:83-99.
- Anonymous. 1976. Paleontological atlas of northern China, part of Inner Mongolia (in Chinese). Vol. 2. Geology Publishing House, Beijing.
- Arnaud, P.H., Jr. 1979. A catalog of the types of Diptera in the collection of the California Academy of Sciences. *Myia* 1:1-505.
- Barr, A.R. and P. Guptavanij. 1989. *Anopheles hermsi* N. SP. [sic], an unrecognized American species of the *Anopheles maculipennis* group (Diptera: Culicidae). *Mosq. Syst.* (1988) 20:353-356.

- Belkin, J.N., R.X. Schick and S.J. Heine-  
mann. 1968. Mosquito studies (Diptera:  
Culicidae). XI. Mosquitoes originally de-  
scribed from Argentina, Bolivia, Chile,  
Paraguay, Peru, and Uruguay. *Contrib.*  
*Am. Entomol. Inst. (Ann Arbor)* 4(1):9-  
29.
- Bram, R.A. 1967. Contributions to the mos-  
quito fauna of Southeast Asia.—II. The  
genus *Culex* in Thailand (Diptera: Culici-  
dae). *Contrib. Am. Entomol. Inst. (Ann*  
*Arbor)* 2(1):1-296.
- Brust, R.A. and L.E. Munstermann. 1992.  
Morphological and genetic characteriza-  
tion of the *Aedes (Ochlerotatus) communis*  
complex (Diptera: Culicidae) in North  
America. *Ann. Entomol. Soc. Am.* 85:1-  
10.
- Cambournac, F.J.C., V. Petrarca and M. Co-  
luzzi. 1982. *Anopheles arabiensis* in the  
Cape Verde Archipelago. *Parassitologia*  
24:265-267.
- Chen Hanbin. 1989. A new species of *Culex*  
(*Culiciomyia*) from Yunnan (Diptera: Cul-  
icidae). (In Chinese). *Acta Zootaxonomica*  
*Sin.* 14:86-90.
- Chen Hanbin and Zhao Hong. 1985. A new  
species of the genus *Culex* from China  
(Diptera: Culicidae). (In Chinese). *Ento-*  
*motaxonomia* 7:265-269.
- Chen Hanbin and Zhang Peixyun. 1988. *To-*  
*pomyia (Suamyia) tumetarsalis*, a new spe-  
cies from China (Diptera: Culicidae). (In  
Chinese). *Acta Entomol. Sin.* 31:213-218.
- Chen Hanbin, Wang Shaohui and Zhao  
Hong. 1939. A new species of *Uranotaenia*  
breeding in crab holes from Guizhou Pro-  
vince of China. (In Chinese). *Acta Zootax-*  
*onomica Sin.* 14:224-228.
- Coetzee, M. 1984. A new species of *Anopheles*  
(*Anopheles*) from Namibia (Diptera: Culi-  
cidae). *Syst. Entomol.* 9:1-8.
- Coetzee, M., J. Segerman and R.H. Hunt.  
1987. Description of a new species *Anoph-*  
*eles (Cellia) kosiensis* (Diptera: Culicidae)  
from Zululand, South Africa. *Syst. Ento-*  
*mol.* 12:23-28.
- Colless, D.H. 1960. Some species of *Culex*  
(*Lophoceraomyia*) from New Guinea and  
adjacent islands, with descriptions of four  
new species and notes on the male of *Culex*  
*fraudatrix* Theobald (Diptera: Culicidae).  
*Proc. Linn. Soc. N.S.W.* 84:382-390.
- Cova Garcia, P., J. Pulido F., C. Escalante de  
Ugueto and J.D. Mora F. 1987a. *Uranota-*  
*taenia iriartei* (Diptera, Culicidae), nueva  
especie de Venezuela. *Bol. Dir. Malariol.*  
*Saneam. Amb.* 27:45-52.
- Cova Garcia, P., J. Pulido F., C. Escalante de  
Ugueto and J.D. Mora R. 1987b. *Uranota-*  
*taenia gabaldoni* (Diptera, Culicidae),  
nueva especie de Venezuela. *Bol. Dir. Ma-*  
*lariol. Saneam. Ambient.* 27:94-104.
- Cova Garcia, P., J. Pulido, C. Escalante de  
Ugueto, J. Amarista and J.D. Mora. 1987c.  
*Uranotaenia bricenoi* (Diptera, Culicidae),  
nueva especie de Venezuela. *Bol. Dir. Ma-*  
*lariol. Saneam. Amb.* 27:65-73.
- Cumpston, J.H.H. 1924. Disease distribution  
in the Pacific Basin. *Proc. Pacific Sci. Con-*  
*gress (Australia, 1923)* 2:1400-1407.
- Cunha Ramos, H. da. 1985. Research on the  
mosquitoes of Angola (Diptera: Culicidae)  
XVII—Description of *Uranotaenia (Ur-*  
*anotaenia) angolensis* sp. nov. *Bol. Soc.*  
*Port. Entomol.* 1 (Suppl. 1):73-82.
- Cunha Ramos, H. da. 1986. Research on the  
mosquitoes of Angola (Diptera: Culicidae)  
XVIII—Description of *Uranotaenia (Ur-*  
*anotaenia) machadoi* sp. n. *Mosq. Syst.*  
18:110-117.
- Cunha Ramos, H. da and H. Ribeiro. 1990.  
Research on the mosquitoes of Angola  
(Diptera: Culicidae). XX—*Eretmapodites*  
*mortiauxi*, a new species of the *leucopus*  
group. *Bol. Soc. Port. Entomol.* 4:138-144.
- Danilov, V.N. 1984. *Culiseta (Culicella) se-*  
*tivalva* Maslov as a synonym of *C. (C.)*  
*fumipennis* Stephens. (In Russian). *Para-*  
*zitologija* 18:313-317.
- Danilov, V.N. 1985. Mosquitoes of the  
subgenus *Edwardsaedes* of the Palearctic,  
with description of the larva of *Aedes*  
(*Edw.*) *bekkui*. (In Russian). *Parazitologija*  
19:378-381.
- Danilov, V.N. 1987a. On mosquitoes of the  
genus *Toxorhynchites* of the Soviet Union  
and closely related species in eastern and

- southeastern Asia (Culicidae). (In Russian). *Parazitologija* 21:151–155.
- Danilov, V.N. 1987b. Mosquitoes of the subgenus *Aedes* (Diptera, Culicidae) of the USSR fauna. II. *Aedes dahuricus* sp.n. (In Russian). *Vestn. Zool.* 1987 (4):35–41.
- Danilov, V.N. 1989. Two new Afrotropical subgenera of the mosquito genus *Culex* (Diptera, Culicidae). (In Russian). *Entomol. Obozr.* 68:790–797.
- Danilov, V.N. and R.M. Gornostaeva. 1987. A new species of mosquito, *Aedes (Ochlerotatus) intermedius* sp.n. (Diptera, Culicidae). (In Russian). *Parazitologija* 21:612–619.
- Delfinado, M.D. 1968. Contributions to the mosquito fauna of Southeast Asia.—III. The genus *Aedes*, subgenus *Neomacleaya* Theobald in Thailand. *Contrib. Am. Entomol. Inst. (Ann Arbor)* 1(8):1–56.
- Del Ponte, E. 1939. Identificación de "Sabethini" (Diptera: Culicidae) por medio de tarjetas perforadas. *Physis (B. Aires)* 17:535–541.
- de Meillon, B. 1947. New records and species of biting insects from the Ethiopian region. II. *J. Entomol. Soc. S. Afr.* 10:110–124.
- de Meillon, B., M. Parent and L. O'C. Black. 1945. Descriptions of new larvae and pupae of Ethiopian Culicini. *Bull. Entomol. Res.* 36:85–101.
- De Rook, H. 1935. Health of Netherlands New Guinea, pp. 23–27. *Rep. 2nd Int. Pac. Health Conf., Sydney.*
- Director General Medical Services, Land Forces Headquarters. 1943. Notes on mosquito-borne diseases in Australasia. Australian Military Forces, 29 pp. (Not for publication).
- Dong Xueshu and Wang Xuezhong. 1985. A new species of genus *Anopheles* (Diptera: Culicidae). (In Chinese). *Zool. Res.* 6:117–122.
- Dong Xueshu, Wang Xuezhong and Lu Baolin. 1990. A new species of *Topomyia* from Yunnan Province, China (Diptera: Culicidae). (In Chinese). *Acta Zootaxonomica Sin.* 15:64–66.
- Dyar, H.G. 1921. The genus *Haemagogus* Williston (Diptera: Culicidae). *Insec. Inscit. Menst.* 9:101–114.
- Edwards, F.W. 1924. Appendix. Descriptions of two new species of mosquitoes from coconut palms in East Africa, pp. 197–198. *In: W.E. Haworth. Mosquitoes and coconut palms. A mosquito survey of palm trees in East Africa and the problems resulting therefrom. Trans. R. Soc. Trop. Med. Hyg.* 18:162–198.
- Edwards, F.W. 1941. Mosquitoes of the Ethiopian region. III.—Culicine adults and pupae. *British Museum (Natural History), London.*
- Eldridge, B.F. and R.E. Harbach. 1989. *Culex stigmatosoma* Dyar, 1907 and *C. thriambus* Dyar, 1921 (Insecta, Diptera): proposed conservation of the specific names by the suppression of *C. peus* Speiser, 1904. *Bull. Zool. Nomencl.* 46:247–249.
- Evenhuis, N.L. and S.M. Gon III. 1989. Family Culicidae, pp. 191–218. *In: N.L. Evenhuis (ed.), Catalog of the Diptera of the Australasian and Oceanian regions. Bishop Museum Special Publication 86, Bishop Museum Press, Honolulu, and E.J. Brill, Leiden.*
- Evenhuis, N.L. and W.A. Steffan. 1986. Classification of the subgenus *Toxorhynchites* (Diptera: Culicidae) II. Revision of the *Toxorhynchites acaudatus* group. *J. Med. Entomol.* 23:538–574.
- Fontenille, D. and J. Brunhes. 1985. Trois nouveaux culicides de Madagascar: *Aedes (Aedimorphus) albodorsalis* n. sp., *Aedes (Aedimorphus) masoalensis* n. sp. et *Aedes (Aedimorphus) mathioti* n. sp. *Cah. O.R.S.T.O.M. Entomol. Med. Parasitol.* (1984) 22:151–155.
- Forattini, O.P. and M.A.M. Sallum. 1985. A new species of *Culex (Melanoconion)* from southern Brazil (Diptera: Culicidae). *Rev. Saude Publica* 19:171–182.
- Forattini, O.P. and M.A.M. Sallum. 1987a. Studies on some species of *Culex (Melanoconion)*, with the description of a new one from southern Brazil (Diptera: Culicidae). *Rev. Saude Publica* 21:123–156.
- Forattini, O.P. and M.A.M. Sallum. 1987b.

- A new species of *Culex* (*Melanoconion*) from inland southern Brazil (Diptera: Culicidae). *Mosq. Syst.* 19:167-172.
- Forattini, O.P. and M.A.M. Sallum. 1989a. A new species of *Culex* (*Melanoconion*) from Atlantic Tropical System of southern Brazil (Diptera: Culicidae). *Mem. Inst. Oswaldo Cruz Rio* 84:1-4.
- Forattini, O.P. and M.A.M. Sallum. 1989b. Taxonomic study and redescription of *Culex* (*Melanoconion*) *theobaldi* (Lutz, 1904) (Diptera: Culicidae). *Mem. Inst. Oswaldo Cruz Rio* (Suppl. 4):201-208.
- Forattini, O.P., M.A.M. Sallum and I. Kaki-tani. 1988. Catalogo das colecoes entomologicas da Faculdade de Saude Publica da Universidade de Sao Paulo—(2a serie II)—Culicidae. *Rev. Saude Publica* 22:519-547.
- Gad, A.M., S. El Said, A.N. Hassan and A. Shoukry. 1987. The distribution and ecology of the mosquitoes in the Red Sea Governorate, Egypt. *J. Egypt. Soc. Parasitol.* 17:207-221.
- Geoffroy, B. 1987. The *Aedes* (*Aedimorphus*) Domesticus Group (Diptera, Culicidae). I. New species, descriptions of *Aedes bambiotai* and *Aedes bancoi*. *Mosq. Syst.* 19:100-110.
- Gillies, M.T. and M. Coetzee. 1987. A supplement to the Anophelinae of Africa south of the Sahara (Afrotropical Region). *Publ. S. Afr. Inst. Med. Res.* 55, 143 pp.
- Gong Zhengda. 1989a. A new species of genus *Topomyia* from Yunnan, China (Diptera: Culicidae). (In Chinese). *Acta Entomol. Sin.* 32:90-91.
- Gong Zhengda. 1989b. A new species of the genus *Topomyia* from Yunnan Province, China (Diptera: Culicidae). (In Chinese). *Acta Zootaxonomica Sin.* 14:220-223.
- Gong Zhengda. 1991. A new species of the subgenus *Topomyia* of genus *Topomyia* from Yunnan, China (Diptera: Culicidae). (In Chinese). *Acta Zootaxonomica Sin.* 16:228-231.
- Gong Zhenda and Ji Shuhong. 1989. A new species of *Tripteroides* from Yunnan (Diptera: Culicidae). (In Chinese). *Acta Entomol. Sin.* 32:482-484.
- Gong Zhengda and Lu Baolin. 1986. A new *Aedes* of subgenus *Finlaya* from Yunnan, China. (In Chinese). *Zool. Res.* 7:1-4.
- Gong Zhengda and Lu Baolin. 1991. A new subgenus and species of the *Aedes* (Diptera: Culicidae) from Yunnan, China. (In Chinese). *Entomotaxonomia* 13:55-59.
- Grjebine, A. 1986. Insectes Dipteres Culicidae Culicinae Ficalbiini. Faune de Madagascar 68, Museum National d'Histoire Naturelle, Paris.
- Harbach, R.E. 1985a. Pictorial keys to the genera of mosquitoes, subgenera of *Culex* and the species of *Culex* (*Culex*) occurring in southwestern Asia and Egypt, with a note on the subgeneric placement of *Culex deserticola* (Diptera: Culicidae). *Mosq. Syst.* 17:83-107.
- Harbach, R.E. 1985b. A new species, *Culex* (*Culex*) *litwakae* (Diptera: Culicidae), from the coastal region of Kenya. *Mosq. Syst.* 17:254-265.
- Harbach, R.E. 1987. *Culex verutus*, a new species of the subgenus *Culex* (Diptera: Culicidae) from Sierra Leone. *Mosq. Syst.* (1986) 18:216-229.
- Harbach, R.E. 1988. The mosquitoes of the subgenus *Culex* in southwestern Asia and Egypt (Diptera: Culicidae). *Contrib. Am. Entomol. Inst. (Ann Arbor)* 24(1): vi + 1-240.
- Harbach, R.E. 1991. A new subgenus of the genus *Sabethes* (Diptera: Culicidae). *Mosq. Syst.* 23:1-9.
- Harbach, R.E. and E.L. Peyton. 1990. A new subgenus in *Wyeomyia* (Diptera: Culicidae), with the reclassification and redescription of the type species, *Sabethes fernandezyepezi*. *Mosq. Syst.* 22:15-23.
- Harbach, R.E. and E.L. Peyton. 1991. Transfer of the subgenus *Davismyia* from *Wyeomyia* to *Sabethes* and description of the type species, *Miamyia petrocchiaie* (Diptera: Culicidae). *Mosq. Syst.* (1990) 22:149-159.
- Harbach, R.E. and E.L. Peyton. 1992. A new subgenus of *Wyeomyia* (Diptera: Culicidae), with the reclassification and redescription of *Wyeomyia* (*Davismyia*) *arbo-*



- rea, *Wyeomyia (Dendromyia) tarsata* and *Sabethes (Sabethes) carrilloi*. Mosq. Syst. (1991) 23:92-109.
- Harbach, R.E. and R. Rattanarithikul. 1988. A new species of the subgenus *Eumelano-myia* of *Culex* (Diptera: Culicidae) from Thailand. Mosq. Syst. 20:69-76.
- Harbach, R.E., C. Dahl and G.B. White. 1985. *Culex (Culex) pipiens* Linnaeus (Diptera: Culicidae): concepts, type designations, and description. Proc. Entomol. Soc. Wash. 87:1-24.
- Harbach, R.E., B.A. Harrison and A.M. Gad. 1984. *Culex (Culex) molestus* Forskal (Diptera: Culicidae): neotype designation, description, variation, and taxonomic status. Proc. Entomol. Soc. Wash. 86:521-542.
- Harbach, R.E., B.A. Harrison, A.M. Gad, M.A. Kenawy and S. El-Said. 1989. Records and notes on mosquitoes (Diptera: Culicidae) collected in Egypt. Mosq. Syst. (1988) 20:317-342.
- Harbach, R.E., W.L. Jakob and E.L. Peyton. 1986. Recognition of *Culex bidens* Dyar and *Culex interfor* Dyar (Diptera: Culicidae) as separate species. Mosq. Syst. 18:139-144.
- Harbach, R.E., E.L. Peyton and B.A. Harrison. 1984. A new species of *Culex (Melanoconion)* from southern South America (Diptera: Culicidae). Mosq. Syst. 16:185-200.
- Harbach, R.E., T.V. Gaffigan and J.E. Pecor. 1991. The J. Pedro Duret mosquito collection (Diptera: Culicidae). Mosq. Syst. (1990) 22:192-195.
- Harrison, B.A. 1980. Medical entomology studies—XIII. The *Myzomyia* Series of *Anopheles (Cellia)* in Thailand, with emphasis on intra-interspecific variations (Diptera: Culicidae). Contrib. Am. Entomol. Inst. (Ann Arbor) 17(4):1-195.
- Harrison, B.A. 1987. *Culex* subgenus *Thaio-myia* Bram, a synonym of *Culex* subgenus *Culiciomyia* Theobald (Diptera: Culicidae). Mosq. Syst. 19:111-116.
- Harrison, B.A., R. Rattanarithikul, E.L. Peyton and K. Mongkolpanya. 1991. Taxonomic changes, revised occurrence records and notes on the Culicidae of Thailand and neighboring countries. Mosq. Syst. (1990) 22:196-227.
- Hii, J.L.K., E.L. Peyton and V.Y. Shang. 1988. Redescription of the adult and first descriptions of the larva and pupa of *Anopheles (Cellia) sulawesi* Waktoedi, a species of the *Leucosphyrus* Group from Sulawesi, Indonesia (Diptera: Culicidae). Mosq. Syst. 20:41-54.
- Huang, Y.-M. 1986a. Notes on the *Aedes (Diceromyia) furcifer* group, with a description of a new species (Diptera: Culicidae). Proc. Entomol. Soc. Wash. 88:634-649.
- Huang, Y.-M. 1986b. *Aedes (Stegomyia) corneti*, a new species of the *africanus* subgroup (Diptera: Culicidae). Proc. Entomol. Soc. Wash. 88:764-776.
- Huang, Y.-M. 1987. A new African species of *Aedes* (Diptera: Culicidae). Mosq. Syst. 17:108-120.
- Huang, Y.-M. 1988a. *Aedes (Stegomyia) josihae*, a new species of the *simpsoni* subgroup (Diptera: Culicidae). Proc. Entomol. Soc. Wash. 90:153-163.
- Huang, Y.-M. 1988b. The *Aedes (Stegomyia) pseudonigeria* group with emphasis on the species from the Afrotropical Region (Diptera: Culicidae). Mosq. Syst. 20:1-20.
- Huang, Y.-M. 1990. The subgenus *Stegomyia* of *Aedes* in the Afrotropical Region I. The *Africanus* Group of species (Diptera: Culicidae). Contrib. Am. Entomol. Inst. (Gainesville) 26(1):1-90.
- International Commission on Zoological Nomenclature (ICZN). 1985. International Code of Zoological Nomenclature. Third edition adapted by the XX General Assembly of the International Union of Biological Sciences. Int. Trust for Zool. Nomenclature, London and Univ. Calif. Press, Berkeley and Los Angeles.
- International Commission on Zoological Nomenclature. 1991. Opinion 1644. *Culex stigmatosoma* Dyar, 1907 and *C. thriambus* Dyar, 1921 (Insecta, Diptera): specific names conserved. Bull. Zool. Nomencl. 48:179-180.

- Iyengar, M.O.T. 1924. On the Indian anophelines of the *funestus* group and the description of a new species (Diptera, Culicidae). *Ind. J. Med. Res.* 12:23-29, 1 pl.
- Iyengar, M.O.T. 1955. Distribution of mosquitoes in the South Pacific Region. *South Pac. Comm. Tech. Pap.* 86:iv + 47, 1 map.
- Jeffery, J., P. Oothuman and A. Rudnick. 1987. *Culex (Eumelanomyia) richardgarciai*, a new species of mosquito from Peninsular Malaysia (Diptera: Culicidae). *Mosq. Syst.* 19:139-142.
- Kang Wanmin, Tan Jun, Cao Chonghua, Cheng Huailu, Yang Yuhua and Huang Rongan. 1984. *Anopheles liangshanensis*, a new species related to *A. kweiyangensis* and *A. sinensis* from Sichuan, China (Diptera: Culicidae). (In Chinese). *Sichuan J. Zool.* 3:11-14.
- Knight, K.L. 1978. Supplement to a catalog of the mosquitoes of the world (Diptera: Culicidae). *Thomas Say Found.* 6 (Suppl.):1-107.
- Knight, K.L. and B.A. Harrison. 1988. A new *Aedes (Finlaya)* of the Niveus-Subgroup (Diptera: Culicidae). *Mosq. Syst.* (1937) 19:212-236.
- Knight, K.L. and W.B. Hull. 1953. The *Aedes* mosquitoes of the Philippine Islands. III. Subgenera *Aedimorphus*, *Banksiella*, *Aedes* and *Canraedes* (Diptera, Culicidae). *Pac. Sci.* 7:453-481.
- Knight, K.L. and E.N. Marks. 1952. An annotated checklist of the mosquitoes of the subgenus *Finlaya*, genus *Aedes*. *Proc. U.S. Nat. Mus.* 101:513-574.
- Knight, K.L. and A. Stone. 1977. A catalog of the mosquitoes of the world (Diptera: Culicidae). Second edition. *Thomas Say Found.* 6: xi + 1-611 pp.
- Kulasekera, V.L., B.A. Harrison and F.P. Amerasinghe. 1989. *Anopheles (Anopheles) peytoni* new species, the "*An. insulaeflorum*" auct. from Sri Lanka (Diptera: Culicidae). *Mosq. Syst.* (1988) 20:302-316.
- Kulasekera, V., K.L. Knight and R.E. Harbach. 1990. *Aedes (Finlaya) axitiosus*, new species of the Niveus Subgroup (Diptera: Culicidae) from East Malaysia. *Mosq. Syst.* 22:26-33.
- Lee, D.J., M.M. Hicks, M. Griffiths, R.C. Russell and E.N. Marks. 1982. The Culicidae of the Australasian Region. Volume 2. *Entomol. Monogr.* 2, Canberra.
- Lee, D.J., M.M. Hicks, M. Griffiths, R.C. Russell and E.N. Marks. 1984. The Culicidae of the Australasian Region. Volume 3. *Entomol. Monogr.* 2, Canberra.
- Lee, D.J., M.M. Hicks, M. Griffiths, M.L. Debenham, J.H. Bryan, R.C. Russell, M. Geary and E.N. Marks. 1987. The Culicidae of the Australasian Region. Volume 4. *Entomol. Monogr.* 2, Canberra.
- Lee, D.J., M.M. Hicks, M. Griffiths, M.L. Debenham, J.H. Bryan, R.C. Russell, M. Geary and E.N. Marks. 1988a. The Culicidae of the Australasian Region. Volume 5. *Entomol. Monogr.* 2, Canberra.
- Lee, D.J., M.M. Hicks, M.L. Debenham, M. Griffiths, J.H. Bryan and E.N. Marks. 1988b. The Culicidae of the Australasian Region. Volume 9. *Entomol. Monogr.* 2, Canberra.
- Lee, D.J., M.M. Hicks, M.L. Debenham, M. Griffiths, J.H. Bryan and E.N. Marks. 1988c. The Culicidae of the Australasian Region. Volume 10. *Entomol. Monogr.* 2, Canberra.
- Lee, D.J., M.M. Hicks, M. Griffiths, M.L. Debenham, J.H. Bryan, R.C. Russell, M. Geary and E.N. Marks. 1988d. The Culicidae of the Australasian Region. Volume 6. *Entomol. Monogr.* 2, Canberra.
- Lee, D.J., M.M. Hicks, M.L. Debenham, M. Griffiths, E.N. Marks, J.H. Bryan and R.C. Russell. 1989a. The Culicidae of the Australasian Region. Volume 7. *Entomol. Monogr.* 2, Canberra.
- Lee, D.J., M.M. Hicks, M.L. Debenham, M. Griffiths, E.N. Marks and J.H. Bryan. 1989b. The Culicidae of the Australasian Region. Volume 8. *Entomol. Monogr.* 2, Canberra.
- Lee, D.J., M.M. Hicks, M. Griffiths, M.L. Debenham, J.H. Bryan, R.C. Russell, M. Geary and E.N. Marks. 1988d. The Culicidae of the Australasian Region. Volume 6. *Entomol. Monogr.* 2, Canberra.

- Lei Xintian. 1989. A new species of *Aedes* (*Ochlerotatus*) (Diptera: Culicidae). (In Chinese). Sichuan J. Zool. 8:6-8.
- Linthicum, K.J. 1988. A revision of the *Argyritarsis* Section of the subgenus *Nyssorhynchus* of *Anopheles* (Diptera: Culicidae). Mosq. Syst. 20:98-271.
- Liu Shuzhong and Lu Baolin. 1984. A new *Aedes* from China (Diptera: Culicidae). (In Chinese). Acta Zootaxonomica Sin. 9:76-79.
- Lourenco de Oliveira, R. 1983. Sobre uma nova especie de *Phoniomyia* (Diptera: Culicidae) do Rio de Janeiro, Brasil. Mem. Inst. Oswaldo Cruz Rio 78:501-505.
- Lourenco de Oliveira and L.M. Deane. 1984. What is *Anopheles allopha* (Lutz and Perassu, 1921) (Diptera: Culicidae)? Mem. Inst. Oswaldo Cruz Rio 79:509-510.
- Lourenco de Oliveira, R. and T.F. da Silva. 1985. *Wyeomyia forcipenis*, a new species of mosquito (Diptera: Culicidae) from Rio de Janeiro, Brazil. Mem. Inst. Oswaldo Cruz Rio 80:321-326.
- Lourenco de Oliveira, R. and T.F. da Silva. 1987. *Culex siphonulatus*, a new species of mosquito from the coast of Rio de Janeiro state, Brazil (Diptera: Culicidae). Mem. Inst. Oswaldo Cruz Rio 82:101-110.
- Lourenco de Oliveira, R. and B. Townsend. 1989. On *Culex spinosus* Lutz, 1905 (Diptera: Culicidae). Designation of a neotype. Mem. Inst. Oswaldo Cruz Rio 84:431-433.
- Lu Baolin and Gong Zhenda. 1986. Studies on the genus *Heizmannia* of China with descriptions of two new species (Diptera: Culicidae). (In Chinese). Acta Entomol. Sin. 29:181-189.
- Lu Baolin, Dong Xueshu and Wang Xuezhong. 1986. A new species of subgenus *Topomyia* of genus *Topomyia* (Diptera: Culicidae). (In Chinese). Acta Zootaxonomica Sin. 11:406-408.
- Luh Paoling and Li Beisi. 1981. A new *Armigeres* from China (Diptera: Culicidae). (In Chinese). Acta Zootaxonomica Sin. 6:188-190.
- Luh Paoling and Shih Jingmin. 1958. New *Aedes* and *Armigeres* subspecies from Guangxi. (In Chinese). Military Med. 1:222-226.
- Ma Sufang. 1981. Studies on the *Anopheles* (*A.*) *sinensis* group of mosquitoes in China, including four new sibling species. (In Chinese). Sinozoologia 1:59-70, 4 pl.
- Ma Sufang. 1982. Diptera: Culicidae. (In Chinese). Insects of Xizang 2:157-163.
- Marks, E.N. 1976. Some mosquitoes (Culicidae) of Blackdown Tableland. Qd. Nat. 21:118.
- Mattos, S. da Silva and S.H. Xavier. 1991. *Culex* (*Melanoconion*) *guedesi* uma nova especie do Brasil (Diptera, Culicidae). Rev. Brasil. Biol. 51:193-196.
- McCabe, T.L. and L.M. Johnson. 1980. Catalogue of the types in the New York State Museum insect collection. N.Y. State Mus. Bull. 434: 38 pp.
- Minar, J. 1991. Family Culicidae, pp. 74-113. In: A. Soos and L. Papp (eds.), Catalogue of Palaeartic Diptera. Volume 2. Psychodidae—Chironomidae. Elsevier Science Publ. Co., New York.
- Miyagi, I. and T. Toma. 1989. A new species of *Topomyia* (*Suaymyia*) *suchariti* from Thailand (Diptera: Culicidae). Mosq. Syst. 21:16-24.
- Miyagi, I., T. Toma and S. Ramalingam. 1989. *Topomyia* (*Topomyia*) *hardini*, a new species from Sarawak, Malaysia (Diptera: Culicidae). Trop. Biomed. 6:91-98.
- Miyagi, I., T. Toma, K. Ramakrishna and S. Ramalingam. 1989. Studies of the genus *Topomyia*: 3. Redescription of *spathulirostris* and transfer to the subgenus *Suaymyia*. Mosq. Syst. 21:40-49.
- Miyagi, I., T. Toma and S. Ramalingam. 1991. *Topomyia* (*Topomyia*) *yongi*, a new species of mosquito from Peninsular Malaysia (Diptera: Culicidae). Mosq. Syst. (1990) 22:185-191.
- Nurul Huda, K.M. and B.A. Harrison. 1985. Priority of the name *Anopheles pseudojamesi* for the species previously called *An. ramsayi* (Diptera: Culicidae). Mosq. Syst. 17:49-51.
- Peyton, E. L. 1977. Medical entomology studies—X. A revision of the subgenus *Pseu-*

- doficalbia* of the genus *Uranotaenia* in Southeast Asia (Diptera: Culicidae). Contrib. Am. Entomol. Inst. (Ann Arbor) 14(3):1-273.
- Peyton, E.L. and S. Ramalingam. 1988. *Anopheles (Cellia) nemophilous*, a new species of the Leucosphyrus Group from Peninsular Malaysia and Thailand (Diptera: Culicidae). Mosq. Syst. 20:272-299.
- Phan, V.T., N.D. Manh, T.D. Hinh and N.T. Vien. 1991. *Anopheles (Anopheles) cucphuongensis*: a new species from Vietnam (Diptera: Culicidae). Mosq. Syst. (1990) 22:145-148.
- Ramalingam, S. 1987. On the restriction of *Armigeres durhami* Edwards and the description of *Armigeres kesseli* n. sp. (Diptera: Culicidae). Trop. Biomed. 4:55-65.
- Ramalingam, S. 1988. Description of a new species of *Topomyia* from Peninsular Malaysia (Diptera: Culicidae). Mosq. Syst. (1987) 19:245-250.
- Ramalingam, S. and Q. Banu. 1987. Studies on the genus *Topomyia*: 2. Description of a new species from Sabah, Malaysia (Diptera: Culicidae). Trop. Biomed. 4:119-124.
- Ramalingam, S. and K. Ramakrishna. 1988. Studies on the genus *Topomyia*: 1. A new species from Sabah, Malaysia. Mosq. Syst. 20:33-40.
- Rattanaarithikul, R. and C.A. Green. 1987. Formal recognition of the species of the *Anopheles maculatus* group (Diptera: Culicidae) occurring in Thailand, including the descriptions of two new species and a preliminary key to females. Mosq. Syst. (1986) 18:246-278.
- Rattanaarithikul, R. and R.E. Harbach. 1991. *Anopheles maculatus* (Diptera: Culicidae) from the type locality of Hong Kong and two new species of the Maculatus Complex from the Philippines. Mosq. Syst. (1990) 22:160-183.
- Rattanaarithikul, R. and B.A. Harrison. 1988. *Aedes (Finlaya) reinerti*, a new species from northern Thailand related to *Aedes (Finlaya) formosensis* Yamada (Diptera: Culicidae). Mosq. Syst. 20:77-96.
- Reinert, J.F. 1974. Medical entomology studies—I. A new interpretation of the subgenus *Verrallina* of the genus *Aedes* (Diptera: Culicidae). Contrib. Am. Entomol. Inst. (Ann Arbor) 11(1):1-249.
- Reinert, J.F. 1984. Medical entomology studies—XVI. A review of the species of the subgenus *Verrallina*, genus *Aedes*, from Sri Lanka and a revised description of the subgenus (Diptera: Culicidae). Mosq. Syst. 16:1-130.
- Reinert, J.F. 1985. A description of *Scuto-myia*, a subgenus resurrected from the Albolineatus Group of the genus *Aedes* (Diptera: Culicidae). Mosq. Syst. 17:121-131.
- Reinert, J.F. 1987. *Albuginosus*, a new subgenus of *Aedes* Meigen (Diptera: Culicidae) described from the Afrotropical Region. Mosq. Syst. (1986) 18:307-326.
- Reinert, J.F. 1988. Descriptions of the holotypes of *Aedes (Finlaya) purpureus* and *Ae. (Fin.) pecuniosus* with a revalidation of the latter species (Diptera: Culicidae). Mosq. Syst. 20:55-68.
- Reinert, J.F. 1990a. *Udaya subsimilis*, a new generic combination, a redescription of the holotype, and notes on the genus *Udaya* (Diptera: Culicidae). Mosq. Syst. (1989) 21:206-215.
- Reinert, J.F. 1990b. Medical entomology studies—XVII. Biosystematics of *Ken-knightia*, a new subgenus of the mosquito genus *Aedes* from the Oriental Region (Diptera: Culicidae). Contrib. Am. Entomol. Inst. (Gainesville) 26(2):1-119.
- Ribeiro, H. 1991. Research on the mosquito subfamily Toxorhynchitinae (Diptera: Culicidae). I—The Afrotropical group *Brevipalpis* (Adults) (1). Arq. Mus. Bocage N.S. 2(3):31-62.
- Ribeiro, H., H. da Cunha Ramos, C.A. Pires and R.A. Capela. 1980. Research on the mosquitoes of Portugal (Diptera, Culicidae) IV—Two new anopheline records. Garcia de Orta Ser. Zool. 9:129-139, 2 pl.
- Ribeiro, H., H. da Cunha Ramos, C.A. Peres and R.A. Capela. 1987. Research of the mosquitoes of Portugal (Diptera, Culicidae) IX—A new anopheline record. Garcia de Orta Ser. Zool. (1985) 12:105-112, 1 pl.

- Ribeiro, H., H. da Cunha Ramos, C.A. Pires and R.A. Capela. 1988. An annotated checklist of the mosquitoes of continental Portugal (Diptera Culicidae), pp. 233–253. Actas III Congr. Iberico Entomol., Granada.
- Rodhain, F. and A. Boutonnier. 1984. Le genre *Orthopodomyia* (Diptera: Culicidae) a Madagascar. Arch. Inst. Pasteur Madagascar (1983) 51:203–248.
- Rodhain, F. and A. Boutonnier. 1985. Checklist of the type specimens of mosquitoes (Diptera: Culicidae) in the Medical Entomology Collections of the Pasteur Institute in Paris. Mosq. Syst. (1984) 16:271–281.
- Rosa-Freitas, M.G. 1989. *Anopheles (Nyssorhynchus) deaneorum*: a new species in the *albitarsis* complex (Diptera: Culicidae). Mem. Inst. Oswaldo Cruz Rio 84:535–543.
- Rosa-Freitas, M.G. and L.M. Deane. 1989. The neotype of *Anopheles albitarsis* (Diptera: Culicidae). Mem. Inst. Oswaldo Cruz Rio 84:289–302.
- Rosenberg, R. and N.L. Evenhuis. 1985. A new species of *Toxorhynchites* from Bangladesh (Diptera: Culicidae). Mosq. Syst. 17:36–43.
- Sallum, M.A.M., K. Uramoto and O.P. Forattini. 1988. Redescription and resurrection from synonymy, of *Aedes (Ochlerotatus) rhyacophilus* Costa Lima, 1933. Mem. Inst. Oswaldo Cruz Rio 83:67–77.
- Sanchez-Covisa Villa, A., J.A. Rodriguez Rodriguez and J.L. Guillen Llera. 1985. Estudio de la larva de cuarto estado de las especies del subgenero *Finlaya* (Diptera: Culicidae) de Espana Peninsular. Bol. Soc. Port. Entomol. 1 (Suppl. 1):439–448.
- Segerman, J. 1990. A list of the type specimens of Culicidae housed in the Department of Medical Entomology at the South African Institute for Medical Research, Johannesburg. Mosq. Syst. 22:53–56.
- Service, M.W. 1990. Handbook to the Afrotropical toxorhynchitine and culicine mosquitoes, excepting *Aedes* and *Culex*. British Museum (Natural History), London.
- Shidrawi, G.R. and M.T. Gillies. 1988. *Anopheles paltrinierii*, n. sp., (Culicidae: Diptera) from the Sultanate of Oman. Mosq. Syst. (1987) 19:201–211.
- Sirivanakarn, S. 1968. The *Culex* subgenus *Lophoceraomyia* in New Guinea (Diptera: Culicidae). Pac. Insects Monogr. 17:75–186.
- Sirivanakarn, S. 1972. Contributions to the mosquito fauna of Southeast Asia. XIII. The genus *Culex*, subgenus *Eumelanomyia* Theobald in Southeast Asia and adjacent areas. Contrib. Am. Entomol. Inst. (Ann Arbor) 8(6):1–86.
- Sirivanakarn, S. 1976. Medical entomology studies—III. A revision of the subgenus *Culex* in the Oriental Region (Diptera: Culicidae). Contrib. Am. Entomol. Inst. (Ann Arbor) 12(2):1–272.
- Sirivanakarn, S. 1977. Medical entomology studies—VI. A revision of the subgenus *Lophoceraomyia* of the genus *Culex* in the Oriental Region (Diptera: Culicidae). Contrib. Am. Entomol. Inst. (Ann Arbor) 13(4):1–245.
- Snow, K.R. 1986. A note on the spelling of the name *Orthopodomyia pulcripalpis* (Rondani 1872). Mosq. Syst. (1985) 17:361–362.
- Stone, A. and R.M. Bohart. 1944. Studies on mosquitoes from the Philippine Islands and Australasia (Diptera: Culicidae). Proc. Entomol. Soc. Wash. 46:205–225.
- Stone, A., K.L. Knight and H. Starcke. 1959. A synoptic catalog of the mosquitoes of the world (Diptera, Culicidae). Thomas Say Found. 6:1–358.
- Strickman, D. 1988. Redescription of the holotype of *Culex (Culex) peus* Speiser and taxonomy of *Culex (Culex) stigmatosoma* Dyar and *thriambus* Dyar (Diptera: Culicidae). Proc. Entomol. Soc. Wash. 90:484–494.
- Strickman, D. 1990. *Culex pseudostigmatosoma*, *Cx. yojoae* and *Cx. aquarius*: new Central American species in the subgenus *Culex* (Diptera: Culicidae). Mosq. Syst. (1989) 21:143–177.
- Strickman, D. and J. Pratt. 1989. Redescription of *Cx. corniger* Theobald and elevation of *Culex (Culex) lactator* Dyar and

- Knab from synonymy based on specimens from Central America (Diptera: Culicidae). Proc. Entomol. Soc. Wash. 91:551-574.
- Su Long and Zhang Yongsheng. 1987. A new species of the subgenus *Ochlerotatus* Lynch Arribalzaga (Diptera: Culicidae). (In Chinese). Acta Entomol. Sin. 30:450-452.
- Su Long and Zhang Yongsheng. 1988. A new species of *Aedes* (Diptera: Culicidae). (In Chinese). Entomotaxonomia 10:11-13.
- Sutil Oramas, E., J. Pulido F. and J.R. Amarista M. 1987. Dos especies nuevas de *Culex* de Venezuela (Diptera: Culicidae). Bol. Dir. Malariol. Saneam. Amb. 27:81-85.
- Szadziewski, R. and M.M. Szadziewska. 1985. *Culex erikae* sp. n. (Diptera, Culicidae) from the Baltic amber. Polskie Pismo Entomol. 55:513-518.
- Taylor, F.H. 1914. Culicidae from Papua. Trans. R. Entomol. Soc. Lond. 1914:185-205, 2 pl.
- Tewari, S. C. and J. Hiriyani. 1992. Description of a new species of *Aedes* (*Rhinoskusea*) from South India. Mosq. Syst. (1991) 23:123-131.
- Toma, T., I. Miyagi and B.D. Cabrera. 1984. *Culex* (*Culiciomyia*) *azurini*, a new crab hole mosquito species from the Philippines. Mosq. Syst. 16:172-182.
- Toma, T., I. Miyagi and K. Tanaka. 1990. A new species of *Toxorhynchites* mosquito (Diptera: Culicidae) from the Ryukyu Archipelago, Japan. J. Med. Entomol. 27:344-355.
- Townsend, B.C. 1990. Culicidae, pp. 35-152. In: B.C. Townsend, J.E. Chainey, R.W. Crosskey, A.C. Pont, R.P. Lane, J.P.T. Boorman and C.A. Crouch (eds.). A catalogue of the types of bloodsucking flies. Occas. Pap. Nat. Hist. Mus. (London) No. 7.
- Tsukamoto, M. 1989. Two new mosquito species from a pitcher plant of Mt. Kinabalu, Sabah, Malaysia: *Culex rajah* and *Toxorhynchites rajah* (Diptera: Culicidae). Jpn. J. Trop. Med. Hyg. 17:215-228.
- Wang Xingxiang. 1984. Description of a new *Culex* species (Diptera: Culicidae). (In Chinese). Acta Entomol. Sin. 27:217-220.
- Ward, R.A. 1984. Second supplement to "A catalogue of the mosquitoes of the world" (Diptera: Culicidae). Mosq. Syst. 16:227-270.
- Ward, R.A. 1987. Nomenclatorial status and some additions to the species listed in the publication, *New species of mosquitoes in the fauna of the USSR* by A.V. Gutsevich and A.M. Dubitskiy (1981). Mosq. Syst. 19:93-99.
- Weaver, S.C., W.F. Scherer, C.D. Taylor, D.A. Castello and E.W. Cupp. 1986. Laboratory vector competence of *Culex* (*Melanoconion*) *cedecei* for sympatric and allopatric Venezuelan equine encephalomyelitis viruses. Am. J. Trop. Med. Hyg. 35:619-623.
- White, G.B. 1985. *Anopheles bwambae* sp. n., a malaria vector in the Semliki Valley, Uganda, and its relationships with other sibling species of the *An. gambiae* complex (Diptera: Culicidae). Syst. Entomol. 10:501-522.
- Wilkerson, R.C. 1990a. Elevation of *Anopheles chiriquiensis* from synonymy with *Anopheles parapunctipennis* and designation of name-bearing types for *Anopheles parapunctipennis guatemalensis* (Diptera: Culicidae). Mosq. Syst. (1989) 21:178-187.
- Wilkerson, R.C. 1990b. Redescriptions of *Anopheles punctimacula* and *An. malefactor* (Diptera: Culicidae). J. Med. Entomol. 27:225-247.
- Wilkerson, R.C. 1991. *Anopheles* (*Anopheles*) *calderoni* n. sp., a malaria vector of the Arribalzaga Series from Peru (Diptera: Culicidae). Mosq. Syst. 23:25-38.
- Xavier, S.H. and S. da Silva Mattos. 1989. Mosquito types of Brazil—Supplement. Mosq. Syst. 21:50.
- Zavortink, T.J. 1968. Mosquito studies (Diptera, Culicidae) VIII. A prodrome of the genus *Orthopodomyia*. Contrib. Am. Entomol. Inst. (Ann Arbor) 3(2):1-221.
- Zavortink, T.J. 1986. *Zinzala*, a new subgenus of *Wyeomyia* with two new species from pitcher-plants in Venezuela (Diptera, Culicidae, Sabethini). Wassman J. Biol. (1985) 43:46-59.

## TAXONOMIC INDEX

Valid genera and subgenera are shown in **bold face** except when they follow species names in which case they are *italicized*. Valid species and infraspecific names are *italicized*. Synonyms and invalid names are underlined. Where two pages are given after a generic name, the first refers to the genus and the second refers to the typical subgenus if on a different page.

- abfitchii Felt, 187  
*abyssinicus* Ribeiro, 209  
*adairi* Kirkpatrick, 197  
*adentata* van den Assem, 206  
**Aedes** Meigen, 184  
**Aedimorphus** Theobald, 184  
*aegypti* (Linnaeus), 190  
*aerarius* McIntosh, 184  
affinis Adams, 196  
*africanus* (Theobald), 190  
**Afroculex** Danilov, 193  
ager Giles, 193  
agilis Bigot, 195  
ainshamsi Gad, El Said, Hassan and Shoukry, 210  
**Alanstonea** Mattingly, 184  
*albescens* Taylor, 208  
*albineus* Seguy, 187  
albino Stoker and Waktoedi, 183  
albionensis MacGregor, 203  
albipes Theobald, 182  
*albitarsis* Lynch Arribalzaga, 183  
*albodorsalis* Fontenille and Brunhes, 184  
*albolineatus* (Theobald), 189  
*albotaeiniatus* (Leicester), 185  
albovirgatus Graham, 194  
**Albuginosus** Reinert, 184  
*aliciae* Duret, 198  
**Allimanta** Casal and Garcia, 193  
allopha (Lutz and Peryassu), 210  
alpha Seguy, 196  
*altivallis* Bonne-Wepster, 205  
*alvarezi* Sutil Oramas, Pulido F. and Amarista M., 199  
amutis De Burca, 182  
*anastasionis* Dyar, 192  
*andamanensis* Barraud, 203  
*angkoris* Klein, 204  
*angolensis* Cunha Ramos, 208  
*angustiplus* Evenhuis and Steffan, 208  
anisochloros Theobald, 181  
*annularis* Van der Wulp, 180  
annulata Taylor, **Culex**, 195  
annulata Taylor, **Leucomyia**, 196  
*annulatus* Haga, 180  
annulipes Taylor, 187  
*annulipes* Walker, 180  
*annulirostris* Skuse, 193  
annulirostris Taylor, 196  
**Anoedioporpa** Dyar, 193  
**Anopheles** Meigen, 178  
*anoplicitus* Forattini and Sallum, 199  
*antanosyorum* Rodhain and Boutonnier, 303  
*antennalis* Taylor, 208  
*antennatus* (Becker), 193  
*anthropophagus* Xu and Feng, 178  
antuensis Su, Wang and Li, 185  
*apicoargenteus* (Theobald), 190  
*apicotriangulatus* (Theobald), 205  
*apoci* Marsh, 180  
*aquarius* Strickman, 193  
arabica Christophers and Chand, 181  
*arabiensis* Patton, 180  
*aranoides* (Theobald), 205  
*arborea* Galindo, Carpenter and Trapido, 207  
*arboricola* Knight and Rozeboom, 189  
*argenteolobatus* (Gough), 180  
*argenteopunctatus* (Ventrillon), 193  
**Armigeres** Theobald, 191  
*ascidiicola* de Meijere, 207  
*ashworthi* Edwards, 186  
**Asioculicus** Hong, 209  
*atlantica* (Edwards), 201  
*atra* Theobald, 208  
*atratipes* Skuse, 178  
*atripes* (Skuse), 205  
*aureostriatus* (Doleschall), 185  
*aurescens* (Lutz), 204  
*auridorsum* Edwards, 185  
*aurifluus* (Edwards), 209  
auritaenia Enderlein, 195  
*australis* (Erichson), 186  
**Austrotheobaldia** Dobrotworsky, 201  
autogenicus Roubaud, 195  
*axitiosus* Kulasekera, Knight and Harbach, 185

- azureosquamatus* Bonne-Wepster, 190  
*azurini* Toma, Miyagi and Cabrera, 196  
*baezai* Gater, 178  
*bahiensis* Duret, 199  
*baileyi* Edwards, 178  
*bambiotai* Geoffroy, 184  
*bambusa* (Yamada), 206  
*bambusicola* Knight and Rozeboom, 189  
*bancoi* Geoffroy, 184  
*bancrofti* Theobald, 195  
*baolini* Gong, 205  
*barbumbrosus* Strickland and Chowdhury, 178  
*bebericus* Roubaud, 195  
*bejaranoi* Duret, 199  
*belemensis* Duret and Damasceno, 193  
*bengalensis* Barraud, 198  
*bengalensis* Rosenberg and Evenhuis, 209  
*bergrothi* (Edwards), 201  
*biannulata* Theobald, 184  
*bifoliata* Theobald, 194  
*bifurcatus* Linnaeus, 195  
*bimaculipes* (Theobald), 206  
**Bironella** Theobald, 183  
*bitaeniorhynchus* Giles, 193  
*boharti* Knight and Rozeboom, 189  
*bonnewepsterae* van den Assem, 203  
*bostocki* Theobald, 198  
*bozasi* Neveu-Lemaire, 182  
*breinli* (Taylor), 191  
*breviculus* Senevet and Abonnenc, 200  
*brevipalpis* Theobald, 209  
*bricenoi* Cova Garcia, Pulido, Escalante de Ugueto, Amarista and Mora R., 208  
**Brugella** Edwards, 183  
*brumpti* Gaillard, 193  
*brumpti* Neveu-Lemaire, 184  
*brygooi* Grjebine, 202  
*buxtoni* Service, 180  
*bwambae* White, 180  
*Caenocephalus* Taylor, 186  
**Caenomyiella** Harbach and Peyton, 206  
*cairnsensis* (Taylor), 201  
*cairnsensis* Taylor, 202  
*cairnsensis* Taylor, *Culex*, 198  
*cairnsensis* Taylor, *Uranotaenia*, 208  
*calceatus* Edwards, 190  
*calderoni* Wilkerson, 178  
*calloti* Rioux and Pech, 195  
*camaronis* Ribeiro, 209  
*cameroni* de Meillon and Evans, 180  
*camptorhynchus* (Thomson), 187  
*capensis* Edwards, 185  
*capricornii* Lutz, 192  
*carrilloi* (Sutil O. and Pulido F.), 207  
*carteri* Evans and de Meillon, 180  
*cartroni* Ventrillon, 195  
*castor* de Meillon and Lavoipierre, 197  
*cedecei* Stone and Hair, 199  
**Cellia** Theobald, 180  
*changbaiensis* Su and Wang, 209  
*changfus* Ma, 178  
*chaquensis* Paterson and Shannon, 192  
*chaussieri* Edwards, 190  
*chiriquiensis* Komp, 178  
*chitae* Duret, 193  
*chloroventer* Theobald, 194  
*christophi* (Portschinsky), 209  
*chrysonotum* Dyar and Knab, 200  
*chrysothorax* Newstead and Thomas, 200  
*cinereus* Theobald, 180  
*claviger* (Meigen), 178  
*clavipalpus* (Theobald), 202  
*colledgei* Marks, 178  
*collessi* Grjebine, 202  
*combesi* Doucet, 208  
*compressum* Lutz, 205  
*concinus* Lee, 206  
*concolor* Taylor, 186  
*consimilis* Newstead, 193  
*consimilis* Taylor, 193  
*contei* Duret, 199  
**Coquillettidia** Dyar, 203  
*cordellieri* Huang, 185  
*corethroides* Theobald, 178  
*corneti* Huang, 190  
*coustani* Laveran, 178  
*crinicauda* Edwards, 194  
*cristovaoi* Duret, 199  
*cubiculi* Marks, 198  
*cucphuongensis* Phan, Manh, Hinh and Vien, 178  
**Culex** Linnaeus, 193, 209  
**Culicella** Felt, 201  
**Culiciomyia** Blanchard, 196  
**Culiseta** Felt, 201  
*cunninghami* Taylor, 191  
*curvirostris* Laveran, 203  
*cuttsi* van den Assem, 206  
*cuyanus* Duret, 194



- cydippis* de Meillon, 180  
*dahuricus* Danilov, 184  
*daliensis* (Taylor), 191  
*damascenoi* Duret, 193  
*damiaoensis* Hong, 209  
*danaraji* Ramalingam, 205  
*dancalicus* Corradetti, 180  
*daudi* Coluzzi, 180  
*dauidoni* Ribeiro, Cunha Ramos, Pires and Capela, 180  
*davisi* Kumm, 200  
**Davismyia** Lane and Cerqueira, 204  
*dazhaius* Ma, 178  
*deanei* Lourenco de Oliveira, 204  
*deaneorum* Rosa-Freitas, 183  
*decens* Theobald, 194  
*delpontei* Duret, 199  
*denbesteni* Brug, 191  
*denderensis* Wolfs, 190  
**Dendromyia** Theobald, 207  
*derooki* Soesilo and Slooten, 183  
*derricki* Taylor, 180  
*deserticola* Kirkpatrick, 198  
*detritus* (Haliday), 187  
**Diceromyia** Theobald, 185  
*dispar* Rattarithikul and Harbach, 180  
*dispectus* Bram, 196  
*dissimilis* (Leicester), 186  
*dissimilis* Theobald, 194  
*domesticus* Galvao and Damasceno, 183  
*domesticus* Germar, 195  
*dominguezi* Duret, 192  
*douglasi* Dobrotworsky, 200  
*dravidicus* Christophers, 181  
*dudgeonii* Theobald, 183  
*dundo* Ribeiro, 209  
*durhami* Edwards, 191  
*durhami* Theobald, 203  
*duttoni* Theobald, 194  
**Edwardsaedes** Belkin, 185  
*edwardsi* (Barraud), 190  
*edwardsi* Barraud, 194  
*eidsvoldensis* Mackerras, 187  
*elegans* (Taylor), 201  
*elegans* James, 181  
*erectus* Iglisch, 195  
*erepens* Gillies, 181  
**Eretmapodites** Theobald, 192  
*erikae* Szadziewski and Szadziewska, 209  
*ernanii* Duret, 199  
*eschirasi* Galliard, 195  
*ethiopicus* Edwards, 193  
*ethiopicus* Gillies and Coetzee, 181  
**Etorleptomyia** Theobald, 201  
**Eumelanomyia** Theobald, 197  
*eumimetes* Dyar and Knab, 196  
**Exallomyia** Harbach and Peyton, 207  
*excrucians* (Walker), 187  
*exnebulis* Bonne-Wepster, 206  
*fabricii* Lane and Cerqueira, 204  
*falcipes* Banks, 208  
*farakoensis* Hamon, 194  
*faurani* Duret, 199  
*felicatus* Bonne-Wepster, 206  
*fergusoni* (Taylor), 200  
*fernandezyepezi* Cova Garcia, Sutil Oramas and Pulido F., 206  
*ferraro* Duret, 192  
*ferreri* Duret, 199  
**Ficalbia** Theobald, 201  
*filipes* (Walker), 206  
**Finlaya** Theobald, 185  
*fishi* Zavortink, 207  
*flabelliger* Bonne-Wepster, 206  
*flavescens* (Mueller), 188  
*flavescens* Theobald, 188  
*flochi* Duret, 199  
*fluviatilis* James, 181  
*foliatus* Brug, 197  
*forcipenis* Lourenco de Oliveira and da Silva, 207  
*formosaensis* II Tsuzuki, 181  
*formosensis* Yamada, 185  
*fragilis* (Theobald), 179  
*franciscanus* McCracken, 179  
*fraudatrix* (Theobald), 198  
*fuliginosus* Giles, 180  
*fumipennis* (Stephens), 201  
*funestus* Giles, 181  
*fusca* Theobald, 191  
*fuscifurcatus* Edwards, 194  
*fuscitarsis* Barraud, 194  
*fuscocephala* Theobald, 194  
*fuscopteron* (Theobald), 203  
*gabaldoni* Cova Garcia, Pulido F., Escalante de Ugueta and Mora R., 208  
*gaffigani* Reinert, 186  
*gagnei* Evenhuis, 198  
*galloisiodes* Liu and Lu, 190  
*galvaoi* Duret, 199

- garcesi* Duret, 199  
*geoskusea* Amos, 187  
**Geoskusea** Edwards, 186  
*giblini* (Taylor), 203  
*gigas* Giles, 179  
*gilcolladoi* Sanchez-Covisa V., Rodriguez R. and Guillen G., 185  
*gilliesi* Van Someren, 185  
*glyptosalphinx* Harbach, Peyton and Harrison, 199  
*gonguoensis* Gong and Lu, 185  
*gorgasi* Duret, 204  
*grahamii* Theobald, 194  
*greeni* Rattanarithikul and Harbach, 181  
*greenii* (Theobald), *Aedes*, 186  
*greenii* (Theobald), *Heizmannia*, 192  
griscens Stephens, 178  
*guatemalensis* De Leon, 179  
*guedesi* Mattos and Xavier, 199  
*guizhouensis* Chen and Zhao, 194  
*gutierrezii* Duret, 207  
*gyirongensis* Ma, 188  
*hackeri* Edwards, 197  
**Haemagogus** Williston, 192  
haematophagus Ficalbi, 195  
*hainanensis* Chen, 196  
**Halaedes** Belkin, 186  
*harbachi* Reinert, 186  
*hardini* Miyagi, Toma and Ramalingam, 205  
*haworthi* Edwards, 185  
*hayashii* Yamada, 197  
hegneri Causey, 186  
*heiheensis* Ma, 179  
**Heizmannia** Ludlow, 192  
*hermsi* Barr and Guptavanij, 179  
*herrerai* Sutil Oramas, Pulido F. and Amarista M., 199  
*heterospina* Gong and Lu, 192  
*hewitti* (Edwards), 198  
*hilli* (Taylor), 206  
hirsutipalpis Theobald, 194  
*hirtusa* Gong, 205  
*hispaniola* (Theobald), 180  
**Hodgesia** Theobald, 202  
*hollandi* Taylor, 183  
*hoogstraali* Knight and Rozeboom, 189  
*horotoi* Taylor, 186  
*hortensis* Ficalbi, 198  
*identicus* Dyar and Knab, 204  
*impatibilis* (Walker), 189  
*imperfectus* Dobrotworsky, 188  
*implicatus* Vockeroth, 188  
*indefinitus* (Ludlow), 181  
*indicus* (Barraud), 206  
*indicus* Evenhuis and Steffan, 209  
indiensis Theobald, 179  
**Ingramia** Edwards, 202  
*ininicola* Fauran and Pajot, 207  
*inornata* (Theobald), 201  
inornata Theobald, 205  
*insequens* Marks, 198  
*interfor* Dyar, 194  
*intermedius* Danilov and Gornostaeva, 188  
*introlatus* Colless, 181  
*invidiosus* Theobald, 194  
*iriartei* Cova Garcia, Pulido F., Escalante de Ugueta and Mora R., 208  
*isabelae* Duret, 199  
*jacksoni* Edwards, 194  
**Janthinosoma** Lynch Arribalzaga, 192  
javanensis Brug, 191  
*jeyporiensis* James, 181  
*johnnyi* Duret, 199  
*josiahae* Huang, 190  
*juppi* McIntosh, 188  
*kalawara* Stoker and Waktoedi, 182  
kanaranus Barraud, 186  
*kapretwae* Edwards, 185  
*karwari* (Barraud), 187  
*katherinensis* Woodhill, 190  
**Kenknightia** Reinert, 186  
*kennethi* Muspratt, 185  
kerri Duret, 200  
*kesseli* Ramalingam, 191  
khasiana Barraud, 185  
**Kitzmilleria** Danilov, 197  
*kochi* (Doenitz), *Aedes*, 186  
*kochi* Doenitz, *Anopheles*, 181  
*kosiensis* Coetzee, Segerman and Hunt, 181  
koumbai Gaillard, 197  
*krymmontanus* Alekseev, 189  
*kunmingensis* Dong and Wang, 179  
*lactator* Dyar and Knab, 194  
*laffooni* Knight and Rozeboom, 189  
lamberti Ventrillon, 190  
*lambrechti* Van Someren, 189  
*lasaensis* Meng, 188  
**Lasiosiphon** Kirkpatrick, 197  
*lateralis* Ludlow, 208  
*latispinus* Gong and Ji, 206

- laurenti* Newstead, 193  
**Leicestertia** Theobald, 191  
*leonis* Colless, 186  
*lerozeboomi* Reinert, 187  
*leucomeres* (Giles), 187  
*leucopleurus* Rozeboom, 185  
*leucosphyrus* Doenitz, 181  
*levicastilloi* Grjebine, 202  
**Levua** Stone and Bohart, 187  
*lewisi* Ribeiro, 209  
*liangshanensis* Kang, Tan, Cao, Cheng, Yang and Huang, 179  
*lii* Wu, 192  
**Limatus** Theobald, 203  
*linealis* (Skuse), 203  
*lineata* (Theobald), 193  
*lineata* Theobald, 198  
*littleri* (Taylor), 201  
*litwakae* Harbach, 194  
*litwakae* Reinert, 187  
*lividocostalis* Graham, 194  
*longicornis* Grjebine, 202  
*longifilamentus* Su and Zhang, 188  
*longipodus* Hong and Wang, 209  
**Lophoceraomyia** Theobald, 198  
*lounibosi* Gillies and Coetzee, 181  
*lucifer* (Howard, Dyar and Knab), 192  
*ludlowae* (Theobald), 181  
*lugubris* Barraud, 191  
*lunulatus* King and Hoogstraal, 186  
*luridus* McIntosh, 187  
*luteocephalus* (Newstead), 190  
**Lutzia** Theobald, 198  
*lutzii* (Theobald), 192  
*luzonensis* Rozeboom, 187  
*macarthuri* Colless, 181  
*macfarlanei* (Edwards), 186  
*machadoi* Cunha Ramos, 208  
*macleayi* Skuse, 195  
*maculatus* Theobald, 181  
*maculosa* James and Liston, 183  
*maculosa* Theobald, 187  
*madagascariensis* Ventrillon, 195  
*madecassorum* Rodhain and Boutonnier, 203  
*magnus* (Theobald), 191  
**Maillotia** Theobald, 198  
*majidi* Young and Majid, 181  
*malayi* (Theobald), 191  
*malaysiensis* Ramalingam and Banu, 205  
*malefactor* Dyar and Knab, 179  
*mallochi* Taylor, 186  
*mangyanus* (Banks), 182  
**Mansonia** Blanchard, 203  
**Mansonioides** Theobald, 203  
*marajoara* Galvao and Damasceno, 183  
*marksae* Grjebine, 202  
*marshallii* (Theobald), 184, 185  
*marteri* Senevet and Prunelle, 179  
*martinei* (Doucet), 201  
*masculus* Theobald, 194  
*masoalensis* Fontenille and Brunhes, 184  
*mastersi* Skuse, 180  
*mathioti* Fontenille and Brunhes, 184  
*mattinglyi* Grjebine, 202  
*mauritanicus* Callot, 195  
*maxgermaini* Huang, 190  
*mcintoshii* Huang, 187  
*mediopunctatus* (Theobald), 179  
**Melanoconion** Theobald, 198  
*melanotarsis* Director General Medical Services, 210  
*memorans* (Bonne-Wepster), 203  
*mengi* Chen, Wang and Zhao, 208  
*mengi* Dong, Wang and Lu, 204  
*menglianensis* Lu and Gong, 192  
*metallica* (Leicester), 202  
*mickevichae* Huang, 190  
**Microculex** Theobald, 200  
*mikiranus* Edwards, 185  
*mikrokopion* Knight and Harrison, 186  
*milloti* Grjebine, 202  
*milnensis* Lee, 191  
*milni* Taylor, 195  
*milwardi* Xavier and da Silva Mattos, 199  
**Mimomyia** Theobald, 201, 202  
*mimulus* Edwards, 194  
*minima* (Theobald), 201  
*minutus* Theobald, 194  
*misionensis* Duret, 199  
*moenensis* Iyengar, 210  
*mojuensis* Duret and Damasceno, 200  
*molestus* Forskal, 195  
*montforti* Ventrillon, 196  
*mortiauxi* Cunha Ramos and Ribeiro, 192  
*mossmanni* Taylor, 194  
*moucheti* Evans, 197  
*mubiensis* Luh and Shih, 184  
*muscivus* Skuse, 180  
*namibiensis* Coetzee, 179  
*nebulosus* Theobald, 196

- nemophilous* Peyton and Ramalingam, 182  
**Neobironella** Tenorio, 183  
**Neoculex** Dyar, 200  
**Neomelaniconion** Newstead, 187  
*nepenthis* (Edwards), 205  
*ngong* Van Someren, 185  
*nicaroensis* Duret, 200  
*nigerrima* Taylor, 208  
*nigerrimus* Giles, 179  
*nigra* Christophers, 210  
*nigritarsis* (Chagas), 183  
*nigrochaetae* Theobald, 196  
*nigrochraea* (Bonne-Wepster), 203  
*nigrocostalis* Theobald, 194  
*nigrosignata* (Edwards), 203  
*nilgircus* Christophers, 179  
*normanensis* (Taylor), 188  
*notanandai* Rattanaarithikul and Green, 182  
*novaeguineae* Evenhuis, 201  
**Nyssorhynchus** Blanchard, 183  
*oblita* (Lutz), 207  
*obscurus* Brug, 206  
*obturbans* (Walker), 191  
*occidentayunnanus* Gong and Lu, 189  
*ocellatus* Theobald, 181  
*ocellatus* Theobald, 200  
**Ochlerotatus** Lynch Arribalzaga, 187  
*okinawensis* Toma, Miyagi and Tanaka, 209  
*onderstepoortensis* Theobald, 196  
*oresbius* Harbach and Rattanaarithikul, 197  
*orfilai* Duret, 200  
*ornata* Taylor, 206  
**Orthopodomyia** Theobald, 203  
*palaciosi* Duret, 200  
*pallidostriatus* (Theobald), 184  
*pallidus* Swellengrebel, 178  
*palliventer* (Lutz), 205  
*palpalis* Taylor, 194  
*paltrinierii* Shidrawi and Gillies, 182  
*paludis* Taylor, 195  
*pantjarbatu* Waktoedi, 179  
*papua* Brug, 206  
*papuensis* (Taylor), *Culex*, 197  
*papuensis* (Taylor), *Mansonia*, 203  
*papuensis* De Rook, 210  
*paradianteus* Apfelbeck, 188  
*paradissimilis* Rozeboom, 187  
*paraliae* Sandosham, 179  
*paramaxi* Duret, 194  
*parapunctipennis* Martini, 179  
*parascelos* Theobald, 184  
*parvus* Taylor, 194  
*pauliani* Grjebine, 182  
*pecori* Reinert, 187  
*pecuniosus* Edwards, 186  
*pereyrai* Duret, 200  
*perplexus* Taylor, 180  
*persimilis* Taylor, 180  
*petragnani* Del Vecchio, 179  
*petrocchia* (Shannon and del Ponte), 204  
*pettigrewii* Theobald, 196  
*peus* Speise, 210  
*peytoni* Kulasekera, Harrison and Amerasinghe, 179  
**Peytonulus** Harbach, 204  
*pharoensis* Theobald, 182  
*philonuxia* Philip, 208  
*phlabistus* Dyar, 200  
**Phoniomyia** Theobald, 204  
*pilosus* Duret, 192  
*pingpaensis* Chang, 185  
*pipiens* Linnaeus, 195  
*platylepidus* Knight and Hull, 189  
*plumiger* Bonne-Wepster, 206  
*plumosus* (Brug), 206  
*pluvialis* Kirkpatrick, 197  
*poicilipes* (Theobald), 195  
**Polylepidomyia** Theobald, 205  
*portonovoensis* Tewari and Hiriyana, 189  
*portucaliensis* Figueiredo, 179  
*propria* Taylor, 208  
*pruina* Theobald, 195  
*pseudalbolineatus* Brug, 189  
*pseudoalbipes* Duret, 192  
*pseudoannulioris* Theobald, 193  
**Pseudoficalbia** Theobald, 207  
*pseudojamesi* Strickland and Chowdhury, 182  
*pseudomediofasciatus* (Theobald), 191  
*pseudorubithoracis* Sirivanakarn, 198  
*pseudosquamosa* Newstead and Carter, 180  
*pseudostigmatosoma* Strickman, 195  
*pseudowillmori* (Theobald), 182  
**Psorophora** Robineau-Desvoidy, 192  
*pulchrithorax* Edwards, 193  
*pulchrithorax* Edwards, 198  
*pulcripalpis* (Rondoni), 203  
*pulcritarsis* (Rondoni), 188  
*pullatus* (Coquillett), 188  
*punctulatus* Doenitz, 182

- quadripalpis* (Edwards), 198  
*quasigelidus* Theobald, 195  
*quasimodestus* Theobald, 195  
*quasioriginator* Duret, 193  
*quasiornatus* (Taylor), 206  
*quasirusticus* Torres Canamares, 188  
*quasisanguinae* Leicester, 202  
*queenslandensis* Theobald, 190  
*quinquefasciatus* Say, 195  
*rabelloi* Forattini and Sallum, 200  
**Rachionotomyia** Theobald, 205  
**Rachisoura** Theobald, 206  
*rachoui* Duret, 200  
*rajah* Tsukamoto, *Culex*, 197  
*rajah* Tsukamoto, *Toxorhynchites*, 209  
*ramalai* Grjebine, 202  
*ramalingami* Evenhuis and Steffan, 209  
*ramsayi* Covell, 182  
*ranci* Grjebine, 182  
*refiki* Medschid, 189  
*reinerti* Rattanarithkul and Harrison, 186  
**Rhinokusea** Edwards, 189  
*rhycophilus* Da Costa Lima, 188  
*ribeirensis* Forattini and Sallum, 200  
*richardgarciai* Jeffery, Oothuman and Rudnick, 197  
*richteri* Ingram and de Meillon, 195  
*rickenbachi* Ribeiro, 209  
*rima* Theobald, 197  
*riojanus* Duret, 195  
*riparioides* Su and Zhang, 188  
*riverai* Duret, 208  
*rockefelleri* Peryassu, 179  
*rodhaini* Ribeiro, 209  
*rubinotus* Theobald, 197  
**Rusticoides** Shevchenko and Prudkina, 189  
*sabahensis* Ramlingam and Ramakerishna, 205  
**Sabethes** Robineau-Desvoidy, 204  
*sagax* (Skuse), 188  
*saibaii* Taylor, 195  
*saimedres* Huang, 190  
*salbairi* Maffi and Coluzzi, 182  
*salisburyensis* Theobald, 198  
*salus* Theobald, 195  
*sangenluoensis* Wang, 198  
*sanguinae* Theobald, 202  
*sawadwongporni* Rattanarithkul and Green, 182  
*sawyeri* Causey, Deane, Deane and Sampaio, 183  
*schnusei* (Martini), 207  
**Scutomyia** Theobald, 189  
*sedaensis* Lei, 188  
*seguyi* Apfelbeck, 188  
*septempunctata* Theobald, 203  
*setivalva* (Monchadskii), 201  
*sexicoxitus* Luh and Li, 191  
*silvai* Duret, 200  
*silvestris* Ingram and de Meillon, 192  
*simanini* Gutsevich, 188  
*similis* Theobald, 178  
*simplensis* (James), 179  
*simplex* Taylor, 193  
*simpsoni* Theobald, 195  
*sinaiticus* Kirkpatrick, 195  
**Sinoedes** Gong and Lu, 189  
*siphanulatus* Lourenco de Oliveira and da Silva, 200  
*sirivanakarni* Duret, 207  
*sitiens* Wiedemann, 195  
**Skusea** Theobald, 189  
*soesiloi* Strickland and Chowdhury, 183  
*sogdianus* Keshishian, 179  
*soleatus* Edwards, 190  
*solomonensis* Cumpston, 210  
*somalicus* Rivola and Holstein, 182  
*somerseti* Taylor, 193  
*soperi* Lane and Cerqueira, 204  
*spathifurca* (Edwards), 197  
*spathulatus* Brug, 191  
*spathulatus* Forattini, and Sallum, 200  
*spathulirostris* Edwards, 204  
*speciosus* (Skuse), 209  
*spermathecus* Wijesundara, 191  
*spiculostylus* Chen, 197  
*spinus* Lutz, 195  
*spoliata* Edwards, 203  
*squamosus* (Taylor), 195  
*squamosus* Theobald, 182  
**Stegomyia** Theobald, 190  
*stellata* Grjebine, 202  
*stephensi* Liston, 182  
*sternopallidus* Roubaud, 195  
*sternopunctatus* Roubaud, 195  
*sticticus* (Meigen), 188  
*stigmaticus* Skuse, 179  
*stigmatosoma* Dyar, 196  
*stoksi* Evans, 185

- stramineus* Dubitzky, 188  
*strelitziae* Muspratt, 190  
*stylifurcatus* Carterand Wigesundara, 197  
**Suaymyia** Thurman, 204  
*subalpinus* Hackett and Lewis, 180  
*subcomplosa* De Ponte, 210  
*subnudipennis* (Edwards), 206  
*subobscurus* Lee, 206  
*subsimilis* (Barraud), 192  
*subumbrosa* Theobald, 181  
*suchariti* Miyagi and Toma, 204  
*sulawesi* Waktoedi, 182  
*sylvatica* Lu, Dong and Wang, 205  
*sylvestris* (Theobald), 206  
*sylvestris* Leicester, 198  
*tabu* Ramalingam and Belkin, 190  
*taeniorhynchoides* (Christophers), 184  
*tahoensis* Dyar, 188  
*tanariviensis* Ventrillon, 182  
*tarsalis* (Newstead), 184  
*tarsata* Lane and Cerqueira, 207  
*tchekedii* de Meillon and Leeson, 182  
*teesdalei* Van Someren, 185  
*telesilla* de Meillon and Lavoipierre, 196  
*tessellatus* Theobald, 182  
**Thaiomyia** Bram, 196  
*theileri* Edwards, 182  
*theileri* Theobald, 196  
*theobaldi* (Lutz), 200  
*thriambus* Dyar, 196  
*tibialis* Taylor, 208  
*tigripes* De Grandpre and De Charmoy, 198  
**Tinolestes** Coquillett, 200  
**Topomyia** Leicester, 204  
*torakala* Stoker and Waktoedi, 181  
*torridus* Iglisch, 195  
**Toxorhynchites** Theobald, 208  
*tramazayguesi* Duret, 193  
*treubi* (De Meijere), 184  
*triangulatus* Taylor, 202  
**Trichoprosopon** Theobald, 205  
**Tripteroides** Giles, 205, 206  
*tumetarsalis* Chen and Zhang, 204  
*turkhudi* Liston, 182  
**Udaya** Thurman, 192  
*umbrosa* Theobald, 181  
*undosus* (Coquillett), 204  
*unidentatus* McIntosh, 187  
*uniformis* (Theobald), 191  
*univittatus* Theobald, 196  
**Uranotaenia** Lynch Arribalzaga, 207, 208  
*vagus* Doenitz, 182  
*vaneedeni* Gillies and Coetzee, 183  
*vansomerena* Grjebine, 202  
*varietas* (Leicester), 191  
*varipes* (Coquillett), 192  
*varuna* Iyengar, 183  
*veeniae* McIntosh, 184  
*ventralis* Walker, *Armigeres*, 191  
*ventralis* Walker, *Culex*, 201  
**Verrallina** Theobald, 190  
*verutus* Harbach, 196  
*vicinus* (Taylor), 196  
*vinckei* de Meillon, 183  
*vittatus* (Bigot), 184  
*wansoni* Wolfs, 197  
*weindorferi* (Edwards), 201  
*whitmani* Lane and Cerqueira, 204  
*whitmorei* (Giles), 196  
*wilkersoni* Reinert, 187  
*willmori* (James), 183  
*wilsoni* Taylor, 188  
**Wyeomyia** Theobald, 206, 207  
*xiaokuanus* Ma, 180  
*yojoae* Strickman, 196  
*yongi* Miyagi, Toma and Ramalingam, 205  
*zhang* Gong, 205  
**Zinzala** Zavortink, 207  
*zinzala* Zavortink, 207