

Distribution of Fe³⁺ and H in minerals during partial melting and metasomatism of spinel peridotite

A.H. PESLIER¹, L.A. SCHAFFER², A.D. BRANDON², M. KILGORE², D.G. AGRESTI³, R.V. MORRIS⁴, T. GRAFF¹, W. LAMB⁵, R.M.G. ARMYTAGE¹, J. HARVEY⁶

¹Jacobs, NASA-JSC, Mail Code X13, Houston TX 77058, USA (anne.h.peslier@nasa.gov)

²Earth & Atmospheric Sci., U. of Houston. TX 77204, USA

³U. of Alabama at Birmingham, AL 35233, USA

⁴NASA-JSC, Mail Code X13, Houston TX 77058, USA

⁵Geology & Geophysics, Texas A&M U., College Station, TX 77843, USA

⁶Sch. of Earth and Environment, U. of Leeds, LS2 9JT, UK

Oxygen fugacity and water content are crucial parameters for many chemical and physical properties of the Earth's mantle, for example bearing on fluid type, melting initiation, and deformation [e.g. 1-3]. However, the exact behaviour of Fe³⁺ and H during melting and metasomatism is still under debate [e.g. 1-3]. Here, the Fe³⁺/ΣFe ratio (Mössbauer and EMP) and water content (FTIR) of peridotite minerals are examined in mantle xenoliths from Kilbourne Hole (KH), NM, and Dish Hill (DH), CA (USA, [4,5]). These spinel peridotites have compositions consistent with partial melting with variable degrees of metasomatism (undetectable to cryptic to modal). Pyroxenites also allow to examine melt-rock reactions.

Bulk-rock Fe₂O₃ content of the KH peridotites correlates with indices of melting (positive with bulk-rock Al₂O₃ and Cpx Yb contents, and negative with spinel Cr#) confirming that Fe³⁺ behaves as an incompatible element during melting [e.g. 6]. Correlations of the Fe³⁺/ΣFe ratio of minerals with these indices, however, indicates that Fe³⁺ is incompatible in Cpx but compatible in Opx and spinel during melting. Water contents in olivine, Cpx and Opx from most KH peridotites can be explained by partial melting [4] and correlate negatively with the Fe³⁺/ΣFe ratio of spinel and Opx but positively with that of Cpx. This indicates partial control of Fe³⁺ on the incorporation of H in pyroxene, but not related to a redox equilibrium in Cpx. The higher Fe³⁺/ΣFe ratio of spinel in the metasomatized KH and DH peridotites, and in the pyroxenites confirms that oxidation characterizes modal metasomatism [7,8]. Metasomatism, however, is not necessarily accompanied by water addition.

[1] Peslier *et al.* (2017) *SSR* **212**, p743. [2] Woodland *et al.* (2006) *Lithos* **89**, p222. [3] Gaetani (2016) *GCA* **185**, p64. [4] Schaffer *et al.* (2018) *GCA* **0.1016/j.gca.2018.10.005**. [5] Armytage *et al.* (2014) *GCA* **137**, p113. [6] Canil *et al.* (1994) *EPSL* **123**, p205. [7] Dyar *et al.* (1989) *AM* **74**, p969. [8] McGuire *et al.* (1991) *CMP* **109**, p252.