Part 121 Taxi/Parked Ground Conflict Related Incidents

InfoShare – Flight Ops

Baltimore, MD

Capt. Gary Brauch

ASRS Expert Analyst Metis Technology/Booz Allen Hamilton

> Becky Hooey, PhD ASRS Acting Program Director NASA Ames Research Center

March 2018

AVIATION SAFETY REPORTING SYSTEM



Part 121 Taxi/Parked Ground Conflict Related Incidents Search Criteria

- Time Frame = Events occurring since <u>Jan 2015</u>
 - Most recent record occurred in Oct 2017
- Anomaly = Ground Conflict, Critical OR Ground Conflict, Less Severe OR Ground Event / Encounter – Aircraft
- Aircraft X and Aircraft Y Part Number = Part 121
- Aircraft X and Aircraft Y Flight Phase = Taxi OR Parked
- Aircraft X and Aircraft Y Weight Class > 40,000 lbs
- Query yielded a total of 68 records





Part 121 Taxi/Parked Ground Conflict Related Incidents Anomaly Definitions

Ground Conflict, Critical

• Two or more aircraft (one may be airborne) in conflict, or an aircraft in conflict with a vehicle/person/object in which the reporter or other involved party took evasive action to avoid a collision, or a collision that almost occurred in cases where evasive action was not taken or possible. The evasive action can include an emergency go-around, veering on a taxiway/runway, rejected takeoff/abort, emergency braking, or an aircraft overflying another aircraft 50 feet or less.

Ground Conflict, Less Severe

 Two or more aircraft (one may be airborne) in conflict, or an aircraft in conflict with a vehicle/person/object in which the reporter or other involved party may, or may not have taken precautionary avoidance action, and in which a collision hazard was not imminent.


Ground Event / Encounter – Aircraft

• Actual physical contact with another aircraft when aircraft is on the ground.





Part 121 Taxi/Parked Ground Conflict Related Incidents Reporter Function






Data references ASRS reports that have received full-form analysis and include the reporters' narrative.





Part 121 Taxi/Parked Ground Conflict Related Incidents Anomalies

Anomalies



Number of Incidents




Data references ASRS reports that have received full-form analysis and include the reporters' narrative. Categories are not mutually exclusive. Therefore, a single incident may be coded by ASRS analysts as involving more than one anomaly.

n = 68 Records



Part 121 Taxi/Parked Ground Conflict Related Incidents Year of Occurrence and Specific Anomalies

Year and Specific Anomalies





*2017 is complete through September.


Categories are not mutually exclusive. Therefore, a single incident may be coded by ASRS analysts as involving more than one anomaly. Data references ASRS reports that have received full-form analysis and include the reporters' narrative.

n = 68 Records



Part 121 Taxi/Parked Ground Conflict Related Incidents Location of Event

Airport






*2017 is complete through September.

Data references ASRS reports that have received full-form analysis and include the reporters' narrative.



Part 121 Taxi/Parked Ground Conflict Related Incidents Light Conditions








Data references ASRS reports that have received full-form analysis and include the reporters' narrative.

Part 121 Taxi/Parked Ground Conflict Related Incidents All Aircraft Involved in Incidents

Make Model Names or Aircraft Weight Classification

Large Transport A319, A320, A321 Series Medium Transport **B737 Next Generation B737 Undifferentiated Embraer Regional Jets** Widebody Transport Medium Large Transport **B757** Undifferentiated **B777** Undifferentiated **Canadair Regional Jets** A330 **Dash 8 Series B767** Undifferentiated Q400 **MD-88** Heavy Transport



Part 121 Taxi/Parked Ground Conflict Related Incidents Conflicting Aircraft by Weight Classification

		Aircraft 2						
-		Heavy Transport	Large Transport	Medium Large Transport	Medium Transport	Widebody Transport		
Aircraft 1	Large Transport		12	9	2	1		
	Medium Large Transport		2	3	6	2		
	Medium Transport	1	2	1	4			
A	Widebody Transport		2	1		5		

n = 53 of 68 Records

Weight Classifications


Medium Transport (40,001 – 60,000 lbs) Medium Large Transport (60,001 – 150,000 lbs) Large Transport (150,001 – 300,000 lbs) Heavy Transport (Over 300,000 lbs) Widebody Transport (Over 300,000 lbs)







Part 121 Taxi/Parked Ground Conflict Related Incidents Flight Conditions and Time (Quarter of Day)



n = 68 Records



*ZZZ is used when records are location de-identified or location is not given by the reporter. Data references ASRS reports that have received full-form analysis and include the reporters' narrative.



Part 121 Taxi/Parked Ground Conflict Related Incidents Contributing Factors and Human Factors (Event)

Contributing Factors and Human Factors										
			Contributing Factors / Situations							
		Aircraft	Airport	Chart or Publication	Company Policy	Environment - Non Weather Related	Human Factors	Procedure	Staffing	Weather
	Situational Awareness	1	12	1	3	2	46	29	2	2
	Communication Breakdown		13	1	3	1	35	29	1	1
	Confusion		6	1	1	1	17	15		1
	Distraction		3		1		12	13	1	1
Human	Human-Machine Interface				1		1	1		
Factors	Other / Unknown		2		1		4	3		
	Physiological - Other						2	1		
	Time Pressure		1		1		6	4		
	Training / Qualification		2		1		7	4		
	Workload		3		1		4	5	1	




Categories are not mutually exclusive. Therefore, a single incident may be coded by ASRS analysts as involving more than one factor. Data references ASRS reports that have received full-form analysis and include the reporters' narrative.

n = 68 Records



Part 121 Taxi/Parked Ground Conflict Related Incidents Primary Problem



n = 68 Records




Categories are not mutually exclusive. Therefore, a single incident may be coded by ASRS analysts as involving more than one anomaly. Data references ASRS reports that have received primary analysis and include the reporter's narrative.



Part 121 Taxi/Parked Ground Conflict Related Incidents *Results*

Results





Categories are not mutually exclusive. Therefore, a single incident may be coded by ASRS analysts as involving more than one result. Data references ASRS reports that have received primary analysis and include the reporter's narrative.



Example Record (Winglet Contact) Record 1341434

Flight crews of the two conflicting aircraft reported the event

- Aircraft X (Taxi-in) Air Carrier Captain and First Officer
- Aircraft Y (Pushback) Air Carrier Captain and First Officer

Aircraft X Captain Report: "Pulling into BNA, the left winglet on my aircraft contacted the right winglet of the aircraft at the adjacent gate. As we approached the gate, I cleared the safety area and noted that there were aircraft at both adjacent gates and assumed wing tip clearance since both other aircraft were stationary.....I proceeded to follow the Marshaler's directions to our gate. The winglets of the aircraft contacted, scraping paint from each, but with no other apparent damage. I was unaware that there had been any contact at all until approximately 20 minutes later...."





Example Record (Winglet Contact) Record 1341434


Aircraft X First Officer Report: "We were assigned Gate Y.... We were aware that no simultaneous pushback/taxi in of aircraft are allowed at the adjacent gates due to converging safety zones. ... I noticed an aircraft parked at Gate X and also noticed a plane parked at Gate Z. ... I also looked at the safety lines and noticed how the lines come to a 'V' ... I looked at the safety zone as we approached and verified that Gate X was not moving and that his wingtip appeared to be right at the corner of the "V." It did not appear to be any farther past the 'V.' ... Clearly these gates have a problem. I was unable to tell whether or not the aircraft at Gate X had been moved. All I could tell is that it was stopped and its wingtip appeared to be right at the intersection of the safety lines. While really close, I trusted the lines."





Example Record (Winglet Contact) Record 1341434

Aircraft Y Captain Report: "We began our pushback from Gate X when the Tug Driver noticed an aircraft taxiing inbound around Gate Y. After approximately 10'-15', he stopped the push to allow Company [to] get to their gate, which was Gate Y. While stopped with the number two engine running, we felt a jolt or bump. Informing the Tug Driver, he said we were stationary and did not feel anything. I asked him to look for damage. About that time, Ground Crew from Gate Y walked over and advised our Ground Crew they saw the left winglet of the aircraft inbound to Gate Y impact our right winglet. I shut down the number two engine, and we were towed back to the gate."





This graphic is for illustrative purposes only and not to be used for any other purpose.

CONTACT INFO

Capt. Gary Brauch ASRS Expert Analyst Metis Technology/Booz Allen Hamilton <u>Gary.J.Brauch@nasa.gov</u> (408) 541-2869

Becky Hooey, PhD NASA ASRS Acting Program Director Becky.L.Hooey@nasa.gov (408) 541-2827



